

### HTML

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1 (888) 880-4410

FAX: +1 (888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML OVERVIEW

- Introduction to the web design and its history;
- Introducing standard web software and scripting code, domain;
- Installing the basic software/applications required for this course;
- Introducing primary commands;
- Some exercises;
- Creation of a simple web page.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML OVERVIEW

- What you need to know:
  - You need to know the main concept and a few small details
  - You also need to know where to find other information about the main concept.
- It is common for people to think they need to memorize every little detail. You may do this over time when you become accustom with a language, but the most important thing for you to do is to remember the main concept and find information about the small details quickly.
- This is a general rule, as there might be something that you may need to remember small details about.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML OVERVIEW

• When you become familiar with languages it will become more fluent and you will have a lot of the data at your mental fingertips, but there will be something that you will eventually have to google.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML BASICS



### HTML BASICS

What HTML stands for?

• It stands for Hyper Text Markup Language.

- What does an HTML file do?
  - An HTML file determines the structure of a web page to a browser.
- How is an HTML file is constructed?
  - An HTML file consists of series of elements and tags.
  - Also, it tells the browser how to display and represent the contents on a Web page.

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1 (888) 880-4410

FAX: +1 (888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML BASICS

- Create a folder Called "My\_first\_Webpage" for your project (this is called a directory)
- Open folder in VS Code
- Create a file called index.html (make sure it's all lower case)



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML BASICS

- The index.html is the main page for our website.
- It is best practice to call it index, even Facebook, Microsoft and other big companies do this.
- The .html part defines what type of file it is. If we call it .txt it will be a text file, if we call it .png it will be a png image.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

## HTML COMMENTS



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML COMMENTS

 Comments in HTML are used the same way as any other coding language, to make notes to our teammates and future selves, But they are written different:



### HTML COMMENTS

- Short cut is:
- Ctrl + /

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

## HTML BOILERPLATE



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML BOILERPLATE

```
<!DOCTYPE html>
        <html lang="en">
        <head>
          <title>I am title, but I will not appear on the page.</title>
        </head>
        <body>
          <h1>Everybody can see me on the page.</h1>
HTML FILE
          And everybody can see me too.
          <u1>
             And everybody
             can see us
             too!
          </body>
        </html>
```




TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML BOILERPLATE - DOM





475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1

PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML BOILERPLATE - DOCTYPE

- Doctype is used to tell the browser what type of document and what type of HTML is being used. This is the start the Document object model.
- We are currently using HTML 5

<!DOCTYPE html>



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML BOILERPLATE - HTML

- The HTML tag is the root element of the page and is the second part in the document object model. <a href="mailto:khtml">html lang="en">
- HTML tags allow us to write HTML.
- lang="en" is how we can define the language on our page. En is English. You can change it to whichever language you would like depending on your userbase



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML BOILERPLATE - HEAD

• The head tag is like the mind of a human. Our thoughts are unseen and so is the head tag. We don't see anything displayed on the page itself from the head.





TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545


WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML BOILERPLATE - HEAD

• The title tag is stored in the head and is displayed off the page and on the tab of the page.

<title>My Web Page</title>






TOLL FREE: +1(888) 880-4410 FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>
EMAIL: STUDYING@ITDCANADA.CA

### HTML BOILERPLATE - BODY

- The body tag is like the body of a human. This is what is displayed on the page. And is where we put the majority of our code.
- The body and Head tags are sibling tags and are in the same place on the DOM tree





TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML BOILERPLATE - BODY

- VS code Boilerplate shortcut
- (Shift + 1) = ! Then press tab
- Exercise:
  - Set up the html boiler plate



## HTML ANATOMY

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410


FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML BASICS - TAGS

- HTML is a markup language.
- Every single element inside an HTML file is identified by a tag.





TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML BASICS - TAGS

- Every HTML tag is created with an opening angle bracket (<), writing the name of the tag that we want(h2), and closing the angle bracket (>).
- Most tags require an end tag as well, which identifies the end of that specific HTML element. An end tag is created using an opening angle bracket, writing slash (/), then writing the name of the tag, and closing the angle bracket.
- The purpose of the tag is to tell the browser which kind of element we want to display.

<h2>Hello, World</h2>



### HTML BASICS - TAGS

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410


FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>


EMAIL: STUDYING@ITDCANADA.CA

#### **ANATOMY OF A TAG**

STARTING AN ELEMENT



**ENDING AN ELEMENT** 





### HTML BASICS - TAGS

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

<h2>I am the content of the tag H2!</h2>

I am the content of the tag p!

<small>Look, I am another HTML element, and this is my content. My tag is small!</small>



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML BASICS - TAGS OUTPUT

### I am the content of the tag H2!

I am the content of the tag p!

Look, I am another HTML element, and this is my content. My tag is small!



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML BASICS - EXERCISE

 Make an h2 tag and a p tag in your html (just like in the slides above)



TOLL FREE: +1 (888) 880-4410

FAX: +1 (888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

# HTML ANATOMY ATTRIBUTES



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML BASICS - ATTRIBUTES

• Some tags do not require an end tag because they don't need any written content; these are standalone tags. If I use the <img> tag to display an image, for example, I just need to tell HTML where to find the image that I want. The end tag </img> does not exist.

 How can I tell it where to find the image that I want? By using attributes.

 An attribute is a detail inside a tag that adds useful (in some cases essential) information about that specific element.




TOLL FREE: +1(888) 880-4410
FAX: +1(888) 881-6545
WEB: WWW.ITDCANADA.CA

EMAIL: STUDYING@ITDCANADA.CA

### HTML BASICS - ATTRIBUTES

• To add an attribute to an HTML tag, first you write the **attribute name**, followed by =, then you open a quotation mark ("or '), you write the **attribute value**, and you close the quotation mark (" or ').





TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML BASICS - ATTRIBUTES

 For elements that require a start tag and an end tag, the attribute always must be defined in the start tag - never in the end tag.

```
<a href="https://www.google.com">Go to Google</a>
ATTRIBUTE NAME

ATTRIBUTE VALUE
```



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML BASICS - ATTRIBUTES

<a href="https://www.google.com">Go to Google</a>

Go to Google

<img src="cherry.jpg" alt="Cherry" width="200px">





TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

- What is an h1 tag? How about an h2 tag?
- These tags define headings in our HTML code.
- There are 6 levels of headings:
  - h1, h2, h3, h4, h5, h6,



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

- Each can be used to define a heading at specific levels of your page
- •For example, an H1 is used to define the main heading of that page. You should generally have only one h1 tag per page.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

- •Why are heading tags important? This is because web browsers will look for specific tags, they think are important to the page.
- •If you put an unimportant title in your h1 tag, you end up misinforming the web browser.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML HEADING TAGS

- Make a new folder (directory) in the ICR120
- Call it My\_Headings
- Make a new index.html file
- And add 6 heading (h1-h6) tags with the words:
- "I am the content of \_\_\_\_ " fill in the tag name



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML HEADING TAGS

Add the following to your Body

```
<body>
    <h1>I am the content of the tag H1!</h1>
    <h2>I am the content of the tag H2!</h2>
    <h3>I am the content of the tag H3!</h3>
    <h4>I am the content of the tag H4!</h4>
    <h5>I am the content of the tag H5!</h5>
    <h6>I am the content of the tag H6!</h6>
</body>
```



TOLL FREE: +1 (888) 880-4410

FAX: +1 (888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

# HTML PARAGRAPH TAGS



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML PARAGRAPH TAGS

P tags are used to write paragraphs.





TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML PARAGRAPH TAGS

 Make a p tag in the body and write: "This is my first paragraph. I am going to show you how to convert a hexadecimal number to binary..."



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML PARAGRAPH TAGS

- Now add some lorem ipsum to the p tag
- You can start typing lorem + tab

Lorem ipsum, dolor sit amet consectetur adipisicing elit. Vel totam necessitatibus iure dolorum
beatae quod recusandae, voluptas alias cumque nulla suscipit, molestiae eos sit officiis? Tempora
dolorum consequatur soluta illum!

- Or go to this site
  - https://loremipsum.io/



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML PARAGRAPH TAGS

•Lorem Ipsum is "Dummy" or "Filler" text. We use it when we are designing layouts. It has been used since the 15<sup>th</sup> century for this purpose

Lorem ipsum, dolor sit amet consectetur adipisicing elit. Vel totam necessitatibus iure dolorum
beatae quod recusandae, voluptas alias cumque nulla suscipit, molestiae eos sit officiis? Tempora
dolorum consequatur soluta illum!



## HTML BR TAGS

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1 (888) 880-4410

FAX: +1 (888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML BR TAGS

•<br> tags move everything after the <br> to
the next line:

Lorem ipsum, dolor sit amet consectetur adipisicing elit. Vel totam necessitatibus iure dolorum
beatae quod recusandae, voluptas alias cumque nulla suscipit,<br/>
dolorum consequatur soluta illum!



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML ELEMENT VS TAG



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML ELEMENT VS TAG

- You may hear these words used interchangeably.
- A tag is either, not both, the ending or beginning of an element.
- So a <h1> is a starting tag. A </h1> is an ending tag
- An element is the everything all together
- +<h1>Hello, Element</h1>



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

## HTML INLINE VS BLOCK



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML INLINE VS BLOCK

- You may notice that some tags go across the page while others go down. This is because there are two types of tags in HTML:
- 1. Inline
- 2. Block



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML INLINE VS BLOCK

#### 1. Inline:

- Inline elements goes across the page. Think about it as "in a line"
- Some examples of these are:
  - <a> <dfn> <abbr> <em> <acronym> <b> <bdo> <label> <button>
     <map> <cite> <code> <output> <q> <i> <img> <small> <strong>
     <object> <time> <script> <select> < span> <sub> <sup> <textarea>



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML INLINE VS BLOCK

#### 1. Block:

- Block elements goes down the page. Think about it as blocks get stacked on each other.
- Some examples of these are:
- <address> <figcaption> <article> <figure> <aside> <footer>
   <blockquote> <form> <h1>-<h6> <header> <hr> <dl> <dt> <dt> <main>
   <fieldset> <nav> <noscript> <canvas> <section> <dd> <div> <tfoot> <video> <br> <br/>



## HTML FORMATTING

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1
PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML FORMATTING

- When we start adding elements to our body, We use what is called nesting. Nesting is the process of putting elements in elements.
- It's kind of a like matryoshka dolls (muh·tree·owsh·kuh)





TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML FORMATTING

 Remember: when you nest HTML elements (one element inside another one), be sure to close the inner element while you are still inside the outer element. Like this:

 Pay attention to the position of the start tag and the end tag of each element: make sure they never cross.



## HTML SEMANTIC TAGS

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML SEMANTIC TAGS - DIV

- Div tags <u>divide</u> and compartmentalize parts of our website into pieces. Div's have no direct effect on the webpage, but they make it easier to style and organize websites.
- Years ago, in web development it was common to solely use a div tag to break up parts of our website. We still use them, and we will be using them once we get to CSS.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML SEMANTIC TAGS

- These days HTML 5 comes with specific names that Identify specific parts of a webpage. Many you have likely heard of; header, footer, navbar, etc...
- These have similar effects to div tags but use words to describe what they are containing.



#### HTML SEMANTIC TAGS

- Some of the most common semantic tags are:
- <header>
- <nav>
- <footer>
- <main>
- <section>
- <article>
- <details>
- <figure>
- <figcaption>
- <aside>
- <mark>
- <summary>
- <time>

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML SEMANTIC TAGS

- Why use semantic tags?
- 1. It's easier for other people on your team to read.
- 2. It's easier for search engines to read https://www.w3schools.com/html/html5\_semant ic elements.asp



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML SEMANTIC TAGS

- Exercise
- Make a new directory (folder) called Cleaning\_Site
- Make an index.html file and add:
- Make a header, main, and footer tag.
- In the header add an h1 tag
- In the main have a h2 tag and a p tag
- In the footer have an h3 tag and an unordered list. (look up lists)



## HTML SPAN

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1 (888) 880-4410

FAX: +1 (888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML SPAN

- •Just like a div tag we can use a span tag to add CSS to our inline elements. We will do this once we get to CSS
- This is the <span>coolest</span> inline tag
- •<em>
- •<strong>



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

## HTML LIST TAGS



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML LIST TAGS

- There are a few different list tags we can use:
- 1. Unordered List
- 2. Ordered List
- 3. Description List



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML LIST TAGS

•In all list tags we have to nest. We start with the tag that defines what type of list it is:

```
-->-->-->-->-->
```



#### HTML LIST TAGS

Then we add the list tag

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

```
<!-- Unordered List</li>
 <!-- List Tag -->
<!-- Ordered List -->
 <dl><!-- Description List -->
 <dt></dt><!-- List Tag -->
 <dd></dd>
</dl>
```



475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1

PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML LIST TAGS — UNORDERED LIST

- Unordered lists are a list that has a bullet point, and it doesn't matter the order
- What I had for breakfast:
  - Tea
  - Pancakes
  - Eggs
  - Chicken sausage

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML LIST TAGS — UNORDERED LIST

- Create a new directory(folder) called Lists with index.html
- Add the below list:



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML LIST TAGS — ORDERED LIST

- Unordered lists are a list that has a bullet point, and it doesn't matter the order, but ordered lists are numerical
- My top favorite books:
  - 1. The Law of Success
  - 2. How To Win Friends and Influence People
  - 3. Hitchhikers Guide to the Galaxy
  - 4. The Magic of Believing
  - 5. Star Wars Darth Bane Trilogy
    - 1. Path of Destruction
    - 2. Rule of Two
    - 3. Dynasty of Evil



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML LIST TAGS — ORDERED LIST

```
<h3>My top favorite books:</h3>

The Law of Success
How To Win Friends and Influence People
Hitchhikers Guide to the Galaxy
The Magic of Believing
Star Wars Darth Bane Trilogy
```



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML LIST TAGS — ORDERED LIST

You can also have a list in a list

```
<h3>My top favorite books:</h3>
<01>
 The Law of Success
 How To Win Friends and Influence People
 Hitchhikers Guide to the Galaxy
 The Magic of Believing
 Star Wars: Darth Bane Trilogy:
 Path of Destruction
  Rule of Two
  Dynasty of Evil
```



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML LIST TAGS - DESCRIPTIVE LIST

#### Descriptive lists

- These lists are lists with a built in sub titles.
- They allow us to define the a subject and other information associated with that subject

#### •<h3>Beverages</h3>:

- Coffee
  - A black beverage that contains caffeine
- Tea
  - A leaves of different color, black, green, white etc... that contains caffeine
- Soda
  - Basically poison...



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML LIST TAGS - DESCRIPTIVE LIST

```
<h3>Beverages:</h3>
<d1>
  <dt>Coffee</dt>
  <dd>A black beverage that contains caffeine</dd>
  <dt>Tea</dt>
  <dd>Different color leaves that contains caffeine</dd>
  <dt>Soda</dt>
  <dd>Basically poison...</dd>
</dl>
```



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML LIST TAGS

- Exercise:
- Choose the correct list either ul, ol, dl:
  - 1. Make a list of your dreams and goals
  - 2. Make a list of programming languages and a give a small description of each
  - 3. Make a list of billboard top 5 hits for a specific week



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML IMAGES



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML IMG TAGS

- Image tags allow us to display images on the website
- We can do this two ways:
  - 1. You can link to a local directory (folder)
  - 2. You can connect to an image on a website



TOLL FREE: +1 (888) 880-4410

FAX: +1 (888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML IMG TAGS — LOCAL

- Make a new directory called html\_images
- Make a new index.html file
- To add images into your local directory start by adding a folder called "img".
- •Then add the image you want to the img folder.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML IMG TAGS — LOCAL

- Then add the img tag to your page.
- To connect to a local directory (folder) add the file location into the src attribute.
- Then add the name of the image to the alt attribute. This
  helps other programs identify what the image is.
- Notice how we don't have a closing tag? This is because we don't put content in the tag, just link to the content.

<img src="./img/quote.jpg" alt="Napoleon Hill">



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML IMG TAGS — WEB

- To connect to an image that is from the web, right click on the image and copy image address. Then paste in the src attribute.
- Not ever image will allow you to do this though, but many on google images will.

<img src="https://media.architecturaldigest.com/photos/58e2a407c0e88d1a6a20066b/16:9/w\_1280,c\_limit/Pyramid%20of%20Giza%201.jpg" alt="Pyramids">



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML IMG TAGS — WEB

- Exercise:
- Add an image to you page of a place you may want to visit some day.
- Connect it via a local folder.
- Add an image of a car or home of your dreams
- Connect via a image address.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

# HTML IMAGES SIZE



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML IMG TAGS — SIZE

- There are a few ways to change the size of your image
  - 1. In the HTML tag
  - 2. Using CSS (this we will talk about later)



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML IMG TAGS — SIZE HTML

- You can change the size of your image by adding width and height attributes to your <img> tag.
- Do you notice anything that may cause an issue with the below attributes?



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML IMG TAGS — SIZE HTML

- To define size we can use percent (%) or pixels (px).
- It is generally a good idea to only define the height or the width not both, if you define both it may cause a distortion of the image.

<img src="./img/quote.jpg" alt="Napoleon Hill" width="50px" height="50px">



#### HTML IMG TAGS

•Image formats:

 https://developer.mozilla.org/en-US/docs/Web/Media/Formats/Image\_types

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML IMG TAGS

- 1. Define the size of your image
  - · Play with height and width, make your image distorted
- 2. Make your image size with percent and with pixels. Resize the web browser and see what happens



#### HTML IMG TAGS — WEB

• Exercise:

 Add an image to the service website and make it 100%

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

## HTML VIDEO TAGS Local



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML VIDEO TAGS

- Just like images we need to make a folder to put our videos. This is generally called videos.
- In the cleaning site:
- Make a folder called videos

```
<video width="300" controls>
     <source src="Video/Video.mov" type="">
     </video>
```



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML VIDEO TAGS

 Video tags unlike image tags have opening and closing tags. They also have a source tag as the content.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML VIDEO TAGS

- We can define the width and height attributes for our videos.
- If you want to have play buttons and sliders, you have to add the controls attributes.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML VIDEO TAGS

 To add the video, you add the file path into the src attribute.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML VIDEO TAGS

 Type attribute defines the type. This is for accessibility and bots.



#### HTML VIDEO TAGS

• Exercise:

•Go to Pixabay, download a short video. Add it to your site.

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1
PHONE: +1(604)558-8727, +1(604)409-8200



PHONE: +1(604)558-8727, +1(604) TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545
WEB: <u>www.itdcanada.ca</u>
EMAIL: STUDYING@ITDCANADA.CA

HTML VIDEO TAGS
YOUTUBE



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML VIDEO TAGS

- •It's common to see YouTube videos embedded on websites.
- YouTube makes this really easy for us:
  - 1. Go to the YouTube video you would like to embed
  - 2. Click share
  - 3. Click embed
  - 4. Click Copy
  - 5. Paste In HTML file



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML VIDEO TAGS

•The tag we use is an iframe tag and is a tag specifically used to embed media from other sites into our own.



TOLL FREE: +1 (888) 880-4410

FAX: +1 (888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML A TAGS TO ANOTHER SITE



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML A TAGS

- <a> tags are hyperlinks, They allow us to link to other web pages
- Most <a> tags have an attribute called href, this stands for hyperlink reference and is where we define where the <a> tag takes us

<a href="https://www.google.com">Google</a>



•<a> tags:

- When unused are blue
- When used are purple
- When active (currently being clicked on) are red.
- All a tags come underlined, and we can change this in CSS

<a href="https://www.google.com">Google</a>

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200



- •<a> tags:
  - · When unused are blue
  - When used are purple
  - When active (currently being clicked on) are red.
- All <a> tags come underlined, and we can change this in CSS

Google

<u>Google</u>

Google

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727. +1(604)409-8200



- •<a> tags:
  - · When unused are blue
  - When used are purple
  - When active (currently being clicked on) are red.
- All <a> tags come underlined, and we can change this in CSS

Google

<u>Google</u>

Google

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727. +1(604)409-8200



• Exercise:

- 1. Make a new directory called hyperlinks in
- Add an index.html
- 3. Add an <a> tag that takes you to apples website

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML A TAGS FOLDERS



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML A TAGS

- •When we make websites, its common to have more than one page, we have to link these pages together so we have a cohesive site.
- We can use <a> tags to create this cohesion.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML A TAGS

- Make a new html file beside(inside the same folder) the index.html
- Call it page2.html
- Add the boiler plate
- Change the <title> to Page 2
- Add an h1 tag
- In the h1 write Hello, Page 2



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML A TAGS

- We can link to our page2.html by using an <a> tag
- You can us ./page2.html or page2.html
  - ./ is used to indicate the same folder(directory)



- Make a new folder (directory)
- Call it MyThirdPage
- Add a page3.html
- Add boilerplate
- Change title, add h1 with "Hello, Page3"
- Add an a tag that links:
  - index.html to page 3 and page 2 to page 3
  - page 3 to page 2 and page 3 to index.html (we haven't do this yet but give it a try)

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML A TAGS

- How do I link to other folders(directories)?
- If we want to go into a directory, we can just write ./MyThirdPage/page3.html
- If we want to leave a directory we write ../index.html
  - This is our starting point ./
  - If we add another . Infront of ./ we get ../
  - This moves us from the directory we are in to the directory containing the current directory.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML A TAGS

- Main\_Directory > index.html + page2.html
  - MyThridPage > Page3.html
- To access any directory your page is in use ./
- To access the directory your directory is in, use ../



### HTML A TAGS

- Add a forth directory with page4.html
- •Connect page 4 to all the other pages and all the other pages to page 4


475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1
PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA





TOLL FREE: +1 (888) 880-4410

FAX: +1 (888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

# HTML A TAGS TARGET = BLANK



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML A TAGS

- Open new tag when you click
- When someone is leaving your website its beneficial to create a new tab because:
- It allows the user easy access back to your site
- Company's want you to keep seeing their tabs



### HTML A TAGS

- •target="\_blank"
- •If someone is leaving your site, use target blank or \_blank. If they are navigating in your site to another page then don't use target attribute.

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1 (888) 880-4410

FAX: +1 (888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML A TAGS PHONES EMAILS AND IMAGES, OH MY!



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML A TAGS

- When you click on a phone number it will open your phone.
- How does it do this?
- Its quite similar to the way we link to a website.
- tel: then the number

<a href="tel:555-555-5555">Call Now!</a>



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML A TAGS

- You can do the same with emails
- mailto: email address

<a href="mailto:maya.kali@itdcanada.ca">Send Email</a>



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML A TAGS

 To make an image into a link put the image tag as the content of the a tag



TOLL FREE: +1 (888) 880-4410

FAX: +1 (888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

## HTML SPECIAL CHARACTERS



475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1

PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML SPECIAL CHARACTERS

https://www.w3schools.com/html/html \_symbols.asp



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML SPECIAL CHARACTERS

### •Exercise:

Add a copyright symbol to your page



### FORMS

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1 (888) 880-4410

FAX: +1 (888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML FORMS

- •Forms are used to take data from our users.
- •There are different inputs we can use to take in user data.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML FORMS

### Common ways to take data into forms:

- 1. Text boxes
- 2. Radio buttons
- 3. Checkboxes
- 4. Dates
- 5. Range
- 6. Selectors



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### **HTML FORMS**

- •Set up a new directory in ICR120 called forms make an index.html file and a second called contact.html
- •Link from your index.html to your contact.html and vice versa.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML FORMS

 To set up a form, you need to use a form semantic tag (the action will autopopulate):

```
<form action="">
</form>
```



## FORMS TEXTBOX

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML FORMS - TEXTBOXAdd an input tag into the form:



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML FORMS - TEXTBOXAdd a title in front of the input:



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML FORMS - TEXTBOXAdd a title in front of the input:



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML FORMS - TEXTBOX

You can also add a placeholder attribute:

```
<form action="">
    Give Me Your Data: <input type="text" placeholder="Private Data">
    </form>
```



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML FORMS - TEXTBOX

#### •Exercise:

- Make a form that takes in a First name and Last name.
   Include a placeholder with an example name like John Doe.
- Try to add an input that uses "email" type instead of "text"



475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1

PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML FORMS - TEXTBOX - LABELS

 Labels are used to help screen readers and make our websites more accessible



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML FORMS - TEXTBOX - LABELS

- You can add a label like we did above, or you can use a label tag
- •Fill in the for attribute with the same name as the name attribute



475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1

PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML FORMS - TEXTBOX - LABELS

 Add a label to your first name and last name



# FORMS LEGEND TAG

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML FORMS - LEGEND

- Legend tags are headings for forms.
- You can use legend tags for groupings of inputs like radio buttons, checkboxes and related textbox inputs



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML FORMS - LEGEND

 Add a legend tag to your first name last name inputs and call it personal information.



# FORMS RADIO

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML FORMS - RADIO BUTTONS

 Radio buttons give us the ability to toggle between different responses. You can only have one selection in a radio group.
 When you select one all others deselect.

```
<input type="radio" name="yesNo" value="yes"/>Yes?
<input type="radio" name="yesNo" value="no"/>No?
<input type="radio" name="yesNo" value="maybe"/>Maybe?
```



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML FORMS - RADIO BUTTONS

- You use the name attribute to create a radio group. As long as they have the same name, the button will toggle between them
- Try changing one of the names

```
<input type="radio" name="yesNo" value="yes"/>Yes?
<input type="radio" name="yesNo" value="no"/>No?
<input type="radio" name="yesNo" value="maybe"/>Maybe?
```

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML FORMS - RADIO BUTTONS

- The value attribute is what tells the programs we write in JavaScript about the selection that is chosen
- If no is chosen, that data will be sent to JS

```
<input type="radio" name="yesNo" value="yes"/>Yes?
<input type="radio" name="yesNo" value="no"/>No?
<input type="radio" name="yesNo" value="maybe"/>Maybe?
```



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML FORMS - RADIO BUTTONS

Add a label and legend:



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

### HTML FORMS - RADIO BUTTONS

Add a label:

```
<input type="radio" name="yesNo" value="yes"/><label for="yes"> Yes?</label>
<input type="radio" name="yesNo" value="no"/><label for="no"> No?</label>
<input type="radio" name="yesNo" value="maybe"/><label for="maybe"> Maybe?</label>
```



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML FORMS - RADIO BUTTONS

• Default checked:

```
<input type="radio" name="yesNo" value="yes"/><label for="yes"> Yes?</label>
<input type="radio" name="yesNo" value="no" checked/><label for="no"> No?</label>
<input type="radio" name="yesNo" value="maybe"/><label for="maybe"> Maybe?</label>
```



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML FORMS - RADIO BUTTONS

#### • Exercise:

- Make a radio button for what kind of Ice-cream you would like to choose:
- Chocolate, Vanilla, Rocky Road... Or whatever you want
- Give it a default checked



## FORMS CHECKBOXES

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML FORMS - CHECKBOXES

- •Checkboxes are akin(similar) to radio buttons but with one caveat(difference), You can choose more than one option.
- You can select all checkboxes if you want or just one or even none.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML FORMS - CHECKBOXES

- •Try to make a check box on your own:
- •With four pets you would like to have.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML FORMS - CHECKBOXES

```
<legend>Pick the animals you would have as pets if you could:</legend>
<input type="checkbox" name="Pet" value="Cat" />Cat
<input type="checkbox" name="Pet" value="Dog" checked />Dog
<input type="checkbox" name="Pet" value="Bird" />Bird
<input type="checkbox" name="Pet" value="Aardvark" />Aardvark
```



# FORMS SELECTIONS

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200



STUDYING@ITDCANADA.CA

TOLL FREE: +1(888) 880-4410 FAX: +1(888) 881-6545 WEB: WWW.ITDCANADA.CA

#### HTML FORMS - SELECTION

 Another way to take user decisions is with selections. These are drop down menus with different options.



TOLL FREE: +1(888) 880-4410 FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>
EMAIL: STUDYING@ITDCANADA.CA

#### HTML FORMS - SELECTION

•This is a bit different than radio buttons and checkboxes. With selections we have a select tag:

```
<select name="" id="">
</select>
```



475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1

PHONE: +1(604)558-8727, +1(604)409-8200 TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545
WEB: WWW.ITDCANADA.CA
EMAIL: STUDYING@ITDCANADA.CA

#### HTML FORMS - SELECTION

In the select tag we put in the option tag



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML FORMS - SELECTION

You can put as many options as you need

```
<select name="" id="">
    <option value="">MyOption1</option>
    <option value="">MyOption2</option>
    <option value="">MyOption3</option>
    </select>
```



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML FORMS - SELECTION

 When making your first option its generally recommended to write something like this:



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML FORMS - SELECTION

 Write something generic like "Select" and leave the value empty. This is important because



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML FORMS - SELECTION

#### • Exercise:

 Make a select menu that has different types of smartphones.



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

## FORMS

SELECTIONS - OPTGROUP



TOLL FREE: +1(888) 880-4410 FAX: +1(888) 881-6545 WEB: WWW.ITDCANADA.CA

EMAIL: STUDYING@ITDCANADA.CA

#### HTML FORMS — SELECTION - OPTGROUP

- You may need to add a label for specific groupings in your selector.
- You can do this by adding the <optgroup> tag and nesting the options inside



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML FORMS — SELECTION - OPTGROUP

```
<select name="ProgrammingLanguages" id="selector">
  <option value="">Select</option>
  <optgroup label="Curly-Brace">
    <option value="Java">Java</option>
    <option value="Cpp">C++</option>
    <option value="JavaScript">JavaScript</option>
  </optgroup>
  <optgroup label="Non-Curly-Brace">
    <option value="Python">Python</option>
    <option value="VisualBasic">Visual Basic</option>
  </optgroup>
</select>
```



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML FORMS - SELECTION

- Exercise:
  - Add specific brands labels to the smartphone select.
    - Example:
    - hone
      - iPhone 12
    - Samsung:
      - Galaxy
    - Motorola
      - Edge



## FORMS BUTTON

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1 (888) 880-4410

FAX: +1 (888) 881-6545

WEB: WWW.ITDCANADA.CA

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML FORMS — SUBMIT BUTTONS

- Submit buttons to send your form.
- Submit buttons can be done in two ways :
  - Input
  - Button

```
<input type="submit" name="" value="Send">
```

OR

<button type="submit">submit</button>



475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1

PHONE: +1(604)558-8727, +1(604)409-8200 TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545
WEB: <u>www.itdcanada.ca</u>
Email: studying@itdcanada.ca

#### HTML FORMS — RESET BUTTONS

Reset Buttons will reset the form to default.

<button type="reset">Reset</button>



## TABLES BASICS

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML TABLES

- •When we want to represent data to our users, it can be useful to display the data in a table format.
- This is called tabular data.
- Think to yourself, "Can I show this on a spreadsheet?". If the answer is yes, you can use a table



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML TABLES

- Create a new file called table.html
- Link to your index.html and back.



#### HTML TABLES

Some examples:

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

- https://www.canada.ca/en/revenueagency/services/tax/individuals/frequently-askedquestions-individuals/canadian-income-tax-ratesindividuals-current-previous-years.html
- https://www2.gov.bc.ca/gov/content/employmentbusiness/employment-standardsadvice/employment-standards/statutory-holidays



#### HTML TABLES

To make a table we first add a table tag

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1
PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML TABLES

Next, we nest the 
 (table row) in the table tag

•The tr tag is used to define each row of our tables



#### HTML TABLES

In the tr tagwe nest ourColumns

- Th is table header
- Td is table data

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410 FAX: +1(888) 881-6545

```
>
  Header 1
  Header 2
  Header 3
 Column 1 Row 1
  Column 2 Row 1
  Column 3 Row 1
 Column 1 Row 2
  Column 2 Row 2
  Column 3 Row 2
 /table>
```



#### HTML TABLES

- •Exercise:
- Make a table for a customer
- Include First Name, Last Name, Address, customer ID

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200



### TABLES SEMANTICS

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200



TOLL FREE: +1 (888) 880-4410

FAX: +1 (888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML TABLES

- Some semantic tags we can use in our table are
- •<thead>
- •
- •<tfoot>



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML TABLES

•<thead>, , <tfoot> don't directly affect the table, but are like a div or main tag where we can style them. They can also be used for accessibility for the visually impaired.



#### HTML TABLES

- Add a thead on the headers
- Add a tbody for the data

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA



### TABLES FORMATTING

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML TABLES

- Formatting tables can be done on either HTML or CSS
- It is most common to do it on CSS and some of the attributes are being deprecated in HTML.
- https://developer.mozilla.org/en-US/docs/Web/HTML/Element/td



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML TABLES

- Comon formatting still used in HTML
  - Colspan
  - Rowspan
  - Cellpadding \*\* Depending who you ask this generally shouldn't be used
  - Cellspacing \*\* Depending who you ask this generally shouldn't be used
- Colspan makes a column go across a specific amount of columns
- Rowspan makes a row go down a specific amount of rows
- Cellpadding adds internal space into the cell.
- Cellspacing adds space between cells



#### HTML TABLES

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

```
Date
  Header 1
  Header 2
  Header 3
 Year
  Month
  Day
 </thead>
  1990
  02
  18
  Column 1 Row 1
  Column 2 Row 1
  Column 3 Row 1
 1975
  05
  17
  Column 1 Row 2
  Column 2 Row 2
  Column 3 Row 2
 <tfoot></tfoot>
```



## TABLES CAPTION

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200

TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### HTML TABLES

- Caption is a tag that we can use to define a table title
- •It must be the first element in a table
- Caption should be styled using CSS



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>WWW.ITDCANADA.CA</u>

EMAIL: STUDYING@ITDCANADA.CA

## EXTRAS



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

## **ID ANCHORS**



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### ID & ANCHOR

- An anchor link is a link that helps to link to the content on the same page that has an anchor attached.
- <h1 id="main-heading">Believe</h1>



### FAVICON

475 GRANVILLE STREET, VANCOUVER, BC, V6C 1T1 PHONE: +1(604)558-8727, +1(604)409-8200



TOLL FREE: +1(888) 880-4410

FAX: +1(888) 881-6545

WEB: <u>www.itdcanada.ca</u>

EMAIL: STUDYING@ITDCANADA.CA

#### **FAVICON**

• link rel="shortcut icon" type="image/jpg" href="images/alchemy.jpg">



