

(3,8)

PUBLIC CLASS ATINIDADE {

PUBLIC ~~CLASS~~ STATIC BOOLEAN EXISTE (INT[] V, INT TAM,
INT VALOR) {

FOR (INT i = 0; i < TAM; i++) {

IF (V[i] == VALOR) {

RETURN TRUE;

}

}

RETURN FALSE;

}

//A

(1,5)

PUBLIC STATIC INT UNIAO (INT[] A, INT TAMA, INT[] B, INT TAMB,
INT[] U) {

INT TAMU = 0;

FOR (INT i = 0; i < TAMA; i++) {

IF (!EXISTE (U, TAMU, A[i])) {

U[TAMU] = A[i];

TAMU++;

}

}

FOR (INT j = 0; j < TAMB; j++) {

IF (!EXISTE (U, TAMU, B[j])) {

U[TAMU] = B[j];

TAMU++;

}

}

RETURN TAMU;

}

DATA: __/__/__

(S)(T)(Q)(Q)(S)(S)(D)

//B



```
PUBLIC STATIC VOID ORDENAR (INT[] V, INT N) {
```

```
    FOR (INT i = 1; i < N; i++) {
```

```
        INT ATUAL = V[i];
```

```
        INT j = i - 1;
```


```
        WHILE (j >= 0 && V[j] > ATUAL) {
```

```
            V[j+1] = V[j];
```

```
            j--;
```

```
        }
```

//C



```
PUBLIC STATIC INT GERAR_VETOR_SEM_REPETICAO (INT[] V, INT TAM_V,
```

```
INT[] VSR) {
```

```
    INT TAM_VSR = 0;
```

```
    FOR (INT i = 0; i < TAM_V; i++) {
```

```
        IF (EXISTE (VSR, TAM_VSR, V[i])) {
```

```
            VSR[TAM_VSR] = V[i];
```

```
            TAM_VSR++;
```

```
        }
```

```
    }
```

```
    RETURN TAM_VSR;
```

```
}
```

// FUNÇÃO AUXILIAR D

```
PUBLIC STATIC VOID INVERTER (INT[] V, INT INICIO, INT FIM) {
```

```
    WHILE (INICIO < FIM) {
```

```
        INT AUX = V[INICIO];
```

```
        V[INICIO] = V[FIM];
```

```
        V[FIM] = AUX;
```

```
        INICIO++;
```

```
        FIM--;
```

```
    }
```

```
}
```

02

FALTOU ;

0,3

11D

```

PUBLIC STATIC VOID ROTACIONAR (INT[] V, INT TAM, INT K) {
  IF (TAM == 0) {
RETURN RETURN;
  }

```

```

  K = K % TAM;

```

```

  IF (K < 0) {

```

```

    K -= TAM;

```

```

  }

```

```

    K += TAM

```

-0,5

```

  INVERTER (V, 0, K - 1);

```

```

  INVERTER (V, K, TAM - 1);

```

```

  INVERTER (V, 0, TAM - 1);

```

```

}

```

```

}

```

TEMPO NO PAPEL: 2H 32 MINUTOS

TEMPO NO COMPUTADOR: 2H 14 MINUTOS