

## Tubos para uso estructural y general

Tubos para uso estructural y general

Tabla de peso por unidad de longitud (Kg/m)

Diám. no	om.	Cuadr.	Rect.		Livianos - E	spesor (mm)		Semipesados - Espesor (mm) Laminado en caliente, sin decapar						
					Laminado en f	río, decapad	os							
(Pulg)	(mm)	(mm)	(mm)	0,80	0,90	1,25	1,60	1,60	2,00	2,50	3,20	3,60	4,00	
1/2	12,70			0,235	0,262	0,341								
		10x10		0,235	0,262	0,341								
5/8	15,87			0,298	0,333	0,435	0,564	0,564	0,685					
		125x125		0,298	0,333	0,435		0,564	0,685					
3/4	19,05			0,360	0,403	0,529	0,689	0,689	0,842					
		15x15		0,360	0,403	0,529		0,689	0,842					
			10x20	0,360	0,403	0,529		0,689	0,842					
7/8	22,22			0,423	0,474	0,623	0,815	0,815	0,999					
			15x20	0,423	0,474	0,623		0,815	0,999					
1	25,40			0,486	0,544	0,717	0,940	0,940	1,156					
		20x20		0,486	0,544	0,717		0,940	1,156					
			10x30	0,486	0,544	0,717		0,940	1,156					
			15x25	0,486	0,544	0,717		0,940	1,156					
			14x30	0,486	0,544	0,717	0,940	0,940	1,156					
1 1/8	28,57			0,549	0,615	0,811	1,065	1,065	1,312					
			15x30	0,549	0,615	0,811		1,191	1,312					
1 1/4	31,75			0,611	0,686	0,905	1,191	1,191	1,469					
		25x25		0,611	0,686	0,905		1,191	1,469					
			10x40	0,611	0,686	0,905		1,191	1,469					
			20x30	0,611	0,686	0,905		1,191	1,469					
1 3/8	34,92			0,674	0,756	0,999	1,316	1,316	1,626					
1 1/2	38,10						1,442							
		30x30		0,737	0,827	1,093		1,442	1,783					
			20x40											
1 5/8	41,27			0,799	0,897	1,187	1,567	1,567	1,939					
			25x40	0,799	0,897	1,187		1,567	1,939					
1 3/4	44,45						1,693							
		35x35												
			20x50	0,862	0,968	1,281		1,693	2,096					
			30x40											
			25x53				1,693							
1 7/8	47,62			0,925	1,038	1,375	1,818	1,818	2,253					
			25x50	0,925	1,038	1,375		1,818	2,253					
2 1/4	50,80			0,988	1,109	1,470	1,944	1,944	2,410	2,981	3,671			
		40x40		0,988	1,109	1,470		1,944	2,410	2,981	3,671			
			20x60	0,988	1,109	1,470		1,944	2,410	2,981	3,671			
			30x50	0,988	1,109	1,470		1,944	2,410	2,981	3,671			
	57,15				1,250	1,658	2,195	2,195	2,723	3,373	4,263			
		45x45			1,250	1,658		2,195	2,723	3,373	4,263			
			30x60		1,250	1,658		2,195	2,723	3,373	4,263			
			40x50		1,250	1,658		2,195	2,723	3,373	4,263			
2 1/2	63,50				1,391	1,846	2,445	2,445	3,037	3,765	4,764			
		50x50			1,391	1,846		2,445	3,037	3,765	4,764		5,877	
			30x70		1,391	1,846		2,445	3,037	3,765	4,764			
			40x60		1,391	1,846		2,445	3,037	3,765	4,764		5,877	

Medidas con stock permanente

## Tubos para uso estructural y general

Tabla de peso por unidad de longitud (Kg/m)

Diám. nom.		Cuadr.	Rect.		Livianos - E	spesor (mm)		Semipesados - Espesor (mm)						
				I	Laminado en	frío, decapad	0\$	Laminado en caliente, sin decapar						
(Pulg)	(mm)	(mm)	(mm)	0,80	0,90	1,25	1,60	1,60	2,00	2,50	3,20	3,60	4,00	
3	76,20				1,673	2,222	2,947	2,947	3,664	4,549	5,768			
		60x60				2,222		2,947	3,664	4,549	5,768			
			20x100			2,222		2,947	3,664					
			40x80			2,222		2,947	3,664	4,549	5,768			
			50x70			2,222		2,947	3,664	4,549	5,768			
3 1/2	88,90					2,599	3,449	3,449	4,291	5,333	6,771	7,582		
		70x70				2,599		3,449	4,291	5,333	6,771	7,582		
			40x100			2,599		3,449	4,291	5,333	6,771	7,582		
			60x80			2,599		3,449	4,291	5,333	6,771	7,582		
3 3/4	95,22		50x100					3,700	4,605	5,725	7,273			
4	101,60							3,951	4,919	6,117	7,775			
		80x80						3,951	4,919	6,117	7,775			
			40x120					3,951	4,919	6,117	7,775			
			60x100					3,951	4,919	6,117	7,775			
4 1/2	114,30							4,452	5,546	6,901	8,778	9,840	10,894	
		90x90						4,452	5,546	6,901	8,778		10,894	
			60x120					4,452	5,546	6,901	8,778		10,894	
			80x100					4,452	5,546	6,901	8,778		10,894	
5	127,00							4,954	6,173	7,685	9,782			
		100x100						4,954	6,173	7,685	9,782			
			50x150					4,954	6,173	7,685	9,782			
			60x140					4,954	6,173	7,685	9,782			
			80x120					4,954	6,173	7,685	9,782			

Medidas con stock permanente

Por medidas no incluídas en esta clasificación, consultar factibilidad de producción. Longitudes: Estándar 6.000 mm, máxima 8.000 mm, mínima 4.000 mm.