


Drawing:		Description:	
N°	Rev: 00.0724	ENGINE T3	

CAP 04

#	DRAWING	DESCRIPTION	PAG.
1	04.001	ENGINE INSTALLATION - T3	4.03
2	04.002	OIL FILLER AND DIPSTICK - T3	4.05
3	04.003	AIR INTAKE ASSY - T3	4.07
4	04.004	AIR FILTER ASSEMBLY - T3	4.10
5	04.005	FUEL SYSTEM - T3	4.12
6	04.006	EXHAUST SYSTEM - T3	4.16

(this page intentionally left blank)


Drawing:		Description:		
N°	04.001	Rev:	00.0724	
ENGINE COMPONENTS – T3				



Drawing:		Description:		
N°	04.001	Rev:	00.0724	
		ENGINE COMPONENTS – T3		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	04.01.546839087	turbocharger	1		
2	04.01.547778193	starter motor	1		
3	04.01.XF5700969	water pump	1		
4	04.01.XF5680003	alternator	1		
5	04.01.XF6591498C	ECM - electronic control moddule	1		
6	04.01.XF6582322	fuel pump	1		


Drawing:		Description:		
N°	04.002	Rev:	00.0724	
ENGINE INSTALLATION – T3				



Drawing:		Description:		
N°	04.002	Rev:	00.0724	
		ENGINE INSTALLATION – T3		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	04.01.546888898	engine QSM11	1		
2	04.01.546967581	support engine assy. rear chassis	2		
3	04.01.974999942	washer locking washer	4		
4	04.01.974999982	washer DIN 73497349-21x44x8-A2C	8		
5	04.01.984987942	hexagon head screw ISO 4014M20x60-8.8-A2C	8		
6	04.01.984988345	hexagon head screw ISO 4017M16x50-8.8-A2C	4		
7	04.01.974999971	washer ISO 709016-200HV-A2C	8		
8	04.01.944948373	hexagon nut ISO 10511M16-8A2C	4		
9	04.01.546867592	support engine/rad	1		
10	04.01.984968954	hexagon head screw ISO 4017M10x45-8.8-A2C	8		
11	04.01.944949992	nut ISO 7040M10-8-A2C	8		
12	04.01.934999989	bumper rubber mounting 45shore	2		
13	04.01.944948373	hexagon nut ISO 10511M16-8A2C	2		
14	04.01.974999959	washer DIN 734917-ST50-A2C	2		
15	04.01.974999924	washer 1/2"(REBOUND)	2		
16	04.01.984986361	hexagon head bolt ISO 4014M16x120-8.8-A2C	2		
17	04.01.934999944	coolant filter	1		
18	04.01.934999950	engine oil filter	1		


Drawing:		Description:		
N°	04.003	Rev:	00.0724	
OIL FILLER AND DIPSTICK				



Drawing:		Description:		
N°	04.003	Rev:	00.0724	
		OIL FILLER AND DIPSTICK		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	04.01.546888898	cap	1		
2	04.01.546967581	pipe eng oil fill	1		
3	04.01.974999942	cable grommet 44,4x50,8x12,7-GU	1		
4	04.01.974999982	clip hose DIN 3017A40-60x13-W2	1		
5	04.01.984987942	hose flexible formed eng oil fill	1		
6	04.01.984988345	clip hose DIN 3017A50-70x13-W2	1		
7	04.01.974999971	hexagon head bolt ISO 4014M6x80-8.8-A2C	2		
8	04.01.944948373	plate DIN 3015-1L-DP-5-W1	1		
9	04.01.546867592	clamp block DIN 3015-1L-KP-5-R-40-PP	1		
10	04.01.984968954	dipstick	1		
11	04.01.944949992	grommet 3/4"IDX1"HOLE	1		
12	04.01.934999989	hexagon head screw ISO 4017M6x16-8.8-A2C	1		
13	04.01.944948373	clip D1-12X20-W1-1	1		
14	04.01.974999959	washer ISO 7093B6,4-ST-A2C	1		
15	04.01.974999924	hexagon nut ISO 4032DIN 934-M6-8A2C	1		
16	04.01.984986361	clip pipe 15-18	1		

Drawing:		Description:		
N°	04.004	Rev:	00.0724	
		AIR INTAKE ASSY - T3		




Drawing:		Description:		
N°	04.004	Rev:	00.0724	
		AIR INTAKE ASSY - T3		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	04.01.954999989	hose clip DIN 3017C1-145x30-W2	1		
2	04.01.546824201	shaped hose elbow turbo inlet	1		
3	04.01.954999989	hose clip DIN 3017C1-145x30-W2	1		
4	04.01.944949999	nut hexagon ISO 4032DIN 934-M10-8A2C	2		
5	04.01.934949996	vacuum switch	1		
6	04.01.546824206	pipe air intake cummins	1		
7	04.01.954999990	clip hose SCHEL-C1-168x30-3017	5		
8	04.01.994979912	hose elbow	1		
9	04.01.954999928	clamping clip 152(6")-M8	1		
10	04.01.546924204	pipe air intake	1		
11	04.01.994979912	hose elbow	1		
12	04.01.546924204	pipe air intake	1		
13	04.01.994979912	hose elbow	1		
14	04.01.954999944	hose clip DIN 3017C1-184X30-3017	1		
15	04.01.934979999	mounting assy.	1		
16	04.01.974999994	washer ISO 7090B10,5x20x2-HV200-A2C	2		
17	04.01.944949992	nut ISO 7040M10-8-A2C	2		
18	04.01.546967572	bracket air intake pipe	1		
19	04.01.546883798	air filter	1		

Drawing:		Description:		
N°	04.004	Rev:	00.0724	
		AIR INTAKE ASSY - T3		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
20	04.01.954999924	clip 406x38	2		
21	04.01.984968979	hexagon head screw ISO 4017M10x20-8.8-A2C	4		
22	04.01.944949999	nut hexagon ISO 4032DIN 934-M10-8A2C	4		
23	04.01.954999944	hose clip DIN 3017C1-184X30-3017	1		
24	04.01.546984997	pipe air intake	1		
25	04.01.984968979	hexagon head screw ISO 4017M10x20-8.8-A2C	2		
26	04.01.974999987	hexagon head screw ISO 4017M10x20-8.8-A2C	2		


Drawing:		Description:		
N°	04.005	Rev:	00.0724	
AIR FILTER ASSEMBLY – T3				



Drawing:		Description:		
N°	04.005	Rev:	00.0724	
		AIR FILTER ASSEMBLY – T3		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	04.01.546984799	air filter	1		
2		filter housing	1		
3		filter cover	1		
4	04.01.546883796	filter element inner	1		
5	04.01.980160197	nut	1		
6	04.01.546883795	filter element outer	1		
7	04.01.980160198	nut	1		
8	04.01.980160098	clip	1		
9	04.01.980161899	dust discharge valve	1		
10	04.01.547771481	seal	1		

Drawing:		Description:		
N°	04.006	Rev:	00.0724	
FUEL SYSTEM – T3				



Drawing:		Description:		
N°	04.006	Rev:	00.0724	
		FUEL SYSTEM – T3		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	04.01.546683397	fuel tank ASSEMBLY 800LITRE	1		
2	04.01.964999989	seal ring 26x35x2-V80	3		
3	04.01.994979969	adaptor 3/4X1/2BSPM/M	1		
4	04.01.934999994	air vent filter	1		
5	04.01.546624211	pipe assy	1		
6	04.01.994979908	pipe assy.	1		
7	04.01.099924282	fuel line assy 3600mm	1		
8	04.01.099924282	fuel line assy 330mm	1		
9	04.01.099924282	fuel line assy 5350mm	1		
10	04.01.099924282	fuel line assy 1900mm	1		
11	04.01.984989147	hexagon head screw ISO 4017M8x40-8.8-A2C	2		
11	04.01.984988946	hexagon head screw ISO 4017M8x45-8.8-A2C	1		
12	04.01.954899996	cover plate DIN 3015-3Z-DP-2-W1-A2C	3		
13	04.01.954999951	clamp block DIN 3015-3Z-KP-2-R-16-16-PP	6		
14	04.01.944949987	nut ISO 4032934-M8-8A2C	1		
15	04.01.984988735	hexagon head screw ISO 4017M12x35-10.9	2		
16	04.01.546867580	support fuel line	1		
17	04.01.546867596	bracket BRACKET HEATER HOSE	1		
18	04.01.984968974	hexagon head screw ISO 4017M10x25-8.8-A2C	1		


Drawing:		Description:		
N°	04.006	Rev:	00.0724	
		FUEL SYSTEM – T3		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
19	04.01.994979893	pipe union G 1/2-A2C	1		
20	04.01.994979974	adaptor 1/2"BSP-1/2"BSPT	2		
21	04.01.944949987	nut ISO 4032934-M8-8A2C	2		
22	04.01.984969179	hexagon head screw ISO 4017M8x20-8.8-A2C	2		
23	04.01.984989973	hexagon head screw 3/8UNCx1"-8.8-A2C	4		
24	04.01.974999994	washer ISO 7090B10,5x20x2-HV200-A2C	4		
25	04.01.546967585	support Fuel filter Cummins	1		
26	04.01.547774512	motor piece head	1		
27	04.01.934999949	fuel filter	1		
28	04.01.984968754	hexagon head screw ISO 4017M12x45-8.8-A2C	6		
29	04.01.974999990	washer DIN 734913-HV300-DAC	10		
30	04.01.944949991	hexagon nut ISO 7040M12-8-A2C	6		
31	04.01.546967552	support FUEL TANK	1		
32	04.01.934959999	rubber pad	1		
33	04.01.984989940	hexagon head screw M12x50-8.8-A2C	12		
34	04.01.546967542	support	4		
35	04.01.934959999	rubber pad	3		
36	04.01.546967541	support	8		
37	04.01.994989916	screw plug 1" BSP	1		

Drawing:		Description:		
N°	04.006	Rev:	00.0724	
		FUEL SYSTEM – T3		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
38	04.01.964999977	rubber gasket	1		
39	04.01.096639199	transmitter signal fuel level 430	1		
40	04.01.546967542	ZS-AM4X16-84-4.8A2C	5		
41	04.01.964999983	seal ring DIN 7603A4x8-Cu	5		
42	04.01.546624212	pipe assy.	1		
43	04.01.096967399	lid fuel cap	1		
44	04.01.546883598	fuel filter assembly (903115206 filter)	1		
45	04.01.954999997	A16-27x9-W2	8		
46	04.01.994979892	adaptor	1		
47	04.01.994979891	adaptor	1		
48	04.01.994989874	adaptor	2		
49	04.01.994979894	adaptor	1		

Drawing:		Description:		
N°	04.007	Rev:	00.0724	
EXHAUST SYSTEM – T3				



Drawing:		Description:		
N°	04.007	Rev:	00.0724	
		EXHAUST SYSTEM – T3		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	04.01.546984588	exhaust pipe assy. New top counterweight	1		
2	04.01.984968774	hexagon head screw SKS-M12X25-933-8.8A2C	4		
3	04.01.546984592	exhaust pipe	1		
4	04.01.954999927	clamping clip 127(5")-M8	7		
5	04.01.546984591	silencer	1		
5	04.01.546984591	catalytic converter Purimuffler	1		option
6	04.01.546984594	exhaust pipe flexi 1100l	1		
7	04.01.546884593	exhaust pipe flexi 300l	1		
8	04.01.546884598	exhaust pipe assy.	1		
9	04.01.548279899	exhaust pipe	1		
10	04.01.984968964	hexagon head screw ISO 4017M10x35-8.8-A2C	2		
11	04.01.548279899	clamp	1		
12	04.01.546967594	bracket -STACK PIPE	1		
13	04.01.546867565	support exhaust pipe	1		
14	04.01.974999994	washer ISO 7090B10,5x20x2-HV200-A2C	4		
15	04.01.984968974	hexagon head screw ISO 4017M10x25-8.8-A2C	2		
16	04.01.974999971	washer ISO 709016-200HV-A2C	4		
17	04.01.546967666	plate guard assy.	a.req.		
18	04.01.546867595	support exhaust pipe	1		
19	04.01.984968969	hexagon head screw ISO 4017M10x30-8.8-A2C	2		
20	04.01.974999969	washer ISO 709012-HV200-A2C	4		