


Drawing:		Description:	
N°	Rev: 00.0724	FRONT AXLE	

CAP 07

#	DRAWING		DESCRIPTION	PAG.
1	07.001	FRONT DRIVE AXLE INSTALLATION		07.003
2	07.002	PROPSHAF		07.005
3	07.003	HUB ASSEMBLY		07.007
4	07.004	BRAKE		07.011
5	07.005	DIFFERENCIAL AND CARRIER ASSEMBLY		07.014
6	07.006	RETAINER FOR PARKING BRAKE		07.017
7	07.007	PARKING BRAKE		07.019

(this page intentionally left blank)


Drawing:		Description:		
N°	07.001	Rev:	00.0724	
FRONT AXLE DRIVE INSTALLATION				



Drawing:		Description:		
N°	07.001	Rev:	00.0724	
FRONT AXLE DRIVE INSTALLATION				

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	07.01.548973999	drive axle assy. d102(lwb)	1		axle type 102
2	07.01.984986358	hexagon head bolt 931M36x525-8.8	8		525mm
3	07.01.974999931	washer ISO 7090B37-ST50-A2C	8		axle type 102
4	07.01.944946399	prevailing torque nut DIN 985M36-8-A2C	8		525mm
5	07.01.934939991	dowel	2		565mm

Drawing:		Description:		
N°	07.002	Rev:	00.0724	
PROPSHAFT				



Drawing:		Description:		
N°	07.002	Rev:	00.0724	
		PROPSHAFT		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	07.01.546967791	shaft propshaft	1		
2	07.01.549912996	repair kit	a.req.		
3	07.01.547369598	flange propshaft slider	1		
4	07.01.547369597	flange propshaft fixed	1		
5	07.01.549682849	hexagon nut ISO 7040M14-8-A2C	4		
6	07.01.984989917	socket head screw ISO 4762M14x50-12.9-DAC	4		
7	07.01.544658859	nut ISO 7040M12-10	12		
8	07.01.546967894	spacer	8		
9	07.01.984988718	socket-head screw ISO 4762M12x75-12.9-DAC	8		closed length 1640mm
9	07.01.544683686	socket head screw ISO 4762M12x85-8.8-A2C	8		closed length 1540mm
9	07.01.544604686	socket head screw ISO 4762M12x85-12.9-ZLS	8		
10	07.01.984989996	screw socket head ISO 4762M12x50-12.9-DAC	4		closed length 1640mm
10	07.01.544688692	screw cap hd ISO 4762M12X55-8.8	4		closed length 1540mm
10	07.01.544604692	socket head screw ISO 4762M12x55-12.9-ZLS	4		

Drawing:

Description:


N° 07.003

Rev: 00.0724

HUB ASSEMBLY



KESSLER+CO



Blatt Nr. / sheet no. / feuillet no. 2 / 670.4

Drawing:		Description:		
N°	07.003	Rev:	00.0724	
		HUB ASSEMBLY		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	07.13.898.7632.ZT	axle housing	1		
2	07.13.984998997	breather	1		M14X1,5
5	07.13.091M75U4N	screw plug	1		M24X1,5 DIN908-5.8 mit Magnet
6	07.13.2396MZ75C69	sealing ring	1		A24X30 DIN7603-Cu
40	07.13.08.6150.K8	axle shaft	2	falta 3,4 y 589	L=1705mm
42	07.13.898.863.9	wheel hub	2		
43	07.01.980979688	stud	48		
44	07.01.944998198	wheel nut	48		
45	07.01.545488999	clamp	48		
50	07.13.779C749O83M	radial seal ring	4		220X250X16B1DSL NBR
53	07.13.67961	tapered roller bearing	2		
54	07.13.67961	tapered roller bearing	2		
55	07.13.898.867.5	Abstandsring spacer ring anneau entretoise	2		
59	07.13.492729-876	nut	2		
60	07.13.087M89C890	hexagon socket screw	2	falta 61	M10X10 DIN912-10.9
122	07.13.HY749	circlip	2		SB250X3,0
300	07.13.489749-788	planetary housing	2		
301	07.13.489742-978	planetary carrier support	2		
304	07.13.L543C64M	o-ring	2		

Drawing:		Description:		
N°	07.003	Rev:	00.0724	
		HUB ASSEMBLY		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
305	07.13.091M75U4	screw plug	2		M24X1,5 DIN908-5.8
306	07.13.2396MZ75C69	sealing ring	2		A24X30 DIN7603-Cu
307	07.13.091M83U4N	screw plug	2		M16X1,5 DIN908-5.8 mit Magnet
308	07.13.2396MZ83C79	sealing ring	2		A16X20 DIN7603-Cu
309	07.13.490750-905	thrust ring	2		
312	07.13.087M79C490	hexagon socket screw	44	falta 2123 y 2124	M20X50 DIN912-10.9
314	07.13.489748-836	sun gear	2		
315	07.13.489748-826	sun gear	2		
316	07.13.528M869C5	circlip	2		A130X4 DIN471
317	07.13.528M44C6	circlip	2		55X3 DIN471
320	07.13.489750-995	thrust ring	2		
321	07.13.490750-905	thrust ring	2		
322	07.13.489746-886	planetary gear	10		
323	07.13.489746-896	planetary gear	6		
324	07.13.492743-934	thrust washer	20		
326	07.13.490743-974	thrust washer	12		
329	07.13.P954C944C79	needle bearing	40	falta 328	
330	07.13.89.7131.5	needle bearing	6	falta 342	
331	07.13.490745-855	planetary pin	10		

Drawing:		Description:		
N°	07.003	Rev:	00.0724	
		HUB ASSEMBLY		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
332	07.13.490745-845	planetary pin	6		
333	07.13.8518M2C69	locking pin goupille ressort	10		7X30 DIN1481
334	07.13.89.5165.K8	locking pin	6		
335	07.13.489747-917	ring gear	2		
336	07.13.489744-846	ring gear carrier	2		
337	07.13.490752-975	retainer	6		
338	07.13.066M1C870	hexagon screw	12		M8X12 DIN933-10.9
340	07.13.L54C7E	o-ring	10		
589	07.13.2396MZ85C81	sealing ring	1		A14X18 DIN7603-Cu

Drawing:

Description:

N° 07.004

Rev: 00.0724



BRAKE



KESSLER+CO

150

Bremse komplett
brake complete
frein complet



Bremse
brake
frein

Blatt Nr. / sheet no. / feuillet no. 2 / 701.4

Drawing:		Description:		
N°	07.004	Rev:	00.0724	
		BRAKE		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
250	07.13.492724-656	inner disk	16		
251	07.13.492724-226	outer disk	16		
252	07.13.490724-566	piston	2		
253	07.13.89.7630.5	bushing	4		
254	07.13.087M89C640	hexagon socket screw	4		M10X35 DIN912-10.9
255	07.13.490724-8598	disk carrier	2		
256	07.13.066M79C340	hexagon screw	48		M20X65 DIN933-10.9
257	07.13.L719C6M	o-ring	2		
258	07.13.89.4958.5	gasket	2		
259	07.13.89.4957.5	gasket	2		
260	07.13.490724-8188	housing carter	2		
261	07.13.490724-8908	housing carter	2		
262	07.13.L514C4M	o-ring	2		
263	07.13.L724C5M	o-ring	2		
264	07.13.L734C5M	o-ring	2		
265	07.13.L77C6M	o-ring	6		
266	07.13.087M83C440	hexagon socket screw	52		M16X55 DIN912-10.9
267	07.13.087M83C590	hexagon socket screw	8		M16X40 DIN912-10.9
269	07.13.038M79U440	hexagon screw	32		M20X1,5X55 DIN961-10.9

Drawing:		Description:		
N°	07.004	Rev:	00.0724	
		BRAKE		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
271	07.13.23.09S-72	face seal	2		
272	07.13.091M77U4	screw plug	2		M22X1,5 DIN908-5.8
273	07.13.2396MZ77C72	sealing ring	2		A22X27 DIN7603-Cu
274	07.13.091M85U4	screw plug	2		M14X1,5 DIN908-5.8
275	07.13.2396MZ85C81	sealing ring	2		A14X18 DIN7603-Cu
278	07.13.6.6489-9199	bleeding socket	2		3.3510-0800.1/A0020
279	07.13.2396MZ85C81	sealing ring	2		A14X18 DIN7603-Cu
280	07.13.6.6481-8498	bleeder valve	2		3.3518-1501.2M/R0023
281	07.13.492724-515	pipe tube	16		
282	07.13.3078M3C591	hexagon screw with flange	16		M6X40 DIN6921-8.8
283	07.13.EW714	compression spring	16		

Drawing:

N° 07.005


Rev: 00.0724

Description:

DIFFERENCIAL AND CARRIER ASSEMBLY



KESSLER+CO



Achsantrieb
differential and carrier assembly
ensemble tete de pont et differentiel

Blatt Nr. / sheet no. / feuillet no. 2 / 1702.4

Drawing:		Description:		
N°	07.005	Rev:	00.0724	
DIFFERENCIAL AND CARRIER ASSEMBLY				

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
400	07.13.898.7632.ZZ	differential and carrier assembly	1		
401	07.13.18.0208.7	drive pinion	1		set with pos.402
402	07.13.18.0202.7	ring gear	1		set with pos.401
403	07.13.18.0186.9	differential housing	1		set with pos.404
404	07.13.18.0188.8	differential housing	1		set with pos.403
405	07.13.18.0193.6	differential spider	1		
406	07.13.18.0052.7	differential side gear	2		
408	07.13.18.0053.7	differential pinion	4		
409	07.13.18.0190.5	disk	2		
412	07.13.18.0191.5	bushing	4		
413	07.13.087M85C8890	hexagon socket screw	12		M14X110 DIN912-10.9
414	07.13.066M83C540	hexagon screw	16		M16X45 DIN933-10.9
415	07.13.66883	tapered roller bearing	1		
416	07.13.67982	tapered roller bearing	1		
417	07.13.27.8053.9	differential carrier	1		
418	07.13.068M83C090	hexagon screw	4		M16X90 DIN931-10.9
419	07.13.28.8910.6	setting ring	1		
420	07.13.28.8910.6	setting ring	1		
421	07.13.893.939.5	lock plate	2		

Drawing:		Description:		
N°	07.005	Rev:	00.0724	
DIFFERENCIAL AND CARRIER ASSEMBLY				

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
422	07.13.066M1C870	hexagon screw	2		M8X12 DIN933-10.9
423	07.13.066M85C590	hexagon screw	16		M14X40 DIN933-10.9
427	07.13.089M57U4	screw plug	1		M42X1,5 DIN910-5.8
428	07.13.2396MZ57C50	sealing ring	1		A42X49 DIN7603-Cu
432	07.13.QD1950/989	tapered roller bearing	1		JW8049/JW8010
433	07.13.H869C839C6	Stützscheibe thrust washer rondelle de butée	1		130X160X3,5 DIN988
434	07.13.H929C17C64	thrust washer	1		70X82X3,5 DIN988
435	07.13.18.0213.5	bushing	1		
436	07.13.QD2950/989	tapered roller bearing	1		JW7049/JW7010
439	07.13.27.8049.6	cover	1		
440	07.13.894C869O87E	radial seal ring	1		105X130X12BAUMSL Viton
442	07.13.087M1C790	hexagon socket screw	6		M8X20 DIN912-10.9
444	07.13.17.8483.6	drive flange	1		
445	07.13.890.7347.5	adjusting nut	1		
447	07.13.068M87C490	hexagon screw	12		M12X50 DIN931-10.9
579	07.13.89.5713.5	Spannhülse locking pin goupille ressort	6		
572	07.13.L864C74E	o-ring	1		135X2,5, FKM, 70 Shore

Drawing:

Description:


N° 07.006

Rev: 00.0724

RETAINER FOR PARKING BRAKE



KESSLER+CO



Halter für Feststellbremse
retainer for parking brake
reteneur de frein de stationnement

Blatt Nr. / sheet no. / feuillet no. 2 / 662.4

Drawing:		Description:		
N°	07.006	Rev:	00.0724	
		RETAINER FOR PARKING BRAKE		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
600	07.13.85747	brake	1		
601	07.13.898.763.8	brake carrier	1		
602	07.13.L83C5M	o-ring	2		
603	07.13.28.0352.6	brake disk	1		
604	07.13.066M87C590	hexagon screw	12		M12X40 DIN933-10.9

Drawing:

Description:



N° 07.007

Rev: 00.0724

PARKING BRAKE



KESSLER+CO



Unverbindliche Darstellung
Nonbinding sketch

Feststellbremse
parking brake
frein de stationnement

Blatt Nr./sheet no./feuille no. 2/1050.4

Drawing:		Description:		
N°	07.007	Rev:	00.0724	
		PARKING BRAKE		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
605	07.13.65164.82	lining set	1		
606	07.13.55662.97	bleeder	1		
608	07.13.W527.985	circlip	1		
609	07.13.53585	dished plate spring	5		
610	07.13.W3668.998	hexagon nut	1		
611	07.13.W086.996	set screw	1		
612	07.13.899894	cap	1		
615	07.13.53594	pressure bolt	1		
616	07.13.899810	hexagon screw	2		
617	07.13.W020.998	castle nut	2		
618	07.13.W05.987	splint pin	2		
619	07.13.65162.87	gasket	1		
623	07.13.53596	magnetic	2		
624	07.13.53593.95	tolerance ring	2		
625	07.13.54931.75	o-ring	1		
626	07.13.54931.51	o-ring	1		
629	07.13.896021	screw socket	1		
630	07.13.55655	sealing ring	1		