


Drawing:		Description:	
N°	Rev: 00.0724	BRAKE SYSTEM	

CAP 08

#	DRAWING	DESCRIPTION	PAG.
1	08.001	BRAKE PUMP ASSY	8.03
2	08.002	BRAKE PEDAL ASSEMBLY	8.05
3	08.003	PRESSURE CIRCUIT	8.08
4	08.004	HYDRAULIC OIL BRAKE TANK AND LINES	8.12
5	08.005	OIL BRAKE COOLER AND LINES	8.16
6	08.006	PRESSURE FILTER	8.19
7	08.007	BRAKE VALVE	8.21
8	08.008	OIL BRAKE COOLER	8.23

(this page intentionally left blank)

Drawing:		Description:		
N°	08.001	Rev:	00.0724	
		BRAKE PUMP ASSY		




254.803.53.29

Drawing:		Description:		
N°	08.001	Rev:	00.0724	
		BRAKE PUMP ASSY		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	08.01.540369159	o-ring 84x2,5-FKM80	1		
2	08.01.546948798	clutch ANSI 16/3219Z-16/329Z	1		
3	08.01.540189597	gear pump	1		
4	08.01.984959993	socket-head screw ISO 4762M10x25-8.8-A2C	2		

Drawing:		Description:		
N°	08.002	Rev:	00.0724	
BRAKE PEDAL ASSEMBLY				




Drawing:		Description:		
N°	08.002	Rev:	00.0724	
		BRAKE PEDAL ASSEMBLY		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	08.01.096739598	brake pedal	1		
2	08.01.096723994	Brake valve new 2021	1		
2A	08.01.096723994	Brake valve new 2021	1		
3	08.01.096767673	bellows pedal	1		
4	08.01.934939975	pin pivot	1		
5	08.01.096939891	harness brake potentiometer	1		
6	08.01.984869179	screw M8X 20LG	4		
7	08.01.096767693	Support	1		
7A	08.01.096767684	New support 2020 (903276005use)	1		
8	08.01.984959988	socket head screw ISO 4762M6x16-8.8-A2C	4		
9	08.01.096939890	bracket brake potentiometer	1		
10	08.01.096767597	ball joint DIN 71802	1		
11	08.01.994989930	joint ball ang. DIN 71802m6lh	1		
12	08.01.984959988	socket head screw ISO 4762M6x16-8.8-A2C	4		
13	08.01.984989984	threaded stud M6x100-A2C	1		
14	08.01.546767559	support pivot block	1		
15	08.01.546714198	bearing spherical ISO 12240-1E10	1		
16	08.01.984988919	bolt	1		
17	08.01.944949996	hexagon nut ISO 4032DIN 934-M6-8A2C	3		

Drawing:		Description:		
N°	08.002	Rev:	00.0724	
		BRAKE PEDAL ASSEMBLY		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
18	08.01.944949983	hexagon nut ISO 4032DIN 934-M6L-8A2C	1		
19	08.01.984969183	hexagon head screw ISO 4017M8x16-8.8-A2C	2		
20	08.01.096767697	plate shim	a.req.		
21	08.01.096767696	plate shim	a.req.		
22	08.01.974999997	washer DIN 7349DIN 7349-8.4x21x4,8A2C	2		
23	08.01.934949988	spring	1		
24	08.01.984969379	hexagon head screw ISO 4017M6x20-8.8-A2C	1		
25	08.01.974999980	washer DIN 7349DIN 7349-6,4x17x3A2C	1		
26	08.01.934939992	spring dowel sleeve ISO 87524x32-ST	2		
27	08.01.944949999	hexagon nut EN 10511M10-8-A2C	1		
28	08.01.096739199	sensor poti,brake pedal	1		

Drawing:		Description:		
N°	08.003	Rev:	00.0724	
PRESSURE CIRCUIT				



Drawing:		Description:		
N°	08.003	Rev:	00.0724	
		PRESSURE CIRCUIT		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	08.01.994969970	joint screw fitting	1		
2	08.01.546824257	hose line brake pump-filter	1		
3	08.01.994989978	pipe union ISO 8434-1SDS-L15xG1/2A-type E-CFS-V80	2		
4	08.01.994979895	G1 BY 1/2 INCH BSP	2		
6	08.01.934999999	brake filter assy (pressure line)	1		SEE DRAWING 08.19
7	08.01.546924291	hose assy	1		
8	08.01.994979949	pipe union L-15LM	1		
9	08.01.994979965	reducer 15/10L-V80	1		
10	08.01.994979942	test connector 10L-M16x1,5	2		
11	08.01.095923499	Prefill valve	1		SEE DRAWING 08.21
12		transmitter signal	1		
13	08.01.994989976	pipe union SDS-L12xM18x1,5-type E-A3C	1		
14	08.01.994979950	pipe union L-10LM	1		
16	08.01.934989999	accumulator 80bar charge	1		
17	08.01.546924254	pipe brakes	1		
18	08.01.994979952	elbow union BHE-12L	2		
21	08.01.546724268	hose assy	1		
22	08.01.994989939	pipe union ISO 8434-1SDS-L10xM14x1,5-type E-A3C-V	5		
24	08.01.096723994	Brake valve new 2021	1		
25	08.01.974999992	washer ISO 7089A8,4-ST50-A2C	1		


Drawing:		Description:		
N°	08.003	Rev:	00.0724	
		PRESSURE CIRCUIT		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
26	08.01.984969183	hexagon head screw ISO 4017M8x16-8.8-A2C	1		
27	08.01.994989927	pipe union ISO 8434-1SWOE-L10-St-V80-CFS	1		
28	08.01.546724260	hose line 1060lg	1		
29	08.01.546967561	support brake pipe	1		
30	08.01.546924253	pipe brakes	1		
31	08.01.994989972	pipe union 10L-7/16UNF	1		
32	08.01.994989921	teepeece DIN 3908DIN 3908-T10L-A3C	1		
33	08.01.994979901	pipe union ISO 8434-1SWORT-L10-St-V80-CFS	1		
34	08.01.548924298	pipe brakes	1		
35	08.01.546924288	pipe brakes	1		
36	08.01.954999920	clamp block DIN 3015-1L-KP-1-R-10-PP	2		
37	08.01.984968979	hexagon head screw ISO 4017M10x20-8.8-A2C	3		
38	08.01.984989125	socket-head screw ISO 4762M8x60-8.8-A2C	2		
39	08.01.954999998	clip clamping 92(35/8")	2		
40	08.01.954999969	clip DIN 3016-1D1-20X20-W1-1	2		
41	08.01.984969183	hexagon head screw ISO 4017M8x16-8.8-A2C	2		
42	08.01.548924296	pipe brakes	1		
43	08.01.954899990	cover plate DIN 3015-1L-DP-1-W1	1		
44	08.01.096739598	brake pedal	1		
45	08.01.095939199	pressure transmitter	1		

Drawing:		Description:		
N°	08.003	Rev:	00.0724	
		PRESSURE CIRCUIT		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
46	08.01.994989923	pipe union ISO 8434-1SWOE-L12-St-V80-CFS	1		
47	08.01.994989950	pipe union 3910BHS-10L-St-A3C	1		
48	08.01.546967562	support brake pipe	1		
49	08.01.984969183	hexagon head screw ISO 4017M8x16-8.8-A2C	1		
50	08.01.546924256	hose line 600mm	1		
51	08.01.994979990	connector conical reducing 12/10l	1		
52	08.01.964989995	o-ring 24x3-FKM80	1		
53	08.01.994989989	reducer	1		
54	08.01.994989934	pipe union ISO 8434-1SDS-L12xG3/8A-type E-CFS-V80	1		
55	08.01.994989927	pipe union ISO 8434-1SWOE-L10-St-V80-CFS	1		
56	08.01.994989984	reducer 1/4GX10L F/F	1		
57	08.01.095939199	pressure transmitter	1		
58	08.01.954999998	Clamp	2		
60	08.01.540189597	Brake pump	1		
61	08.01.994989940	pipe union ISO 8434-1SDS-L6xM10x1-type E-st-CFS-V	1		
62	08.01.994989952	pipe union ISO 8434-1SWOE-L06-St-V80-A3C	1		
63	08.01.984989983	connection screw joint 06LR-V80	1		
64	08.01.994989978	ADAPTOR	1		
65	08.01.994989923	pipe union ISO 8434-1SWOE-L12-St-V80-CFS	1		
66	08.01.546924261	brake pipe assy. ch vlv - acc	1		

Drawing:		Description:		
N°	08.004	Rev:	00.0724	
HYDRAULIC OIL BRAKE TANK AND LINES				



Drawing:		Description:		
N°	08.004	Rev:	00.0724	
		HYDRAULIC OIL BRAKE TANK AND LINES		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	08.01.545683399	tank oil assy.	1		
3	08.01.994989913	plug screw G 1"-MA	1		
4	08.01.934999993	gauge oil sight glass	1		
5	08.01.934999985	brake filter (suction line)	1		
6	08.01.964989994	o-ring ISO 3601-1155x3,55-FKM80	1		
7	08.01.545664597	cover junction plate brake tank	1		
8	08.01.545624298	pipe assy.	1		
9	08.01.964999996	seal ring '13,74x20,57x2,03P90	1		
10	08.01.934969999	sensor temperature	1		
11	08.01.934999994	cap filter	1		
12	08.01.954999946	clip hose A40-60x13-W2	12		
13	08.01.546924226	hose line 11/2R4X 1750	1		
14	08.01.546824298	suction pipe assy	1		
15	08.01.964989995	o-ring 24x3-FKM80	1		
16	08.01.994989976	pipe union SDS-L12xM18x1,5-type E-A3C	1		
17	08.01.994979950	pipe union L-10LM	1		
18	08.01.994979952	elbow union BHE-12L	1		
21	08.01.546724268	hose assy	1		
22	08.01.994989939	pipe union ISO 8434-1SDS-L10xM14x1,5-type E-A3C-V	1		


Drawing:		Description:		
N°	08.004	Rev:	00.0724	
		HYDRAULIC OIL BRAKE TANK AND LINES		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
23	08.01.546924255	pipe brakes	1		
24	08.01.546924269	pipe steel	1		
25	08.01.994979992	conical reducer RED 18/12-L-A3C	1		
26	08.01.994979948	pipe union L-18LM	1		
27	08.01.994989949	pipe union ISO 8434-1SWOE-L18-St-V80-CFS	1		
28	08.01.994979938	pipe union SDS-L35xM42x2-type E-A3C	2		
29	08.01.548924297	hose assy.	2		
30	08.01.994979951	teepeece	1		
31	08.01.546924228	hose assy 11/2R4670L	1		
32	08.01.546924270	pipe assy	1		
33	08.01.546924226	hose assy 11/2R4X 600L	1		
34	08.01.984968974	hexagon head screw ISO 4017M10x25-8.8-A2C	4		
35	08.01.546967560	support	1		
36	08.01.984989994	stud DIN 939M10x30-8.8-A2C	4		
37	08.01.944949999	nut hexagon ISO 4032DIN 934-M10-8A2C	4		
38	08.01.974999993	washer DIN 7349DIN 7349-10,5x25x4	4		
39	08.01.984989334	hexagon head bolt SKS-M6X65-931-8.8A2C	6		
40	08.01.984989374	socket-head screw ISO 4762M6x25-8.8-A2C	4		
42	08.01.546967580	bracket	2		

Drawing:		Description:		
N°	08.004	Rev:	00.0724	
		HYDRAULIC OIL BRAKE TANK AND LINES		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
43	08.01.944949987	nut ISO 4032934-M8-8A2C	4		
44	08.01.54999934	clamp block DIN 3015S-KP-3-R-38-PP	6		
45	08.01.546967563	support brake pipes	1		
46	08.01.984989147	hexagon head screw ISO 4017M8x40-8.8-A2C	2		
47	08.01.546967560	support	1		
48	08.01.546967565	support assy. brake tank	1		
49	08.01.984968964	hexagon head screw ISO 4017M10x35-8.8-A2C	4		
50	08.01.944949999	nut hexagon ISO 4032DIN 934-M10-8A2C	4		
51	08.01.974999993	washer DIN 7349DIN 7349-10,5x25x4	8		
52	08.01.944949996	hexagon nut ISO 4032DIN 934-M6-8A2C	1		
53	08.01.954999941	clip DIN 3016-1D1-15X15-W1-1	1		
54	08.01.954999981	clip DIN 3016-1D1-60x25-W1-1	1		
55	08.01.974999981	washer ISO 7093B6,4-ST-A2C	1		
56	08.01.984999394	hexagon head screw ISO 4017M6x25-8.8-A2C	1		

Drawing:		Description:		
N°	08.005	Rev:	00.0724	
OIL BRAKE COOLER AND LINES				




Drawing:		Description:		
N°	08.005	Rev:	00.0724	
		OIL BRAKE COOLER AND LINES		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	08.01.546924278	hose line	1		
2	08.01.994989973	pipe union SDS-L18xG3/4A-type E-A3C	1		
3	08.01.095922799	non-return valve 3/4"-5bar	1		
4	08.01.994979929	reducer 3/4BSP X 18L M/F	1		
5	08.01.994979948	pipe union L-18LM	2		
6	08.01.994979960	fitting 11/4X18L	2		
7	08.01.096924199	oil cooler assy	1		SEE DRAWING 08.006
7A	08.01.096924199Z	oil cooler assy new	1		
8	08.01.984989350	hexagon head bolt ISO 4014M6x40-8.8-A2C	4		
9	08.01.954899995	cover plate DIN 3015-1L-DP-2-W1	2		
10	08.01.954999919	clamp block DIN 3015-1L-KP-2-R-18-PP	2		
11	08.01.546924260	brake pipe assy. charge valve - b	1		
12	08.01.994989974	adaptor ISO 8434-1SDS-L18xG1/2A-type E-CFS-V80	1		
13	08.01.546924259	pipe brakes	1		
14	08.01.994989922	pipe union DIN 3908L18-ST-A3C	1		
15	08.01.548924295	pipe brakes	2		
16	08.01.994989931	pipe union ISO 8434-1SDS-L18xM22x1,5-type E-A3C-V	2		
17	08.01.984989147	hexagon head screw ISO 4017M8x40-8.8-A2C	2		
18	08.01.546963695	guard grille brake oil cooler	1		

Drawing:		Description:		
N°	08.005	Rev:	00.0724	
		OIL BRAKE COOLER AND LINES		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
19	08.01.994989949	pipe union ISO 8434-1SWOE-L18-St-V80-CFS	2		
20	08.01.546967560	support	1		
21	08.01.546967558	support	1		
22	08.01.546967559	support	1		
23	08.01.944949998	hexagon nut ISO 7042M8-8-A2C	6		
24	08.01.974999992	washer SCH-A8.4x16x1.6-125A2C	6		
25	08.01.934959999	foam rubber	a.req.		
26	08.01.954999982	clip DIN 3016-1D1-25X20-W1-1	1		
27	08.01.954999969	clip DIN 3016-1D1-20X20-W1-1	1		
28	08.01.984969174	hexagon head screw ISO 4017M8x25-8.8-A2C	1		
29	08.01.974999997	washer DIN 7349DIN 7349-8.4x21x4,8A2C	1		
30	08.01.994979997	pipe threaded angle b/h elbow 18l	2		
31	08.01.546924279	hose line	1		
32	08.01.984869389	screw M6x10-A2R	6		
33	08.01.546967685	support bracket pipe	1		
34	08.01.984969169	hexagon head screw ISO 4017M8x30-8.8-A2C	2		
35	08.01.546924244	hose line	1		


Drawing:		Description:		
N°	08.006	Rev:	00.0724	
		PRESSURE FILTER		



Drawing:		Description:		
N°	08.006	Rev:	00.0724	
		PRESSURE FILTER		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	08.01.934999999	brake filter assy (pressure line)	1		
2	08.01.964999949	o-ring	1		
3	08.01.934999982	brake filter (pressure line)	1		
4	08.01.095939098	switch pressure indicator	1		


Drawing:		Description:		
N°	08.007	Rev:	00.0724	
BRAKE VALVE				



Drawing:		Description:		
N°	08.007	Rev:	00.0724	
		BRAKE VALVE		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
	08.01.095923499	Prefill valve			
1	08.01.540297985	solenoid assy.	1		
2	08.01.540263997	magnet solenoid	1		
3	08.01.540278792	coil	1		
4	08.01.540370994	set of seals	a.req.		

Drawing:		Description:		 Tecport
N°	08.008	Rev:	00.0724	
BRAKE OIL COOLER				



Drawing:		Description:		
N°	08.008	Rev:	00.0724	
		BRAKE OIL COOLER		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
	08.01.096924199	oil cooler assy			
	08.01.096924199Z				
1	08.01.096924197	front hood	1		
2	08.01.096924196	fan and electric motor assy 14'	1		
	08.01.096924195	fan and electric motor assy(for903075800A) 12'	1		
3	08.01.096924195	oil cooler	1		
4	08.01.984969379	hexagon head screw ISO 4017M6x20-8.8-A2C	4		
5	08.01.984969179	hexagon head screw ISO 4017M8x20-8.8-A2C	6		
6	08.01.974999992	washer ISO 7089A8,4-ST50-A2C	12		
7	08.01.944949175	hexagon nut ISO 4032DIN 934-M8-8A2C LH.	6		