


Drawing:		Description:	
N°	Rev: 00.0724	REAR STEERING AXLE	

CAP 09

#	DRAWING		DESCRIPTION	PAG.
1	09.001	REAR STEER AXLE INSTALATION		9.03
2	09.002	REAR STEER AXLE ASSY		9.05
3	09.003	HUB ASSEMBLY		9.08
4	09.004	STEER CYL INSTALLATION		9.10
5	09.005	STEER CYL 180/140 mm		9.12
6	09.006	HYDROSTATIC STEERING AND LINES		9.14
7	09.007	WHEEL AND TYRE ASSY		9.18

(this page intentionally left blank)


Drawing:		Description:		
N°	09.001	Rev:	00.0724	
REAR STEER AXLE INSTALATION				



Drawing:		Description:		
N°	09.001	Rev:	00.0724	
		REAR STEER AXLE INSTALATION		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	09.01.944946399	prevailing torque nut DIN 985M36-8-A2C	2		
2	09.01.974999988	washer steer axle pin	2		
3	09.01.546967897	bearing bush steer axle 75/150	4		
4	09.01.974999946	shim steer axle 1.14	a.req.		
4	09.01.974999945	shim steer axle 1.54	a.req.		
5	09.01.994979909	flange steer axle 63/137	4		
6	09.01.548867898	bearing bush steer axle 63/137	2		
7	09.01.546967698	plate steer axle pin	2		
8	09.01.984968969	hexagon head screw ISO 4017M10x30-8.8-A2C	4		
9	09.01.546956497	shaft steer axle 63diam	2		

Drawing:		Description:		
N°	09.002	Rev:	00.0724	
REAR STEER AXLE ASSY				




Drawing:		Description:		
N°	09.002	Rev:	00.0724	
		REAR STEER AXLE ASSY		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	09.01.984967954	Bolt SKS-M20X45-933-12.9-DAC	12		POS 1- 24
2	09.01.984999197	Oil filler KSMNIP-AM10X1-DIN71412a	8		
3	09.01.54HG99990	Rear axle cover plate	2		
4	09.01.54HG99891	Top sleeve	2		
5	09.01.54HG99970	Closure plate	4		
6	09.01.54HG99988	Thin copper sleeve	4		
7	09.01.54HG99981	Thick copper sleeve	4		
8	09.01.54HG99991	Rear axle base plate	2		
9	09.01.974999982	Washer '21-ST50-A2C	4		
10	09.01.974999998	Washer SCH-B21X37X3-125A2C7090	2		
11	09.01.984967959	Bolt SKS-M20X40-933-8.8A2C	2		
12	09.01.54HG99986	Copper sheet	2		
13	09.01.54HG99985	Steel sheet	2		
14	09.01.54HG99974	Polyurethane oil seal	4		
15	09.01.54HG99978	Envelope	4		
16	09.01.984988982	Fine tooth flat head set screw M6 * 0.75 * 8	4		
17	09.01.984968764	Bolt SKS-M12X35-4017-8.8-A2C	8		
18	09.01.974999969	Washer SCH-B13X24X2,5-125A2C	8		
19	09.01.54HG99893	Fixed plate	4		

Drawing:		Description:		
N°	09.002	Rev:	00.0724	
		REAR STEER AXLE ASSY		



Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
20	09.01.54HG99890	Pin	4		
21	09.01.934919959	Circlip	8		
22	09.01.542614192	Bearing	4		
23	09.01.54HG99888	Spacer ring	4		
24	09.01.54HG99892	Pull rod	2		
25	09.01.54HG99980	Pin shaft	2		

Drawing:		Description:		
N°	09.003	Rev:	00.0724	
HUB ASSEMBLY				



1st versions use oil for lubrication.
use Qty. 2 per side for **item 1**


2nd versions use grease for lubrication
use Qty. 1 per side for **item 1**



Drawing:		Description:		
N°	09.003	Rev:	00.0724	
		HUB ASSEMBLY		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	09.01.548867896	skeleton oil seal	4		until sn 1286003
	09.01.548867896	skeleton oil seal	2		from sn 1286004
2	09.01.54HG99797	rear sealing sleeve of hubring	2		
3	09.01.964989953	o ring	2		
4	09.01.542614191	bearing	2		
5	09.01.54HG99976	hub	2		
6	09.01.542614190	bearing	2		
7	09.01.54HG99977	Pressing plate	2		
8	09.01.54HG99979	Fixed pressing plate	2		
9	09.01.545478899	Stud bolt	48		
10	09.01.964989954	o ring	2		
11	09.01.54HG99798	Hub cover	2		
12	09.01.984958983	Hexagon socket head bolt	2		
13	09.01.994989864	Plug	4		


Drawing:		Description:		
N°	09.004	Rev:	00.0724	
STEER CYL INSTALLATION				



Drawing:		Description:		
N°	09.004	Rev:	00.0724	
		STEER CYL INSTALLATION		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	09.01.984986952	hexagon head bolt ISO 4014M30x220-8.8-A2C	4		
2	09.01.984968764	hexagon head screw ISO 4017M12x35-8.8-A2C	4		
3	09.01.974999969	washer ISO 709012-HV200-A2C	4		
4	09.01.548867699	plate retainer	2		
5	09.01.984999199	lubricating nipple (cone) DIN 71412AM8x1	2		
6	09.01.934939982	pin 311steer cylinder	2		
7	09.01.548856398	cylinder steer	1		


Drawing:		Description:		
N°	09.005	Rev:	00.0724	
STEER CYL 180/140 mm				



Drawing:		Description:		
N°	09.005	Rev:	00.0724	
		STEER CYL 180/140 mm		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
	09.01.548856398	cylinder steer	1		
1	09.01.545487497	bearing bush	1		
2	09.01.545539692	piston rod chromax c	1		
3	09.01.545591893	cylinder pipe assy.	1		
4	09.01.545490998	Repair Seal kit assy lin	a. Req		

Drawing:		Description:		
N°	09.006	Rev:	00.0724	
HYDROSTATIC STEERING AND LINES				



Drawing:		Description:		
N°	09.006	Rev:	00.0724	
		HYDROSTATIC STEERING AND LINES		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	09.01.546722799	steering control.valve	1		
2	09.01.994989933	pipe union ISO 8434-1SDS-L15xG1/2A-type E-CFS-V80	4		
3	09.01.546724273	hose assy	4		
4	09.01.994989945	pipe union ISO 8434-1SDS-L8xG1/4A,type_B-St-A3C	1		
5	09.01.546724272	hose assy	1		
8	09.01.994989925	pipe union ISO 8434-1SWORT-L08-St-V80-CFS	1		
11	09.01.994969994	elbow DIN 3911L15-ST-A3C	4		
12	09.01.545924271	hose assy	2		
13	09.01.545924270	hose assy	2		
14	09.01.545924269	hose assy	1		
15	09.01.545924289	hose assy	2		
16	09.01.546924289	pipe assy	1		
17	09.01.546924098	pipe assy	1		
18		seal 25mm	a.req.		
19	09.01.944949967	pipe union BHS-25S-St-A3C	2		
20	09.01.546924280	hose assy	2		
21	09.01.548824298	pipe assy	1		
22	09.01.548824297	pipe assy	1		
23		seal 25mm	a.req.		


Drawing:		Description:		
N°	09.006	Rev:	00.0724	
		HYDROSTATIC STEERING AND LINES		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
24	09.01.994989971	pipe union ISO 8434-1SDS-S25xG3/4A-type E-A3C-V80	2		
25		seal ring DIN 386927-FKM80	a.req.		
26	09.01.994979900	pipe union DIN 3901L15-3/4-16UNF-ST-	4		
27	09.01.994979939	adaptor ISO 8434-1SDS-S20xG3/4A-type E-CFS-V80	1		
28	09.01.994979905	teepiece DIN 3943S8-ST-V80-A3C	1		
29	09.01.545924288	hose assy	1		
30	09.01.964989999	o-ring ISO 3601-125x3,55-FKM80	1		
31	09.01.994979985	flange half ISO 6162-23/4"-6000psi	1		
32	09.01.984989992	socket-head screw ISO 4762M10x40-10.9-DAC	4		
33	09.01.994979936	pipe union ISO 8434-1SDS-L8xG1/2A-type E-A3C-V80	1		
34	09.01.994979982	flange half ISO 6162-11"-3000psi	2		
35	09.01.964989992	o-ring ISO 3601-132,92x3,53-FKM80	2		
36	09.01.984989975	hexagonal head bolt 3/8UNCx13/8"-8.8-A	8		
37	09.01.548867598	bracket	1		
38	09.01.984968979	hexagon head screw ISO 4017M10x20-8.8-A2C	2		
39	09.01.944949972	nut DIN 3015L-TM-M6	2		
40	09.01.954999957	hose clip DIN 3015-1L-KP-3-R-25,4-PP	2		
41	09.01.954899994	cover plate DIN 3015-1L-DP-3-W1	2		
42	09.01.984989154	hexagon head bolt ISO 4014M6x45-8.8-A2C	2		

Drawing:		Description:		
N°	09.006	Rev:	00.0724	
		HYDROSTATIC STEERING AND LINES		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
43	09.01.944949974	nut DIN 3015Z-TM-M8-W1	4		
44	09.01.954999959	clamp DIN 3015-3Z-KP-3-G-25,4-PP	4		
45	09.01.954899997	cover plate DIN 3015-3Z-DP-3-W1	4		
46	09.01.984969149	hexagon head bolt ISO 4014M8x50-8.8-A2C	4		
47	09.01.954999988	clamp DIN 3015-3Z-KP-3-G-22-22-PP	2		
48	09.01.954899997	cover plate DIN 3015-3Z-DP-3-W1	2		
49	09.01.984989144	hexagon head bolt ISO 4014M8x55-8.8-A2C	2		
50	09.01.954999949	block clamp DIN 3015-3Z-KP-2-R-18-18-PP	1		
51	09.01.954899996	cover plate DIN 3015-3Z-DP-2-W1-A2C	1		
52	09.01.984989147	hexagon head screw ISO 4017M8x40-8.8-A2C	1		

Drawing:		Description:		
N°	09.007	Rev:	00.0724	
WHEEL AND TYRE ASSY				



Drawing:		Description:		
N°	09.007	Rev:	00.0724	
		WHEEL AND TYRE ASSY		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	09.01.WN549/996GZ	air wheel assy.	6		
2	09.01.547954297	rim	6		
3	09.01.547954391	tyre 1800x25-40 E4	6		
4	09.01.545429998	plate joining	48		
5	09.01.944998198	nut	48		
6	09.01.546464596	protective cap	48		
7	09.01.934949978	charging connector 11.4cm	6		
8	09.01.547924218	valve extension 500mm	2		
8	09.01.547924219	Valve extension 114mm	2		
9	09.01.984097799	cap tyre valve	6		
10	09.01.547954393	12mm change 8mm fitting	6		
11	09.01.546967638	plate CLAMP	4		
12	09.01.546967898	spacer	2		
13	09.01.546967896	wedge	2		
14		Together with item 7			