

Drawing:		Description:	
N°	Rev: 00.0724	HYDRAULIC SYSTEM	


CAP 10

#	DRAWING	DESCRIPTION	PAG.
01	10.001	HYDRAULIC OIL TANK	10.03
02	10.002	HYDRAULIC OIL TANK – PRESSURE SYST	10.06
03	10.003	PUMPS INSTALLATION - part 1	10.09
04	10.004	PUMPS INSTALLATION - part 2	10.11
05	10.005	PUMPS INSTALLATION - part 3	10.13
06	10.006	PUMPS INSTALLATION - part 4	10.15
07	10.007	PUMPS INSTALLATION - part 5	10.17
08	10.008	PUMPS INSTALLATION - part 6	10.19
09	10.009	PUMPS INSTALLATION - part 7	10.21
10	10.010	HYDRAULIC PUMP HPR105-02R	10.23
11	10.013	HYDRAULIC ON DEMAND CIRCUIT	10.34
12	10.014	HYDRAULIC VALVE INSTALLATION - part 1	10.36
13	10.015	HYDRAULIC VALVE INSTALLATION - part 2	10.38
14	10.016	HYDRAULIC VALVE INSTALLATION - part 3	10.40
15	10.017	HYDRAULIC VALVE INSTALLATION - part 4	10.42
16	10.018	HYDRAULIC VALVE INSTALLATION - part 5	10.44

Drawing:		Description:	
N°	Rev: 00.0724	INDICE	

#	DRAWING	DESCRIPTION	PAG.
17	10.019	HYDRAULIC VALVE INSTALLATION - part 6	10.46
18	10.020	HYDRAULIC VALVE INSTALLATION - part 7	10.48
19	10.021	HYDRAULIC VALVE INSTALLATION - part 8	10.50
20	10.022	HYDRAULIC VALVE INSTALLATION - part 9	10.52
21	10.023	OIL FILTER - part 1	10.54
22	10.024	OIL FILTER - part 2	10.56
23	10.025	VW30 VALVE	10.58
24	10.026	SPREADER OIL SUPPLY	10.60
25	10.027	FLOW CONTROL VALVE	10.62
26	10.028	PILOT VALVE ASSY	10.66
27	10.029	PILOT MAIN CIRCUIT	10.68
28	10.030	RETURN MANIFOLD AND LINES	10.71
29	10.031	LOW PRESSURE RETURN SYSTEM	10.75
30	10.032	HYDRAULIC OIL COOLER AND LINES	10.78
31	10.033	HYDRAULIC OIL COOLER	10.82
32	10.034	LOAD SENSING CONTROL SYSTEM	10.84
33	10.035	LIFT CYLINDER CIRCUIT	10.86
34	10.036	EXTEND AND RETRACT SYSTEM	10.89
35	10.037	BOOM PRESSURE AND PILOT SYSTEM - part 1	10.93
36	10.038	BOOM PRESSURE AND PILOT SYSTEM - part 2	10.96
37	10.039	BOOM HYDRAULIC RETURN SYSTEM	10.100

Drawing:		Description:		
N°	10.001	Rev:	00.0724	
		HYDRAULIC OIL TANK		



Drawing:		Description:		
N°	10.001	Rev:	00.0724	
		HYDRAULIC OIL TANK		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.545683398	tank oil assy. hydraulic tank	1		POS 2-12
2	10.01.546967629	cover assy. hyd tank	1		
3	10.01.984989997	screw- DIN 939M8X30-939-8.8A2C (used for misc)	44		
4	10.01.974999997	washer DIN 7349DIN 7349-8.4x21x4,8A2C	44		
5	10.01.944949998	hexagon nut EN 10511M8-8-A2C	44		
6	10.01.964999973	gasket HYDRAULIC TANK COVER	1		
7	10.01.546967621	cover hyd tank	1		
8	10.01.964999974	gasket HYDRAULIC TANK COVER	1		
9	10.01.934999993	gauge oil sight glass	1		
10	10.01.994989916	plug screw G 1"-MA	2		
11	10.01.994979913	screw plug G 2"	1		
12	10.01.964999988	sealing ring 60,58x73,03x3,4	1		
13	10.01.984989994	stud DIN 939M10x30-8.8-A2C	10		
14	10.01.944949999	nut hexagon ISO 4032DIN 934-M10-8A2C	10		
15	10.01.934999983	hydraulic filter assy (small)	1		SEE PAGE 10.54
16	10.01.934999992Z	breather valve assembly	1		
17	10.01.94989933	pipe union ISO 8434-1SDS-L15xG1/2A-type E-CFS-V80	1		
18	10.01.974999993	washer DIN 7349DIN 7349-10,5x25x4	10		
19					
20	10.01.994989940	pipe union ISO 8434-1SDS-L6xM10x1-type E-st-CFS-V	1		

Drawing:		Description:		
N°	10.001	Rev:	00.0724	
		HYDRAULIC OIL TANK		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
21	10.01.964999993	seal ring 1"BSP	1		
22	10.01.096639198	oil level sensor	1		
23	10.01.934969999	sensor temperature	1		
24	10.01.964999996	seal ring 13,74x20,57x2-P70	1		
25					
26	10.01.984968354	hexagon head screw ISO 4017M16x45-8.8-A2C	5		
27	10.01.974999959	washer SCH-17X40X6-7349A2C	5		
28		gasket	1		SEE PAGE 10.56
29		gasket	1		SEE PAGE 10.56
30	10.01.934999984	hydraulic filter assy (big)	2		SEE PAGE 10.56
31	10.01.974999959	washer DIN 734917-ST50-A2C	4		
32	10.01.994979961	adaptor	1		
33	10.01.984988345	hexagon head screw ISO 4017M16x50-8.8-A2C	2		
34	10.01.944948373	hexagon nut ISO 10511M16-8A2C	2		
35	10.01.994989919	pipe union ISO 8434-1SWOE-L08-St-V80-CFS	1		
36	10.01.994989940	pipe union ISO 8434-1SDS-L6xM10x1-type E-st-CFS-V	1		
37	10.01.994989945	Pipe union	1		
38	10.01.994979968	reducer 1/2" - 1/4NPTF	1		
39	10.01.964999995	seal ring DIN 7603A14x18-Cu	1		
40	10.01.964999989	seal ring 26x35x2-V80	1		



Drawing:		Description:		
N°	10.002	Rev:	00.0724	
		HYDRAULIC OIL TANK – PRESSURE SYST.		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.994989933	pipe union ISO 8434-1SDS-L15xG1/2A-type E-CFS-V80	1		
2	10.01.994989963	pipe union ISO 8434-1SWOE-L15-St-V80-CFS	1		
3	10.01.994979930	pipe union ISO 8434-4SWSDS-L15-G1/2A-type e-St-V8	1		
4	10.01.545622998	valve block assy. 1/2	1		NOT USED IN THIS MODEL
4A	10.01.545622996	valve block assy. 1/4	1		
5	10.01.994979954	pipe elbow 90°-G 1/2	1		
6		screw plug 1/8BSP	1		
7	10.01.994979914	fittings 1/8bsptxm12m/f	1		
8	10.01.994979962	adaptor 10-M12x1,5	2		
9	10.01.545624222	tube 10MM O/D	1		
10	10.01.944949979	union nut DIN 3870AL15-A3C	2		
11	10.01.994979915	fittings 15lxm12x1.5	1		
12	10.01.994989963	pipe union ISO 8434-1SWOE-L15-St-V80-CFS	1		
13	10.01.994989933	pipe union ISO 8434-1SDS-L15xG1/2A-type E-CFS-V80	1		
14	10.01.994979898	ball DIN 540114-G20	1		
15	10.01.984969383	hexagon head screw ISO 4017M6x16-8.8-A2C	1		
16	10.01.994979917	fittings 1/2bsp mf special	1		
17	10.01.964999976	sealing ring 21,54x28,58x2,5	2		
18	10.01.545622997	valve block assy.	1		
	10.01.545622995	valve block assy.new	1		

Drawing:		Description:		
N°	10.002	Rev:	00.0724	
		HYDRAULIC OIL TANK – PRESSURE SYST.		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
19	10.01.994979916	fittings b/hd 15lx1/2bsp	1		
20	10.01.545667562	bracket tank valve	1		
21	10.01.994979998	screw joint 15L-1/2NPT	1		
22	10.01.944949998	hexagon nut EN 10511M8-8-A2C	2		
23	10.01.974999992	washer ISO 7089A8,4-ST50-A2C	2		
24	10.01.546824249	hose 1/2" 1600mm long 15l	1		


Drawing:		Description:		
N°	10.003	Rev:	00.0724	
		PUMPS INSTALLATION – part 1		



Drawing:		Description:		
N°	10.003	Rev:	00.0724	
		PUMPS INSTALLATION – part 1		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.546867698	plate	1		
2	10.01.964999978	Seal plate	1		
3	10.01.984968677	U.S Hexagon Screw	4		
4	10.01.974999920	Washer SCH-15x24x2.5-433A2C	4		
5	10.01.546864399	Coupling	1		
6					
7					
8					
9					
10	10.01.546874799	Controlled pump	1		

Drawing:		Description:		
N°	10.004	Rev:	00.0724	
PUMPS INSTALLATION – part 2				



Drawing:		Description:		
N°	10.004	Rev:	00.0724	
		PUMPS INSTALLATION.- part 2		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.964999978	Seal plate	1		
2	10.01.984959996	ScrewsZS-M16X40-912-10.9EN4762	2		
3	10.01.974999971	Washer SCH-B17X30X3-125A2C	2		
4	10.01.546874798	Controlled pump	1		
5	10.01.964999978	Seal plate	1		
6	10.01.984968678	U.S Hexagon Screw	2		
7	10.01.974999971	Washer SCH-B17X30X3-125A2C	2		

Drawing:		Description:		
N°	10.005	Rev:	00.0724	
PUMPS INSTALLATION.- part 3				



Drawing:		Description:		
N°	10.005	Rev:	00.0724	
		PUMPS INSTALLATION.- part 3		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.546824234	Oil suction pipe Union	1		
2	10.01.964989996	O Ring/O RING	1		
3	10.01.984959986	Screws ZS-M12x25-912-8.8A2C	4		
4	10.01.546824298	Oil suction pipe	1		
5	10.01.964989995	O Ring24x3-V80	1		
6	10.01.984989374	Screws ZS-M6x25-912-8.8A2C	4		
7	10.01.994969970	Flange Elbow	1		
8	10.01.546924291	Hose line	1		
9	10.01.994989963	Elbow	1		


Drawing:		Description:		
N°	10.006	Rev:	00.0724	
PUMPS INSTALLATION.- part 4				



Drawing:		Description:		
N°	10.006	Rev:	00.0724	
		PUMPS INSTALLATION.- part 4		

Pos.	Part-No.		Designation	Quantity	replaced by	Remarks
1	10.01.994979935	Union		2		
2	10.01.994979905	Triplet		1		


Drawing:		Description:		
N°	10.007	Rev:	00.0724	
		PUMPS INSTALLATION.- part 5		



Drawing:		Description:		
N°	10.007	Rev:	00.0724	
		PUMPS INSTALLATION.- part 5		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.546824261	Oil HOSE LINE	1		
2	10.01.546824255	HOSE LINE	1		
3	10.01.994979976	Connection pipe	2		
4	10.01.099924273	Hose	0.07m		
5	10.01.994979946	Triplet	1		
6	10.01.954999997	Hose Clamp	2		



Drawing:		Description:		
N°	10.008	Rev:	00.0724	
		PUMPS INSTALLATION.- part 6		



Drawing:		Description:		
N°	10.008	Rev:	00.0724	
		PUMPS INSTALLATION.- part 6		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.099924273	Oil Hose	1.2m		
2	10.01.954999997	Hose Clamp	2		
3	10.01.099924273	Oil Hose	0.88M		
4	10.01.954999997	Hose Clamp	1		


Drawing:		Description:		
N°	10.009	Rev:	00.0724	
		PUMPS INSTALLATION.- part 7		



Drawing:		Description:		
N°	10.009	Rev:	00.0724	
		PUMPS INSTALLATION.- part 7		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.546524296	Steel pipe	1		
2	10.01.984959995	Hexagon Screw ZS-M12X35-912-8.8A2C	4		
3	10.01.974999930	Washer SCH-13x20x2-433A2C	4		
4	10.01.546822198	CONNECTION BLOCK	1		
5	10.01.984988718	ScrewsZS-M12X75-912-12.9DAC	4		
6	10.01.964989992	O Ring32.92x3.55-V80	2		
7	10.01.546524269	Hose	1		
8	10.01.546524268	Hose	1		
9	10.01.954999903	Strength Clamp 92-97	1		
10	10.01.954999896	Strength Clamp 80-85	1		
11	10.01.944949998	Nut SGM-M8-985-8A2C	2		

Drawing:		Description:		
N°	10.010	Rev:	00.0724	
		HYDRAULIC PUMP HPR105-02R		



254.803.50.23

Drawing:		Description:		
N°	10.010	Rev:	00.0724	
		HYDRAULIC PUMP HPR105-02R		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.543377411	retaining ring DIN 472	1		
2	10.01.540719606	shaft seal ring WN 17216	1		Loctite nr. 270
3	10.01.546989984	housing DIN	1		
4	10.01.540475970	screw plug M22x1,5	1		Loctite nr. 648
8	10.01.546769496	race	1		
9	10.01.540752673	tapered roller bear. 38x76,2x29,37	1		
10	10.01.546769875	drive shaft	1		SAE-spline 16/32pitch 23teeth
11	10.01.540919738	pin	2		
12	10.01.540765967	bearing sliding	2		
13	10.01.546767997	cradle	1		
14	10.01.540839799	bush	3		
15	10.01.546799588	piston assy.	9		exchange by set only
16	10.01.546768597	pull-back plate	1		
17	10.01.546567498	spacer plate 0,05	a.req.		
17	10.01.546567497	spacer plate 0,075	a.req.		
17	10.01.546567496	spacer plate 0,10	a.req.		
18	10.01.546568196	holding plate	1		
19	10.01.541651760	socket-head screw M10x25-10.9-PHR	4		Loctite nr. 648


Drawing:		Description:		
N°	10.010	Rev:	00.0724	
		HYDRAULIC PUMP HPR105-02R		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
20	10.01.546567498	spacer plate 0,05	a.req.		
20	10.01.546567497	spacer plate 0,075	a.req.		
20	10.01.546567496	spacer plate 0,10	a.req.		
21	10.01.546568198	holding plate	1		
22	10.01.546799198	cylinder block assy.	1		
22	10.01.546799197	cylinder block assy.	1		
23	10.01.540856094	washer 39,2x53,8x4	1		
24	10.01.540783996	compression spring 6,5x46,5x51,5	1		
25	10.01.540845986	ring 40x53,8x4	1		
26	10.01.546768698	bush	1		
27	10.01.540158998	piston ring	1		
28	10.01.540158984	piston ring bush	1		
29	10.01.546768697	bush	1		without marking groove
29	10.01.546768696	bush	1		with marking groove 0
29	10.01.546768694	bush	1		with marking groove 1
29	10.01.546768693	bush	1		with marking groove 1+ 2
30	10.01.548379719	snap ring DIN 7993DIN 720320/32X	1		
31	10.01.540846796	ring 32,2x40x5	1		
32	10.01.540999294	tapered roller bear. DIN 720320/32X	1		

Drawing:		Description:		
N°	10.010	Rev:	00.0724	
		HYDRAULIC PUMP HPR105-02R		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
33	10.01.546727989	spacer plate 1,05	1		* = optionally
33	10.01.546727988	spacer plate 1,10	1		
33	10.01.546727987	spacer plate 1,15	1		
33	10.01.546727983	spacer plate 1,20	1		
33	10.01.546727986	spacer plate 1,25	1		
33	10.01.546727985	spacer plate 1,50	1		
33	10.01.546727984	spacer plate 1,75	1		
34	10.01.546759792	port plate clockwise	1		
35	10.01.548339687	cylindrical pin ISO 87346m6x20-A-St	2		

Drawing:		Description:		
N°	10.011	Rev:	00.0724	
HYDRAULIC PUMP HPR105-02R				



254.803.52.36

Drawing:		Description:		
N°	10.011	Rev:	00.0724	
		HYDRAULIC PUMP HPR105-02RE1LE		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.546999673	port plate housing assy. righthand	1		
2	10.01.540475953	plug screw	1		
3	10.01.540369970	o-ring ISO 8434-16x1,5-FKM80	1		
4	10.01.540859679	washer	a.req.		
4	10.01.540859668	washer	a.req.		
4	10.01.540859678	washer	a.req.		
4	10.01.540859667	washer	a.req.		
4	10.01.540859677	washer	a.req.		
4	10.01.540859666	washer	a.req.		
4	10.01.540859676	washer	a.req.		
4	10.01.540859695	washer 3x7,5x2,44	a.req.		
4	10.01.540859665	washer	a.req.		
4	10.01.540859657	washer 3x7,5x2,51	a.req.		
4	10.01.540859675	washer	a.req.		
4	10.01.540859698	washer 3x7,5x2,59	a.req.		
4	10.01.540859664	washer	a.req.		
4	10.01.540859697	washer 3x7,5x2,66	a.req.		
4	10.01.540859674	washer	a.req.		
4	10.01.540859656	washer 3x7,5x2,74	a.req.		


Drawing:		Description:		
N°	10.011	Rev:	00.0724	
		HYDRAULIC PUMP HPR105-02RE1LE		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
4	10.01.540859663	washer	a.req.		
4	10.01.540859655	washer 3x7,5x2,81	a.req.		
4	10.01.540859673	washer	a.req.		
4	10.01.540859654	washer 3x7,5x2,89	a.req.		
4	10.01.540859662	washer	a.req.		
4	10.01.540859672	washer	a.req.		
4	10.01.540859661	washer	a.req.		
4	10.01.540859671	washer	a.req.		
4	10.01.540859660	washer	a.req.		
4	10.01.540859670	washer	a.req.		
4	10.01.540859659	washer	a.req.		
4	10.01.540859669	washer	a.req.		
5	10.01.540367968	o-ring 5x1,5-FKM80	2		
6	10.01.540377246	ring	2		
7	10.01.546985996	pipe	2		
8	10.01.540158988	piston ring 32,5x36x3,6	1		
9	10.01.546549595	servopiston	1		
10	10.01.546549592	piston	1		
11	10.01.545378839	spring ring DIN 7993	1		

Drawing:		Description:		
N°	10.011	Rev:	00.0724	
		HYDRAULIC PUMP HPR105-02RE1LE		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
12	10.01.546565493	piston rod	1		
13	10.01.546566197	spring plate	1		
14	10.01.540786394	compression spring 3,6x18,4x125,5	1		
15	10.01.546566198	spring plate	1		
16	10.01.540962599	threaded pin M12x1x45	1		
17	10.01.546718855	seal collar nut WN 14302M12x1-8	1		
18	10.01.544658689	cap screw ISO 4762M12x70-10.9	9		

Drawing:		Description:		
N°	10.012	Rev:	00.0724	
		HYDRAULIC PUMP HPR105-02R		



254.803.54.22 A


Drawing:		Description:		
N°	10.012	Rev:	00.0724	
		HYDRAULIC PUMP HPR105-02R		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
	10.01.546599269	pressure regulator assy. E1L_I_24_DIw_X	1		H2X254N02016 => includes pos. 1-29
	10.01.546599179	housing assy. E1L ISO	1		includes pos. 1-3
1		housing E1L ISO	1		H2X254N02016 => => 04/2006
2		pilot	1		
3		piston	1		
4	10.01.546566199	spring plate	2		
5	10.01.540788898	compression spring 1,1x8,1x23,5	1		
6	10.01.540787367	compression spring 2,6x10,9x19,0	1		
7	10.01.546566193	spring plate	1		H2X254N02016 =>
7a	10.01.540788840	spring compression 1,1x12,9x14,3x1,9	1		H2X254N02016 =>
8	10.01.540369997	O-Ring ISO 3601-16,9x1,8-FKM80	2		
9	10.01.540377265	support ring A10x1,5x1-TEF	2		
10	10.01.546567598	screw	2		
11	10.01.540367762	O-Ring ISO 3601-120,35x1,78-FKM80	2		
12	10.01.545379633	spring dowel sleeve DIN 73468x16	2		
13	10.01.546587995	cover	1		H2X254N02016 =>
14	10.01.549682885	hexagon nut ISO 8673M8x1-8-A2C	2		
15	10.01.544658864	socket-head screw ISO 4762M6x25-10.9	4		
16	10.01.546549697	piston	1		
17	10.01.546569097	bush	1		H2X254N02016 =>

Drawing:		Description:		
N°	10.012	Rev:	00.0724	
		HYDRAULIC PUMP HPR105-02R		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
18	10.01.540475985	plug screw ISO 6149-4IH-M18x1,5-FKM80-A3C	1		with pos. 18a
18a	10.01.540367875	o-ring 15,3x2,4-FKM80	1		
19	10.01.540367783	o-ring ISO 3601-123,52x1,78-FKM80	1		
20	10.01.540263973	regulating magnet 24V	1		with pos. 20a-21
20a	10.01.540249491	utility plug DIN 43650	1		
20b	10.01.544998409	seal	1		
21	10.01.544688919	socket head screw ISO 4762M4x50-8.8	4		
22	10.01.540554406	nozzle 0,0-M6	1		H2X254N02016 =>
23	10.01.540475979	plug screw ISO 6149-4IH-M14x1,5-FKM80-A3C	4		with pos. 23a
23a	10.01.540367893	o-ring 11,3x2,4-FKM80	4		
24	10.01.540962954	orifice WN 42775D1,0-M6-St	1		
25	10.01.540558243	non-return valve	1		
26	10.01.540966804	screw plug M8x1-5.8	6		
27	10.01.540484869	sealing plug WN 17253HK6x6,5x43AK	1		
28	10.01.540484872	stopper HK5x6x43AK	6		
29	10.01.540367885	o-ring 10,5x1,5-FKM80	3		
30	10.01.544651813	screw ISO 4762M8x30-10.9-PHR	3		


Drawing:		Description:		
N°	10.013	Rev:	00.0724	
HYDRAULIC ON DEMAND				



Drawing:		Description:		
N°	10.013	Rev:	00.0724	
		HYDRAULIC ON DEMAND		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.546824254	hose pump-valve	1		
2	10.01.964989992	o-ring ISO 3601-132,92x3,53-FKM80	5		
3	10.01.994979984	flange half ISO 6162-21"-6000psi	10		
4	10.01.984989919	socket-head screw ISO 4762M12x40-10.9-DAC	8		
5	10.01.546824254	hose line	1		
6	10.01.984968959	hexagon head screw ISO 4017M10x40-8.8-A2C	4		
7	10.01.984989971	hexagonal head bolt 7/16-14*4-1/2-8.8-	4		
8	10.01.964989998	o-ring ISO 3601-137,69x3,53-FKM80	3		
9	10.01.546822199	housing block	1		
10	10.01.994979887	pipe union	1		
11	10.01.545924290	hose assy	1		
12	10.01.984989976	hexagonal head bolt 7/16UNCx11/4"-8.8-	4		
13	10.01.994979983	flange half ISO 6162-211/4"-3000psi-M14	2		
14	10.01.984988729	socket-head screw ISO 4762M12x40-8.8-A2C	4		
15	10.01.546924283	hose assy	1		SEE PAGE 10.78


Drawing:		Description:		
N°	10.014	Rev:	00.0724	
		HYDRAULIC VALVE INSTALLATION – part 1		



Drawing:		Description:		
N°	10.014	Rev:	00.0724	
		HYDRAULIC VALVE INSTALLATION – part 1		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.545967658	plate	1		
2	10.01.34979999	Rubber cushion	6		
3	10.01.44949992	Nuts SGM-M10-985-8ACH	6		
4	10.01.74999994	Washer SCH-B10.5x20x2-125A2C	6		
5	10.01.545924791	DM2 Control Valve VW 30 2022	1		
6	10.01.546922186	Oil return one-way valve body	1		
7	10.01.546924797	Cone Type one-way valve body	1		
8	10.01.64989997	O-ring 53x3.55	2		
9	10.01.84988789	Screw SKS-M12x100-931-8.8A2	4		
10	10.01.74988798	Double stack self-locking washer DIN 25201 M12-A2C	8		
11	10.01.542667558	Plate	2		
12	10.01.84959991	Screw ZS-M12X30-912-8.8A2C	4		





Drawing:			Description:
N°	10.015	Rev:	00.0724
			HYDRAULIC VALVE INSTALLATION – part 2



Drawing:		Description:		
N°	10.015	Rev:	00.0724	
		HYDRAULIC VALVE INSTALLATION – part 2		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.545922699	Steering flow control valve	1		
2	10.01.545967574	bracket	1		
3	10.01.984989976	hexagonal bolt UNC7/16-14*1-1/4	3		
4	10.01.974988798	Double stack self-locking washer M12-A2C	3		
5	10.01.984968959	Screw SKS-M10X40-933-8.8A2C	2		
6	10.01.974999994	Washer SCH-B10.5x20x2-125A2C	4		
7	10.01.944949992	Nut SGM-M10-985-8A2C	2		
8	10.01.994979900	Union	2		
9	10.01.994979982	Half flange - 1 "- 32116	4		
9A	10.01.964989992	O-ring 32.92x3.55-V80	2		
10	10.01.984989975	Hexagonal bolt UNC3/8-16 * 1-3/8	3		
11	10.01.545924289	Hose Assy	12		
12	10.01.994979944	flange	2		
13	10.01.545924271	Hose Assy	1		
14	10.01.545924270	Hose Assy	2		
15	10.01.994979947	Tee	2		


Drawing:			Description:	
N°	10.016	Rev:	00.0724	
			HYDRAULIC VALVE INSTALLATION – part 3	



Drawing:		Description:		
N°	10.016	Rev:	00.0724	
		HYDRAULIC VALVE INSTALLATION – part 3		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.096922799	Check valve'1"BSP-5 BAR	1		
2	10.01.964999993	O Ring-33,86X42,86X3,4	1		
3	10.01.994979964	Union	1		
4	10.01.545922998	Check valve'1"BSP-5 BAR	1		
5	10.01.994989899	Union	1		
6	10.01.994979936	Union	1		
7	10.01.994979905	Tee	1		
8	10.01.994979958	Union	1		
9	10.01.546922187	Check valve	1		
10	10.01.994979899	Tee	1		
11	10.01.545924269	Hose assy.	1		
12	10.01.994979880	Joint Union	1		


Drawing:		Description:		
N°	10.017	Rev:	00.0724	
		HYDRAULIC VALVE INSTALLATION – part 4		



Drawing:		Description:		
N°	10.017	Rev:	00.0724	
		HYDRAULIC VALVE INSTALLATION part 4		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.994969988	plug	1		
2	10.01.546922195Z	additional valve	1		
2A	10.01.964989997	O-ring	1		
3	10.01.984988389	screw SKS-M16X100-931-12.9DAC	4		
3A	10.01.974999971	washer SCH-B17X30X3-125A2C7090	4		
3B	10.01.974999912	spring washer	4		
4	10.01.994989864	plug	1		
5	10.01.546922184	valve block	1		
6	10.01.543522494	spool	1		
7	10.01.994989979	union	1		
8	10.01.994979879	heavy duty union	2		
9	10.01.994979958	heavy duty union	1		
10	10.01.994979884	adaptor	1		


Drawing:		Description:		
N°	10.018	Rev:	00.0724	
		HYDRAULIC VALVE INSTALLATION – part 5		



Drawing:		Description:		
N°	10.018	Rev:	00.0724	
		HYDRAULIC VALVE INSTALLATION – part 5		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.994979983	half flange	1		
2	10.01.984989976	screw UNC7/16-14*1-1/4	4		
3	10.01.545924284	Hose assy	2		
4	10.01.964989998	O-ring 37,69X3,55-V80	1		
5	10.01.964989992	O-ring 32.92x3.55-V80	1		
6	10.01.994979984	half flange	1		
7	10.01.984988729	screw M12x40-8.8 ISO 4762	4		
8	10.01.546822199	Connect block	1		
9	10.01.994979984	half flange 1'SAE6000	1		
10	10.01.984989971	screw UNC7/16-14*4	4		
11	10.01.994979943	test plug	1		
12	10.01.994989864	plug	1		
13	10.01.964989998	O-ring 37,69X3,55-V80	1		
13A	10.01.994979985	flange 3/4"	1		
14	10.01.984959982	screw M10X35 12.9	4		


Drawing:		Description:		
N°	10.019	Rev:	00.0724	
		HYDRAULIC VALVE INSTALLATION – part 6		



Drawing:		Description:		
N°	10.019	Rev:	00.0724	
		HYDRAULIC VALVE INSTALLATION – part 6		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.545924793	2019 spreader oil supply valve	1		
2	10.01.984958988	screw ZS-M10x115-912-8.8-A2C	2		
2A	10.01.974999993	washer SCH-10.5x25x4-7349A2C	2		
2	10.01.944949992	nut SGM-M10-985-8A2C	2		
3	10.01.994989974	union L18xG1/2A ED	1		
4	10.01.994979948	TEE PIECE	1		
5	10.01.994989883	union GRE18LR3/4G-ST-V80	1		
6	10.01.095922799	check valve 3/4 BSP 5 BAR	1		
7	10.01.994989881	union STU-GE18LG3/4-Y8434-A3C	1		
8	10.01.994989882	throttle union X RED18/08L CF	1		
9	10.01.994989919	tee 'L8-ST-V80-A3C	1		
10	10.01.994979882	union GE14SREDOMD	1		
11	10.01.994989945	adaptor STU-GE8LG-3901-B-A3C	1		
12	10.01.994979879	union STU-GE8SG-8434-CFSV80	1		
13	10.01.994989979	adaptor STU-GE15LG3/8-Y8434V80	1		
14	10.01.099924286	hose assy.	1		
15	10.01.994969993	heavy duty adapter	1		
16	10.01.994969988	plug	1		
17	10.01.095939193	oil pressure sensor	1		






Drawing:		Description:		
N°	10.020	Rev:	00.0724	
		HYDRAULIC VALVE INSTALLATION – part 7		



Drawing:		Description:		
N°	10.020	Rev:	00.0724	
		HYDRAULIC VALVE INSTALLATION – part 7		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.994969993	union	1		
2	10.01.994979899	tee	1		
3	10.01.994979958	union	1		
4	10.01.545922798	check valve	1		
5	10.01.994979963	union	1		
6	10.01.095939193	oil pressure sensor	1		
7	10.01.545924281	hose assy.	1		
8	10.01.545924278	hose assy.	1		
9	10.01.545924277	hose assy.	1		
10	10.01.994979881	half flange 1 1/2'-6000	1		
11	10.01.984988362	screw SKS-M16X60-931-8.8A2C	4		
12	10.01.994969993	adaptor STU-GE8LM14X1,5-Y8434A3C	1		
13	10.01.994989945	adaptor STU-GE8LM14X1,5-Y8434A3C	1		




Drawing:			Description:	
N°	10.021	Rev:	00.0724	
			HYDRAULIC VALVE INSTALLATION – part 8	



Drawing:		Description:		
N°	10.021	Rev:	00.0724	
		HYDRAULIC VALVE INSTALLATION – part 8		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.545924796Z	pilot valve group	1		
2	10.01.984968974	screw SKS-M10x25-933-8.8A2C	4		
2A	10.01.974999994	washer SCH-B10.5x20x2-125A2C	4		
3	10.01.994979884	adaptor	1		
4	10.01.994989946	adaptor	1		
5	10.01.994979903	tee	1		
6	10.01.994989963	adaptor	1		
7	10.01.545924279	hose	1		
8	10.01.994989880	tee	1		
9	10.01.994979887	adaptor	1		
9A	10.01.994979967	adaptor	1		
10	10.01.994969993	adaptor	2		
11	10.01.095939193	oil pressure sensor	1		
12	10.01.994979880	heavy duty joint	1		
13	10.01.546824261	hose	1		
14	10.01.546824261	hose	1		


Drawing:		Description:		
N°	10.022	Rev:	00.0724	
HYDRAULIC VALVE INSTALLATION – part 9				



Drawing:		Description:		
N°	10.022	Rev:	00.0724	
		HYDRAULIC VALVE INSTALLATION – part 9		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.994989919	tee	1		
2	10.01.099924287	hose	1		
3	10.01.095724296	hose	1		
4	10.01.994989963	joint union	1		
5	10.01.545967698	bracket	1		
6	10.01.984988771	stud M12x125-A2C	1		
7	10.01.944949991	nut SKM-M12-934-8A2C	3		
8	10.01.944949995	nut SGM-M12-982-8A2C	1		
8A	10.01.974999969	washer SCH-B13X24X2,5-125A2C	4		
8B	10.01.974999916	spring washer M12-GB93-A2C	2		
9	10.01.984958709	Hexagon socket head bolt ZS-M12X90-912-8.8A2C	1		
10	10.01.WN54-79829497	support	1		


Drawing:			Description:	
N°	10.023	Rev:	00.0724	
			OIL FILTER – part 1	



Drawing:		Description:		
N°	10.023	Rev:	00.0724	
		OIL FILTER – part 1		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
	10.01.934999983	hydraulic filter assy (small)	1		POS 1- 10
1	10.01.540161190	cap screw	1		
2	10.01.540780986	compression spring	1		
3	10.01.540160794	seal	1		
4	10.01.934999947	hyd filter (small)	1		
5	10.01.540161496	housing filter FILTER BOWL	1		
6	10.01.540368425	O- ring47X2	1		
9	10.01.540160793	seal GASKET cut out	1		
10	10.01.540160899	oil separator	1		


Drawing:			Description:	
N°	10.024	Rev:	00.0724	
			OIL FILTER – part 2	



Drawing:		Description:		
N°	10.024	Rev:	00.0724	
		OIL FILTER – part 2		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
	10.01.934999984	hydraulic filter assy (big)	1		
1	10.01.540197799	cover assy.	1		
1A	10.01.540161698	filter cover	1		
2	10.01.540161895	valve BYPASS VALVE	1		
3	10.01.934999948H	hyd filter (big)	3		FOR EACH HYD FILTER ASSY.
4	10.01.540161494	housing filter oil	1		09/02 =>
5	10.01.964999946	O-ring 125x6	1		
6	10.01.964989980	O-ring 151,76x5,33	1		
7		Not use	1		
8		bracket	1		use POS 4
9		screen filter	1		use POS 4
10	10.01.964989985	O-ring 136,5x5,34	1		

Drawing:		Description:		
N°	10.025	Rev:	00.0724	
		VW30 VALVE		



Drawing:		Description:		
N°	10.025	Rev:	00.0724	
		VW30 VALVE		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.545924791-8	310 bar relief valve	1		
2	10.01.545924791-7	check valve	1		
3	10.01.545924791-6	Fixed orifice, pressure compensated flow control valve	1		
4	10.01.545924791-5	pilot Proportional Pressure Control Valve for linde VW30	4		


Drawing:		Description:		
N°	10.026	Rev:	00.0724	
		SPREADER OIL SUPPLY		



Drawing:		Description:		
N°	10.026	Rev:	00.0724	
		SPREADER OIL SUPPLY		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
	10.01.545924793	Spread oil supply valve	1		
	10.01.984958988	screws ZS-M10x115-912-8.8-A2c	2		
	10.01.974999993	washers SCH-10.5-25-4-7349A2C	2		
	10.01.944949992	nut SGM-M10-982-8A2C	2		

Drawing:		Description:		
N°	10.027	Rev:	00.0724	
FLOW CONTROL VALVE				



Drawing:		Description:		
N°	10.027	Rev:	00.0724	
		FLOW CONTROL VALVE		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1a	10.01.545922699	flow control valve	1		POS 1-41
1	10.01.964989949	O-ring 40x2-NBR	4		POS 42
2	10.01.964989950	pre-formed seal ring 34.5X2 O RING	4		POS 42
3	10.01.964989951	O-ring 10x2	2		POS 42
4	10.01.540368421	pre-formed seal ring O RING	1		POS 42
5	10.01.540389791	seal ring	1		POS 42
6	10.01.540357893	washer	1		POS 42
7	10.01.540368420	pre-formed seal ring O RING	2		POS 42
8	10.01.540368419	pre-formed seal ring O RING	1		POS 42
9		housing	1		
10	10.01.540558272	check valve	1		
11	10.01.540980939	socket head screw ISO 4762M12x100-12.9-A2C	2		
12	10.01.540928697	washer spring	2		
13	10.01.540980938	screw	16		
14	10.01.540928696	washer spring	16		
15	10.01.544512298	cover END COVER	1		
16	10.01.544512297	cover END COVER	1		
17	10.01.545537898	plate	1		
18	10.01.545537897	plate	1		



Drawing:		Description:		
N°	10.027	Rev:	00.0724	
		FLOW CONTROL VALVE		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
19	10.01.540558654	pressure relief valve	1		
20		plug	1		
21	10.01.540558789	valve SHOCK VALVE	2		
22		stop	1		
23		stop	2		
24		SPRING GUIDE	2		
25		SCREW	2		
26		NAME PLATE	1		
27		ORIFICE	1		
28		SPRING	2		
29		SPRING	2		
30	10.01.540773959	spring torsion	1		
31		CHECK VALVE	1		
32		PLUG	1		
33		WASHER	1		
34		ORIFICE	2		
35		ORIFICE	1		
36		ORIFICE	1		
37		PLUG	1		

Drawing:		Description:		
N°	10.027	Rev:	00.0724	
		FLOW CONTROL VALVE		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
38		PLUG	1		
39		VALVE	1		
40	10.01.540773958	spring torsion	1		
41	10.01.540773957	spring torsion	1		
42	10.01.540370998	set of seals	1		


Drawing:			Description:	 Tecport
N°	10.028	Rev:	00.0724	
PILOT VALVE ASSY				



Drawing:		Description:		
N°	10.028	Rev:	00.0724	
		PILOT VALVE ASSY		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1A	10.01.545924796Z	pilot valve assy -PILOT tege	1		
2	10.01.934989997	accumulator	1		NOT ILLUSTRATED
3	10.01.093514780	Pressure measuring joint	1		
4	10.01.549439915	Plug	1		
5	10.01.546882354	coil	1		
6A	10.01.934999945	hyd filter (pilot line)			
7	10.01.549439546	Reduce valve	1		
8	10.01.549283998	Relief valve	1		

Drawing:		Description:		
N°	10.029	Rev:	00.0724	
PILOT MAIN CIRCUIT				




Drawing:		Description:		
N°	10.029	Rev:	00.0724	
		PILOT MAIN CIRCUIT		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
2	10.01.994989939	pipe union ISO 8434-1SDS-L10xM14x1,5-type E-A3C-V	1		
2A		ring square DIN 386914-V80	1		
3	10.01.994979901	pipe union ISO 8434-1SWORT-L10-St-V80-CFS	1		
4	10.01.545924294	pipe assy	1		
5	10.01.994969997	O'ring '13,74x20,57x2,03P90	1		
6	10.01.994969997	pipe union	1		
9	10.01.994979996	banjo union	6		
10	10.01.545924287	pipe	1		
10A					
11	10.01.545924286	pipe	1		
11A					
13	10.01.994989939	pipe union	1		
14	10.01.994979942	test connector 10L-M16x1,5	1		
17	10.01.545924292	pipe	1		
19	10.01.545924298	pipe assy	1		
19A					
20					
21	10.01.994989945	pipe union ISO 8434-1SDS-L8xG1/4A,type_B-St-A3C	3		
22	10.01.994989919	pipe union ISO 8434-1SWOE-L08-St-V80-CFS	1		

Drawing:		Description:		
N°	10.029	Rev:	00.0724	
		PILOT MAIN CIRCUIT		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
23	10.01.994989944	pipe union DIN 3910BHS-8L-St-A3C	1		
24	10.01.954999922	clamp block	1		
25	10.01.994989925	pipe union	1		
31	10.01.542624275	hose line	1		
35					
36	10.01.546924282	hose assy	1		
37	10.01.546967637	retainer plate	2		
38	10.01.984988956	hexagon head bolt 931M10x130-8.8-A2C	2		
39	10.01.944949992	nut ISO 7040M10-8-A2C	2		
40	10.01.954999933	clamp block DIN 3015Z-KP-1-R-08-12-PP	5		
41	10.01.984989351	hexagon head screw ISO 4017M6x35-8.8-A2C	5		
42	10.01.944949972	nut DIN 3015L-TM-M6	5		
43	10.01.954899992	cover plate DIN 3015-3Z-DP-1-W1washer	5		
44	10.01.974999994	ISO 7090B10,5x20x2-HV200-A2C	2		

Drawing:		Description:		
N°	10.030	Rev:	00.0724	
RETURN MANIFOLD AND LINES				



Drawing:		Description:		
N°	10.030	Rev:	00.0724	
		RETURN MANIFOLD AND LINES		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.545924295	pipe assy	1		
2	10.01.964989997	o-ring ISO 3601-147,22x3,53-FKM80	1		
3	10.01.984959991	socket-head screw ISO 4762M12x30-8.8-A2C	4		
4	10.01.546924274	low-pressure hose 2" r4x 250	1		
6	10.01.994979944	flange	1		
7	10.01.964989992	o-ring ISO 3601-132,92x3,53-FKM80	1		
8	10.01.984989975	hexagonal head bolt 3/8UNCx13/8"-8.8-A	4		
9	10.01.994979947	teepeece 1"BSP MMF	1		
10	10.01.964999993	seal ring 29,2x37,5x2	5		
11	10.01.096922799	non-return valve 1"-5bar	1		
12	10.01.545922998	non-return valve 1"-0,5bar	1		
13	10.01.994979964	fitting	1		
14	10.01.546924265	hose assy	1		
15	10.01.994989986	adaptor 1"-1"	2		
16	10.01.984969183	hexagon head screw ISO 4017M8x16-8.8-A2C	2		
17	10.01.994979900	pipe union DIN 3901L15-3/4-16UNF-ST-	1		
18	10.01.994989945	pipe union ISO 8434-1SDS-L8xG1/4A,type_B-St-A3C	2		
19	10.01.954999980	clip hose DIA 62/20	2		
20	10.01.994979945	flange	2		


Drawing:		Description:		
N°	10.030	Rev:	00.0724	
		RETURN MANIFOLD AND LINES		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
21	10.01.984959991	socket-head screw ISO 4762M12x30-8.8-A2C	8		
22	10.01.954999984	clip hose DIA 62/20	2		
23	10.01.546924274	hose line oil return hose 0.5m	2		
24	10.01.546924237	return pipe assy RETURN	1		
25	10.01.546924238	return pipe assy RETURN	1		
26	10.01.954999987	hose clamp 86-91	2		
27	10.01.954999940	strap-clip 79(31/8")	3		
28	10.01.994979939	adaptor ISO 8434-1SDS-S20xG3/4A-type E-CFS-V80	1		
29	10.01.994989925	pipe union ISO 8434-1SWORT-L08-St-V80-CFS	1		
30	10.01.994989919	pipe union ISO 8434-1SWOE-L08-St-V80-CFS	1		
31	10.01.546924223	hose 3" R4X 150	1		
32	10.01.984989908	plug WN 14141	1		
33	10.01.546924299	pipe assy.	1		
34	10.01.934999979	cap	1		
35	10.01.099924286	hose assy	1		
36	10.01.546924274	hose line oil return hose 0.32m	1		
37	10.01.954999984	clip hose DIA 62/20	2		
38	10.01.546924252	pipe diam 20cummins	1		
39	10.01.964989996	o-ring ISO 3601-156,74x3,53-FKM80	2		

Drawing:		Description:		
N°	10.030	Rev:	00.0724	
		RETURN MANIFOLD AND LINES		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
40	10.01.994989933	pipe union ISO 8434-1SDS-L15xG1/2A-type E-CFS-V80	1		
41	10.01.546724273	hose assy	1		
42	10.01.099924284	hose line 11/4R4 0.2m	1		
45	10.01.994969994	elbow DIN 3911L15-ST-A3C	1		
46	10.01.545924271	hose assy	1		
47	10.01.954999971	clip hose DIN 3017A25-40x13-W2	4		
48	10.01.984989144	hexagon head bolt ISO 4014M8x55-8.8-A2C	2		
49	10.01.954899996	cover plate DIN 3015-3Z-DP-2-W1-A2C	2		
50	10.01.954999985	clip DIN 3015-3Z-KP-2-R-15-15-PP	4		
51	10.01.974999976	washer ISO 7093-18-200HV-A2C	2		
52	10.01.944949987	nut ISO 4032934-M8-8A2C	2		
53	10.01.984989139	hexagon head bolt ISO 4014M8x60-8.8-A2C	2		
54	10.01.954899997	cover plate DIN 3015-3Z-DP-3-W1	4		
55	10.01.954999983	clamp block DIN 3015Z-KP-3-R-29-29-PP	4		
56	10.01.9944949987	nut ISO 4032934-M8-8A2C	2		

Drawing:		Description:		
N°	10.031	Rev:	00.0724	
LOW PRESSURE RETURN SYSTEM				




Drawing:		Description:		
N°	10.031	Rev:	00.0724	
		LOW PRESSURE RETURN SYSTEM		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.994979976	adaptor (metal)	2		
2	10.01.954999978	clip hose DIN 3017A20-32x13-W2	6		
3	10.01.099924273	hose line 0.42m	1		
4	10.01.964999995	DIRG-A14x18-7603CU	1		
5	10.01.994979946	teepeece DIAM 19	1		
7	10.01.099924273	hose line 0.07m	1		
8	10.01.964999996	seal ring 13,74x20,57x2-P70	1		
9	10.01.994979953	fitting 1/4BSPX1/4OD	1		
10	10.01.954999986	clip hose DIN 3017A8-12x9-W2-1	2		
11	10.01.954999996	clip hose DIN 3017A12-20x9-W2	4		
12	10.01.099924283	hose line 1/4ID SAE100R6 0.5m	1		
13	10.01.994979955	pipe connection 1/4" + SLA	1		
14	10.01.099924282	hose line 900MM 1/2"R6	1		
17	10.01.994979961	adaptor	1		
18	10.01.964999989	seal ring 26x35x2-V80	1		
19	10.01.954999971	clip hose DIN 3017A25-40x13-W2	2		
20	10.01.546824231	low-pressure hose 1" r4690mm long	1		
21	10.01.546924235	return pipe line	1		
22	10.01.546924236	return pipe line	1		

Drawing:		Description:		
N°	10.031	Rev:	00.0724	
		LOW PRESSURE RETURN SYSTEM		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
25	10.01.099924282	hose line 240MM 1/2"R6	1		
29	10.01.944949972	nut DIN 3015L-TM-M6	8		
30	10.01.954999957	hose clip DIN 3015-1L-KP-3-R-25,4-PP	16		
31	10.01.099924284	hose line 1"R4100L	1		
32	10.01.954999971	clip hose DIN 3017A25-40x13-W2	2		
34	10.01.099924273	rubber hose with fabric 3/4ID R6 0.88M	1		
36	10.01.099924282	hose line 240MM 1/2"R6	1		
37	10.01.954899994	cover plate DIN 3015-1L-DP-3-W1	4		
38	10.01.984989350	hexagon head screw ISO 4017M6x40-8.8-A2C	8		
39	10.01.984989339	hexagon head bolt ISO 4014M6x60-8.8-A2C	2		
41	10.01.954999933	clamp block DIN 3015Z-KP-1-R-08-12-PP	4		
42	10.01.974999980	washer DIN 7349DIN 7349-6,4x17x3A2C	2		
43	10.01.944949996	hexagon nut ISO 7040M6-8-A2C	2		

Drawing:		Description:		
N°	10.032	Rev:	00.0724	
HYDRAULIC OIL COOLER AND LINES				



Drawing:		Description:		
N°	10.032	Rev:	00.0724	
		HYDRAULIC OIL COOLER AND LINES		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.546924292	hose assy	1		
2	10.01.964989998	o-ring ISO 3601-137,69x3,53-FKM80	1		
3	10.01.994979983	flange half ISO 6162-211/4"-6000psi-M14	2		
4	10.01.984959992	socket-head screw ISO 4762M10x30-10.9	4		
5	10.01.994989946	pipe union	1		
6	10.01.546924243	hose line 1090long	1		
7	10.01.546924258	hose line pilot pump-fan motor	1		
8	10.01.994969970	joint screw BFW15L/LK35	1		
9	10.01.545624799	control valve thermostatic	1		
10	10.01.994989940	pipe union ISO 8434-1SDS-L6xM10x1-type E-st-CFS-V	2		
11	10.01.994989945	pipe union	1		
12	10.01.994989919	pipe union ISO 8434-1SWOE-L08-St-V80-CFS	1		
13	10.01.545624197	oil cooler hydraulic 2015	1		
14	10.01.984968969	hexagon head screw M10x30-8.8-A2C-Nyl	4		
15	10.01.974999993	washer DIN 7349DIN 7349-10,5x25x4	4		
16	10.01.934979997	rubber mat	1		
17	10.01.984969179	hexagon head screw ISO 4017M8x20-8.8-A2C	6		
18	10.01.974999992	washer ISO 7093-18-200HV-A2C	12		
19	10.01.546967551	mounting assy	1		


Drawing:		Description:		
N°	10.032	Rev:	00.0724	
		HYDRAULIC OIL COOLER AND LINES		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
20	10.01.944949987	hexagon nut ISO 7042M8-8-A2C	6		
21	10.01.964999989	seal DIRG-26X35X2-V80	1		
22	10.01.984989148	screw M8x12-A2R	6		
23	10.01.994979959	fitting 11/2x11/4bsp m/m	1		
24	10.01.964999970	seal ring 48,44x58,6x3,25	1		
25	10.01.546924287	hose assy	1		
26	10.01.994979959	fitting 11/2x11/4bsp m/m	1		
27	10.01.964999970	seal ring 48,44x58,6x3,25	1		
28	10.01.994979927	plug 11/4BSP	1		
29	10.01.964999997	sealing ring 42,93x52,38x3,4	1		
30	10.01.994989933	pipe union ISO 8434-1SDS-L15xG1/2A-type E-CFS-V80	2		
31	10.01.994979949	pipe union ISO 8434-1SWORT-L15-St-V80-CFS	2		
32	10.01.546967593	support -COOLER HOSES	1		
33	10.01.994989963	pipe union ISO 8434-1SWOE-L15-St-V80-CFS	1		
34	10.01.994979956	flange	2		
35	10.01.994979930	pipe union ISO 8434-4SWSDS-L15-G1/2A-type e-St-V8	1		
36	10.01.545622999	valve -FLOW REGULATOR	1		
37	10.01.546924284	hose assy	1		
38	10.01.546924247	hose 1000long	1		

Drawing:		Description:		
N°	10.032	Rev:	00.0724	
		HYDRAULIC OIL COOLER AND LINES		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
39	10.01.546924281	hose assy	1		
40	10.01.994979934	joint screw MALE STUD COUP. 8LXM10	2		
42	10.01.546924283	hose assy	2		SEE PAGE 10.34
48	10.01.546963696	guard grille brake oil cooler	1		
49	10.01.994979896	pipe union	1		
53	10.01.944949987	nut ISO 4032934-M8-8A2C	1		
54	10.01.954999969	clip DIN 3016-1D1-20X20-W1-1	1		
55	10.01.984969174	hexagon head screw ISO 4017M8x25-8.8-A2C	1		


Drawing:		Description:		
N°	10.033	Rev:	00.0724	
HYDRAULIC OIL COOLER				



Drawing:		Description:		
N°	10.033	Rev:	00.0724	
		HYDRAULIC OIL COOLER		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
	10.01.545624194	oil cooler hydraulic	1		
1	10.01.5456241948	oil cooler body	1		
2	10.01.5456241947	Cover part	1		
3	10.01.5456241946	Elect fan high speed	1		


Drawing:		Description:		
N°	10.034	Rev:	00.0724	
LOAD SENSING CONTROL SYSTEM				



Drawing:		Description:		
N°	10.034	Rev:	00.0724	
		LOAD SENSNG CONTROL SYSTEM		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.994979935	pipe union ISO 6149SDS-S8xM14x1,5-OR-A3C	1		
2	10.01.545924291	pipe LS-LS	1		
3	10.01.994969993	pipe union ISO 8434-1SDS-S8xM14x1,5-type E-CFS-V8	1		
4	10.01.994979899	pipe union ISO 8434-1SWORT-S8-St-V80-A3C	2		
5	10.01.994979941	test connector 8S-M16x1,5	1		
6	10.01.994979958	adaptor 8S	1		
7	10.01.545922798	non-return valve 8S	1		
8	10.01.546824255	hose line 560long	1		
10	10.01.994979936	pipe union ISO 8434-1SDS-L8xG1/2A-type E-A3C-V80	1		
11	10.01.994979905	teepeece DIN 3943S8-ST-V80-A3C	1		
12	10.01.984969479	hexagon head screw ISO 4017M5x20-8.8-A2C	2		
13	10.01.974999985	washer ISO 7089A5,3-ST-A2C	4		
14	10.01.954999943	clip DIN 3016-1D1-8x12-W1-1	2		
15	10.01.944949990	hexagon nut ISO 4032M5-8-A2C	2		
16	10.01.546922187	3-way shuttle valve	1		

Drawing:		Description:		
N°	10.035	Rev:	00.0724	
LIFT CYLINDER CIRCUIT				




Drawing:		Description:		
N°	10.035	Rev:	00.0724	
		LIFT CYLINDER CIRCUIT		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.964989992	o-ring ISO 3601-132,92x3,53-FKM80	7		
2	10.01.994979984	flange half ISO 6162-21"-6000psi	14		
3	10.01.984988729	hexagon head screw ISO 4017M12x40-8.8-A2C	28		
4	10.01.546924294	hose assy	1		
5	10.01.546924285	hose assy	1		
6	10.01.546622198	valve block assy.	1		
6A	10.01.546922196	valve block assy (electric)	1		
6B	10.01.543522793	Two way solenoid valve	1		
7	10.01.964989998	o-ring I37,69X3,55-V80	1		
8	10.01.994979925	flange half ISO 6162-21"-6000psi	2		
9	10.01.984988521	hexagon head screw ISO 4017M14x45-8.8-A2C	4		
11	10.01.994969998	pipe union ISO 8434-1SDS-S8xG1/4A,type_B-St-A3C	1		
12	10.01.994979905	teepiece DIN 3943S8-ST-V80-A3C	1		
13	10.01.994979963	pipe union 08SR1/4	2		
14	10.01.542624274	hose assy	2		
15	10.01.542624276	hose assy	1		
16	10.01.542624295	hose assy 1500LONG	2		
17	10.01.964989999	o-ring ISO 3601-125x3,55-FKM80	4		
18	10.01.994979985	flange half ISO 6162-23/4"-6000psi	8		

Drawing:		Description:		
N°	10.035	Rev:	00.0724	
		LIFT CYLINDER CIRCUIT		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
19	10.01.984988729	socket-head screw ISO 4762M10x30-8.8-A2C	16		
20	10.01.542624294	hose line regen-lift cyl	2		
21	10.01.994989945	pipe union ISO 8434-1SDS-L8xG1/4A,type_B-St-A3C	5		
23	10.01.542622994	valve block assy. lock valve rh lft cyl	2		
23A	10.01.542622990	lock valve rh lft cyl	2		
25	10.01.984958789	socket head screw M12x105-12.9-DT-SW	8		
26	10.01.542622999	valve block assy.	2		
27	10.01.994989948	pipe union ISO 8434-1SWOE-S20-St-V80-A3C	2		
29	10.01.542624245	hose line boom cyl balance	1		
32	10.01.984989110	stud DIN 939DIN 939-M8X25-8.8A2C	2		
33	10.01.974999992	washer ISO 7089A8,4-ST50-A2C	2		
34	10.01.944949987	nut ISO 4032934-M8-8A2C	2		
35	10.01.095939199	pressure transmitter 350bar 24V	3		
35A	10.01.545939199	pressure sensor 5V 420bar	2		Lift cylinder A port
35A	10.01.095939193	pressure sensor 5V 400bar	1		Lift cylinder B port
36	10.01.542622699	Explosion proof valve	2		
37	10.01.994979888	pipe union	2		
39	10.01.954999942	clip DIN 3016-1D1-45x20-W1-1	2		
40	10.01.954999968	clip 35x20,4-GU	2		

Drawing:		Description:		
N°	10.036	Rev:	00.0724	
EXTEND AND RETRACT SYSTEM				



Drawing:		Description:		
N°	10.036	Rev:	00.0724	
		EXTEND AND RETRACT SYSTEM		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.964989992	o-ring ISO 3601-132,92x3,53-FKM80	5		
2	10.01.546924286	hose assy	1		
3	10.01.546924293	hose assy	1		
4	10.01.984988729	socket head screw ISO 4762M12x40-8.8	8		
5	10.01.994979984	flange half ISO 6162-21"-6000psi	6		
6	10.01.984989940	hexagon head screw M12x50-8.8-A2C	4		
7	10.01.984988723	socket-head screw ISO 4762M12x45-8.8-A2C	8		
8	10.01.964989998	o-ring ISO 3601-137,69x3,53-FKM80	3		
9	10.01.546924246	pipe diam 38cummins	1		
10	10.01.546924241	pipe diam 30cummins	1		
11	10.01.994979923	flange	1		
12	10.01.994979921	flange	1		
13	10.01.994979922	flange	1		
14	10.01.994979924	flange	1		
15	10.01.984988521	socket-head screw ISO 4762M14x45-8.8-A2C	8		
16	10.01.984958529	hexagon head screw M14x70-8.8-A2C	4		
17	10.01.546967588	bracket =VALVE SUPPORT	1		
18	10.01.984968769	hexagon head screw ISO 4017M12x30-8.8-A2C	2		
19	10.01.974999969	washer ISO 709012-HV200-A2C	2		


Drawing:		Description:		
N°	10.036	Rev:	00.0724	
		EXTEND AND RETRACT SYSTEM		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
20	10.01.546922198	valve block assy.	1		
21	10.01.984988955	hexagon head bolt ISO 4014M10x140-8.8-A2C	2		
22	10.01.944949999	nut hexagon ISO 4032DIN 934-M10-8A2C	2		
23	10.01.974999994	washer ISO 7090B10,5x20x2-HV200-A2C	2		
24	10.01.546967589	support	1		
25	10.01.994979925	flange half ISO 6162-111/4"-3000psi	4		
26	10.01.542624252	hose line ext cyl	1		
27	10.01.984988754	hexagon head bolt ISO 4014M12x110-8.8-A2C	4		
28	10.01.984988718	hexagon head screw ISO 4017M12x75-8.8-A2C	4		
29	10.01.542624253	hose line ext cyl	1		
30	10.01.984988521	socket-head screw ISO 4762M14x45-8.8-A2C	4		
31	10.01.964989998	o-ring ISO 3601-137,69x3,53-FKM80	1		
32	10.01.546924240	pipe diam 30cummins	1		
33	10.01.546924245	pipe diam 38cummins	1		
34	10.01.994979931	joint screw 30S	1		
35	10.01.994979932	joint screw 38S	1		
36	10.01.542622993	valve block assy. lock valve ext cylinder	1		
36A	10.01.542622992Z	valve block assy. lock valve ext cylinder			
37	10.01.954999935	clamp block DIN 3015S-KP-3-R-30-PP	8		

Drawing:		Description:		
N°	10.036	Rev:	00.0724	
		EXTEND AND RETRACT SYSTEM		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
38	10.01.546967576	bracket HYD PIPES	1		
39	10.01.954999934	clamp block DIN 3015S-KP-3-R-38-PP	8		
40	10.01.546967654	cover plate DIN 3015-2S-DPS-3-W1	8		
41	10.01.984988957	hexagon head bolt ISO 4014M10x90-8.8-A2C	16		
42	10.01.974999993	washer DIN 7349DIN 7349-10,5x25x4	16		
43	10.01.944949999	nut hexagon ISO 4032DIN 934-M10-8A2C	16		
44	10.01.984968969	hexagon head screw ISO 4017M10x30-8.8-A2C	2		
45	10.01.974999994	washer ISO 7090B10,5x20x2-HV200-A2C	4		
46	10.01.944949992	nut ISO 7040M10-8-A2C	2		
47	10.01.994979925	flange half ISO 6162-211/4"-6000psi-M14	4		
48	10.01.984988956	hexagon head bolt 931M10x130-8.8-A2C	2		
49	10.01.546967637	retainer plate	2		
50	10.01.954999922	clamp block	1		
51	10.01.974999994	washer ISO 7090B10,5x20x2-HV200-A2C	2		
52	10.01.944949992	nut ISO 7040M10-8-A2C	2		
53	10.01.546967577	bracket HYD PIPES	1		
54	10.01.984968974	hexagon head screw ISO 4017M10x25-8.8-A2C	4		
55	10.01.974999993	washer DIN 7349DIN 7349-10,5x25x4	4		
56	10.01.546967575	bracket hyd pipes	1		

Drawing:		Description:		
N°	10.037	Rev:	00.0724	
BOOM PRESSURE AND PILOT SYSTEM – part1				




Drawing:		Description:		
N°	10.037	Rev:	00.0724	
		BOOM PRESSURE AND PILOT SYSTEM – part1		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.545924296	hose assy 975LONG	1		
2	10.01.546924266	hose line	1		
3	10.01.994969996	pipe union ISO 8434-1S-12L-St-CFS	2		
4	10.01.546924249	pipe diam 12cummins	1		
4A		o-ring 12L/S	a.req.		
5	10.01.546924290	pipe assy. boom/spreader	1		
5A		o-ring 12L/S	a.req.		
6	10.01.994979986	flange half ISO 6162-21/2"-6000psi	2		
7	10.01.984969169	hexagon head screw ISO 4017M8x30-8.8-A2C	4		
8	10.01.546924250	pipe diam 20cummins	1		
8A		o-ring	a.req.		
9	10.01.546924251	pipe diam 20cummins	1		
9A		o-ring	a.req.		
10	10.01.964989993	O-Ring ISO 3601-118,64x3,53-FKM80	1		
11	10.01.994969995	fitting DIN 3902DIN 3902-V20S-A3C	2		
12	10.01.994979887	pipe union	1		
14	10.01.994989963	pipe union ISO 8434-1SWOE-L15-St-V80-CFS	1		
15	10.01.994979967	reducer 15/12L-V80	1		
17	10.01.944949972	nut DIN 3015L-TM-M6	4		

Drawing:		Description:		
N°	10.037	Rev:	00.0724	
		BOOM PRESSURE AND PILOT SYSTEM – part1		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
18	10.01.954999933	plate DIN 3015-3Z-DP-5-W1	8		
20	10.01.984989351	hexagon head screw ISO 4017M6x35-8.8-A2C	4		
21	10.01.984989139	hexagon head bolt ISO 4014M8x60-8.8-A2C	1		
22	10.01.954899997	cover plate DIN 3015-3Z-DP-3-W1	1		
23	10.01.954999983	clamp block DIN 3015Z-KP-3-R-29-29-PP	2		
24	10.01.944949987	nut ISO 4032934-M8-8A2C	1		
25	10.01.954999932	clip hose L-KP-3-R-20-PP	2		
26	10.01.954899994	cover plate DIN 3015-1L-DP-3-W1	1		
27	10.01.984989350	hexagon head screw ISO 4017M6x40-8.8-A2C	2		

Drawing:		Description:		
N°	10.038	Rev:	00.0724	
		BOOM PRESSURE AND PILOT SYSTEM - part 2		



Drawing:		Description:		
N°	10.038	Rev:	00.0724	
		BOOM PRESSURE AND PILOT SYSTEM - part 2		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.984989979	stud threaded DIN 939M8X60-939-8.8A2C	8		
2	10.01.954999983	clamp block DIN 3015Z-KP-3-R-29-29-PP	16		
3	10.01.954999952	clip DIN 301512diam double	16		
4	10.01.954899997	cover plate DIN 3015-3Z-DP-3-W1	8		
5	10.01.546924290	pipe assy. boom/spreader	1		
6	10.01.542624277	hose line spreader	1		
7	10.01.542624292	pipe assy	1		
8		o-ring 12L/S	4		
9	10.01.546924251	pipe diam 20cummins	1		
10	10.01.542624298	hose line spreader	1		
11	10.01.542624293	pipe assy	1		
12	10.01.542624279	hose assy	1		
13		o-ring	4		
14	10.01.994989968	pipe union ISO 8434-4SWSDS-S20-G3/4A-type e-St-V8	1		
15	10.01.543522199	valve block assy.	1		
17	10.01.984999968	hexagon head bolt ISO 4014M6x80-8.8-A2C	1		
18	10.01.984989147	hexagon head screw ISO 4017M8x40-8.8-A2C	2		
19	10.01.994979975	joint screw FITTING	2		
20	10.01.994989927	pipe union ISO 8434-1SWOE-L10-St-V80-CFS	2		


Drawing:		Description:		
N°	10.038	Rev:	00.0724	
		BOOM PRESSURE AND PILOT SYSTEM - part 2		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
21	10.01.542624240	hose assy.	1		
22	10.01.542624241	hose assy.	1		
23	10.01.994979901	pipe union ISO 8434-1SWORT-L10-St-V80-CFS	1		
24	10.01.994989948	pipe union ISO 8434-1SWOE-S20-St-V80-A3C	1		
25	10.01.974999992	washer ISO 7089A8,4-ST50-A2C	8		
26	10.01.944949987	nut ISO 4032934-M8-8A2C	8		
27	10.01.954899992	cover plate DIN 3015-3Z-DP-1-W1	8		
28	10.01.984989351	hexagon head screw ISO 4017M6x35-8.8-A2C	8		
29	10.01.542624296	hose line boom-spreader	1		
30	10.01.994969995	fitting DIN 3902DIN 3902-V20S-A3C	1		
31	10.01.984989908	plug WN 14141	1		
32		clamp assy.			
33	10.01.984989199	hexagon head bolt ISO 4014M8x100-8.8-A2C	2		
34	10.01.954899996	cover plate DIN 3015-3Z-DP-2-W1-A2C	2		
35	10.01.954999951	clamp block 'Z-KP-2-R-16-16-PP	2		
36	10.01.954999983	clip hose DIN 3015-3Z-KP-4-G-30-30-PP	4		
37	10.01.974999992	washer ISO 7089A8,4-ST50-A2C	2		
38	10.01.944949987	nut ISO 4032934-M8-8A2C	2		
39	10.01.954899993	CLAMP PLATE ' Z-DP-4-W1	2		

Drawing:		Description:		
N°	10.038	Rev:	00.0724	
		BOOM PRESSURE AND PILOT SYSTEM – part 2		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
40	10.01.944949987	nut ISO 4032934-M8-8A2C	2		
41	10.01.974999992	washer ISO 7089A8,4-ST50-A2C	2		
42	10.01.954899996	cover plate DIN 3015-3Z-DP-1-W1	2		
44	10.01.954999951	clamp block DIN 3015-3Z-KP-2-R-16-16-PP	2		
45	10.01.954899993	CLAMP PLATE ' Z-DP-4-W1	2		
46	10.01.954999983	clamp block 'Z-KP-3-R-29-29-PP	2		
47	10.01.984989169	stud threaded M8x100-A2C	2		
48	10.01.944949972	nut DIN 3015L-TM-M6	1		
49	10.01.954999933	clamp block DIN 3015Z-KP-1-R-08-12-PP	2		
50	10.01.954899992	cover plate DIN 3015-3Z-DP-1-W1	1		
51	10.01.984989351	hexagon head screw ISO 4017M6x35-8.8-A2C	1		
52	10.01.944949972	nut DIN 3015L-TM-M6	1		
53	10.01.954999932	clip hose L-KP-3-R-20-PP	2		
54	10.01.954899994	cover plate DIN 3015-1L-DP-3-W1	1		
55	10.01.984989350	hexagon head screw ISO 4017M6x40-8.8-A2C	2		
56	10.01.542667565	bracket pipe support	1		
57	10.01.984988946	hexagon head screw ISO 4017M8x45-8.8-A2C	2		
58	10.01.974999992	washer ISO 7089A8,4-ST50-A2C	2		
59	10.01.944949987	nut ISO 4032934-M8-8A2C	2		

Drawing:		Description:		
N°	10.039	Rev:	00.0724	
BOOM HYDRAULIC RETURN SYSTEM				



Drawing:		Description:		
N°	10.039	Rev:	00.0724	
		BOOM HYDRAULIC RETURN SYSTEM		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	10.01.543522199	valve block assy.	1		
2	10.01.994979975	joint screw FITTING	2		
3	10.01.543524298	hose assy.	1		
4	10.01.994989927	pipe union ISO 8434-1SWOE-L10-St-V80-CFS	2		
5	10.01.994989935	pipe union ISO 8434-1SDS-L10xG1/4A-type E-CFS-V80	1		
6		ring square DIN 386914-V80	2		
7	10.01.944947998	union nut DIN 3870AS20-A3C	1		
8	10.01.994979957	fitting SPECIAL	1		
9	10.01.994979902	pipe union ISO 8434-1SWORT-S20-St-V80-A3C	1		
10	10.01.994969995	fitting DIN 3902DIN 3902-V20S-A3C	1		
11	10.01.994989968	pipe union ISO 8434-4SWSDS-S20-G3/4A-type e-St-V8	1		
12	10.01.542624259	hose line 13500l	1		
15	10.01.542624278	hose assy	1		
16		clamp assy.			SEE PAGE 10.96
17		o-ring	4		
18	10.01.542624293	pipe assy	1		
19	10.01.542624298	hose line	1		
20	10.01.546924252	pipe diam 20cummins	1		
21	10.01.944949972	nut DIN 3015L-TM-M6	2		

Drawing:		Description:		
N°	10.039	Rev:	00.0724	
		BOOM HYDRAULIC RETURN SYSTEM		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
22	10.01.954999932	clip hose L-KP-3-R-20-PP	2		
23	10.01.954899994	cover plate DIN 3015-1L-DP-3-W1	1		
24	10.01.984989350	hexagon head screw ISO 4017M6x40-8.8-A2C	2		
25		clamp assy.			SEE PAGE 10.68
26	10.01.546924290	pipe assy. boom/spreader	1		
27		o-ring 12L/S	4		
28	10.01.944949972	nut DIN 3015L-TM-M6	1		
29	10.01.954999933	clamp block DIN 3015Z-KP-1-R-08-12-PP	2		
30	10.01.954899992	cover plate DIN 3015-3Z-DP-1-W1	1		
31	10.01.984989351	hexagon head screw ISO 4017M6x35-8.8-A2C	1		
35	10.01.542624292	pipe assy	1		