


Drawing:		Description:	
N°	Rev: 00.0724	SPREADER	

CAP 12

#	DRAWING	DESCRIPTION	PAG.
1	12.001	SPREADER INSTALLATION	12.03
2	12.002	SPREADER FRAME	12.05
3	12.003	ROTATOR ASSEMBLY – part 1	12.07
4	12.004	ROTATOR ASSEMBLY – part 2	12.09
5	12.005	PLANET GEAR BOX FULLER	12.11
6	12.006	ROTATOR ASSEMBLY – part 3	12.15
7	12.007	BEARING PADS	12.19
8	12.008	PENDULAR TWISTLOCKS ASSEMBLY	12.21
9	12.009	SIDESHIFT CYL.	12.25
10	12.010	EXTENSION CYL 20-40	12.27
11	12.011	DAMPING CYL.	12.30
12	12.012	SWIVEL ASSY.	12.32
13	12.013	SWIVEL VALVE ASSEMBLY	12.34
14	12.014	ROTATION VALVE ASSEMBLY	12.36
15	12.015	SIDESHIFT VALVE ASSEMBLY	12.38
16	12.016	EXTENSION 20-40 AND TWISTLOCKS VALVES ASSY.	12.40

(this page intentionally left blank)

Drawing:		Description:		
N°	12.001	Rev:	00.0724	
		SPREADER INSTALLATION		




Drawing:		Description:		
N°	12.001	Rev:	00.0724	
		SPREADER INSTALLATION		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	12.01.934939986	pin spreader/boom	2		
2	12.01.546967639	lock washer	2		
3	12.01.974999948	shim	10		
4	12.01.543567894	spacer spreader/boom	2		
5	12.01.934919999	retaining ring DIN 472DIN 472-150X4	4		
6	12.01.542614194	bearing GE100-2RS-HC/PTFE	2		
10	12.01.545767793	pin	2		
11	12.01.543567686	retainer plate pivot pin. spreader/boom	2		
12	12.01.984987943	hexagon head screw ISO 4017M20x45-8.8	4		
13	12.01.545767795	pin	2		
14	12.01.974999926	retaining ring DIN 472DIN 472-68X2,5	2		
15	12.01.542614196	spherical bearing ISO 12240 GE40-2RS	2		
16	12.01.974996298	washer	4		
17	12.01.944946399	nut M36	4		
18	12.01.984988363	hexagon head bolt ISO 4014M16x55-8.8-A2C	8		
19	12.01.974999971	washer ISO 709016-200HV-A2C	8		

Drawing:		Description:		
N°	12.002	Rev:	00.0724	
		SPREADER FRAME		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	12.01.984969369	hexagon head screw SKS-M6x30-933-8.8A2C	12		
2	12.01.545767586	plate	4		
3	12.01.549167091	cover	4		
4	12.01.545767696	wear strip assy.	2		SEE PAGE 12.15
5	12.01.545767798	pin	2		
6	12.01.934949993	cylindrical pin COTTER PIN	2		
7	12.01.974996298	ISO 7090 B37x66x5-A2C	2		
8	12.01.545767598	bracket	2		
9	12.01.944948970	locknut	12		
10	12.01.974988598	washer	10		
11	12.01.984988539	Bolt SKS-M14x60-931-12.9A2C	12		
12	12.01.543524598	extension cyl.	2		SEE PAGE 12.23
13	12.01.093514692	twistlock	4		SEE PAGE 12.17
14	12.01.974999981	Washer SCH-6.4x18x1.6-9021A2C	12		
17	12.01.974999996	washer	8		
18	12.01.545767580	Positioning support	2		
19	12.01.974999969	washer	4		
20	12.01.984968974	Bracket SKS-M10x25-933-8.8A2C	1		
21	12.01.974999994	hexagon head screw SCH-B10.5x20x2-125A2C	4		
22	12.01.545767576	support	1		

Drawing:		Description:		
N°	12.003	Rev:	00.0724	
ROTATOR ASSEMBLY – part 1				



Drawing:		Description:		
N°	12.003	Rev:	00.0724	
		ROTATOR ASSEMBLY – part 1		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	12.01.545727992	Reduce gear assy.RR (REGGIANA)	2		
2	12.01.545727993	REGGIANA tight plate	2		
3	12.01.984989147	Bolt SKS-M8x40-933-8.8A2C	8		
4	12.01.974989198	Washer DIN 25201 M8-A2C	8		
5	12.01.545727996	REGGIANA small gear part	2		
6	12.01.545724897	motor	2		
7	12.01.984959991	Bolt ZS-M12X30-912-8.8A2C	4		
8	12.01.974988798	Washer DIN 25201	4		
9	12.01.984988539	Bolt SKS-M14x60-931-12.9DAC	20		
10	12.01.974988598	Washer DIN 25201 M14-A2C	20		
11	12.01.545767792	Position pin	4		


Drawing:		Description:		
N°	12.004	Rev:	00.0724	
ROTATOR ASSEMBLY – part 2				



Drawing:		Description:		
N°	12.004	Rev:	00.0724	
		ROTATOR ASSEMBLY – part 2		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	12.01.545727988	Reduce gear assy with motor	2		
2	12.01.543522193	Connect valve block	1		

Drawing:		Description:		
N°	12.005	Rev:	00.0625	
PLANET GEAR BOX FULLER				



Drawing:		Description:		
N°	12.004	Rev:	00.0625	
		PLANET GEAR BOX FULLER		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	12.01.M68699973	MRS130-A2-N02-CL25	1		
2	12.01.19S99997	COUPLING B24/./D25I	1		
3	12.01.19N99995	CIRCLIP. EST.50 UNI7435-75	1		
4	12.01.19H99998	OIL SEAL BA60x85x10	1		
5	12.01.19I99998	BEARING 16012 DIN625	2		
6	12.01.19R99985	FLANGE	1		
7	12.01.19N99944	NIPPLE DIRITTI ESTR.FE	1		
	12.01.19N99943	NIPPLE ESTR.DIRITTA	1		
	12.01.19N99942	PLUG SFIATO G3/8	1		
	12.01.19N99200	PIPE	1		
	12.01.19N99687	Cu WASHER 17*23 DIN7603 A	2		
8	12.01.19W99810	SUN PINION EM1020	1		
9	12.01.19X99996	RING-GEAR E020	1		
10	12.01.19R99995	FLANGE EM1045/045/./020	1		
11	12.01.19X99998	RING-GEAR E045/	1		
12	12.01.19P99930	SUPPORT 045S	1		
13	12.01.19I99927	BEARING NJ2212 DIN5412	1		
14	12.01.19I99928	BEARING 22213 DIN635	1		
15	12.01.19Q99962	COVER IF 150 RC.1046	1		
16	12.01.19H99882	OIL SEAL A75x95x10 DIN3760-NB	1		

Drawing:		Description:		
N°	12.004	Rev:	00.0625	
		PLANET GEAR BOX FULLER		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
17	12.01.19V99862	SMALL GEAR E045/Z12M10/B95	1		
18	12.01.19N99927	SCREW M10X25 UNI5739-65-8.8	3		
19	12.01.19N99441	LOCK WASHER E045	1		
20	12.01.19T99924	SHAFT EM1046/B27/./B27	1		
21	12.01.19N99840	PLUG G1/8 DIN908	1		
22	12.01.19N99462	RING RC.1046	1		
23	12.01.19N99596	CUSHION PLATE E045	1		
	12.01.19N99595	LOCK SUT KM12 DIN981	1		
24	12.01.19N99951	DISK EST.SW58	1		
25	12.01.19W99995	SUN PINION E045/Z30M2,5/3,5/B27	1		
26	12.01.69999990	REDUCTION STAGE E045/FE/3.5/00	1		
27	12.01.69999994	REDUCTION STAGE E020/FE/3.5/00	1		
28	12.01.19R99675	INTERMEDIATE FLANGE	1		
29	12.01.19X99992	RING-GEAR FL5S	1		
30	12.01.19N99857	DISK. FL5/SINT/././.	5		
	12.01.19N99856	DISK. FL5/STEEL/././.	4		
31	12.01.19N99855	PISTON FL5/DE150/./18M	1		
32	12.01.19O99997	CASING FL5/IF175_8F/././.	1		
33	12.01.19N99854	SPRING FL5/DE14/F2,8/SU11,5	18		

Drawing:		Description:		
N°	12.004	Rev:	00.0625	
		PLANET GEAR BOX FULLER		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
34	12.01.19N99852	CIRCLIP. INT.155 UNI7437-75	1		
35	12.01.19N99853	FL5/155/90/7	1		
36	12.01.19T99993	SHAFT FL250%450/A20/./A24	1		
37	12.01.19R99998	FLANGE UNI/IF145/./IF106.4 QR2_4	1		
38	12.01.19H99969	BLOCKING RING 8-255	1		
	12.01.19H99966	O-RING 2-255 142X3,53	1		
39	12.01.19H99964	O-RING 2-250 126,59X3,53	1		
	12.01.19H99900	BLOCKING RING 8-250	1		
40	12.01.19H99965	O-RING 2-163 152,07X2,62	3		

Drawing:		Description:		
N°	12.006	Rev:	00.0724	
		ROTATOR ASSEMBLY – part 3		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	12.01.984988909	DIN 931 M10X1.5X90-8.8-A2C	4		
2	12.01.974999986	DIN 6798 B12-A2C	12		
3	12.01.545767578	bracket swivel assy	1		
4	12.01.944949992	nut M10	6		
5	12.01.543522197	valve assembly	1		SEE PAGE 12.30
6	12.01.964989993	o ring	2		
7	12.01.543524897	swivel actuation assy.	1		SEE PAGE 12.28
8	12.01.545724897	Hyd motor	1		
10	12.01.984959991	ZS-M12X30-912-8.8A2C	4		
11	12.01.974988798	Washer	4		
12	12.01.543522198	valve assembly	1		
13	12.01.545767579	cover	1		
14	12.01.545727992	Reduce gear assy.RR	2		
14A	12.01.545727988	Reduce gear assy.2022	2		
17	12.01.984988362	DIN 931 M16X60-8.8-A2C	20		
18	12.01.974999971	ISO 7090 B17X30X3-A2C	20		
19	12.01.545767797	Nut	2		
20	12.01.545767697	Ring	2		
21	12.01.974988998	lock washer	40		


Drawing:		Description:		
N°	12.006	Rev:	00.0724	
ROTATOR ASSEMBLY – part 3				

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
22	12.01.984968974	hex screw M10x25	36		
23	12.01.093514794	switch element	2		
24	12.01.954999993	Clamp	2		
25	12.01.954899999	washer	2		
26	12.01.974999964	washer	4		
27	12.01.984989339	screw,socket-head ISO 4762M6x55-8.8-A2C	4		
28	12.01.545767585	cover COVER PLATE	1		
28A	12.01.545767584	cover COVER PLATE	1		
29	12.01.984987578	bolt M24x190	59		
30	12.01.984987580	bolt	3		
30A	12.01.984987581	Bolt	53		
31	12.01.974999996	washer	230		
32	12.01.944947596	nut ISO 4032DIN 934-M24-10	115		
35	12.01.545727997	slewing gear	1		
36	12.01.549167093	Wear pad	8		
37	12.01.545767592	plate	8		
38	12.01.934939992	ISO 8752 4X32-ST	16		
39	12.01.984987988	bolt	24		
40	12.01.545767597	housing	4		

Drawing:		Description:		
N°	12.006	Rev:	00.0724	
		ROTATOR ASSEMBLY – part 3		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
41	12.01.545767698	wrenche key	4		
42	12.01.984959988	socket head screw M8x16	12		
43	12.01.974999998	washer wear pad	24		
44	12.01.944949971	hexagon nut ISO 4032/ DIN 934M20-8-A2C	24		
45	12.01.545767796	pin	2		
46	12.01.974996298	ring pivot	2		
47	12.01.944946399	nut M36	2		
48	12.01.543524597	cylinder	2		SEE PAGE 12.21
49	12.01.093567794	pin pivot	2		
50	12.01.984988919	hexagon bolt	2		
53	12.01.984988919	screw ISO 4762M10x80-8.8	4		
54	12.01.934949963	bracket	1		
55	12.01.984968769	Bolt SKS-M12x30-933-8.8-A2C	3		
56	12.01.974999930	washer	3		


Drawing:		Description:		
N°	12.007	Rev:	00.0724	
BEARING PADS				



Drawing:		Description:		
N°	12.007	Rev:	00.0724	
		BEARING PADS		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	12.01.984968744	bolt	12		
2	12.01.974988798	washer	12		
3	12.01.545767696	shim	2		
4	12.01.549167096	pad	20		
5	12.01.984968974	hex screw M10x25	60		
6	12.01.974988998	lock washer	60		
6a	12.01.974999919	M10 spring washer and flat washer	60		
	12.01.974999994				
7	12.01.545767587	retainer plate	12		
8	12.01.549167094	wear strip wear pad	4		
9	12.01.545767595	Retainer plate outer	2		
10	12.01.545767593	retainer plate bottom	2		
11	12.01.545767594	retainer plate top	2		

Drawing:		Description:		
N°	12.008	Rev:	00.0724	
PENDULAR TWISTLOCKS ASSEMBLY				



Drawing:		Description:		
N°	12.008	Rev:	00.0724	
PENDULAR TWISTLOCKS ASSEMBLY				

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	12.01.545767591	Cross member assy.	2		
2	12.01.545767590	support bracket	2		
3	12.01.545767589	bracket sensor	2		
4	12.01.984968954	hexagon head screw ISO 4017M10x45-8.8-A2C	4		
5	12.01.093514794	switch element	8		
6	12.01.974999974	washer	8		
7	12.01.984968959	hexagon head screw ISO 4017M10x40-8.8-A2C	4		
8	12.01.944949992	nut M10	8		
9	12.01.944949994	nut clamp	8		
10	12.01.984989339	hexagon head bolt ISO 4014M6x60-8.8-A2C	8		
11	12.01.543524595	cylinder assy. twistlock	2		
12	12.01.543567798	pin roll	4		
13	12.01.984968974	hexagon head screw ISO 4017M10x25-8.8-A2C	8		
14	12.01.974988998	lock washer	8		
15	12.01.948969364	hexagon head screw ISO 4017M6x35-8.8-A2C	8		
16	12.01.974989398	washer	8		
17	12.01.954899999	washer	8		
18	12.01.954999993	bracket	8		
19	12.01.984988934	hex screw M10x65	8		


Drawing:		Description:		
N°	12.008	Rev:	00.0724	
PENDULAR TWISTLOCKS ASSEMBLY				

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
20	12.01.974988998	lock washer	8		
21	12.01.093567691	bracket	4		
22	12.01.984958784	bolt m12x15012.9	8		
23	12.01.944949992	nut M10	4		
24	12.01.093567689	bracket INDICATOR	4		
25	12.01.934949962	compression spring	4		
26	12.01.093567690	bracket	4		
27	12.01.934949961	spring	4		
28	12.01.984958709	socket head screw	4		
29	12.01.093513396	rod	4		
30	12.01.093567583	support switch	4		
31	12.01.093567790	pin	12		
32	12.01.984999914	bolt seated	4		
33	12.01.543567797	bolt pin	4		
34	12.01.984969183	socket head screw M8x16	4		
35	12.01.974999989	washer	4		
36	12.01.974989960	bolt ring	4		
37	12.01.984989119	hexagon bolt	16		
38	12.01.974999989	washer	16		

Drawing:		Description:		
N°	12.008	Rev:	00.0724	
		PENDULAR TWISTLOCKS ASSEMBLY		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
39	12.01.093514797	lever	4		
40	12.01.093567694	clamping ring collet	4		
41	12.01.093567584	bearing neck upper kit	4		
42	12.01.964999903	ring	8		
43	12.01.964999902	o ring	8		
44	12.01.093567896	bush joint end	4		
45	12.01.984988344	bolt adjusting	4		
46	12.01.974988398	washer	4		
47	12.01.944948373	nut	4		
48	12.01.093514198	bearing	4		
49	12.01.093514796	bush	4		
50	12.01.093567895	housing	4		
51	12.01.984999197	lubrication nipple	8		
52	12.01.934949952	spring	16		
53	12.01.093567791	plate key	4		
54	12.01.093514692	pin twistlock	4		
66	12.01.974999994	Washer	8		


Drawing:		Description:		
N°	12.009	Rev:	00.0724	
		SIDESHIFT CYL.		



Drawing:		Description:		
N°	12.009	Rev:	00.0724	
		SIDESHIFT CYL.		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
	12.01.543524597	cylinder assy.	1		
1	12.01.545539692	rod piston sideshift	1		
2	12.01.540391977	seal kit assy	1		
3	12.01.545539398	bush	1		
4	12.01.093514791	piston	1		
5	12.01.944999983	nut	1		
6	12.01.984999912	locking piece set screw	1		
7	12.01.545539887	cylinder pipe sideshift	1		
8	12.01.934919977	snap ring	2		
9	12.01.542614193	bearing block	2		
10	12.01.934949963	lubrication nipple	4		

Drawing:		Description:		
N°	12.010	Rev:	00.0724	
		EXTENSION CYL 20-40		




Drawing:		Description:		
N°	12.010	Rev:	00.0724	
		EXTENSION CYL 20-40		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
	12.01.543524598	cylinder assy. extension	1		POS 1- 16
1	12.01.093516896	repair kit extn cyl	1		
2	12.01.984999912	locking piece set screw	1		
3	12.01.944999982	nut	1		
4	12.01.093514790	piston	1		
5	12.01.093567893	bush	1		
6	12.01.093567892	bush	1		
7	12.01.093514789	cylinder head gland	1		
8	12.01.093514788	guide for piston rod	1		
9	12.01.093514787	stock block	1		
10	12.01.545539297	ring	1		
11	12.01.974989967	washer	4		
12	12.01.540987984	screw hydraulic cylinder	4		
13	12.01.545539678	piston rod extension cylinder	1		
14	12.01.093514196	spherical bearing GE30ES-2RS	2		
15	12.01.934919976	snap ring	2		
16		valve assembly	1		SEE PAGE 12.36
17	12.01.545767582	bracket mounting	1		
18	12.01.974989198	washer	2		
19	12.01.984989147	hexagon head screw ISO 4017M8x40-8.8-A2C	2		

Drawing:		Description:		
N°	12.010	Rev:	00.0724	
		EXTENSION CYL 20-40		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
20	12.01.545539885	cylinder pipe SHELL	1		
21	12.01.542613098	chain assy	1		
22	12.01.545767581	bracket chain support	1		
24	12.01.984969179	hex screw M8x20	4		
26	12.01.944949998	locknut	4		
27	12.01.984968774	hexagon head screw ISO 4017M12x25-8.8-A2C	4		
28	12.01.974988798	washer	4		
29	12.01.984988723	socket-head screw ISO 4762M12x30-8.8-A2C	4		
30	12.01.545767596	support extension cylinder	1		
31	12.01.944949995	hexagon nut ISO 7040M12-8-A2C	4		
32	12.01.549167097	bearing	2		
33	12.01.984988723	socket-head screw ISO 4762M12x45-8.8-A2C	4		


Drawing:		Description:		
N°	12.011	Rev:	00.0724	
		DAMPING CYL.		



Drawing:		Description:		
N°	12.011	Rev:	00.0724	
		DAMPING CYL.		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
	12.01.543524594	Damp cylinder			
1	12.01.545088499	piston rod	1		
2	12.01.545510095	set of seals	1		
3	12.01.093567894	threaded bush	1		
4	12.01.545088999	piston	1		
5	12.01.944999983	nut	1		
6	12.01.984999912	locking piece set screw	1		
7	12.01.545089899	cylinder pipe	1		
8	12.01.934919977	snap ring	1		
9	12.01.542614193	bearing block	1		
10	12.01.934949963	lubrication nipple	2		
11	12.01.545767796	pin	2		
12	12.01.545767795	pin	2		
13	12.01.974996298	washer	4		
14	12.01.944946399	nut M36	4		


Drawing:		Description:		
N°	12.012	Rev:	00.0724	
		SWIVEL ASSY.		



Drawing:		Description:		
N°	12.012	Rev:	00.0724	
		SWIVEL ASSY.		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
	12.01.543524897	swivel			
1	12.01.540989846	screw socket head	4		
2	12.01.545389499	plate	1		
3	12.01.540989845	screw socket head	4		
4	12.01.974989958	washer	4		
5	12.01.545384599	housing	1		
6	12.01.545383499	flange	1		
7	12.01.984959992	screw socket head	4		
8	12.01.974999919	lock washer	4		
9	12.01.545385498	bush	1		
10	12.01.540729499	ring sealing	2		
11	12.01.540754992	bearing (neck)	1		
12	12.01.540368595	o ring	1		
13	12.01.545385499	bush	1		
14	12.01.964989993	o ring	2		
15					


Drawing:		Description:		
N°	12.013	Rev:	00.0724	
SWIVEL VALVE ASSEMBLY				



Drawing:		Description:		
N°	12.013	Rev:	00.0724	
		SWIVEL VALVE ASSEMBLY		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
		distributing valve assy.	1		
1	12.01.093522297	pressure relief valve	1		
2	12.01.543522197	valve body	1		
3	12.01.093514781	check valve assy. Or plug	1		
4	12.01.994989979	pipe union	2		
5	12.01.994989892	pipe union 3/8"x9/16-18UNFx31,6	1		
6		screw plug	2		
7	12.01.994989889	plug	1		


Drawing:		Description:		
N°	12.014	Rev:	00.0724	
ROTATION VALVE ASSEMBLY				



Drawing:		Description:		
N°	12.014	Rev:	00.0724	
		ROTATION VALVE ASSEMBLY		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
		valve assy.	1		
1	12.01.984959454	screw cap hd ISO 4762M5x45-12.9	4		
2	12.01.093524793	solenoid valve assy	1		
3	12.01.543522496	pressure regulator valve	3		
4	12.01.543522697	flow control valve	2		
7	12.01.994989945	pipe union	2		
8	12.01.543522198	valve body	3		
9	12.01.994989979	pipe union	1		
10	12.01.984959454	screw cap hd ISO 4762M5x45-12.9	2		
14	12.01.543522798	solenoid valve assy	2		

Drawing:		Description:		
N°	12.015	Rev:	00.0724	
		SIDESHIFT VALVE ASSEMBLY		



Drawing:		Description:		
N°	12.015	Rev:	00.0724	
		SIDESHIFT VALVE ASSEMBLY		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
	12.01.543522196	valve assy.	1		
1	12.01.984959354	socket-head screw ISO 4762M6x40-8.8-A2C	4		
2	12.01.543522797	solenoid valve assy.	1		
3	12.01.543522196	valve body	1		
4	12.01.093514784	adaptor guage	2		
5	12.01.994989979	pipe union	4		
6	12.01.994989974	pipe adaptor	4		
7	12.01.093522297	pressure relief valve	1		
	12.01.994989881	pipe union	2		

Drawing:		Description:		
N°	12.016	Rev:	00.0724	
		EXTENSION 20-40 AND TWISTLOCKS VALVES ASSY.		

Pos.	Part-No.	Designation	Quantity	replaced by	Remarks
1	12.01.994989979	adaptor	2		
2	12.01.984959469	socket-head screw M5x30	4		
3	12.01.096939073	Solenoid valve plug	4		
5	12.01.093522197	COVER PLATE	1		
6	12.01.093524796	solenoid valve assy	1		
7	12.01.093524795	solenoid valve assy	2		
8	12.01.994989979	adaptor	1		
9	12.01.994989945	adaptor	1		
10		pressure regulator valve	1		
11		adaptor	1		
12	12.01.994989963	adaptor	1		
13	12.01.994989925	plug	1		