

BHC Integration — User Guide

How the Barangay Health Center (BHC) connects to Gawad BIS

Barangay Balong Bato, San Juan City

This guide covers **only the integration** added to link Gawad BIS with the BHC System. For day-to-day queue operations, displays, and clinical workflow inside BHC, see [USER_GUIDE.md](#).

Exporting to PDF: Open in Microsoft Word or use a Markdown-to-PDF extension. Save as UTF-8.

1. What this integration adds

Gawad BIS already manages barangay residents, permits, transactions, and **medicine inventory**. The BHC System handles clinic patients, queues, and clinical records.

The **BHC integration** connects the two so staff do not duplicate work:

Integration feature	Where you see it	What it does
Health Center menu	Gawad BIS sidebar	Jump to BHC pages (patients, queues, appointments)
Single sign-on (SSO)	Every Health Center link	Arrive in BHC already logged in
Register at Health Center	Gawad resident profile	Prefill BHC patient form from resident data
Staff import	BHC → Staff accounts	Create matching BHC logins from Gawad users
Medicine catalog sync	BHC consultation & pharmacy forms	Show live Gawad stock when prescribing

What stays separate (by design):

Data	Master system
Resident enrollment, barangay address records	Gawad BIS
Medicine stock, batches, receiving	Gawad BIS
BHC patient ID, visits, queues, clinical notes	BHC

2. Before you start

URLs (local development)

System	URL
Gawad BIS	http://localhost:5003

System	URL
BHC	http://localhost/bhc_system/public

In production, use your barangay server addresses. Both systems must be running, and integration must be **enabled** on both sides (see Section 11 if links fail).

Who needs accounts where

Person	Gawad BIS	BHC
Barangay secretary / staff	Yes	Yes (after Import Gawad staff)
Health center doctor	Optional	Yes (role Doctor , created manually in BHC)
BHC admin	Yes (as Administrator)	Yes (role Admin)

SSO matches accounts by **username**. Your Gawad username and BHC username must be the same.

3. Opening BHC from Gawad BIS

Health Center sidebar

After integration is enabled, signed-in Gawad users see a **Health Center** section in the sidebar with links such as:

- Registration queue
- Triage, Consultation, Pharmacy queues
- Patients and appointments

Clicking a link opens BHC in a new tab (if configured) and signs you in automatically.

How SSO works (what staff experience)

1. You are logged in to **Gawad BIS**.
2. You click a **Health Center** link or **Register at Health Center** on a resident.
3. Gawad sends you to BHC with a short-lived secure token.
4. BHC verifies the token and logs you in as the matching user.
5. You land on the intended BHC page (queue, patient form, etc.).

You do **not** need to type your BHC password when SSO succeeds.

If SSO does not log you in

Symptom	What to do
BHC shows the login page	Your username may not exist in BHC yet — ask an admin to run Import Gawad staff (Section 8)
Error about invalid token	Sign in to Gawad again and retry; token may have expired

Symptom	What to do
Integration disabled	Contact IT — BhcIntegration / gawad_integration must be enabled

You can always sign in to BHC manually with the same username once your account exists.

4. Registering a patient — standard path (resident sync)

This is the **required path for health center staff** (non-admin). Residents must exist in Gawad BIS first.

Step 1 — Enroll or open the resident in Gawad BIS

1. Sign in to **Gawad BIS**.
2. Go to **Residents**.
3. Enroll a new resident **or** open an existing **resident profile**.

Resident master data (legal name, address, barangay) lives in Gawad. Do not skip this step for routine clinic registration.

Step 2 — Register at Health Center

1. On the resident profile, click **Register at Health Center**.
2. Your browser opens BHC (via SSO) on **Register New Patient**.
3. A green banner shows: *Importing from Gawad BIS* with the resident name.

Step 3 — Review prefilled data

BHC pulls resident data from Gawad and prefills:

- First, middle, and last name; suffix
- Sex and date of birth
- Address and barangay
- Civil status (when available)

Hidden fields store the **Gawad resident ID** so the records stay linked after save.

Step 4 — Confirm and save


1. **Confirm Balong Bato residency** (required checkbox on the form).
2. Add optional clinic fields (contact, PhilHealth, emergency contact, notes).
3. Watch for **possible duplicate** suggestions as you type (Section 5).
4. Click **Save patient record**.

The system assigns a **BHC ID** (e.g. [BHC-000042](#)) and saves `registration_source = gawad_bis`.

Step 5 — Continue in BHC

After save, route the patient at the **Registration queue** (Health Center → Registration). See [USER_GUIDE.md](#) for queue steps.

Flow diagram



If the resident is already registered in BHC

When you use **Register at Health Center** for a resident already linked, BHC redirects you to the **existing patient record** instead of creating a duplicate.

5. Duplicate detection while registering

While typing first and last name on **Register New Patient**, BHC searches existing patients and shows **possible duplicates** under the name fields.

Situation	Action
Suggestion matches the person	Click it to use the existing record and go to Registration routing
Same person, walk-in created earlier	Use Link Gawad resident to this record (Section 6) instead of saving a new patient
Different person with similar name	Continue registration; verify identity carefully

Press **Escape** or click outside the list to close suggestions.

6. Linking Gawad to an existing BHC patient

Use this when a patient was registered earlier (e.g. **emergency walk-in**) and you later enroll them in Gawad—or when **Register at Health Center** finds a name match.

When the link prompt appears

1. Start **Register at Health Center** from the Gawad resident profile (SSO opens BHC).
2. BHC detects an existing patient with matching identity.
3. A warning card shows the existing **BHC ID** and name.

Actions on the warning card

Button	Use when
Link Gawad resident to this record	Same person; walk-in was not linked yet
Open existing record	Review history before deciding
Route at Registration	Patient is already in BHC; send to a queue

After linking, the patient file stores the Gawad resident ID. Future imports for that resident go directly to the same record.

7. Emergency walk-in (exception only)

Staff **cannot** open a blank **Add patient** form. The integration enforces: normal registration goes through Gawad.

Emergency walk-in is the approved exception when the patient needs **immediate** care and cannot be registered in Gawad first.

How to start

1. BHC → **Patients**.
2. Click **Emergency walk-in** (not *Register via Gawad BIS*).
3. Enter a **required reason** (at least 10 characters), e.g. unconscious patient, no ID, no time for BIS enrollment.
4. Complete the form and confirm residency.
5. Save.

The reason is stored on the patient file (`registration_source = emergency_walk_in`).

After the emergency

When the person is enrolled in Gawad, open their resident profile → **Register at Health Center**. If BHC finds the walk-in record, use **Link Gawad resident to this record** (Section 6).

Admin direct registration

BHC **admins** may also use **Add patient** without a Gawad link. This is for exceptional cases; routine residents should still go through Gawad.

8. Staff accounts and Import from Gawad BIS

SSO requires the same **username** in both systems. New barangay staff are created in **Gawad first**, then imported into BHC.

One-time setup (BHC admin)

1. Sign in to BHC as **admin**.
2. Go to **Staff accounts** (`/users`).
3. In **Import from Gawad BIS**, enter a **temporary password** (min. 8 characters) and confirm.

4. Click **Import Gawad staff**.

What import does

Gawad user	BHC result
New username (not in BHC)	New account created
Administrator role	BHC role admin
Secretary, Kagawad, Staff, etc.	BHC role staff
Username already in BHC	Skipped (not overwritten)

Tell new staff to sign in with their **Gawad username** and the temporary password, then change it under **Account** → **Password**.

Doctors

Doctor accounts are **not** imported from Gawad. An admin must create them manually in BHC with role **Doctor**. SSO still works if the doctor's username matches a Gawad account.

Ongoing maintenance

Task	Where
Add person in Gawad only	Gawad → User management
Pull new Gawad users into BHC	BHC → Staff accounts → Import Gawad staff
Reset BHC password	BHC → Staff accounts → Reset password
Remove access	Deactivate in BHC (Gawad account unchanged)

9. Medicine catalog sync (Gawad inventory → BHC pickers)

Medicine **inventory** is managed entirely in **Gawad BIS** → **Medicines** (add items, receive stock, set minimum levels, dispense in barangay context).

BHC reads that catalog **live** when staff prescribe or dispense at the clinic.

Where staff see Gawad medicines in BHC

Screen	Behavior
Consultation (queue or doctor chart)	Medicine picker lists Gawad items with stock hints
Pharmacy dispensing	Same catalog; low-stock and out-of-stock warnings
Admin → Medicine list	Shows whether pickers use Gawad or local fallback

When sync is active, the picker shows:

- Medicine name and unit from Gawad

- **Current stock** (read-only)
- **Low stock / Out of stock** warnings
- Confirmation if quantity exceeds available stock

Staff choose **Clinic stock** when dispensing from barangay inventory recorded in Gawad.

What staff do in Gawad vs BHC

Task	System
Add medicine, receive stock, adjust inventory	Gawad BIS → Medicines
Check barangay-wide stock reports	Gawad BIS → Medicines
Prescribe for a clinic visit	BHC (picker shows Gawad stock)
Record what was given to the patient	BHC (pharmacy queue / consultation)
Update stock after clinic dispensing	Gawad BIS (manual — BHC does not reduce Gawad stock automatically)

If the Gawad catalog does not appear in BHC

BHC falls back to the local **Medicine list** (admin-maintained names only, no live stock). An admin message may show *Gawad sync unavailable*. Check Section 11.

Open Gawad inventory from BHC

On **Medicine list** (admin), use the link to **Open Gawad BIS Medicines** to manage stock in the master system.

10. Registration rules summary

User	How to register a new clinic patient
Staff	Gawad resident → Register at Health Center, or Emergency walk-in
Admin	Same as staff, or Add patient directly (discouraged for residents already in Gawad)
Staff action on Patients page	Purpose
Register via Gawad BIS	Opens Gawad Residents (start standard path)
Emergency walk-in	Exception path with documented reason

Staff who open [/patients/create](#) without a Gawad link or emergency flag are redirected with instructions to use Gawad.

11. Integration troubleshooting

Problem	Likely cause	Fix
No Health Center menu in Gawad	Integration disabled	Enable <code>BhcIntegration:Enabled</code> in Gawad <code>appsettings.json</code>
No Register at Health Center button	Resident sync off	Enable <code>ResidentSyncEnabled</code> in Gawad
Button opens BHC but form is empty	API key mismatch or Gawad API down	Match <code>IntegrationApiKey</code> (Gawad) and <code>integration_api_key</code> (BHC); ensure Gawad is running
SSO lands on login page	No BHC account for that username	Admin runs Import Gawad staff
SSO error / invalid token	Expired token or wrong <code>SsoSecret</code>	Secrets must match on both sides; retry from Gawad
Staff blocked from Add patient	By design	Use Register via Gawad BIS or Emergency walk-in
Medicines missing in picker	Medicine sync off or API error	Enable <code>MedicineSyncEnabled</code> (Gawad) and <code>medicine_sync_enabled</code> (BHC)
Stock always shows zero	No stock in Gawad	Add/receive stock in Gawad → Medicines
Duplicate patients	Ignored name suggestions	Use suggestions; link Gawad to existing record

For BHC-only issues (queues, displays, QR codes), see [USER_GUIDE.md](#).

12. Quick reference — integration tasks

I want to...	Do this
Register a resident at the clinic	Gawad → Resident profile → Register at Health Center
Open BHC queues from Gawad	Gawad sidebar → Health Center
Add new barangay staff to BHC	BHC admin → Staff accounts → Import Gawad staff
Register urgent patient without Gawad	BHC → Patients → Emergency walk-in
Link walk-in to Gawad resident	Gawad → Register at Health Center → Link Gawad resident to this record
Manage medicine stock	Gawad BIS → Medicines
Prescribe with stock awareness	BHC consultation/pharmacy (Gawad catalog)
Avoid duplicate patients	Use name suggestions on registration form

13. Related documents

Document	Content
README.md	Documentation index
SOURCE_CODE_AND_DOCUMENTATION.md	APIs, configuration, architecture (technical)
USER_GUIDE.md	BHC queues, displays, reports, daily operations
WORKFLOW_SUMMARY.md	End-to-end clinic process overview
WORKFLOW_DIAGRAM.md	Visual workflow diagrams
DEPLOY_INFINITYFREE.md	Cloud deployment guide

BHC Integration User Guide — Gawad BIS ↔ BHC: SSO, resident registration handoff, staff import, medicine catalog sync. Barangay Balong Bato.