

ASSIGNMENT 5

IS 605 FUNDAMENTALS OF COMPUTATIONAL MATHEMATICS - 2014

1. PROBLEM SET 1

In this problem set we'll work out some properties of the *least squares* solution that we reviewed in the weekly readings. Consider the unsolvable system $\mathbf{Ax} = \mathbf{b}$ as given below:

$$\begin{bmatrix} 1 & 0 \\ 1 & 1 \\ 1 & 3 \\ 1 & 4 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \end{bmatrix} = \begin{bmatrix} 0 \\ 8 \\ 8 \\ 19 \end{bmatrix} \quad (1)$$

- Write R markdown script to compute $\mathbf{A}^T \mathbf{A}$ and $\mathbf{A}^T \mathbf{b}$.
- Solve for $\hat{\mathbf{x}}$ in R using the above two computed matrices.
- What is the squared error of this solution?
- Instead of $\mathbf{b} = [0; 8; 8; 19]$, start with $\mathbf{p} = [1; 5; 13; 17]$ and find the exact solution (i.e. show that this system is solvable as all equations are consistent with each other. This should result in an error vector $\mathbf{e} = \mathbf{0}$).
- Show that the error $\mathbf{e} = \mathbf{b} - \mathbf{p} = [-1; 3; -5; 2]$.
- Show that the error \mathbf{e} is orthogonal to \mathbf{p} and to each of the columns of \mathbf{A} .

Your code should be able to print all of the above requested quantities. Please include enough comments to make it easy to follow your R markdown document.

2. PROBLEM SET 2

Consider the modified auto-mpg data (obtained from the UC Irvine Machine Learning dataset). This dataset contains 5 columns: *displacement*, *horsepower*, *weight*, *acceleration*, *mpg*. We are going to model *mpg* as a function of the other four variables.

Write an R markdown script that takes in the auto-mpg data, extracts an \mathbf{A} matrix from the first 4 columns and \mathbf{b} vector from the fifth (*mpg*) column. Using the *least squares* approach, your code should compute the best fitting solution. That is, find the best fitting equation that expresses *mpg* in terms of the other 4 variables. Finally, calculate the fitting error between the *predicted* error of your model and the actual *mpg*. Your script should be able to load in the 5 column data set, extract \mathbf{A} and \mathbf{b} , and perform the rest of the calculations. Please have adequate comments in your code to make it easy to follow your work.

Please complete both problem set 1 & problem set 2 in one R markdown document and upload it to the site. You don't have to attach the auto-mpg data. Just write your markdown document in such a way that it expects and loads the auto-mpg data file from the

current working directory. As always, your code is expected to compile and run successfully. Adding test cases to demonstrate that your code is working will be very helpful.