1조 클래스 다이어그램

전형진 이병무 박훈 장서현

메인페이지, 로그인/로그아웃



아이디 비밀번호 찾기


<<Java Class>>
AccountFindController
com.bitjeju.member.find.controller
AccountFindController()
doGet(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
PwFormController
com.bitjeju.member.find.controller
Pw FormController()
doGet(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
FindPwController
com.bitjeju.member.find.controller
FindPw Controller()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
IdFormController
com.bitjeju.member.find.controller
IdFormController()
doGet(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
FindIdController
com.bitjeju.member.find.controller
serialVersionUID: long = 1L
FindIdController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
FindDao
com.bitjeju.member.find.model
user: String = "bitjeju164@gmail.com"
passw ord: String = "bitcamp164!!"
prop: Properties
session: Session
conn: Connection
pstmt: PreparedStatement
rs: ResultSet
FindDao()
findEmail(String,String):String
sendEmail(String,String):void
<<Java Class>>
MemberDao
com.bitjeju.member
conn: Connection
rs: ResultSet
pstmt: PreparedStatement
MemberDao()
loginValidation(String,String):MemberDto
selectAll(int,String,String):ArrayList<MemberDto>
totalMember(String,String):int
totalStudent(String,String):int
stuSelectAll(int,String,String):ArrayList<MemberDto>
selectOne(int):MemberDto
deleteOne(int,String):void
insertOne(String,String,String,String,int):void
signUp(String,String,String,String):int
signUp(String):int
passw ordUpdate(String,String):void
phoneUpdate(String,String):void
updateLevel(int,int):void
enrolment(String,int):void
<<Java Class>>
MemberDto
com.bitjeju.member
id_email: String
name: String
dept: String
passw ord: String
lecture: String
phone: String
num: int
lvl: int
row num: int
getNum():int
setNum(int):void
getRow num():int
setRow num(int):void
MemberDto(String)
MemberDto()
MemberDto(int,String)
MemberDto(int,String,String,int,String,String,String)
getId_email():String
setId_email(String):void
getName():String
setName(String):void
getDept():String
setDept(String):void
getPassw ord():String
setPassw ord(String):void
getLecture():String
setLecture(String):void
getLvl():int
setLvl(int):void
getPhone():String
setPhone(String):void

내 정보 보기


<<Java Class>>
MypageEdit
com.bitjeju.mypage.controller
MypageEdit()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
MypageEditValidationController
com.bitjeju.mypage.controller
MypageEditValidationController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
MypageController
com.bitjeju.mypage.controller
MypageController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
MypageEditPhoneController
com.bitjeju.mypage.controller
MypageEditPhoneController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
MemberDto
com.bitjeju.member
id_email: String
name: String
dept: String
passw ord: String
lecture: String
phone: String
num: int
lvl: int
row num: int
getNum():int
setNum(int):void
getRow num():int
setRow num(int):void
MemberDto(String)
MemberDto()
MemberDto(int,String)
MemberDto(int,String,String,int,String,String,String)
getId_email():String
setId_email(String):void
getName():String
setName(String):void
getDept():String
setDept(String):void
getPassw ord():String
setPassw ord(String):void
getLecture():String
setLecture(String):void
getLvl():int
setLvl(int):void
getPhone():String
setPhone(String):void
<<Java Class>>
MemberDao
com.bitjeju.member
conn: Connection
rs: ResultSet
pstmt: PreparedStatement
MemberDao()
loginValidation(String,String):MemberDto
selectAll(int,String,String):ArrayList<MemberDto>
totalMember(String,String):int
totalStudent(String,String):int
stuSelectAll(int,String,String):ArrayList<MemberDto>
selectOne(int):MemberDto
deleteOne(int,String):void
insertOne(String,String,String,String,int):void
signUp(String,String,String,String):int
signUp(String):int
passw ordUpdate(String,String):void
phoneUpdate(String,String):void
updateLevel(int,int):void
enrolment(String,int):void

회원가입


<<Java Class>>
SignUpAgree
com.bitjeju.signup.controller
SignUpAgree()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
SignUp
com.bitjeju.signup.controller
SignUp()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
IDoverlapCheck
com.bitjeju.signup.controller
IDoverlapCheck()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
SignedUp
com.bitjeju.signup.controller
SignedUp()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
MemberDto
com.bitjeju.member
id_email: String
name: String
dept: String
passw ord: String
lecture: String
phone: String
num: int
lvl: int
row num: int
getNum():int
setNum(int):void
getRow num():int
setRow num(int):void
MemberDto(String)
MemberDto()
MemberDto(int,String)
MemberDto(int,String,String,int,String,String,String)
getId_email():String
setId_email(String):void
getName():String
setName(String):void
getDept():String
setDept(String):void
getPassw ord():String
setPassw ord(String):void
getLecture():String
setLecture(String):void
getLvl():int
setLvl(int):void
getPhone():String
setPhone(String):void
<<Java Class>>
MemberDao
com.bitjeju.member
conn: Connection
rs: ResultSet
pstmt: PreparedStatement
MemberDao()
loginValidation(String,String):MemberDto
selectAll(int,String,String):ArrayList<MemberDto>
totalMember(String,String):int
totalStudent(String,String):int
stuSelectAll(int,String,String):ArrayList<MemberDto>
selectOne(int):MemberDto
deleteOne(int,String):void
insertOne(String,String,String,String,int):void
signUp(String,String,String,String):int
signUp(String):int
passw ordUpdate(String,String):void
phoneUpdate(String,String):void
updateLevel(int,int):void
enrolment(String,int):void

행정 계정관리


<<Java Class>>
AccountEditController
com.bitjeju.lms.staff.account.controller
AccountEditController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
AccountDeleteContrller
com.bitjeju.lms.staff.account.controller
num: int
emailId: String
AccountDeleteContriller()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
AccountListController
com.bitjeju.lms.staff.account.controller
session: HttpSession
AccountListController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
AccountDetailController
com.bitjeju.lms.staff.account.controller
session: HttpSession
AccountDetailController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
AccountAddController
com.bitjeju.lms.staff.account.controller
AccountAddController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
MemberDto
com.bitjeju.member
id_email: String
name: String
dept: String
passw ord: String
lecture: String
phone: String
num: int
lvl: int
row num: int
getNum():int
setNum(int):void
getRow num():int
setRow num(int):void
MemberDto(String)
MemberDto()
MemberDto(int,String)
MemberDto(int,String,String,int,String,String,String)
getId_email():String
setId_email(String):void
getName():String
setName(String):void
getDept():String
setDept(String):void
getPassw ord():String
setPassw ord(String):void
getLecture():String
setLecture(String):void
getLvl():int
setLvl(int):void
getPhone():String
setPhone(String):void
<<Java Class>>
MemberDao
com.bitjeju.member
conn: Connection
rs: ResultSet
pstmt: PreparedStatement
MemberDao()
loginValidation(String,String):MemberDto
selectAll(int,String,String):ArrayList<MemberDto>
totalMember(String,String):int
totalStudent(String,String):int
stuSelectAll(int,String,String):ArrayList<MemberDto>
selectOne(int):MemberDto
deleteOne(int,String):void
insertOne(String,String,String,String,int):void
signUp(String,String,String,String):int
signUp(String):int
passw ordUpdate(String,String):void
phoneUpdate(String,String):void
updateLevel(int,int):void
enrolment(String,int):void

행정 강좌관리


<<Java Class>>
LectureEditController
com.bitjeju.lms.staff.lecture.controller
LectureEditController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
LectureDetailController
com.bitjeju.lms.staff.lecture.controller
LectureDetailController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
LectureAddController
com.bitjeju.lms.staff.lecture.controller
LectureAddController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
LectureListController
com.bitjeju.lms.staff.lecture.controller
LectureListController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
LectureDeleteController
com.bitjeju.lms.staff.lecture.controller
lecture_num: int
lecture_name: String
LectureDeleteController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
LectureDao
com.bitjeju.lms.staff.lecture.model
conn: Connection
pstmt: PreparedStatement
rs: ResultSet
LectureDao()
selectAll():ArrayList<LectureDto>
selectOne(int):LectureDto
insertLecture(String,Date,Date,String,int):void
deleteLecture(String,int):void
updateLecture(int,String,Date,Date,String,int):void
selectTeacher():ArrayList<String>
updateLectureToteacher(String,String):void
selectInfo(int):LectureDto
<<Java Class>>
LectureDto
com.bitjeju.lms.staff.lecture.model
lecture_name: String
name: String
start_day: Date
end_day: Date
num: int
lecture_room: int
lecture_num: int
recruit_num: int
LectureDto(int,int,int,String,String,Date,Date)
LectureDto()
getRecruit_num():int
setRecruit_num(int):void
getName():String
setName(String):void
getLecture_num():int
setLecture_num(int):void
getLecture_name():String
setLecture_name(String):void
getStart_day():Date
setStart_day(Date):void
getEnd_day():Date
setEnd_day(Date):void
getNum():int
setNum(int):void
getLecture_room():int
setLecture_room(int):void

행정 수강생관리


<<Java Class>>
StudentDto
com.bitjeju.lms.teacher.stu.model
num: int
lecture_room: int
lecture_num: int
exam1: int
exam2: int
exam3: int
start_day: Date
end_day: Date
name: String
teacher_name: String
lecture_name: String
phone: String
id_email: String
attList: ArrayList<String>
attNaljaList: ArrayList<Date>
getId_email():String
setId_email(String):void
getLecture_name():String
setLecture_name(String):void
StudentDto()
attRate():double
classProgress():double
cntAtt():int
cntLate():int
cntEarly():int
cntAbsent():int
getAttList():ArrayList<String>
setAttList(ArrayList<String>):void
getAttNaljaList():ArrayList<Date>
setAttNaljaList(ArrayList<Date>):void
getNum():int
setNum(int):void
getLecture_room():int
setLecture_room(int):void
getLecture_num():int
setLecture_num(int):void
getExam1():int
setExam1(int):void
getExam2():int
setExam2(int):void
getExam3():int
setExam3(int):void
getPhone():String
setPhone(String):void
getStart_day():Date
setStart_day(Date):void
getEnd_day():Date
setEnd_day(Date):void
getName():String
setName(String):void
getTeacher_name():String
setTeacher_name(String):void
<<Java Class>>
StudentDao
com.bitjeju.lms.teacher.stu.model
conn: Connection
pstmt: PreparedStatement
rs: ResultSet
StudentDao()
selectAll():ArrayList<MemberDto>
stuSelectOne(int):StudentDto
studeleteOne(int):void
<<Java Class>>
MemberDao
com.bitjeju.member
conn: Connection
rs: ResultSet
pstmt: PreparedStatement
MemberDao()
loginValidation(String,String):MemberDto
selectAll(int,String,String):ArrayList<MemberDto>
totalMember(String,String):int
totalStudent(String,String):int
stuSelectAll(int,String,String):ArrayList<MemberDto>
selectOne(int):MemberDto
deleteOne(int,String):void
insertOne(String,String,String,String,int):void
signUp(String,String,String,String):int
signUp(String):int
passw ordUpdate(String,String):void
phoneUpdate(String,String):void
updateLevel(int,int):void
enrolment(String,int):void
<<Java Class>>
MemberDto
com.bitjeju.member
id_email: String
name: String
dept: String
passw ord: String
lecture: String
phone: String
num: int
lvl: int
row num: int
getNum():int
setNum(int):void
getRow num():int
setRow num(int):void
MemberDto(String)
MemberDto()
MemberDto(int,String)
MemberDto(int,String,String,int,String,String,String)
getId_email():String
setId_email(String):void
getName():String
setName(String):void
getDept():String
setDept(String):void
getPassw ord():String
setPassw ord(String):void
getLecture():String
setLecture(String):void
getLvl():int
setLvl(int):void
getPhone():String
setPhone(String):void
<<Java Class>>
StudentDeleteController
com.bitjeju.lms.staff.student.controller
num: int
StudentDeleteController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
StudentDetailController
com.bitjeju.lms.staff.student.controller
num: int
StudentDetailController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
StudentListController
com.bitjeju.lms.staff.student.controller
session: HttpSession
StudentListController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void

영업 모집공고


<<Java Class>>
RecruitFileController
com.bitjeju.lms.sales.recruit.controller
RecruitFileController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
RecruitDetailController
com.bitjeju.lms.sales.recruit.controller
RecruitDetailController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
RecruitEditController
com.bitjeju.lms.sales.recruit.controller
recruit_num: int
RecruitEditController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
RecruitListController
com.bitjeju.lms.sales.recruit.controller
RecruitListController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
RecruitDeleteController
com.bitjeju.lms.sales.recruit.controller
RecruitDeleteController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
RecruitFileDetailController
com.bitjeju.lms.sales.recruit.controller
RecruitFileDetailController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
LectureDto
com.bitjeju.lms.staff.lecture.model
lecture_name: String
name: String
start_day: Date
end_day: Date
num: int
lecture_room: int
lecture_num: int
recruit_num: int
LectureDto(int,int,int,String,String,Date,Date)
LectureDto()
getRecruit_num():int
setRecruit_num(int):void
getName():String
setName(String):void
getLecture_num():int
setLecture_num(int):void
getLecture_name():String
setLecture_name(String):void
getStart_day():Date
setStart_day(Date):void
getEnd_day():Date
setEnd_day(Date):void
getNum():int
setNum(int):void
getLecture_room():int
setLecture_room(int):void
<<Java Class>>
LectureDao
com.bitjeju.lms.staff.lecture.model
conn: Connection
pstmt: PreparedStatement
rs: ResultSet
LectureDao()
selectAll():ArrayList<LectureDto>
selectOne(int):LectureDto
insertLecture(String,Date,Date,String,int):void
deleteLecture(String,int):void
updateLecture(int,String,Date,Date,String,int):void
selectTeacher():ArrayList<String>
updateLectureToteacher(String,String):void
selectInfo(int):LectureDto
<<Java Class>>
RecruitDao
com.bitjeju.lms.sales.recruit.model
conn: Connection
pstmt: PreparedStatement
rs: ResultSet
RecruitDao()
recruitUpload(String,String):void
updateRecruit(String,String):void
selectAll():ArrayList<RecruitDto>
selectOne(int):RecruitDto
curriculumList():ArrayList<RecruitDto>
selectCurriculum(int):RecruitDto
deleteOne(int):void
<<Java Class>>
RecruitDto
com.bitjeju.lms.sales.recruit.model
recruit_name: String
recruit_file_name: String
recruit_state: String
recruit_num: int
start_day: Date
end_day: Date
getStart_day():Date
setStart_day(Date):void
getEnd_day():Date
setEnd_day(Date):void
RecruitDto()
RecruitDto(String,String,String,int)
toString():String
getRecruit_name():String
setRecruit_name(String):void
getRecruit_file_name():String
setRecruit_file_name(String):void
getRecruit_state():String
setRecruit_state(String):void
getRecruit_num():int
setRecruit_num(int):void

영업 강좌배정


<<Java Class>>
AssignListController
com.bitjeju.lms.sales.assign.contoller
AssignListController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
AssignStuUpdateController
com.bitjeju.lms.sales.assign.contoller
AssignStuUpdateController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
AssginStuDetailController
com.bitjeju.lms.sales.assign.contoller
AssginStuDetailController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
StudentDto
com.bitjeju.lms.teacher.stu.model
num: int
lecture_room: int
lecture_num: int
exam1: int
exam2: int
exam3: int
start_day: Date
end_day: Date
name: String
teacher_name: String
lecture_name: String
phone: String
id_email: String
attList: ArrayList<String>
attNaljaList: ArrayList<Date>
getId_email():String
setId_email(String):void
getLecture_name():String
setLecture_name(String):void
StudentDto()
attRate():double
classProgress():double
cntAtt():int
cntLate():int
cntEarly():int
cntAbsent():int
getAttList():ArrayList<String>
setAttList(ArrayList<String>):void
getAttNaljaList():ArrayList<Date>
setAttNaljaList(ArrayList<Date>):void
getNum():int
setNum(int):void
getLecture_room():int
setLecture_room(int):void
getLecture_num():int
setLecture_num(int):void
getExam1():int
setExam1(int):void
getExam2():int
setExam2(int):void
getExam3():int
setExam3(int):void
getPhone():String
setPhone(String):void
getStart_day():Date
setStart_day(Date):void
getEnd_day():Date
setEnd_day(Date):void
getName():String
setName(String):void
getTeacher_name():String
setTeacher_name(String):void
<<Java Class>>
AssignDto
com.bitjeju.lms.sales.assign.model
num: int
lvl: int
lecture_num: int
lecture_name: String
dept: String
name: String
start_day: Date
end_day: Date
AssignDto()
AssignDto(String,int)
AssignDto(int,int,String,String,Date)
AssignDto(int,int,int,String,String,String,Date,Date)
getLecture_num():int
setLecture_num(int):void
getName():String
setName(String):void
getNum():int
setNum(int):void
getLvl():int
setLvl(int):void
getLecture_name():String
setLecture_name(String):void
getDept():String
setDept(String):void
getStart_day():Date
setStart_day(Date):void
getEnd_day():Date
setEnd_day(Date):void
hashCode():int
equals(Object):boolean
toString():String
<<Java Class>>
AssignDao
com.bitjeju.lms.sales.assign.model
conn: Connection
pstmt: PreparedStatement
rs: ResultSet
AssignDao()
selectLecture():ArrayList<AssignDto>
selectAll(int,String):ArrayList<AssignDto>
totalStudent(String):int
selecOnetLecture(int):ArrayList<AssignDto>
updateLvl(int):int
insertNum(int):int
<<Java Class>>
StudentDao
com.bitjeju.lms.teacher.stu.model
conn: Connection
pstmt: PreparedStatement
rs: ResultSet
StudentDao()
selectAll():ArrayList<MemberDto>
stuSelectOne(int):StudentDto
studeleteOne(int):void

강사 출석체크


<<Java Class>>
AttSearchByNameController
com.bitjeju.lms.teacher.att.controller
session: HttpSession
AttSearchByNameController()
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
AttSearchByDateController
com.bitjeju.lms.teacher.att.controller
session: HttpSession
AttSearchByDateController()
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
AttListController
com.bitjeju.lms.teacher.att.controller
session: HttpSession
AttListController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
AttStuListController
com.bitjeju.lms.teacher.stu.controller
session: HttpSession
AttStuListController()
doGet(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
AttUpdateController
com.bitjeju.lms.teacher.att.controller
AttUpdateController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
AttendanceDto
com.bitjeju.lms.teacher.att.model
nalja: Date
num: int
name: String
state: String
AttendanceDto()
AttendanceDto(Date,int,String)
AttendanceDto(Date,int,String,String)
getNalja():Date
setNalja(Date):void
getNum():int
setNum(int):void
getName():String
setName(String):void
getState():String
setState(String):void
hashCode():int
equals(Object):boolean
<<Java Class>>
AttendanceDao
com.bitjeju.lms.teacher.att.model
conn: Connection
pstmt: PreparedStatement
rs: ResultSet
AttendanceDao()
selectAll(int):ArrayList<AttendanceDto>
selectDate(Date,Date,int):ArrayList<AttendanceDto>
insertAll(Date,int,String):int
selectName(String,int):ArrayList<AttendanceDto>
selectOne(int,Date):AttendanceDto
updateOne(int,Date,String):int

강사 출석 조회 및 수정


<<Java Class>>
AttListController
com.bitjeju.lms.teacher.att.controller
session: HttpSession
AttListController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
AttSearchByNameController
com.bitjeju.lms.teacher.att.controller
session: HttpSession
AttSearchByNameController()
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
AttUpdateController
com.bitjeju.lms.teacher.att.controller
AttUpdateController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
AttSearchByDateController
com.bitjeju.lms.teacher.att.controller
session: HttpSession
AttSearchByDateController()
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
AttendanceDto
com.bitjeju.lms.teacher.att.model
nalja: Date
num: int
name: String
state: String
AttendanceDto()
AttendanceDto(Date,int,String)
AttendanceDto(Date,int,String,String)
getNalja():Date
setNalja(Date):void
getNum():int
setNum(int):void
getName():String
setName(String):void
getState():String
setState(String):void
hashCode():int
equals(Object):boolean
<<Java Class>>
AttendanceDao
com.bitjeju.lms.teacher.att.model
conn: Connection
pstmt: PreparedStatement
rs: ResultSet
AttendanceDao()
selectAll(int):ArrayList<AttendanceDto>
selectDate(Date,Date,int):ArrayList<AttendanceDto>
insertAll(Date,int,String):int
selectName(String,int):ArrayList<AttendanceDto>
selectOne(int,Date):AttendanceDto
updateOne(int,Date,String):int

강사 성적입력


<<Java Class>>
GradeController
com.bitjeju.lms.teacher.grade.controller
session: HttpSession
GradeController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
GradeDao
com.bitjeju.lms.teacher.grade.model
conn: Connection
pstmt: PreparedStatement
rs: ResultSet
GradeDao()
selectAll(int):ArrayList<GradeDto>
updateOne(int,String,int):int
<<Java Class>>
GradeDto
com.bitjeju.lms.teacher.grade.model
num: int
exam1: int
exam2: int
exam3: int
name: String
GradeDto()
GradeDto(int,int,int,int,String)
getNum():int
setNum(int):void
getExam1():int
setExam1(int):void
getExam2():int
setExam2(int):void
getExam3():int
setExam3(int):void
getName():String
setName(String):void
hashCode():int
equals(Object):boolean
toString():String

수강생 출석조회


<<Java Class>>
StuAttDetailController
com.bitjeju.lms.student.attendance.controller
StuAttDetailController()
doGet(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
StuAttListController
com.bitjeju.lms.student.attendance.controller
session: HttpSession
StuAttListController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
MemberDto
com.bitjeju.member
id_email: String
name: String
dept: String
passw ord: String
lecture: String
phone: String
num: int
lvl: int
row num: int
getNum():int
setNum(int):void
getRow num():int
setRow num(int):void
MemberDto(String)
MemberDto()
MemberDto(int,String)
MemberDto(int,String,String,int,String,String,String)
getId_email():String
setId_email(String):void
getName():String
setName(String):void
getDept():String
setDept(String):void
getPassw ord():String
setPassw ord(String):void
getLecture():String
setLecture(String):void
getLvl():int
setLvl(int):void
getPhone():String
setPhone(String):void
<<Java Class>>
StuAttDao
com.bitjeju.lms.student.attendance.model
conn: Connection
pstmt: PreparedStatement
rs: ResultSet
StuAttDao()
selectAll(int):StuAttDto
selectState(int,String):ArrayList<StuAttDto>
<<Java Class>>
StuAttDto
com.bitjeju.lms.student.attendance.model
nalja: Date
start_day: Date
end_day: Date
num: int
state: String
attList: ArrayList<String>
StuAttDto()
StuAttDto(Date,String)
StuAttDto(Date,Date,Date,int,String,ArrayList<String>)
attRate():double
classProgress():double
cntAtt():int
cntLate():int
cntEarly():int
cntAbsent():int
getNalja():Date
setNalja(Date):void
getStart_day():Date
setStart_day(Date):void
getEnd_day():Date
setEnd_day(Date):void
getNum():int
setNum(int):void
getState():String
setState(String):void
getAttList():ArrayList<String>
setAttList(ArrayList<String>):void
toString():String
hashCode():int
equals(Object):boolean
<<Java Class>>
MemberDao
com.bitjeju.member
conn: Connection
rs: ResultSet
pstmt: PreparedStatement
MemberDao()
loginValidation(String,String):MemberDto
selectAll(int,String,String):ArrayList<MemberDto>
totalMember(String,String):int
totalStudent(String,String):int
stuSelectAll(int,String,String):ArrayList<MemberDto>
selectOne(int):MemberDto
deleteOne(int,String):void
insertOne(String,String,String,String,int):void
signUp(String,String,String,String):int
signUp(String):int
passw ordUpdate(String,String):void
phoneUpdate(String,String):void
updateLevel(int,int):void
enrolment(String,int):void

수강생 성적조회


<<Java Class>>
StuGradeController
com.bitjeju.lms.student.grade.controller
session: HttpSession
StuGradeController()
doPost(HttpServletRequest,HttpServletResponse):void
doGet(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
MemberDto
com.bitjeju.member
id_email: String
name: String
dept: String
passw ord: String
lecture: String
phone: String
num: int
lvl: int
row num: int
getNum():int
setNum(int):void
getRow num():int
setRow num(int):void
MemberDto(String)
MemberDto()
MemberDto(int,String)
MemberDto(int,String,String,int,String,String,String)
getId_email():String
setId_email(String):void
getName():String
setName(String):void
getDept():String
setDept(String):void
getPassw ord():String
setPassw ord(String):void
getLecture():String
setLecture(String):void
getLvl():int
setLvl(int):void
getPhone():String
setPhone(String):void
<<Java Class>>
StuGradeDto
com.bitjeju.lms.student.grade.model
num: int
exam1: int
exam2: int
exam3: int
StuGradeDto()
StuGradeDto(int,int,int,int)
getNum():int
setNum(int):void
getExam1():int
setExam1(int):void
getExam2():int
setExam2(int):void
getExam3():int
setExam3(int):void
hashCode():int
equals(Object):boolean
toString():String
<<Java Class>>
StuGradeDao
com.bitjeju.lms.student.grade.model
conn: Connection
pstmt: PreparedStatement
rs: ResultSet
StuGradeDao()
selectGrade(int):StuGradeDto
<<Java Class>>
MemberDao
com.bitjeju.member
conn: Connection
rs: ResultSet
pstmt: PreparedStatement
MemberDao()
loginValidation(String,String):MemberDto
selectAll(int,String,String):ArrayList<MemberDto>
totalMember(String,String):int
totalStudent(String,String):int
stuSelectAll(int,String,String):ArrayList<MemberDto>
selectOne(int):MemberDto
deleteOne(int,String):void
insertOne(String,String,String,String,int):void
signUp(String,String,String,String):int
signUp(String):int
passw ordUpdate(String,String):void
phoneUpdate(String,String):void
updateLevel(int,int):void
enrolment(String,int):void

수강생 강좌정보


<<Java Class>>
StuLectureController
com.bitjeju.lms.student.lecture.controller
session: HttpSession
StuLectureController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
LectureDto
com.bitjeju.lms.staff.lecture.model
lecture_name: String
name: String
start_day: Date
end_day: Date
num: int
lecture_room: int
lecture_num: int
recruit_num: int
LectureDto(int,int,int,String,String,Date,Date)
LectureDto()
getRecruit_num():int
setRecruit_num(int):void
getName():String
setName(String):void
getLecture_num():int
setLecture_num(int):void
getLecture_name():String
setLecture_name(String):void
getStart_day():Date
setStart_day(Date):void
getEnd_day():Date
setEnd_day(Date):void
getNum():int
setNum(int):void
getLecture_room():int
setLecture_room(int):void
<<Java Class>>
LectureDao
com.bitjeju.lms.staff.lecture.model
conn: Connection
pstmt: PreparedStatement
rs: ResultSet
LectureDao()
selectAll():ArrayList<LectureDto>
selectOne(int):LectureDto
insertLecture(String,Date,Date,String,int):void
deleteLecture(String,int):void
updateLecture(int,String,Date,Date,String,int):void
selectTeacher():ArrayList<String>
updateLectureToteacher(String,String):void
selectInfo(int):LectureDto

교육과정(수강신청)


<<Java Class>>
CurriculumController
com.bitjeju.main.curriculum
CurriculumController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
CurriculumDetailController
com.bitjeju.main.curriculum
CurriculumDetailController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
EnrollController
com.bitjeju.main.curriculum
EnrollController()
doGet(HttpServletRequest,HttpServletResponse):void
doPost(HttpServletRequest,HttpServletResponse):void
<<Java Class>>
MemberDto
com.bitjeju.member
id_email: String
name: String
dept: String
passw ord: String
lecture: String
phone: String
num: int
lvl: int
row num: int
getNum():int
setNum(int):void
getRow num():int
setRow num(int):void
MemberDto(String)
MemberDto()
MemberDto(int,String)
MemberDto(int,String,String,int,String,String,String)
getId_email():String
setId_email(String):void
getName():String
setName(String):void
getDept():String
setDept(String):void
getPassw ord():String
setPassw ord(String):void
getLecture():String
setLecture(String):void
getLvl():int
setLvl(int):void
getPhone():String
setPhone(String):void
<<Java Class>>
RecruitDto
com.bitjeju.lms.sales.recruit.model
recruit_name: String
recruit_file_name: String
recruit_state: String
recruit_num: int
start_day: Date
end_day: Date
getStart_day():Date
setStart_day(Date):void
getEnd_day():Date
setEnd_day(Date):void
RecruitDto()
RecruitDto(String,String,String,int)
toString():String
getRecruit_name():String
setRecruit_name(String):void
getRecruit_file_name():String
setRecruit_file_name(String):void
getRecruit_state():String
setRecruit_state(String):void
getRecruit_num():int
setRecruit_num(int):void
<<Java Class>>
RecruitDao
com.bitjeju.lms.sales.recruit.model
conn: Connection
pstmt: PreparedStatement
rs: ResultSet
RecruitDao()
recruitUpload(String,String):void
updateRecruit(String,String):void
selectAll():ArrayList<RecruitDto>
selectOne(int):RecruitDto
curriculumList():ArrayList<RecruitDto>
selectCurriculum(int):RecruitDto
deleteOne(int):void
<<Java Class>>
MemberDao
com.bitjeju.member
conn: Connection
rs: ResultSet
pstmt: PreparedStatement
MemberDao()
loginValidation(String,String):MemberDto
selectAll(int,String,String):ArrayList<MemberDto>
totalMember(String,String):int
totalStudent(String,String):int
stuSelectAll(int,String,String):ArrayList<MemberDto>
selectOne(int):MemberDto
deleteOne(int,String):void
insertOne(String,String,String,String,int):void
signUp(String,String,String,String):int
signUp(String):int
passw ordUpdate(String,String):void
phoneUpdate(String,String):void
updateLevel(int,int):void
enrolment(String,int):void