



www.safeworkplace.org

(262) 652-8660

joe@industrialsafetycontrols.com | safetysensing@earthlink.net

Contact Information

Name: _____ Company: _____

Address: _____ City: _____ State: _____ Zip: _____

Phone: _____ Cell: _____ Fax: _____

Email: _____ Company Website: _____

SAFETY RELAYS

Application:

- ☐ Emergency Stop
- ☐ Two Hand Control
- ☐ Safety Interlock Switch
- ☐ Non-Contact Safety Switch
- ☐ Safety Solenoid Interlock Switch
- ☐ Safety Mat
- ☐ Safety Light Curtain
- ☐ Safety Relay Time Delayed Outputs
- ☐ Safety Laser Scanner
- ☐ Safety Single or Multiple Beams

Type:

- ☐ Single Purpose Safety Relay
- ☐ Dual Input Safety Relay
- ☐ Programmable Safety Relay

Voltage Requirement:

- ☐ 24VDC
- ☐ 110VAC
- ☐ 230VAC

Circuit Type:

- ☐ Emergency Stop Circuit
- ☐ Safety Stop Circuit
- ☐ Dual Channel
- ☐ Single Channel

Related Safety Relays:

- ☐ Standstill Monitor
- ☐ DC Brake

Other Requirements:**Quantity Needed For This Project:****Target Price:****Target Delivery Date:****Cross Reference Part Number:**

SAFETY COMPONENT REQUIREMENTS

- ☐ Light Curtains
- ☐ Two Hand Controls
- ☐ Emergency Stop Button
- ☐ Safety Mats
- ☐ Sensing Edge
- ☐ Bumper Switch
- ☐ Trapped Key Interlocking
- ☐ Interlock Switch
- ☐ Latching Interlock Switch
- ☐ RFID Safety Switch
- ☐ Non-Contact Safety Switch
- ☐ Hinge Safety Switch
- ☐ Laser Scanner
- ☐ Single or Multi-Beam

Special Ratings:

- ☐ IP69K
- ☐ EX Proof

Other Requirements:**Quantity Needed For This Project:****Target Price:****Target Delivery Date:****Cross Reference Part Number:**

MACHINE SAFEGUARDING PRODUCTS

- ☐ Physical Guarding
- ☐ Safety Light Curtain
- ☐ Safety Laser Scanner
- ☐ Safety Single or Multi-Beam System
- ☐ Safety Mats
- ☐ Safety Sensing Edge
- ☐ Safety Bumper Switch

Emergency Stop Button:

- ☐ 22mm
- ☐ 30mm
- ☐ Oversized
- ☐ Illuminated
- ☐ w/ Lockout Feature
- ☐ w/ Enclosure

Cable Operated Safety Switch:

- ☐ Slack Cable
- ☐ Cable Detection
- ☐ Single Ended
- ☐ Double Ended
- ☐ w/ Indicator Light

Guard Door Monitoring Safety Switches:

- ☐ Keyed Interlock
- ☐ Solenoid Latching Keyed Interlock
- ☐ Solenoid Latching Keyed Switch with Internal Release
- ☐ Non-Contact Switch
- ☐ Non-Contact Switch Stand Alone
- ☐ Non-Contact RFID Switch
- ☐ Latching Non-Contact Switch

Trapped Key Interlocking System: Y/N

Two Hand Control: Y/N

Muting Required of Safety System For:

- ☐ Material Transfer
- ☐ Loading/Unloading
- ☐ Part Forming

Special Environmental and System Requirements:

- ☐ Washdown / IP69K / IP68

- ☐ ATEX / Explosion Proof
- ☐ Dual Channel System
- ☐ Single Channel System

Notes on Application:**Cross Reference Part Number:**