

LORENTZ NON INVARIANCE OF SPHERICAL LIGHTWAVES IN SPECIAL RELATIVITY

J. H. MARTEL

ABSTRACT. The subject of this note is Einstein’s alleged proof of the Lorentz invariance of spherical light waves in his special relativity theory. Our purpose is to plainly demonstrate significant errors in the arguments of the above alleged proof. Briefly, the error is made clear by observing that the spatial quantity called “radius” is not a Lorentz invariant variable. Equivalently, there is no proper Lorentz invariant class of “radial” solutions to the homogeneous wave equation. Consequently the hypothesis that wave fronts generated by light pulses are spherical in every inertial frame is untenable, and even disproven. This is controversial subject already developed by other critical authors, e.g. [Bry], [Cro19]. The present article arises from the author’s own study of the controversy, and his attempt to identify the errors in plain mathematical terms. The consequences of this error on modern physics is not here discussed.

CONTENTS

1. Admitted Incompatibilities and Attempted Resolutions	1
2. Lorentz Invariant and Non Invariant Tensors	2
3. Radius is Not a Lorentz Invariant Variable	4
4. Some Objections and Responses	5
5. Ralph Sansbury’s Experiment	7
6. Conclusion	8
References	8

1. ADMITTED INCOMPATIBILITIES AND ATTEMPTED RESOLUTIONS

In Einstein’s presentation of the basic principles of Special Relativity [Ein19], [Ein+05], there appears an alleged proof of the Lorentz invariance of spherical lightwaves. The purpose of the proof is to reconcile the fundamental assumptions of special relativity, namely:

Date: May 11, 2021.

- (A1) that the laws of physics are the same in all nonaccelerated reference frames, i.e. if K' is a coordinate system moving uniformly (and devoid of rotation) with respect to a coordinate system K , then natural phenomena run their course with respect to K' according to exactly the same laws as with respect to K .
- (A2) that light in vacuum propagates along straight lines with constant velocity $c \approx 300,000$ kilometres per second.

In Einstein's own words [Ein19, Ch.7, 11]:

“There is hardly a simpler law in physics than that according to which light is propagated in empty space. Every child at school knows, or believes he knows, that this propagation takes place in straight lines with velocity $c = 300,000\text{km/sec} \dots$ Who would imagine that this simple law has plunged the conscientiously thoughtful physicist into the greatest intellectual difficulties?”

Let the reader observe the reference to “law” in the above quote. Indeed Einstein presents (A2) as the *law* of propagation of light. Accordingly if (A2) is to be consistent with (A1), then (A2) must necessarily hold true in *every* inertial reference frame. However the conjunction of (A1) and (A2), abbreviated (A12), appears contradictory to the laws of classical mechanics, Galilean transformations, Fizeau's law of addition of velocities, etc.. However Einstein claims that this is only an *apparent* incompatibility. The incompatibility is reconciled, according to Einstein's proposal, by postulating Lorentz-Fitzgerald's length contractions and time dilations, c.f. [Mic95, Ch.XIV]. What needs be demonstrated is that the formulae of the Lorentz transformations preserves the form of the law (A2) in every inertial frame. This requires the Lorentz invariance of luminal spherical waves, as we now discuss.

2. LORENTZ INVARIANT AND NON INVARIANT TENSORS

The Lorentz transformations attempt to account for the observed null effect of Michelson-Morley's famous experiment. The transformations are supposed to relate the space and time coordinates (x, y, z, t) and (ξ, η, ζ, τ) of two inertial observers K and K' , respectively. Formally one assumes Minkowski's line element $h := dx^2 + dy^2 + dz^2 - c^2 dt^2$ is a scalar invariant for all inertial observers, and therefore invariant with respect to Lorentz transformations. Here c is the constant luminal velocity posited by (A2) in vacuum. We warn the reader against casually setting $c = 1$ and treating t as a space variable immediately comparable to x, y, z . The constant c , whether its numerical value is 1 or not (and with respect to which units?) is necessary to transition from time units to space units. If light satisfies (A2), then in a reference frame K , light is something $\gamma(t) = (x(t), y(t), z(t))$ that travels through space with

time, and whose velocity, if it could be materially measured, would satisfy

$$(dx/dt)^2 + (dy/dt)^2 + (dz/dt)^2 = c^2.$$

And in this sense it is argued that light trajectories are constrained to the null cone $N = \{h = 0\}$ of Minkowski's metric h . Obviously N is Lorentz invariant and satisfies the equation $x^2 + y^2 + z^2 = c^2 t^2$.

If we fix a reference frame K , then the set of Lorentz transformations becomes the Lie group $G := O(h)$ of isometries of the Minkowski form $h = x^2 + y^2 + z^2 - c^2 t^2$. Invariance says $\xi^2 + \eta^2 + \zeta^2 - c^2 \tau^2$ is numerically equal to $x^2 + y^2 + z^2 - c^2 t^2$ for every Lorentz transform λ satisfying $(\xi, \eta, \zeta, \tau) = \lambda \cdot (x, y, z, t)$. It can be shown that Minkowski's form is the *only* Lorentz invariant quadratic form on \mathbb{R}^4 modulo rescaling, c.f. [Elt10], [Arm+18].

Now we turn to our critical analysis. We claim the positive gap in Einstein's attempted proof has a twofold source.

Firstly, an error arises when quadratic expressions like

$$(1) \quad \xi^2 + \eta^2 + \zeta^2 = c^2 \tau^2$$

are *misidentified* with “the equation of a sphere”. Strictly speaking, (1) is a three-dimensional cone in the four variables ξ, η, ζ, τ . Of course the cone contains many spherical two-dimensional subsets, but a further equation is required. For instance the standard round sphere S centred at the origin simultaneously satisfies (1) and additionally the equation

$$\frac{1}{2} d(\xi^2 + \eta^2 + \zeta^2) = \xi d\xi + \eta d\eta + \zeta d\zeta = 0.$$

In short, the round sphere requires that *two* quadratic forms $\xi^2 + \eta^2 + \zeta^2$ and $c^2 \tau^2$ be *simultaneously constant*.

This leads us to Einstein's second error, which is the failure to observe that **the Lorentz invariance of the quadratic form $h = x^2 + y^2 + z^2 - c^2 t^2$ in no way implies the Lorentz invariance of the forms $h_1 = x^2 + y^2 + z^2$ and $h_2 = c^2 t^2$** . Indeed the quadratic forms h_1, h_2 are degenerate, with nontrivial radicals satisfying

$$rad(h_1) = \{x = y = z = 0\}$$

and

$$rad(h_2) = \{t = 0\}.$$

The radicals are linear subspaces of \mathbb{R}^4 . But if we assume h_1 and h_2 are Lorentz invariant, then $rad(h_1)$ and $rad(h_2)$ are also invariant. Except the Lorentz group is well known to act irreducibly in its standard representation on \mathbb{R}^4 , leading to contradiction.

Now we return to the subject at hand, namely Einstein's alleged proof that (A12) are compatible with respect to Lorentz transformations. The argument is general,

and we need only consider the two-dimensional case in the variables (x, t) and (ξ, τ) . Here we find $h = x^2 - c^2 t^2$ is invariant with respect to the group $G = SO(1, 1)_0$ generated by $a_\theta := \begin{pmatrix} \cosh \theta & \sinh \theta \\ \sinh \theta & \cosh \theta \end{pmatrix}$, where $\theta \in \mathbb{R}$. The unit “sphere” includes two vectors $\begin{pmatrix} 1 \\ 1 \end{pmatrix}$ and $\begin{pmatrix} -1 \\ 1 \end{pmatrix}$, and which are mapped by a_θ to

$$\begin{pmatrix} \xi \\ \tau \end{pmatrix} = \begin{pmatrix} \cosh \theta + \sinh \theta \\ \cosh \theta + \sinh \theta \end{pmatrix} \text{ and } \begin{pmatrix} -\cosh \theta + \sinh \theta \\ \cosh \theta - \sinh \theta \end{pmatrix}.$$

But evidently $\xi^2 \neq x^2 = 1$ and $\tau^2 \neq t^2 = 1$ when $\theta \neq 0$. Thus the quadratic forms $h_1 = x^2$ and $h_2 = c^2 t^2$ are not invariant. Likewise we find the image of the unit sphere $x^2 = 1$ does not correspond to a sphere in $\xi\tau$ -coordinates. These trivial computations have the nontrivial effect of falsifying the alleged Lorentz invariance of spherical lightwaves.

3. RADIUS IS NOT A LORENTZ INVARIANT VARIABLE

The present section provides another view in terms of the homogeneous wave equation.

$$(2) \quad \phi_{xx} + \phi_{yy} + \phi_{zz} - \frac{1}{c^2} \phi_{tt} = 0.$$

If λ is a Lorentz transformation with $(\xi, \eta, \zeta, \tau) = \lambda \cdot (x, y, z, t)$, then $\phi' := \lambda^* \phi = \phi \circ \lambda^{-1}$ is again a solution of the homogeneous wave equation

$$\phi_{\xi\xi} + \phi_{\eta\eta} + \phi_{\zeta\zeta} - \frac{1}{c^2} \phi_{\tau\tau} = 0.$$

This is verified by elementary computation, substituting the formulae for the Lorentz transform. **However the set of *radial solutions* of (2) is *not* Lorentz invariant, for indeed there is no Lorentz invariant definition of “radius”.**

Recall in group theoretic terms, a solution $\phi = \phi(x, t)$ of (2) is said to be *radial by an observer K* iff $\phi(Ax, t) = \phi(x, t)$ for every rigid motion $A \in SO(3)$ in the space variables x, y, z of K . Implicitly this requires a Lie group representation ρ of $SO(3)$ into the Lorentz group $G \simeq O(3, 1)$. But this representation of the maximal compact subgroup is noncanonical and cannot be invariantly chosen. Different inertial observers K, K' generally choose different orthogonal symmetry groups, for instance as defined by their own “physical sum of squares” formulae, applied to physical squares ξ^2, η^2, ζ^2 in their local variables ξ, η, ζ, τ . Of course the Minkowski element (1) is invariant and canonical, but any decomposition into “spatial” and “time” requires arbitrary choices by the observer, and again is not Lorentz invariant. For example, while the open set of timelike vectors $\{h(v) < 0\}$ is invariantly defined,

there is no Lorentz invariant choice of timelike vector. Likewise among the spacelike set $\{h(v) > 0\}$ there is no Lorentz invariant choice of orthogonal three-dimensional frame. Thus there is no Lorentz invariant “radius”. Furthermore, for the motion of light pulses according to (A12) the Minkowski element vanishes identically, and the only canonical tensor element becomes the constant zero element. After a Lorentz change of variables, we find a new solution ϕ' as above, but this solution need not be radial in the inertial frame K' . Indeed the rigid K -space motion A does not often preserve the space coordinates ξ, η, ζ of K' . That is, A -motions nontrivially depend on the K' -time variable τ . This again reflects the nonexistence of a Lorentz invariant radius.

4. SOME OBJECTIONS AND RESPONSES

Given the controversial nature of this article, we here respond to some popular objections.

First, one might object that our argument reduces to the observation that spheres in the frame K are transformed to ellipsoids in K' , as well-known [Ein+05, §4]. But we remind the reader that the Lorentz contraction is assumed to affect *material* objects, even independantly of the nature of the material, and such that material spheres in K are seen as material ellipsoids in K' , where again the eccentricity of the K' -ellipsoid is nontrivial and independant of the material nature of the sphere. But we respond that light spheres are *not* material, and not themselves subject to Lorentz contraction if (A2) holds. Or at least not without further evidence and hypotheses.

Secondly, critics may object that (A12) only requires the consistent *measurement* of c in arbitrary reference frames K, K' . This would replace the formal “law” (A2) with a more pragmatic rule of thumb for measurements. This article welcomes such an approach, and which quickly leads us to an important experimental difficulty at the core of special relativity. For we remind the reader that space and time measurements are always dependant on material objects, and often non local, i.e. the source and receivers are possibly separated by large distances. The impossibility of synchronizing non local clocks leads to the apparent impossibility of measuring the “one-way” velocity of light. It even strikes the author that the incompatibility of (A12) is not merely apparent, but *essential* and evidence that (A2) is not a proper natural law. That all measurements of c only succeed in measuring the “two-way” or “round-trip” velocities of light where source and receiver coincide, is discussed in [Zha97], [Pér11]. See also [Ver] for entertaining introduction. Thus it appears that (A2) has never been and cannot be subject to measurement. Moreover in studying the two-way velocity of light, one must postulate that the velocity c is constant throughout its journey, as Einstein himself supposed, [Ein19, Ch.8]. This is

however only an expedient assumption and unverifiable and unfalsifiable by physical experiment.

Thirdly, the interesting textbook [Rin89, pp.8-10, 21–22] attempts

“in spite of its historical and heuristic importance, ... to de-emphasize the logical role of the law of light propagation [(A2)] as a pillar of special relativity.”

Rindler adds further that

“a second axiom is needed only to determine the value of a constant c of the dimensions of a velocity that occurs naturally in the theory. But this could come from any number of branches of physics – we need only think of the energy formula $E = mc^2$, or de Broglie’s velocity relation $uv = c^2$.”

The above objection is very interesting, and to which we have a simple response, namely that the above quoted formulas are *equivalent* to (A2), and not independent in any logical or physical sense. It should be observed that the constant c was first formulated and estimated by W. Weber circa 1846, and before even J.C. Maxwell published his treatise. It appears that Kirchhoff also independently conceived of the constant c while deriving the telegraphy equations. Here c arises as the velocity along which an electric signal is propagated through a wire of arbitrarily small resistance. Yet the definitions of c are not equivalent – for Einstein defines c as the velocity in vacuum, and Weber-Kirchhoff define c as velocity of propagation in a material wire! See [Ass99b] and [Ass03] for further references and discussion. Even the incredible Weber-Kohlrausch formula expressing c as ratio of electric and magnetic dielectric constants presumes a material medium, i.e. the ratio is undefined in vacuum. While an independent law involving c (velocity in vacuum) could potentially serve as a logical substitute for (A2), this remains strictly hypothetical since no such formula appears to exist – thus far all formulas involving c are based essentially on some form of (A2). And so the logical pillar remains unmoved.

A fourth objection might criticize our argument for not properly accounting for the so-called “wave-particle duality” of light. We respond that our article treats both cases (corpuscular and undulatory), showing that (A12) is false in both cases. In section 3 we observe that “radial solutions” of the homogeneous wave equation is not a Lorentz invariant set. That is, there exists no solutions ϕ which are radial in every inertial frame. The photon theory is treated in section 2, see the second paragraph for example. The Minkowski spacetime formalism is basically a form of photon hypothesis. And Einstein’s phrasing of (A2) suggests an implicit photon model of light, especially the assumption that light “in vacuum travels along straight lines”.

The incompatibility of (A12) with *both* the wave and particle model has been highlighted by A.K.T. Assis [[Ass99a](#), §7.2.4, pp.133]:

"we can only conclude that for Einstein the velocity of light is constant not only whatever the state of motion of the emitting body [source], but also whatever the state of motion of the receiving body (detector) and of the observer."

For waves in physical medium, the velocity of emission is independant of the velocity of the source. However for both particles and waves, it is also known that the velocity of the wave is dependant on the velocity of the receiver. According to (A2), light then exhibits properties quite unlike both waves and particles. In this sense (A2) contradicts the supposed wave-particle duality. See [Ibid] for further references.

5. RALPH SANSBURY'S EXPERIMENT

It appears possible that (A12) is incoherent and contradictory because **light is not something that travels through space**. This provocative idea was introduced to the author by the work of R.Sansbury, for example the very interesting [[San12](#)] which begins with the following experiment which we quote in full. Recall that c is well approximated at 1 foot per nanosecond.

(Case 1) A 15 nanosecond light pulse from a laser was sent to a light detector, 30 feet away. When the light pulse was blocked at the photodiode during the time of emission, but unblocked at the expected time of arrival, 31.2 nanoseconds after the beginning of the time of emission, for 15 nanosecond duration, little light was received. (A little more than the 4mV noise on the oscilloscope). This process was repeated thousands of times per second.

(Case 2) When the light was unblocked at the photodiode during the time of emission (15 nanoseconds) but blocked after the beginning of the time of emission, during the expected time of arrival for 15 nanoseconds, twice as much light was received (8mV). This process was repeated thousands of times per second.

This indicated that light is not a moving wave or photon, but rather the cumulative effect of instantaneous forces at a distance. That is, undetectable oscillations of charge can occur in the atomic nuclei of the photodiode that spill over as detectable oscillations of electrons after a delay.

This important experiment has apparently not been repeated, despite it's simplicity. We refer the reader to R. Sansbury's book [Ibid] for further details and explanation via *cumulative instantaneous action at a distance*.

6. CONCLUSION

If "All men are fallible", then logically speaking, any assembly of men and consensus of establishment is also fallible. This article lays out in plain mathematical terms a persistent error in the first principles of special relativity. The error is subtle, and easily overlooked, yet remains fatal. It is possible that the error stems from a deeper error, that light needs be *something that travels* through space. The experimental impossibility of measuring the one-way speed of light is further evidence that the basic assumptions of special relativity are nonphysical.

REFERENCES

- [Arm+18] Mayeul Arminjon et al. "Lorentz-invariant second-order tensors and an irreducible set of matrices". In: *Journal of geometry and symmetry in physics* 50 (2018), pp. 1–10.
- [Ass99a] Andre Koch Torres Assis. *Relational mechanics*. Apeiron Montreal, 1999.
- [Ass99b] Andre Koch Torres Assis. "The meaning of the constant c in Weber's electrodynamics". In: *INTERNATIONAL CONFERENCE "GALILEO BACK IN ITALY"*. Vol. 2. 1999, p. 23.
- [Ass03] Andre KT Assis. "On the first electromagnetic measurement of the velocity of light by Wilhelm Weber and Rudolf Kohlrausch". In: *Volta and the History of Electricity* (2003), pp. 267–286.
- [Bry] Steven Bryant. "The Failure of the Einstein-Lorentz Spherical Wave Proof". In: *Proceedings of the NPA* 8 (), p. 64.
- [Cro19] S.J. Crothers. *Special Relativity and the Lorentz Sphere*. 2019. URL: <https://vixra.org/abs/1911.0013> (visited on 12/04/2020).
- [Ein+05] Albert Einstein et al. "On the electrodynamics of moving bodies". In: *Annalen der physik* 17.10 (1905), pp. 891–921.
- [Ein19] Albert Einstein. *Relativity: The Special and the General Theory-100th Anniversary Edition*. Princeton University Press, 2019.
- [Elt10] John H Elton. "Indefinite quadratic forms and the invariance of the interval in Special Relativity". In: *The American Mathematical Monthly* 117.6 (2010), pp. 540–547.
- [Mic95] Albert Abraham Michelson. *Studies in Optics*. Dover Publishing, 1995.
- [Pér11] Israel Pérez. "On the experimental determination of the one-way speed of light". In: *European journal of physics* 32.4 (2011), p. 993.
- [Rin89] Wolfgang Rindler. *Introduction to Special Relativity*. Oxford Science Publications, 1989.
- [San12] Ralph Sansbury. *The Speed of Light: Cumulative Instantaneous Forces at a Distance*. 2012.

- [Ver] Veritasium. "*Why the speed of light can't be measured*". URL: <https://youtu.be/pTn6Ewhb27k> (visited on 12/17/2020).
- [Zha97] Yuan-Zhong Zhang. *Special Relativity and Its Experimental Foundation*. Vol. 4. World Scientific, 1997.

Email address: `jhmartel@protonmail.com`