PRODUCT & WORKFLOW GUIDE

TOLOSA HRMS

Functionality, flows and interface

Role-based HR and employee operations app

One mobile-first app that brings employee records, attendance, schedules, leave and HR requests, payroll, performance, communications, documents, reporting and administration together, with each person seeing only what their role needs.

Flutter | Material 3 | Supabase | Firebase Cloud Messaging

Reference build 1.0.10+13 | Android, iOS and web project support

Contents

What the app is . . . 3

How the app flows . . . 4

Roles and access . . . 5

Feature areas and workflows . . . 6

Settings and preferences . . . 10

Trash, restore and data retention . . . 11

Interface design and platform support . . . 11

Data, backend and integrations . . . 13

Good to know before rollout . . . 13

How to read this guide

- Sections 1 to 3 explain what the app is, how a person moves through it, and who can do what.
- Section 4 describes every feature area and its workflow. Section 5 covers settings, 6 covers Trash, and 7 and 8 cover design, platforms and the backend.
- The final page lists scope notes you should know before rolling the app out.

SECTION 1

What the app is

TOLOSA HRMS is a role-based Human Resources and employee operations app. It gathers the day-to-day work of an HR department and its employees in a single mobile-oriented Flutter app.

8	16	3
user roles, from Employee to Super Admin	feature areas covering the full HR cycle	platforms in the project: Android, iOS, web

Built with Flutter and Material 3, the app can connect to Supabase for sign-in and business data, and uses Firebase Cloud Messaging (FCM) for configured remote push notifications. Selected preferences and development fallbacks are kept on the device.

What it covers

Area	Included
People	Employee directory, profiles, documents, recruitment
Time	Attendance, attendance adjustments, work schedules and schedule changes
Requests	Leave, general HR requests, multi-step approvals
Pay and performance	Payroll preparation, payslips, performance dashboard
Communication	Announcements and company feed, notifications, direct messages, company group chat
Operations	Reports and itinerary, document management, team management
Administration	Accounts and access, company setup, audit logs, Trash

SECTION 2

How the app flows

From opening the app to signing out, every user follows the same path. What they see along the way depends on their role.



If an account has a temporary password, the user must set a new one before reaching the dashboard.

Step	What happens
1. App startup	Flutter initializes. Supabase connects only if the build has its URL and key. Local notifications start separately from remote push, so attendance reminders do not depend on Firebase push. Push listeners start once Firebase and Supabase push settings are complete.
2. Splash and routing	The branded splash checks the sign-in and biometric state, then routes to sign in, a required temporary-password change, or the dashboard.
3. Sign in	Email and password through Supabase Auth, with role selection on the login page. The authenticated profile decides permissions. Inactive accounts are rejected when a session is restored. Biometric sign-in is optional on supported devices (not on web).
4. Dashboard	Shows role-sensitive shortcuts, attendance status, recent announcements, and notification and message counts. The initial wait has a timeout, so available data appears even if some requests are slow. Announcements and messages can update live.
5. Feature work	Open a module from the dashboard, bottom navigation, drawer, or an actionable notification. Users view, submit, review or approve according to permission. Screens refresh after changes, and errors appear as dialogs, banners or snackbars.
6. Sign out	Ends the authenticated session and, where push is configured, deactivates the current device token.

Navigation

- **Bottom navigation:** Dashboard, Leave, Attendance and Profile.
- **Dashboard drawer:** a different layout for employees and non-employees, with extra feature links.
- **Feature launcher:** opens module screens with the current user and role context.
- **Notifications:** selected items open the related request, approval or payroll review directly.
- **Settings:** personal preferences, profile and security actions, support, and role-limited administration.

SECTION 3

Roles and access

The app defines eight roles. Visible navigation never guarantees every action: each screen and the database policies can add further limits.

Capability	EMP	TL	DH	HR	FIN	MGT	TOP	SA
Manage employee records				Yes				Yes
Delete from employee directory								Yes
Manage system accounts								Yes
Record attendance	Yes	Yes	Yes	Yes	Yes	Yes		
Leave approval access		Yes	Yes	Yes				
Itinerary workflow	Yes	Yes	Yes	Yes				
Manage announcements		Yes	Yes	Yes	Yes	Yes	Yes	Yes
Performance feature	Yes	Yes	Yes	Yes	Yes	Yes		
Prepare and manage payroll				Yes				
Advance payroll to Top Management					Yes			
Release payroll							Yes	
Administrative settings				Yes		Yes		Yes
Team management shortcut				Yes				Yes

EMP Employee **TL** Team Leader **DH** Department Head **HR** HR Admin **FIN** Finance **MGT** Management **TOP** Top Management **SA** Super Admin

This matrix reflects the app's permission helper. Attendance recording is open to every role except Super Admin and Top Management; Performance is hidden from Super Admin and Top Management; account management is Super Admin only.

Payroll approval chain



SECTION 4

Feature areas and workflows

Each feature opens from the dashboard, bottom navigation, drawer or an actionable notification. Below is what each area does and how its workflow runs.

4.1 Dashboard

The first screen after sign-in, showing what matters for the signed-in role.

- Role-appropriate shortcuts, attendance status or summary, recent announcements, notification state and message counts.
- “Today’s attendance” is meant for operational monitoring and refreshes periodically where enabled.
- Selecting a card opens that feature’s workflow.

4.2 Employee directory and profiles

Browse employee records and open a profile with personal and work details.

- Profile data includes name, role, department, position and contact information.
- Email is the login identity and is read-only when editing a profile.
- Non-HR users cannot change their department, because department membership controls data access.
- Profile images are stored locally without Supabase, and in Supabase Storage when configured.

Who: HR Admin and Super Admin manage records; only Super Admin can delete from the directory.

4.3 Attendance and adjustments

Employees and permitted roles see attendance history and today’s status. One main button moves through the day.

- Authorized users can see scoped live or team attendance.
- Submit an **attendance adjustment** request to correct a date or time.
- Schedule start and end times inform lateness and duration calculations when available.
- With Supabase, attendance uses a server-validated clock, and read access is limited by database policies.
- Completed personal history can go to Trash, be restored, or be permanently deleted after explicit confirmation. Permanent deletion removes the official record used by HR and payroll.

4.4 Leave requests and approvals

Employees create leave requests and follow their status. Reviewers act on pending work through a multi-step workflow.



- Exact steps depend on the installed workflow rules and the state of the request.
- HR self-leave has its own dedicated workflow.
- Active requests are never hidden as completed history; completed personal leave history can be moved to Trash without deleting official approval records.

4.5 General HR requests

A single place to submit HR requests and follow their approval progress.

- Request status and approval progress appear in the list and detail screens.
- Approvers act according to request type and role.
- Completed personal history can be hidden and restored through Trash; active requests stay in workflow processing.

4.6 Schedules and schedule changes

Employees see their weekly schedule and approved changes; administrators assign it.

- Schedule assignments hold effective dates, weekly day definitions, work or rest-day type, shift start and end, and location.
- Users can request a schedule adjustment or day-off change, which moves through role-based review.
- Completed personal schedule-request history can go to Trash without removing official approval or schedule records.

4.7 Payroll and payslips

Payroll is prepared per period or cutoff and moves through an approval and release chain (see Section 3).

- Payroll can use attendance, schedules, leave and employee pay inputs to calculate attendance summaries, pay and deductions.
- HR can load attendance inputs and adjust supported fields before saving.
- Employees and authorized users view applicable payslip details.
- Payroll records are treated as compliance history, not employee-facing Trash items.

4.8 Performance

Performance review and dashboard information with related records.

- Served through the performance service and a performance-dashboard database setup.
- Visibility is role-sensitive; Super Admin and Top Management do not see this feature.

4.9 Reports and itinerary

Entry points for reporting, plus a submit-and-review workflow for periodic or daily information.

- Employees submit; reviewers process or return reports depending on workflow state.
- Setup includes submissions, review history, policy settings, notifications and private file storage.
- Detection of missed submissions depends on a scheduled database job being installed.

Who: Employees, Department Heads, Team Leaders and HR Admin.

4.10 Documents

View, upload and assign required documents.

- Upload through a dedicated form; assign required-document items through the requirement-management flow.
- Backed by a document-management schema and storage policies, with action-specific role gates.
- Documents are not a general employee-trash category, because they can be required HR or compliance records.

4.11 Recruitment

Lists open positions and applicants.

- Add a job opening with title, department and status: Open, Screening or Paused.
- Openings are read from the backend when configured, and read failures are reported instead of showing sample openings.
- The applicant list is development-only sample data; a full applicant-tracking workflow is not implemented.

4.12 Announcements and company feed

A company feed with posts, attachments, reactions and comments.

- Authorized users can create, edit and delete announcements; replies and reactions work where the engagement setup is installed.
- Supabase Realtime delivers cross-device updates, with a refresh fallback.
- Deleted announcements can be recovered from Trash when the Trash setup is installed.

Who: Employees can read and engage; management actions are for non-employee roles.

4.13 Notifications

The in-app list of items needing attention.

- Open related actions, mark one or all as read, or clear entries to Trash instead of purging them.
- Uses Supabase or a local fallback depending on configuration.
- Remote device push is a separate path and needs Firebase and Supabase push configuration.

4.14 Direct messages and company group chat

Direct-message and company-wide chat with history, read state and unread counts.

- Supports attachments and live updates; group chat supports staff mentions and @Everyone when the migration is deployed.
- Directory visibility is role-scoped by backend rules.
- Requires an authenticated Supabase user; there is no local-only chat.
- Sent direct messages can be moved to Trash from the sender’s view; company chat recovery is room-wide.

4.15 Accounts and access administration

Super Admin manages system accounts through the Accounts screen and form.

- Production provisioning uses secured Supabase Edge Functions; the mobile app never holds a service-role key.
- Approval, password reset, account management and provisioning each have their own function files that need deployment and server-side secrets.

Who: Super Admin only.

4.16 Team management

Configure teams and their members from Admin settings.

- Online sessions load and save Supabase teams and team members; development mode uses local storage.
- Team scope reloads when the signed-in account changes. Membership writes use several database operations.

Who: HR Admin and Super Admin.

SECTION 5

Settings and preferences

The Settings screen groups personal controls, profile and security actions, support and, for permitted roles, administration.

Personal preferences

Setting	What it does
Dark mode	Switches between light and dark appearance. Saved on the device.
Theme color	Accent color for selected controls: Green, Blue, Red, Violet, Yellow or Orange. Independent of dark mode.
Notifications	Turns Firebase-backed remote push on or off. Enabling requests system permission, gets a device token and registers it with Supabase. Needs Firebase and Supabase push setup to deliver.
Attendance reminders	Local alerts two minutes before assigned shift start and end, scheduled for the next 14 days in Asia/Manila time. Skips rest days, past times, and the alert that matches recorded attendance. Android may delay delivery slightly under power management. Unavailable on web.
Biometric login	Offered after a successful password sign-in. Turning it on requires device authentication first; cancelled or unavailable authentication leaves it off. Cleared at logout. Not on web.

Profile, security and support

- **Profile:** opens the profile page and edit actions, subject to role restrictions.
- **Change password:** updates the signed-in Supabase Auth password.
- **Help Center:** starts a direct chat with HR; the recipient is resolved by a backend call.

Administrative settings

Setting	What it does
Company Setup	Links to Departments, Positions and Leave Types.
Departments and Roles	Settings lists for department and role entries.
Team management	Teams and membership (HR Admin and Super Admin).
Audit Logs	Shows available audit history. Sample records can appear if the backend is unavailable or empty, so they should not be read as verified live events.
Trash	Restore or permanently remove supported trashed items.
Log out	Asks for confirmation before returning to sign in.

Settings lists show configured Supabase entries or built-in fallback values, so verify the backend before treating them as production configuration.

SECTION 6

Trash, restore and data retention

Trash is a safety net and a history tool, not a universal eraser.

- **Supported items:** announcements, notifications, sent direct messages, company chat messages, and selected completed personal history (attendance, leave, requests, schedule requests, attendance adjustments and itinerary).
- **Restore or delete:** users can restore supported items or permanently delete them from Trash.
- **Permanent deletion** of completed personal history removes the underlying record and any linked workflow details or files.
- **Active workflow items** cannot be treated as completed personal history.
- **Payroll and documents** are compliance records and are not ordinary employee Trash items.



Backend requirement

- Cloud Trash needs the Trash database migration and its prerequisite tables. Online permanent deletion of attendance and history also needs `supabase/permanent_trash_delete.sql`.
- The source files do not show whether the live project has applied these.

SECTION 7

Interface design and platform support

Look and feel

- **Design system:** Material 3 with shared light and dark themes.
- **Branding:** a green-led accent palette, configurable theme accents, branded splash and login treatments, and HRIS logo and icon assets.
- **Typography:** Plus Jakarta Sans through Google Fonts.
- **Components:** rounded cards and controls, clear section labels, icon-led rows and actions, and status chips and cards colored for the active theme.
- **Navigation:** a role-sensitive drawer with a persistent four-item bottom bar.
- **Loading and feedback:** branded Lottie loading animation with progress-indicator fallbacks, plus success and error animation dialogs and snackbars on important saves and errors.
- **Accessibility:** standard Flutter Material controls and scrollable form and list layouts; behavior varies by module.

Platform support

Capability	Android	iOS	Web
Core screens and workflows	Yes	Yes	Yes
Biometric login	Yes*	Yes*	No
Remote push (FCM)	Yes*	Yes*	No
Scheduled attendance reminders	Yes*	Yes*	No

* Needs OS permission, device support and platform project configuration. Remote push also needs Firebase and the Supabase push setup.

SECTION 8

Data, backend and integrations

The app's functions depend on a few connected services. Supplying a project URL and key alone does not switch on every workflow.

Service	Role in the app
Supabase	Authentication, relational HR records, policies (RLS), storage and Realtime. Values are supplied at build or run time and never committed as secrets. RLS, RPCs, Edge Functions and migrations are part of the functional contract.
Local persistence	SharedPreferences stores some preferences, cached or local development data and fallback services. Not every feature syncs automatically.
Firebase	Firebase Messaging for configured remote push. A Supabase dispatcher function and secrets handle the server side. No server-side Firebase service-account secret belongs in the Flutter app.
Storage	Employee profile images, documents and itinerary files depend on Supabase Storage buckets, RPCs and policies.
Migrations	Many versioned SQL setup scripts live under the project's supabase folder. Apply the documented sequence to the intended project rather than inferring deployment from the files.

SECTION 9

Good to know before rollout

This guide describes the implementation in the project source. It has not verified live production SQL, secrets, Firebase and APNs, permissions, accounts or data.

Scope notes

- Deployment state of Supabase migrations, RPCs, Storage buckets, Firebase settings and Edge Functions must be checked per environment.
- Some modules keep local or sample-data fallbacks for development, so a screen can look populated without showing live records. Release builds should use real backend configuration; the local debug sign-in is not production authentication.
- Messaging has no local-only mode and needs an authenticated backend.
- Recruitment has no full applicant-tracking workflow yet; the applicant list is sample data in development.
- Audit Logs and some settings lists can show built-in sample or fallback values when the backend is empty or unavailable.
- Production account provisioning must run through secured Edge Functions. A service-role key must never be embedded in the app.
- The Android package identifier is still the legacy one and must be replaced once the new company approves its unique identifier (see the company handover notes).