


Documentación trabajo Service-security

Aprendiz: Jhon alexander Corredor Medina

Inicio de sesión:



Vistas de security:



VISTA DE PERSON

The screenshot shows a table titled 'Person' with columns: FirstName, LastName, T.D, Document, Email, Phone, DateOfBirth, Gender, Address, Municipality, State, and Action. There are two rows of data:


FirstName	LastName	T.D	Document	Email	Phone	DateOfBirth	Gender	Address	Municipality	State	Action	
John	Doe	cc	1234567890	john@example.com	123-456-7890	1990-05-09	M	calle No 12 - 12 - 12	New York City	Activo		
juan	pedro	ti	68456489	pedro@gmail.com	7778695	2024-04-18	M	calle No 12 - 12 - 12	New York City	Activo		

Agregar:

The screenshot shows a 'Person' add form with the following fields filled:

- first name: pablo
- last name: jose
- Type document: cc
- Document: 4564789654
- email: pablo@gmail.com
- phone: 3201533456
- dateOfBirth: dd/mm/aaaa
- gender: Masculino
- address: calle 12
- city: neiva

Buttons at the bottom: Close and Agregar.



Modificar:

Service-security Security ▾ Parameter ▾ Operational ▾ 🔍

Search Search

FirstName	LastName	T.D	Document	Email
John	Doe	cc	1234567890	john.doe@example.com
juan	pedro	ti	68456489	pedro.juan@example.com
pablo	jose	cc	4564789654	pablo.jose@example.com

Municipality	State	Action
12 - 12 - 12	New York City	Activo
12 - 12 - 12	New York City	Activo
12 - 12 - 12	neiva	Activo

Person

first name: Pablo

last name: Jose

Type document: cc

Document: 4564789654

email: pablo@gmail.com

phone: 3201533456


dateOfBirth: 23/04/2024

gender: Masculino


address: calle No 12 - 12 - 12


city: neiva

Close Actualizar



Borrar:





VISTA DE ROLE -----

Name	description	View	State	Actions
administrator	Role the administrator	<ul style="list-style-type: none">• Security• Parameter• Operational	Inactivo	
user	Role the user	<ul style="list-style-type: none">• Operational• Parameter	Inactivo	

Agregar:

The screenshot shows a modal dialog box titled "Record" over a table of roles. The table has columns: description, View, State, and Actions. Two rows are visible: "Role the administrator" (View: Security, State: Inactivo) and "Role the user" (View: Operational, State: Inactivo). The "Actions" column for each row contains edit and delete icons. The "Record" dialog box contains fields for "Nombre" (data), "Descripción" (data), and "Estado" (set to "Activo"). Below these are sections for "Details" and "Module". At the bottom of the dialog are "Close" and "Agregar" buttons.

description	View	State	Actions
Role the administrator	• Security	Inactivo	
Role the user	• Operational	Inactivo	

Record

Role

Nombre: data


Descripción: data

Estado: Activo

Details


Module: X Operational

Close **Agregar**





Modificar:

A modal dialog box titled "Record" for editing a "Role". The table header includes columns: Name, description, View, State, and Actions. A row for "administrator" is selected, showing "Role the administrator" in the description column and "Operational" in the State column. The dialog box contains fields for "Nombre" (administrator), "Descripción" (Role the administrator), and "Estado" (Inactivo). Under "Details", there is a "Module:" field containing "Operational". At the bottom are "Close" and "Actualizar" buttons.



Eliminar:



VISTA DE MODULE

Name	description	Route	View	State	Actions
Security	Module the Security	/security	<ul style="list-style-type: none"> user view module person role 	Inactivo	
Parameter	Módulo the Parameter	/parameter	<ul style="list-style-type: none"> neighborhood country Municipality state location continent 	Inactivo	
Operational	Módulo the Operational	/operational	<ul style="list-style-type: none"> employed position lending company contract book 	Inactivo	

Agregar:

Record


Module

Name	ubicacion
description	modulo de ubicacion
Route	/ubicacion
Estate	asset

Details

Views:	<input type="button" value="X role"/> <input type="button" value="X module"/>
--------	---

Close Agregar



Modificar:

A modal dialog box titled "Record" with a red close button. It has two main sections: "Module" and "Details".

Module


Name	ubicacion
description	modulo de ubicacion
Route	/ubicacion
Estate	asset

Details



Views:

X role X user

Buttons at the bottom: Close (gray) and Actualizar (blue)



Eliminar:



VISTA DE USER -----

Service-security Security ▾ Parameter ▾ Operational ▾ 🔍

Search Search

User

Username	Password	Person	Role	State	Actions
drago	1234	John Doe	• administrator	Activo	

Agregar:

Record

X

Username: Juanito


Password: ****

Person: juan pedro

Role: administrator user

Estate: asset

Close Agregar




Modificar:

Record



Username	Juanito
Password	*****
Person:	juan pedro
Role	X administrator
Estate	asset

Close **Actualizar**

A screenshot of a mobile application's "Record" modification screen. The screen has a white header with the word "Record" and a red "X" button. Below the header is a table with five rows. The first row has "Username" and "Juanito". The second row has "Password" and "*****". The third row has "Person:" and "juan pedro". The fourth row has "Role" and "X administrator". The fifth row has "Estate" and "asset" with a dropdown arrow. At the bottom are two buttons: "Close" and "Actualizar" (Update).



Eliminar:



VISTA VIEW -----

The screenshot shows a table titled "View" with the following data:


Name	Description	Route	State	Actions
person	view the person	./view/Security/person.html	Activo	
role	view the role	./view/Security/role.html	Activo	
module	view the module	./view/Security/module.html	Activo	
user	view the user	./view/Security/user.html	Activo	
view	view the view	./view/Security/view.html	Activo	

Agregar:

The modal dialog is titled "Record" and contains the following form fields:


Name	equipo
description	equipo
Route	/equipos
Estate	asset

At the bottom of the dialog are two buttons: "Close" and "Agregar".





Modificar:

A screenshot of a web application showing a record modification dialog box. The title of the dialog is "Record". Inside, there is a "View" section with four fields: "Name" (equipo), "description" (equipo), "Route" (/equipos), and "Estate" (asset). There is a dropdown arrow next to the "Estate" field. At the bottom of the dialog are two buttons: "Close" and "Actualizar" (Update). The background shows a dark interface with some other buttons and text.



Eliminar:





VISTAS DE PARAMETER

A screenshot of a web application interface. At the top, there is a navigation bar with tabs: "Service-security", "Security", "Parameter", "Operational", and a search bar. A dropdown menu is open over a large background image of the Cheshire Cat from Alice in Wonderland, showing options like "location", "country", "continent", "neighborhood", "Municipality", and "state". The background image is very blurry, showing the cat's face and teeth.

VISTA DE CONTINENT

A screenshot of a web application interface. At the top, there is a navigation bar with tabs: "Service-security", "Security", "Parameter", "Operational", and a search bar. Below the navigation bar is a section titled "Continent" with a table. The table has columns: "Name", "Code", "Description", "State", and "Actions". There is one row visible with the data: "North America", "NA", "North America", "Activo", and two small icons in the "Actions" column. To the right of the table is a green cloud icon with a plus sign.

Name	Code	Description	State	Actions
North America	NA	North America	Activo	

Agregar:

The screenshot shows a modal dialog titled "Record" for adding a "Continent". The form contains the following fields:

- Name: europa
- Code: eur
- Description: continente europa
- Estate: asset

At the bottom of the dialog are two buttons: "Close" and "Agregar".

Below the modal, the main table view shows two existing records:

Code	Description	State
NA	North America	Activo
eur		

A confirmation message box is overlaid on the table, containing a green checkmark icon, the text "perfect!", and the message "Registro agregado con éxito!". It has an "OK" button at the bottom.

Modificar:


The screenshot shows a modal dialog titled "Record" for modifying a "Continent". The form contains the following fields:

- Name: Europa
- Code: EUR
- Description: Continente de Europa
- Estate: asset



At the bottom of the dialog are two buttons: "Close" and "Actualizar".

Below the modal, the main table view shows two existing records:

Code	Description	State	Actions
NA	North America	Activo	
eur			



Eliminar:



VISTA DE COUNTRY -----

A screenshot of the 'Country' view in a software application. The top navigation bar includes 'Service-security', 'Security ▾', 'Parameter ▾', 'Operational ▾', a search bar, and a 'Search' button. Below the navigation is a green cloud icon with a plus sign. The main area shows a table titled 'Country' with columns: Name, Code, Description, Continent, State, and Actions. One row is visible: 'United States' with 'US' as the code, 'United States of America' as the description, 'North America' as the continent, 'Activo' as the state, and a row of blue and red action buttons.

Agregar:

The screenshot shows a modal dialog titled "Record" with a red close button. The form is labeled "Pais" and contains the following fields:

Name	Inglaterra
Code	Engl
Description	Pais Inglaterra
Continent	Europa
Estate	asset

At the bottom are "Close" and "Agregar" buttons.

Below the dialog is a table with columns: Code, Description, Continent, State. It shows two rows:

Code	Description	Continent	State
US	United States of America	North America	Activo
engl	Pais Inglaterra	Europa	Activo

A central message box displays a green checkmark icon and the text "perfect! Registro agregado con éxito!" with an "OK" button.

Modificar:


The screenshot shows a modal dialog titled "Record" with a red close button. The form is labeled "Pais" and contains the following fields:

Name	Inglaterra
Code	EGNL
Description	Pais Inglaterra
Continent	Europa
Estate	asset



At the bottom are "Close" and "Actualizar" buttons.

Below the dialog is a table with columns: Code, Description, State, Actions. It shows two rows:

Code	Description	State	Actions
US	United States of America	Activo	[Edit, Delete]
engl	Pais Inglaterra	Activo	[Edit, Delete]



Eliminar:



VISTA DE STATE -----

Service-security Security ▾ Parameter ▾ Operational ▾ 

Search Search



State					
Name	Code	Description	Country	State	Actions
Active	ACTIVE	Active Status	United States	Activo	 

Agregar:

Operational ▾ 

Search

Record

State

Name	<input type="text" value="Liverpool"/>
Code	<input type="text" value="002"/>
Description	<input type="text" value="state liverpool"/>
Country	<input type="text" value="Inglaterra"/>
Estate	<input type="text" value="asset"/>

Description	Country	State	Actions
Active Status	United States	Activo	 
state	United States	Activo	 


perfect!
 Registro agregado con éxito!

Modificar :

Code	Description	State
ACTIVE	Active	Activo
002	state Liverpool	Activo

Record

State

Name:


Code:

Description:


Country:


Estate:

Close **Actualizar**



Eliminar :





VISTA DE MUNICIPALITY -----

A screenshot of a 'Municipality' list view. At the top, there is a navigation bar with tabs for 'Service-security', 'Security', 'Parameter', 'Operational', and a user icon. To the right are 'Search' and 'Search' buttons. Below the navigation is a green cloud icon with a plus sign. The main area is titled 'Municipality' and contains a table with the following data:

Name	Code	Description	Status	State	Actions
New York City	NYC	New York City Municipality	Active	Activo	

Agregar :

A screenshot of a 'Municipality' add form. At the top, there is a navigation bar with tabs for 'Service-security', 'Security', 'Parameter', 'Operational', and a user icon. To the right are 'Search' and 'Search' buttons. Below the navigation is a green cloud icon with a plus sign. The main area is titled 'Municipality' and contains a table with the following data:

Name	Code	Description	Status	Actions
New York City	NYC	New York City Municipality	Active	

A modal dialog box titled 'Record' is open in the center. It has a red close button in the top right corner. The title 'City' is displayed above a form with the following fields:

Name	liverpool city
Code	002
Description	liverpoll city
Status	Liverpool
Estado	asset

At the bottom of the modal are two buttons: 'Close' and 'Agregar'.

Service-security Security ▾ Parameter ▾ Operational ▾ 🔍

Search Search

Municipality

Name	Code	Description	Status	State	Actions
New York City	NYC	New York City Municipality	Active	Activo	
liverpool city	002	liverpool city	Active	Activo	

perfect!

Registro agregado con éxito!

OK

Eliminar :

Service-security Security ▾ Parameter ▾ Operational ▾ 🔍

Search Search

Municipality

Name	Code	Description	Status	Actions
New York City	NYC	New York City Municipality	Activo	
liverpool city	002	liverpool city	Activo	

Record

City

Name: Liverpool city

Code: 0021

Description: Liverpool city

Status: Liverpool

Estado: asset

Close **Actualizar**

Service-security Security ▾ Parameter ▾ Operational ▾ 

Search Search

Municipality

Name	Code	Description	Status	State	Actions
New York City	NYC	New York City Municipality	Active	Activo	 
Liverpool city	0021	Liverpool city Municipality	Active	Activo	 

perfect!

Registro actualizado con éxito!

OK

Eliminar :

Service-security Security ▾ Parameter ▾ Operational ▾ 

Search Search


Municipality

Name	Code	Description	Status	State	Actions
New York City	NYC	New York City Municipality	Active	Activo	 

Are you sure?

You won't be able to revert this!



VISTA DE LOCATION -----

Name	Code	Description	municipality	Status	Actions
New York City	NYC	New York City	New York City	Activo	

Agregar :

Service-security Security ▾ Parameter ▾ Operational ▾ 

Search Search

Location

Name	Code	State	Actions
New York City	NYC	Activo	 

Record 

Location

Name: Anfield

Code: 02

Description: Anfield

municipalit: Liverpool city

Estae: asset



Service-security Security ▾ Parameter ▾ Operational ▾ 

Search Search

Location

Name	Code	Description	municipality	State	Actions
New York City	NYC	New York City	New York City	Activo	 
Anfield	02			Activo	 



perfect!

Registro agregado con éxito!





Modificar :

Service-security Security ▾ Parameter ▾ Operational ▾ 

Search 

 Location

Name	Code
New York City	NYC
Anfield	02

Record 

Location

Name: Anfield

Code: 022

Description: Anfield

municipalit: Liverpool city

Estado: idle

Actions

State	Actions
Activo	 
Activo	 

Close **Actualizar**

Service-security Security ▾ Parameter ▾ Operational ▾ 

Search 

 Location

Name	Code	Description	municipality	State	Actions
New York City	NYC	New York City	New York City	Activo	 
Anfield	022			Inactivo	 

 perfect!

Registro actualizado con éxito!

OK

Eliminar:

Service-security Security ▾ Parameter ▾ Operational ▾ 

Search 

 Location

Name	Code	Description	municipality	State	Actions
New York City	NYC	New York City	New York City	Activ	 



Are you sure?

You won't be able to revert this!

Service-security Security ▾ Parameter ▾ Operational ▾ 

Search 

 Location

Name	Code	Description	municipality	State	Actions
------	------	-------------	--------------	-------	---------



Deleted!

Your file has been deleted.



VISTA DE NEIGHBORHOOD -----

Service-security Security ▾ Parameter ▾ Operational ▾ 



Neighborhood

Name	Code	Description	location	State	Actions
villa marcela	VLLMC	barrio	New York City	Activo	 

Agregar :

Service-security Security ▾ Parameter ▾ Operational ▾ 



Neighborhood

Name	Code	State	Actions
villa marcela	VLLMC	Activo	 

Record 

Neighborhood

Name	Anfield
Code	002
Description	neighborhood anfield
Location	Anfield
Estado	asset

Service-security Security ▾ Parameter ▾ Operational ▾ 

Search Search



Neighborhood

Name	Code	Description	location	State	Actions
villa marcela	VLLMC	barrio	New York City	Activo	 
Anfield	002	neig		Activo	 



perfect!

Registro agregado con éxito!

OK

Modificar :

Service-security Security ▾ Parameter ▾ Operational ▾ 

Search Search



Neighborhood

Name	Code	Description	location	State	Actions
villa marcela	VLLMC	barrio	New York City	Activo	 
Anfield	002	neig		Activo	 

Record

Neighborhood

Name	<input type="text" value="Anfield"/>
Code	<input type="text" value="012"/>
Description	<input type="text" value="neighborhood anfield"/>
Location	<input type="text" value="Anfield"/>
Estado	<input type="text" value="idle"/>

Close **Actualizar**

Service-security Security ▾ Parameter ▾ Operational ▾ 

Search Search



Neighborhood

Name	Code	Description	location	State	Actions
villa marcela	VLLMC	barrio	New York City	Activo	 
Anfield	012	neighborhood		Inactivo	 



perfect!

Registro actualizado con éxito!

OK

Eliminar :

Service-security Security ▾ Parameter ▾ Operational ▾ 

Search Search



Neighborhood

Name	Code	Description	location	State	Actions
villa marcela	VLLMC	barrio	New York City	Activo	 
Anfield	012	neighborhood		Inactivo	 



Are you sure?

You won't be able to revert this!

Yes, delete it! **Cancel**

Service-security Security ▾ Parameter ▾ Operational ▾ 



Location

Name	Code	Description	municipality	State	Actions
New York City	NYC	New York City	New York City	Activo	 



Deleted!

Your file has been deleted.

OK

VISTAS DE OPERATIONAL

Service-security Security ▾ Parameter ▾ Operational ▾ 

company
 contract
 employed
 position
 lending
 book
 client



VISTA DE COMPANY -----



Company

Nit	RS	Web	Email	Phone	Address	City	State	Actions
123456789	Razón Social S.A.	www.ejemplo.com	empresa@example.com	555-5678	Calle Principal 456	Acevedo	Activo	 

Agregar :

any

89

Record

X

Company

Nit 123123

R.S. america sa

Web americas.www

Email americas@gmail.com



Phone 123123

Address calle 5 # 23

city: Gigante

Estate asset

Close Agregar



Modificar:

any

Record

X

Company

Nit 1213123

R.S. america sa

Web americas.www

Email americxas@gmail.com


Phone 123123

Address calle 5 # 23



city: Gigante

Estate asset

Close **Actualizar**



Eliminar :



VISTA DE EMPLOYED -----

The screenshot shows a table titled "Employed" with a header row containing columns for "Code", "Person", "Company", "Position", "State", and "Action". The "Action" column includes icons for edit and delete. Above the table, there is a navigation bar with dropdowns for "Parameter" and "Operational", and a search bar with a magnifying glass icon. To the right of the search bar is a green cloud icon with a plus sign.

Code	Person	Company	Position	State	Action
EMP001	John Doe	Razón Social S.A.	Guardería de Seguridad	Inactivo	

Agregar:

Razón Social S.A. Guardería de Seguridad

Registro

Employed

Person: drago martines

Company: Razón Social S.A.

Position: Guardería de Seguridad

Estate: asset

						
83- 89	drago martines	Razón Social S.A.	Guardería de Seguridad	Inactivo	 	

 perfect!

Registro agregado con éxito!

Modificar:

1083-
6789

Registro

Employed

Person: drago martines


Company: Razón Social S.A.

Position: Guardería de Seguridad



Estate asset

Close **Actualizar**

This screenshot shows a modal dialog titled 'Registro' (Registration) for an 'Employed' record. The form contains four fields: 'Person' (drago martines), 'Company' (Razón Social S.A.), 'Position' (Guardería de Seguridad), and 'Estate' (asset). At the bottom are 'Close' and 'Actualizar' (Update) buttons.



Eliminar:



VISTA DE CONTRACT -----

A screenshot of a table showing contract details. The table has columns for Code, Salary, person, company, object, Date start, Date ending, State, and Action. There is one row of data: CONTRACT001, 1000.0, John Doe, Razón Social S.A., Prestación de servicios de seguridad, 2024-03-23, 2024-12-31, Inactivo, and two small buttons (blue and red).

Code	Salary	person	company	object	Date start	Date ending	State	Action
CONTRACT001	1000.0	John Doe	Razón Social S.A.	Prestación de servicios de seguridad	2024-03-23	2024-12-31	Inactivo	

Agregar:

ditional ▾

Registro


Contract

code	2023-dddd
Salary	13122
Date start	18/04/2024
Date ending	15/04/2024
Object	servicio de coches

Empleado: John Doe

Company: Razón Social S.A.

Estate asset



Modificar:

Registro

Contract


code	CONTRACT001
Salary	1000
Date start	23/03/2024
Date ending	31/12/2024
Object	Prestación de servicios de seguridad sociales

Empleado: John undefined



Company: Razón Social S.A.

Estate asset

Close **Actualizar**



Eliminar:



VISTA DE POSITION

A screenshot of a web-based application interface for managing positions. The top navigation bar includes "Operational" and a refresh icon. On the right, there is a green "+" button. The main area is titled "Position" and contains a table with the following data:

Name	Code	State	Actions
Guarderia de Seguridad	POS001	Activo	

Agregar:

Record



Position

Name: cs

Code: 410001

Estate: asset

Close **Agregar**



Modificar:


Record

Position



Name

Code

Estate



Eliminar:



VISTA DE CLIENTE -----

Service-security Security ▾ Parameter ▾ Operational ▾ 🔍

Search Search

Cliente

type_document document: Name:

ti Add

Code	Name	Document	Type Document	State	Accion
2024-ti-6489	juan pedro	68456489	ti	Activo	
2024-cc-7890	John Doe	1234567890	cc	Activo	

Agregar si no encuentra coincidencia con un documento ya registrado:

Service-security Security ▾ Parameter ▾ Operational ▾ 🔍

Search Search

Cliente

type_document document: Name:

ti 1231 Add


Code	Name	Document	Type Document	State	Accion
2024-ti-6489	juan pedro	68456489	ti	Activo	
2024-cc-7890	John Doe	1234567890	cc	Activo	

Operational ▾ 

PERSON	
first name	jose
last name	rodriguez
Type document	cc
Document	8798654564
email	rod@gmail.com
phone	320456786
dateOfBirth	16/04/2024 
gender	Masculino
address	calle No 12 - 12 12
city:	neiva

State
Activo
Activo

Close **Agregar**



Agregar si hay coincidencia con un documento ya registrado:

Cliente

type_document document: Name:

ti 6587945 - antinio ramirez


Code	Name	Document	Type Document	State	Accion
2024-ti-6489	juan pedro	68456489	ti	Activo	 
2024-cc-7890	John Doe	1234567890	cc	Activo	 
2024-cc-4564	jose rodriguez	8798654564	cc	Activo	 

Cliente

type_document document: Name:

ti antinio ramirez

Code	Name	Document	Type Document	State	Accion
2024-ti-6489	juan pedro	68456489	ti	Activo	 
2024-cc-7890	John Doe	1234567890	cc	Activo	 
2024-cc-4564	jose rodriguez	8798654564	cc	Activo	 

**Modificar:**

Person

first name: antonio

last name: ramirez

Type document: cc

Document: 6587945

email: ant@gmail.com

phone: 789456123


dateOfBirth: 22/04/2024

gender: Masculino



address: carerra No 12 - 12 - 12

city: neiva

Close Actualizar



Eliminar:



VISTA DE BOOK -----

A screenshot of a web-based application interface. At the top, there is a navigation bar with links for "Service-security", "Security", "Parameter", "Operational", and a user icon. To the right of the navigation bar are search fields and a "Search" button. Below the navigation bar, there is a small green cloud icon with a plus sign. The main content area is titled "Book" and contains a table with the following data:

titulo	autor	codigo	cantidad	estado	Action
el principito	John	12345	12	Activo	

Agregar:

Registro

autor	libro	Action
John	título: cien años de soledad autor: javier lopez código: 0021 cantidad: 14 state: activo	

perfect!
Registro agregado con éxito!

OK

Modificar:

Registro

autor	libro	estado	Action
John	título: cien años de soledad autor: javier lopez código: 0021 cantidad: 24 state: activo	Activo	
edad	título: cien años de soledad autor: javier lopez código: 0021 cantidad: 24 state: activo	Activo	

Actualizar

Service-security Security ▾ Parameter ▾ Operational ▾ 

Search Search



Book

titulo	autor	codigo	cantidad	estado	Action
el principito	John	12345	12	Activo	 
cien años de soledad				Activo	 



perfect!

Registro actualizado con éxito!

OK

Eliminar:

Service-security Security ▾ Parameter ▾ Operational ▾ 

Search Search



Book

titulo	autor	codigo	cantidad	estado	Action
el principito	John	12345	12	Activo	 
cien años de soledad				Activo	 



Are you sure?

You won't be able to revert this!

Yes, delete it! Cancel

Service-security Security Parameter Operational 🔑

Search Search

Book

titulo	autor	codigo	cantidad	estado	Action
el principito	John	12345	12	Activo	 



Deleted!

Your file has been deleted.

OK



VISTA DE LENDING -----

Service-security Security Parameter Operational 🔑

Search Search

Lending

Cliente



Buscar **Restaurar**

libro	empleado	cliente	cantidad	accion	fecha	estado	Action
el principito	John Doe	juan pedro	1	Prestado	22/4/2024, 5:19:00 p. m.	Activo	 

Agregar:

Service-security Security ▾ Parameter ▾ Operational ▾ 🔒

Search Search

Lending

Cliente
juan pedro

Buscar Restaurar

libro	empleado	cliente
el principito	John Doe	juan pedro

Registro

Lending

Libro
años de soledad

Empleado
juan pedro

Cliente
John Doe

cantidad
2

accion
prestado

fecha
26/04/2024 04:34 p. m.

estado
activo

estado Action

Activo

+ Agregar

cerrar

client
juan
John

perfect!

Registro agregado con éxito!

OK

The screenshot displays a software application window with a dark theme. At the top, there are navigation links for 'Service-security', 'Security', 'Parameter', 'Operational', and a lock icon. On the right, there are two search input fields. Below the navigation, the word 'Lending' is displayed. A sidebar on the left shows a list of clients, including 'juan pedro'. The main area contains a 'Registro' (Registration) form for a 'Lending' entry. The form includes fields for 'Libro' (Book), 'Empleado' (Employee), 'Cliente' (Client), 'cantidad' (Quantity), 'accion' (Action), 'fecha' (Date), and 'estado' (Status). The status is currently set to 'activo'. At the bottom of the form are 'cerrar' (Close) and 'Agregar' (Add) buttons. To the right of the form, a table lists entries with columns 'estado' and 'Action', showing one row with 'Activo'. A large green checkmark icon and the text 'perfect!' are overlaid on the registration form, indicating a successful operation. Below this, a message states 'Registro agregado con éxito!' (Registration added successfully!) and an 'OK' button is visible at the bottom of the message box.

Modificar:

Service-security Security ▾ Parameter ▾ Operational ▾

Lending

Cliente
juan pedro

Buscar Restaurar

libro	empleado	cliente
el principito	John Doe	juan pedro
años de soledad	juan pedro	John Doe

Registro

Lending

Libro
años de soledad

Empleado
juan pedro

Cliente
John Doe

cantidad
2


accion
devuelto

fecha
22/04/2024 09:29 p. m.

estado
activo

cerrar Actualizar

estado	Action
m.	Activo
m.	Activo



Consulta préstamos de una persona:

Service-security Security ▾ Parameter ▾ Operational ▾

Lending

Cliente
juan pedro

libro	empleado	cliente	cantidad	accion	fecha	estado	Action	
el principito	John Doe	juan pedro	1	Prestado	22/4/2024, 5:19:00 p. m.	Activo		
años de soledad	juan pedro	John Doe	2	Devuelto	22/04/2024, 9:29:00 p. m.	Activo		

Service-security Security ▾ Parameter ▾ Operational ▾ 🔍

Search Search

Lending

Cliente

John Doe

Buscar Restaurar

+

libro	empleado	cliente	cantidad	accion	fecha	estado	Action
años de soledad	juan	John	2	Devuelto	22/4/2024, 9:29:00 p. m.	Activo	

Eliminar:

