Modal_Effect

Solution - move to Scope

UploadModal.js

전역 리듀서 추가로 해결

```
import { isUploadModalGlobalAction } from "../redux/modules/uploadSlice";
const UploadModal = () => {
const dispatch = useDispatch();
 const modalState = useSelector((state) => state.uploadSlice.isUploadModal);
 ·//온클릭으로·버튼을·열었을때·setModalOpen
  const [modalIsOpen, setModalIsOpen] = useState(modalState);
  const onClickModalOpen = () => {
   dispatch(isUploadModalGlobalAction(true));
    setModalIsOpen(modalState);
  · };
 const onClickModalClose = () => {
  dispatch(isUploadModalGlobalAction(false));
   setModalIsOpen(modalState);
 return (
    <button onClick={onClickModalOpen}>열림버튼</button>
     <Modal
       isOpen={modalState}
        onRequestClose={onClickModalClose>
       <StCloseIcon>
         <AiOutlineCloseCircle onClick={onClickModalClose} />
       </StCloseIcon>
       <Upload />
     </Modal>
```

uploadSlice.js

SideNav.js

Social Login

Authorization Code

인가코드 세팅

```
const onClickSocialLoginKakao=()=>{ //카카오 로그인
const restApiKey =
const redirectUrl = 'https://clonecodingfinal.vercel.app/oauth'

const KAKAO_AUTH_URL = `https://kauth.kakao.com/oauth/authorize?client_id=${restApiKey}&redirect_uri=${redirectUrl}&response_type=code`;
window.location.href = KAKAO_AUTH_URL;
}
```

인가코드 정보 가져오기

