

API Contract Jubelio Shipment v1.8

- 1. BASE URL
 - 1.1. PRODUCTION BASE URL
 - 1.2. STAGING BASE URL
- 2. Get Token
- 3. Shipment
 - 3.1. Generate AWB
 - 3.2. Cancel AWB
 - 3.3. Get Detail AWB
- 4. Courier
 - 4.1. Get List Courier Service Category
- 5. Region
 - 5.1. Get Regions
 - 5.2. Get Provinces
 - 5.3. Get Cities
 - 5.4. Get Districts
 - 5.5. Get Area
- 6. Rates
 - 6.1. Get Rates
 - 6.2. Get All Rates
- 7. Webhook



Description	API Specification for Jubelio Shipment
Maintained By	Jubelio API Team
Created Date	28-06-2023
Version	v1.8

1. BASE URL

1.1. PRODUCTION BASE URL

<https://api-shipment.jubelio.com>

1.2. STAGING BASE URL

<https://api-shipment.sandbox.jubelio.com>

2. Get Token

POST {base url}/auth/generate-token

Request Body :

```
{
  "client_id": "9jskck",
  "client_secret": "21rfewifjsdkmbdekdbdgstw"
}
```

Request Parameter:

client_id	string	REQUIRED	Client ID	9jskck
client_secret	string	REQUIRED	Client Secret	21rfelksdfioerkgrdwgstw

i Pastikan sudah terintegrasi terlebih dahulu dengan Jubelio Shipment untuk mendapatkan client_id dan client_secret.

Response Sample

200: Get Token Successful

500: Get Token Failed

```
{
  token: "daownidoinasndkjandjnj83uq99",
  expires_in: 86400
}
```

```
{
  "statusCode": 500,
  "error": "Internal Server Error",
  "message": "An internal server error occurred"
}
```

Response attributes

token	string	Access token	daownidoinasndkjandjnj83uq99
expires_in	string	Expired time in sec	86400

3. Shipment

3.1. Generate AWB

Endpoint untuk pengambilan resi

POST [{base url}/shipments/create](#)

Header Parameters

authorization	string	REQUIRED	Bearer Token	example: 483279534829fdsngjdfksngjdfks
---------------	--------	-----------------	--------------	--

Request Sample:

```

{
  "ref_no": "[auto]",
  "courier_id": 13,
  "courier_service_id": 1327,
  "shipping_insurance": 100,
  "is_cod" : true,
  "origin": {
    "name": "Toko Lala"
    "email": "xxxxx@gmail.com",
    "phone": "081xxxxxxxxxx",
    "address": "Jl. Pengirim",
    "area_id": "3174021003",
    "coordinate": "(-6.212,106.821)",
    "zipcode": "12940"
  },
  "destination": {
    "name": "are",
    "email": "xxxxx@gmail.com",
    "phone": "081xxxxxxxxxx",
    "address": "Jl. Penerima",
    "area_id": "3174041003",
    "coordinate": null,
    "zipcode": "12560"
  },
  "package_detail": {
    "width": 20,
    "height": 5,
    "length": 30
  },
  "items": [
    {
      "item_code": "X3505",
      "item_name": "xxxx",
      "category": "-",
      "quantity": 1,
      "value": 125996,
      "weight": 2000,
      "length": 10,
      "width": 10,
      "height": 10
    }
  ]
}

```

Request Parameters:

courier_id	REQUIRED	number	Courier ID	13
ref_no	REQUIRED	string	Nomor referensi. auto generate	
courier_service_id	REQUIRED	number	Courier Service ID	1327
shipping_insurance	OPTIONAL	number	Nilai asuransi	100
is_cod	OPTIONAL	boolean	Apakah pesanan menggunakan metode cod atau tidak	True
origin	REQUIRED			
name	REQUIRED	string	Nama	Toko Lala
email	OPTIONAL	string	Email	xxxxx@gmail.com
phone	REQUIRED	string	Phone	081xxxxxxxxxx
address	REQUIRED	string	Alamat	Jl. Pengirim
area_id	OPTIONAL	string	Area ID	3174040034
coordinate	OPTIONAL	string	Kordinat	(-6.212,106.821)
zipcode	REQUIRED	string	Kode pos	12940
destination	REQUIRED			

	name	REQUIRED	string	Nama	are
	email	OPTIONAL	string	Email	xxxxx@gmail.com
	phone	REQUIRED	string	Phone	081xxxxxxxx
	address	REQUIRED	string	Alamat	Jl. Penerima
	area_id	OPTIONAL	string	Area ID	3174040034
	coordinate	OPTIONAL	string	Kordinat	(-6.212,106.821)
	zipcode	REQUIRED	string	Kode pos	22394
	item	REQUIRED			
	item_code	OPTIONAL	string	Item Code	X3505
	item_name	REQUIRED	string	Item Name	ABC Sambal Asli Botol 600 MI
	category	OPTIONAL	string	Category	
	quantity	REQUIRED	number	Quantity	1
	value	REQUIRED	number	Value	125996
	weight	REQUIRED	number	Weight (gram)	2000
	length	REQUIRED	number	Length (cm)	10
	width	REQUIRED	number	Width (cm)	10
	height	REQUIRED	number	Height (cm)	10
	package_detail	OPTIONAL		Detail dimensi dan berat paket, untuk perhitungan volumetric yang lebih akurat	
	width		number	Lebar paket (cm)	20
	height		number	Tinggi paket (cm)	5
	length		number		
	length		number	Panjang paket (cm)	30
	weight		number	Berat paket (gram)	1000

Response sample:

200: Generate AWB Successful

```
{
  "shipment_id": 1281,
  "awb": "LSAJ8933UJFCCN0",
  "tracking_url": "https://shipmentwdgbcba.com",
  "price": 20000,
  "extra_info": {}
}
```

500: Internal Server Error

```
{
  "statusCode": 500,
  "error": "Internal Server Error",
  "message": "An internal server error occurred",
}
```

3.2. Cancel AWB

Pembatalan resi hanya bisa pada status dimana kurir belum melakukan pengambilan barang. Pembatalan dapat ditolak apabila :

1. Dari kurir tidak memperbolehkan pembatalan
2. Waktu pickup time terlalu dekat

POST {base_url}/shipments/cancel

Header Parameter

authorization	string	REQUIRED	Bearer Token	example: 483279534829dfsngjdfksngjdfks
---------------	--------	----------	--------------	--

Request Sample

```
{
  "cancel_reason": "Barang belum siap",
  "awb_code": "CM8439257324384"
}
```

Request Attributes

cancel_reason	REQUIRED	string	Alasan pembatalan	example: Barang belum siap
awb_code	REQUIRED	string	No. resi yang ingin dibatalkan	example: CM4938275034

Response sample: :

200: Cancel AWB Successful

```
{
  "status": "cancel successful",
  "awb_code": "CM9437825443",
  "courier_name": "Anteraja",
  "ref_no": "SP-74386953478"
}
```

500: Internal Server Error

```
{
  "statusCode": 500,
  "error": "Internal Server Error",
  "message": "An internal server error occurred",
},
{
  "code": "INT_ERR",
  "message": "Cancel Shipment Failed",
}
```

Response Attributes [200]

status	string	Status pembatalan	example: cancel successful
awb_code	string	No. resi	example: CM8372432459
courier_name	string	Nama kurir	example: JNE
ref_no	string	No. order	example: SP-853472695

Response Attributes [500]

statusCode	string	Status gagal	example: 404
error	string	Jenis error	example: cancel awb is failed
message	string	Pesan error, terdapat 2 macam: 1. the courier do not accept cancellation 2. too close with pickup schedule	example: the courier do not accept cancellation

3.3. Get Detail AWB

Endpoint ini digunakan untuk mendapatkan detail awb.

GET {base_url}/shipments/awb/{awb}

Header Parameter

authorization	string	REQUIRED	Bearer Token	example: 483279534829fdsgjdfksngj dfks
---------------	--------	----------	--------------	--

Path Parameter

awb	string	REQUIRED	AWB. Didapatkan saat Generate AWB	example: 1
-----	--------	----------	-----------------------------------	---------------

Response Sample:

200: Successful

```
{
  "shipment_id": 1428,
  "ref_no": "SH-999999999",
  "tracking_url_id": "825UErQPvdFs1BsFp3QwX5",
  "awb": "XXXXXXXXXX",
  "awb_generated_date": "2023-12-11T02:55:26.060
Z",
  "courier_id": 11,
  "courier_name": "JNE",
  "courier_service_id": 1101,
  "courier_service_name": "JNE REG",
  "service_category_id": 1,
  "service_category_name": "REGULER",
  "price": 10000,
  "price_bill": 10000,
  "pickup_timestamp": "2023-12-11T02:55:26.378Z",
  "eta_from": "2023-12-12T02:55:26.062Z",
  "eta_to": "2023-12-14T02:55:26.062Z",
  "is_insurance": true,
  "latest_status": "DELIVERED",
  "origin_name": "Sender Name",
  "origin_phone": "08xxxxxxxx",
  "origin_email": "sender@email.com",
  "origin_address": "Jl. xxx",
  "origin_coordinate": null,
  "origin_country": null,
  "origin_province_id": "32",
  "origin_city_id": "3201",
  "origin_district_id": "320131",
  "origin_area_id": "3201312002",
  "origin_district_code": null,
  "origin_zipcode": "16610",
  "origin_note": null,
  "destination_name": "Receiver Name",
  "destination_phone": "088xxxxxxxx",
  "destination_email": "",
  "destination_address": "Jl. xxx",
  "destination_coordinate": "",
  "destination_country": null,
  "destination_province_id": "32",
  "destination_city_id": "3201",
  "destination_district_id": "320131",
  "destination_area_id": "3201312001",
  "destination_district_code": null,
  "destination_zipcode": "16610",
  "destination_note": null,
  "canceled_date": null,
  "canceled_by": null,
  "created_date": "2023-12-11T02:55:26.052Z",
  "updated_date": "2023-12-11T02:55:26.052Z",
  "cancel_reason": null,
  "shipping_insurance": 5100,
  "discount_price": 0,
  "is_paid": false,
  "courier_price": null,
  "courier_weight": null,
  "receipt_img_url": null,
  "delivered_img_url": null,
  "is_cod": null,
```

500: Internal Server Error

```
{
  "statusCode": 500,
  "error": "Internal Server Error",
  "message": "An internal server error occurred",
}
```

```
"cod_fee": 0,
"delivered_date": null,
"package_detail": {},
"cod_rejected_reason": null,
"cod_confirmation_status": null,
"shipment_photo_url": null,
"pickup_date": null,
"items": [
  {
    "shipment_detail_id": 2014,
    "shipment_id": 1428,
    "item_name": "XXXX",
    "item_code": "XXXX",
    "category": "-",
    "weight": 250,
    "length": 1,
    "width": 1,
    "height": 1,
    "quantity": 3,
    "value": 5000
  }
],
"tracking": [
  {
    "date": "2023-12-11T16:19:10+00:00",
    "status": "F02",
    "status_detail": "PICK UP FAILURE -
MERCHANT CLOSED"
  },
  {
    "date": "2023-12-12T10:22:30+00:00",
    "status": "S01",
    "status_detail": "SUCCESS PICKUP"
  },
  {
    "date": "2023-12-12T15:37:47+00:00",
    "status": "RC1",
    "status_detail": "SHIPMENT RECEIVED BY
JNE COUNTER OFFICER AT [XXXX]"
  },
  {
    "date": "2023-12-12T15:44:00+00:00",
    "status": "OP1",
    "status_detail": "RECEIVED AT SORTING
CENTER [XXXX]"
  },
  {
    "date": "2023-12-12T19:07:12+00:00",
    "status": "OP3",
    "status_detail": "SHIPMENT FORWARDED
TO DESTINATION [XXXX]"
  },
  {
    "date": "2023-12-12T19:32:00+00:00",
    "status": "IP2",
    "status_detail": "RECEIVED AT INBOUND
STATION [XXXX]"
  },
  {
    "date": "2023-12-12T22:17:30+00:00",
    "status": "OP3",
    "status_detail": "SHIPMENT FORWARDED
TO DESTINATION [XXXX]"
  },
  {
    "date": "2023-12-13T01:25:15+00:00",
    "status": "IP2",
    "status_detail": "RECEIVED AT INBOUND
STATION [XXXX]"
  },
  {
```

```

        "date": "2023-12-13T08:38:59+00:00",
        "status": "IP3",
        "status_detail": "WITH DELIVERY
COURIER [XXXX]"
    },
    {
        "date": "2023-12-13T12:28:56+00:00",
        "status": "D09",
        "status_detail": "DELIVERED"
    }
],
"origin_province": "JAWA BARAT",
"origin_city": "KAB. BOGOR",
"origin_district": "Tamansari",
"origin_area": "Sirnagalih",
"destination_province": "JAWA BARAT",
"destination_city": "KAB. BOGOR",
"destination_district": "Tamansari",
"destination_area": "Sukamantri",
"eta": "12 December 2023 - 14 December 2023",
"live_tracking_url": null,
"courier_logo": "",
"tracking_url": ""
}

```

Response Attributes

shipment_id	string	Shipment ID	example: 1
ref_no	string	No. Referensi	example: SH-999999999
awb	string	Airwaybill kurir	
eta	string	Perkiraan waktu pengiriman sampai	example: 2016-07-23T00:00:00Z
courier_name	string	Nama kurir	JNE
courier_service_name	string	Nama service kurir	example: JNE REG
tracking_url	string	URL tracking Jubelio Shipment	example: http://cjhg5bH3zWm8h7vVAi7if7
origin	name	string	Nama pengirim
	address	string	Alamat pengirim
	coordinate	string	Koordinat lokasi pengirim
	country	string	Negara pengirim
	province	string	Provinsi pengirim
	city	string	Kota pengirim
	district	string	Kecamatan pengirim
	subdistrict	string	Kelurahan pengirim
	zipcode	string	Kode pos pengirim
	phone	string	Telepon pengirim
destination	string	Data penerima	Sama dengan data pengirim, berisi nama penerima, alamat, koordinat lokasi, negara, provinsi, kota, kecamatan, kelurahan, kodepos, dan telepon
delivered_img_url	string	URL gambar pesanan yang telah diterima buyer	
is_cod	boolean	Apakah pesanan cod atau tidak	
cod_fee	number	Biaya cod	

latest_status	string	Status pengiriman	• WAITING • CONFIRMED_BY_COURIER • ON_THE_WAY_PICK_UP • PICKED_UP • ON_DELIVERY • ON_HOLD • DELIVERED • RETURNED • CANCELED • SHIPMENT_ISSUE
tracking	date	string	tanggal status
	status	string	status kurir
	status_detail	string	detail status kurir

4. Courier

4.1. Get List Courier Service Category

GET [{base_url}/services/categories](#)

Response sample

200: Get List Courier Successful

```
[
  {
    "service_category_id": 1,
    "name": "REGULER"
  },
  {
    "service_category_id": 2,
    "name": "EKONOMI"
  },
  {
    "service_category_id": 3,
    "name": "NEXTDAY"
  },
  {
    "service_category_id": 4,
    "name": "INSTANT"
  },
  {
    "service_category_id": 5,
    "name": "SAMEDAY"
  },
  {
    "service_category_id": 6,
    "name": "CARGO"
  }
]
```

500: Internal Server Error

```
{
  "statusCode": 500,
  "error": "Internal Server Error",
  "message": "An internal server error occurred",
}
```

Response Attributes

service_category_id	number	Service Category ID	example: 1
name	string	Layanan Kurir	REGULER

5. Region

5.1. Get Regions

CONTOH ENDPOINT:

GET `{base_url}/regions?name=jakarta`

GET `(base url)/regions`

Endpoint ini digunakan untuk mendapatkan seluruh nama region.

Response Sample:

200: Get Regions Successful

500: Internal Server Error

```
{
  "statusCode": 500,
  "error": "Internal Server Error",
  "message": "An internal server error occurred"
}
```

```
[
  {
    "name": "Tebet Timur, Tebet, KOTA ADM.
JAKARTA SELATAN, DKI JAKARTA. 12820",
    "province": "DKI JAKARTA",
    "city": "KOTA ADM. JAKARTA SELATAN",
    "district": "Tebet",
    "area": "Tebet Timur",
    "area_id": "3174011001",
    "zipcode": "12820"
  },
  {
    "name": "Tebet Barat, Tebet, KOTA ADM.
JAKARTA SELATAN, DKI JAKARTA. 12810",
    "province": "DKI JAKARTA",
    "city": "KOTA ADM. JAKARTA SELATAN",
    "district": "Tebet",
    "area": "Tebet Barat",
    "area_id": "3174011002",
    "zipcode": "12810"
  },
  {
    "name": "Menteng Dalam, Tebet, KOTA ADM.
JAKARTA SELATAN, DKI JAKARTA. 12870",
    "province": "DKI JAKARTA",
    "city": "KOTA ADM. JAKARTA SELATAN",
    "district": "Tebet",
    "area": "Menteng Dalam",
    "area_id": "3174011003",
    "zipcode": "12870"
  },
  {
    "name": "Kebon Baru, Tebet, KOTA ADM.
JAKARTA SELATAN, DKI JAKARTA. 12830",
    "province": "DKI JAKARTA",
    "city": "KOTA ADM. JAKARTA SELATAN",
    "district": "Tebet",
    "area": "Kebon Baru",
    "area_id": "3174011004",
    "zipcode": "12830"
  },
  {
    "name": "Bukit Duri, Tebet, KOTA ADM.
JAKARTA SELATAN, DKI JAKARTA. 12840",
    "province": "DKI JAKARTA",
    "city": "KOTA ADM. JAKARTA SELATAN",
    "district": "Tebet",
    "area": "Bukit Duri",
    "area_id": "3174011005",
    "zipcode": "12840"
  },
  {
    "name": "Manggarai Selatan, Tebet, KOTA
ADM. JAKARTA SELATAN, DKI JAKARTA. 12860",
    "province": "DKI JAKARTA",
    "city": "KOTA ADM. JAKARTA SELATAN",
    "district": "Tebet",
    "area": "Manggarai Selatan",
    "area_id": "3174011006",
    "zipcode": "12860"
  }
]
```

Response Attributes

name	string	Nama Region	example: Tebet Timur, Tebet, KOTA ADM. JAKARTA SELATAN, DKI JAKARTA. 12820
------	--------	-------------	--

province	string	Nama Provinsi	example: DKI JAKARTA
city	string	Nama Kabupaten/Kota	KOTA ADM. JAKARTA SELATAN
district	string	Nama Kecamatan	example: Tebet
area	string	Nama Kelurahan	example: Tebet Timur
area_id	string	ID Area/Kelurahan	example: 3174011001
zipcode	string	Kode Pos	example: 12820

5.2. Get Provinces

GET (base url)/region/provinces

Response Sample:

200: Get Provinces Successful

```
[
  {
    "province_id": "11",
    "name": "ACEH"
  },
  {
    "province_id": "51",
    "name": "BALI"
  },
  {
    "province_id": "36",
    "name": "BANTEN"
  },
  {
    "province_id": "17",
    "name": "BENGKULU"
  }
]
```

500: Internal Server Error

```
{
  "statusCode": 500,
  "error": "Internal Server Error",
  "message": "An internal server error occurred"
}
```

Response Attributes

province_id	string	Province ID	example: 11
name	string	Nama Provinsi	example: ACEH

5.3. Get Cities

GET {base url}/region/cities/{province_id}

Path Parameter

province_id	string	REQUIRED	Province ID	example: 11
-------------	--------	-----------------	-------------	-----------------------

Response sample:

200: Get Cities Successful

500: Internal Server Error

```
[
  {
    "city_id": "1105",
    "province_id": "11",
    "name": "KAB. ACEH BARAT"
  },
  {
    "city_id": "1112",
    "province_id": "11",
    "name": "KAB. ACEH BARAT DAYA"
  }
]
```

```
{
  "statusCode": 500,
  "error": "Internal Server Error",
  "message": "An internal server error occurred"
}
```

Response Attributes:

city_id	string	City ID	example: 11
province_id	string	Nama Provinsi	example: ACEH
name	string	Nama Kabupaten/Kota	example: KAB. ACEH BARAT DAYA

5.4. Get Districts

GET {base url}/region/districts/{city_id}

Path Parameter

city_id	string	REQUIRED	City ID	example: 1112
---------	--------	-----------------	---------	-------------------------

Response sample

200: Get Districts Successful

```
[
  {
    "district_id": "110507",
    "city_id": "1105",
    "name": "Arongan Lambalek"
  },
  {
    "district_id": "110506",
    "city_id": "1105",
    "name": "Bubon"
  }
]
```

500: Internal Server Error

```
{
  "statusCode": 500,
  "error": "Internal Server Error",
  "message": "An internal server error occurred"
}
```

Response Attributes:

district_id	string	District ID	example: 110506
city_id	string	City ID	example: 1105
name	string	Nama Kecamatan	example: Bubon

5.5. Get Area

GET {base url}/region/areas/{district_id}

Path Parameter

district_id	string	REQUIRED	District ID	example: 110507
-------------	--------	----------	-------------	---------------------------

Response Sample:

200: Get Area Successful

```
[
  {
    "area_id": "1105072002",
    "district_id": "110507",
    "name": "Alue Bagok",
    "zipcode": "22394"
  },
  {
    "area_id": "1105072004",
    "district_id": "110507",
    "name": "Alue Batee",
    "zipcode": "22394"
  }
]
```

500: Internal Server Error

```
{
  "statusCode": 500,
  "error": "Internal Server Error",
  "message": "An internal server error occurred"
}
```

Response Attributes:

area_id	string	Area ID	example: 110506
district_id	string	District ID	example: 1105
name	string	Nama kelurahan	example: Bubon
zipcode	string	Kode Pos	example: 22394

6. Rates

6.1. Get Rates

POST {base url}/rates

Endpoint untuk mendapatkan rates kurir berdasarkan kategori pengirimannya

Header Parameter

authorization	string	REQUIRED	Bearer Token	example: 483279534829fdsngjdfksngjdfks
---------------	--------	----------	--------------	--

Request sample:

```
{
  "origin": {
    "area_id": "3174021004",
    "zipcode": "12920",
    "coordinate": "(-6.2121761,106.8182448)"
  },
  "destination": {
    "area_id": "3175101006",
    "zipcode": "17425",
    "coordinate": "(-6.2849728,106.9000862)"
  },
  "package_detail": {
    "width": 20,
    "height": 5,
    "length": 30
  },
  "items": [{
    "quantity": 1,
    "weight": 100,
    "length": 30,
    "width": 20,
    "height": 5
  }],
  "weight": 1000,
  "service_category_id": 1,
  "total_value": 40000
}
```

Request body parameter

origin	list of objects	REQUIRED	Data alamat pengirim	
area_id	string	OPTIONAL	Area ID / Kode Kelurahan Pengirim	3174021004
zipcode	string	REQUIRED	Kode Pos Pengirim	12920
coordinate	string	OPTIONAL	Koordinat Lokasi Pengirim	(-6.2121761,106.8182448)
destination		REQUIRED	Data alamat penerima	
area_id	string	OPTIONAL	Area ID / Kode Kelurahan penerima	3175101006
zipcode	string	REQUIRED	Kode Pos Penerima	17425
coordinate	string	OPTIONAL	Koordinat Lokasi Penerima	(-6.2849728,106.9000862)
package_detail		OPTIONAL	Data alamat penerima	
width	number		Lebar paket (cm)	20
height	number		Tinggi paket (cm)	5
length	number		Panjang paket (cm)	30
weight	number		Berat paket (gram)	1000
items	array	OPTIONAL	Data produk	
quantity	number		Jumlah produk dalam paket	1
weight	number		Berat produk (gram)	100
length	number		Panjang produk (cm)	30

	width	number		Lebar produk (cm)	20
	height	number		Tinggi produk (cm)	5
weight	number	REQUIRED		Berat Paket	1000
service_category_id	string	REQUIRED		Service Category ID	1 REGULER 2 EKONOMI 3 NEXTDAY 4 INSTANT 5 SAMEDAY 6 CARGO
total_value	number	OPTIONAL		Total harga pesanan	40000

Note



Untuk perhitungan volumetric, dapat mengisi salah satu diantara parameter items dan package_detail.

Response sample:

200: Get Rates Successful

```
[
  {
    "courier_id": 11,
    "courier_name": "JNE",
    "rates": 70000,
    "courier_service_id": 1101,
    "courier_service_code": "REG",
    "courier_service_name": "JNE REG",
    "courier_service_category": "REGULER",
    "eta_from": "2024-02-28T08:05:34.665Z",
    "eta_to": "2024-02-29T08:05:34.665Z",
    "is_cod_supported": false,
    "courier_logo": "",
    "shipping_insurance": 5700,
    "cod_fee": null,
    "discount_rates": 0,
    "final_rates": 70000,
    "promotion": null
  }
]
```

500: Internal Server Error

```
{
  "statusCode": 500,
  "error": "Internal Server Error",
  "message": "An internal server error occurred"
}
```

Response attributes:

courier_name	string	Nama Kurir	JNE
courier_id	string	ID Kurir	11
courier_service_name	string	Nama Kurir Servis	JNE Regular
courier_service_id	string	ID Kurir Servis	1111
courier_service_category	string	Kategori Kurir Servis	Regular
rates	number	Ongkos kirim yang akan ditagihkan	9000
courier_service_code	string	Kode Kurir Servis	CTCSPS
eta_from	string	Estimasi pengiriman	2023-06-21T04:04:24.207Z
eta_to	string	Estimasi pesanan sampai	2023-06-23T04:04:24.207Z
is_cod_supported	boolean	Apakah kurir support cod atau tidak	True
discount_rates	number	Diskon ongkos kirim	0
final_rates	number	rates - discount_rates	25000
shipping_insurance	number	Asuransi pengiriman	13000
cod_fee	number	Biaya cod	5000
insurance_info	string	Info asuransi	



Nilai yang digunakan pada perhitungan ongkir adalah nilai "rates" **bukan** nilai dari parameter "final_rates".

6.2. Get All Rates

POST {base url}/rates/all

Endpoint untuk mendapatkan rates semua kurir

Header Parameter

authorization	string	REQUIRED	Bearer Token	example: 483279534829fdsgjdfksngjdfks
---------------	--------	----------	--------------	---

Request sample:

```
{
  "origin": {
    "area_id": "3174021004",
    "zipcode": "12920",
    "coordinate": "(-6.2121761,106.8182448)"
  },
  "destination": {
    "area_id": "3175101006",
    "zipcode": "17425",
    "coordinate": "(-6.2849728,106.9000862)"
  },
  "package_detail": {
    "width": 20,
    "height": 5,
    "length": 30
  },
  "items": [{
    "quantity": 1,
    "weight": 100,
    "length": 30,
    "width": 20,
    "height": 5
  }],
  "weight": 1000,
  "total_value": 40000
}
```

Request body parameter

origin		list of objects	REQUIRED	Data alamat pengirim	
	area_id	string	OPTIONAL	Area ID / Kode Kelurahan Pengirim	3174021004
	zipcode	string	REQUIRED	Kode Pos Pengirim	12920
	coordinate	string	OPTIONAL	Koordinat Lokasi Pengirim	(-6.2121761,106.8182448)
destination			REQUIRED	Data alamat penerima	
	area_id	string	OPTIONAL	Area ID / Kode Kelurahan penerima	3175101006
	zipcode	string	REQUIRED	Kode Pos Penerima	17425
	coordinate	string	OPTIONAL	Koordinat Lokasi Penerima	(-6.2849728,106.9000862)
package_detail			OPTIONAL	Data alamat penerima	
	width	number		Lebar paket (cm)	20
	height	number		Tinggi paket (cm)	5

	length	number		Panjang paket (cm)	30
	weight	number		Berat paket (gram)	1000
items		array	OPTIONAL	Data produk	
	quantity	number		Jumlah produk dalam paket	1
	weight	number		Berat produk (gram)	100
	length	number		Panjang produk (cm)	30
	width	number		Lebar produk (cm)	20
	height	number		Tinggi produk (cm)	5
weight		number	REQUIRED	Berat Paket	1000
total_value		number	OPTIONAL	Total harga pesanan	40000

Response sample:

200: Get All Rates Successful

```
[
  {
    "courier_id": 11,
    "courier_name": "JNE",
    "rates": 70000,
    "courier_service_id": 1101,
    "courier_service_code": "REG",
    "courier_service_name": "JNE REG",
    "courier_service_category": "REGULER",
    "eta_from": "2024-02-28T08:05:34.665Z",
    "eta_to": "2024-02-29T08:05:34.665Z",
    "is_cod_supported": false,
    "courier_logo": "",
    "shipping_insurance": 5700,
    "cod_fee": null,
    "discount_rates": 0,
    "final_rates": 70000,
    "promotion": null
  },
  {
    "courier_id": 13,
    "courier_name": "Si Cepat",
    "rates": 200000,
    "courier_service_id": 1326,
    "courier_service_code": "GOKIL",
    "courier_service_name": "SiCepat GOKIL",
    "courier_service_category": "CARGO",
    "eta_from": "2024-02-28T08:05:34.665Z",
    "eta_to": "2024-02-29T08:05:34.665Z",
    "is_cod_supported": false,
    "courier_logo": "",
    "shipping_insurance": 774,
    "cod_fee": null,
    "discount_rates": 0,
    "final_rates": 200000,
    "promotion": null
  }
]
```

500: Internal Server Error

```
{
  "statusCode": 500,
  "error": "Internal Server Error",
  "message": "An internal server error occurred"
}
```

Response attributes:

courier_name	string	Nama Kurir	JNE
courier_id	string	ID Kurir	11

courier_service_name	string	Nama Kurir Servis	JNE Regular
courier_service_id	string	ID Kurir Servis	1111
courier_service_category	string	Kategori Kurir Servis	Regular
rates	number	Ongkos kirim yang akan ditagihkan	9000
courier_service_code	string	Kode Kurir Servis	CTCSPS
eta_from	string	Estimasi pengiriman	2023-06-21T04:04:24.207Z
eta_to	string	Estimasi pesanan sampai	2023-06-23T04:04:24.207Z
is_cod_supported	boolean	Apakah kurir support cod atau tidak	True
discount_rates	number	Diskon ongkos kirim	0
final_rates	number	rates - discount_rates	25000
shipping_insurance	number	Asuransi pengiriman	13000
cod_fee	number	Biaya cod	5000
insurance_info	string	Info asuransi	

 Nilai yang digunakan pada perhitungan ongkir adalah nilai "rates" **bukan** nilai dari parameter "final_rates".

7. Webhook

POST {base url}/webhook

Webhook untuk mendapatkan update status pengiriman, untuk mengatur webhook bisa akses dashboard Jubelio Shipment di **Setting > Developer > Webhook**

Header Parameter

x-jubelio-signature	string	Webhook signature	example: 483279534829fdsgjdfksngjdfks
---------------------	--------	-------------------	---

Request sample:

```

{
  "event": "awb",
  "ref_no": "SH-00000000001",
  "awb": "xxxxxx",
  "shipment_id": 1,
  "latest_status": "CANCELED",
  "courier": {
    "courier_id": 24,
    "courier_service_id": 2452,
    "courier_name": "Lion Parcel",
    "courier_service_name": "Lion Parcel REGPACK",
    "service_category_name": "REGULER"
  },
  "delivered_img_url": "https://...",
  "sign_img_url": "https://...",
  "live_tracking_url": "https://...",
  "tracking_url": "https://...",
  "pod_url": "https://...",
  "tracking": {
    "date": "2025-01-01T08:56:32.375000Z",
    "status": "CNCL",
    "status_detail": "Barang belum siap"
  }
}

```

Request body parameter

event	string	Event webhook	awb
ref_no	string	No. Referensi	SH-00000000001
awb	string	Airwaybil kurir	xxxxxx
shipment_id	string	ID shipment	1
latest_status	string	Status pengiriman	• WAITING • CONFIRMED_BY_COURIER • ON_THE_WAY_PICK_UP • PICKED_UP • ON_DELIVERY • ON_HOLD • DELIVERED • RETURNED • CANCELED • SHIPMENT_ISSUE
courier	object	Detail kurir	
courier_id	string	ID kurir	24
courier_service_id	string	ID service kurir	2452
courier_name	string	Nama kurir	Lion Parcel
courier_service_name	string	Nama service kurir	Lion Parcel REGPACK
service_category_name	string	Kategori kurir service	REGULER
delivered_img_url	string	URL foto POD	https://...
sign_img_url	string	URL tanda POD	https://...
live_tracking_url	string	URL live tracking kurir	https://...
tracking_url	string	URL tracking	https://...

pod_url	string	URL POD	https://...
tracking	object	Tracking status pengiriman kurir	
date	string	Tanggal status tracking	2025-01-01T08:56:32.375000Z
status	string	Status pengiriman kurir	CNCL
status_detail	string	Detail status pengiriman	Barang belum siap

Webhook Signature

Untuk mendapatkan nilai signature, langkah-langkahnya adalah:

1. Ubah payload body menjadi **string** (stringify).
2. Tambahkan secret key ke hasil dari langkah 1, sehingga bentuknya menjadi: [hasil langkah 1] + [secret key].
3. Hasil dari langkah 2 kemudian di-*encrypt* menggunakan algoritma **SHA256**.

Contoh Node.js

```
const crypto = require('crypto');

const secret = '123'; // webhook secret
const payload = '{"event":"Resi","awb":5495}'; // request body

const signature = crypto.createHmac("sha256", secret)
  .update(payload + secret)
  .digest("hex");

if (signature === request.headers["x-jubelio-signature"]) {
  console.log(true);
} else {
  console.log(false);
}
```