

Deploy to Render

github.com/jhraihan/Medi-Desk · branch `main` · free tier · ~20 min

1 Push the files

```
git add render.yaml build.sh requirements.txt hms/ README.md docs/
git commit -m "Add Render deployment configuration"
git push origin main
```

2 Create the blueprint

1. Sign in at `render.com` with GitHub.
2. Grant access to the **Medi-Desk** repository.
3. **New + → Blueprint** (not "Web Service").
4. Select **Medi-Desk** → **Connect**.
5. Confirm it lists `medidesk-api`, `medidesk-web` and `medidesk-db`, then click **Apply**.

First build takes 5–10 minutes. Wait for both services to show **Live**.

3 Set the three URL variables

Read each service's real URL from the top of its dashboard page, then set these under **Environment** → **Save Changes**:

Service	Variable	Value
<code>medidesk-api</code>	<code>CORS_ALLOWED_ORIGINS</code>	<code>https://medidesk-web.onrender.com</code>
<code>medidesk-api</code>	<code>CSRF_TRUSTED_ORIGINS</code>	same as above
<code>medidesk-web</code>	<code>VITE_API_URL</code>	<code>https://medidesk-api.onrender.com/api/v1/</code>

`VITE_API_URL` needs the trailing slash and the `/api/v1/` path, or every request 404s. `CORS_ALLOWED_ORIGINS` needs `https://` and no trailing slash. Substitute your own hostnames if Render added a suffix.

After changing `VITE_API_URL`: `medidesk-web` → **Manual Deploy** → **Clear build cache & deploy**.

4 Create the admin user

`medidesk-api` → **Shell**:

```
cd hms
python manage.py createsuperuser
```

5 Load demo data (optional)

```
cd hms
python manage.py seed_demo
```

All five accounts use password `Demo!2345`: `hospital_admin`, `aisha`, `reception`, `pharmacy`, `rafi`.

6 Verify

Open	Expect
<code><api>/healthz/</code>	<code>{"status": "ok"}</code>
<code><api>/admin/</code>	Django login, styled
<code><web></code> → log in	Dashboard loads

7 Known limits

- API sleeps after 15 min idle — next request takes ~50 s.
- Free Postgres is deleted after 90 days. Back up with `pg_dump "$DATABASE_URL" > backup.sql`.
- Uploaded documents are lost on every redeploy.

8 If it fails

Symptom	Fix
<code>./build.sh: Permission denied</code>	<code>git update-index --chmod=+x build.sh</code> , push
CORS error in console	Step 3 — check scheme and exact match
All API calls 404	Step 3 — missing trailing slash
Admin unstyled	<code>collectstatic</code> failed; read build log
Deep-link refresh 404s	Check Redirects/Rewrites on the static site

Redeploy = `git push origin main`. Migrations run automatically.