

Assignment 5

Practice in data visualization

Jenny Stern

Creating an exploratory figure

I was interested in exploring the relationship between fish sampling location, length, and sex. Because I wanted to see how the distribution of lengths varied among sites and sex, I relied on two different density plot types - violin and rideline - to explore the data:

```
## packages
library(ggplot2)
library(ggribes)

## load the data
laketrout <- read.csv("/Users/jhstern/Documents/Assignment-5/data/siscowet.csv")
summary(laketrout)
```

```
##      locID          pnldep          mesh          fishID
## Length:780      Min.   : 15.40      Min.   :2.000      Min.   :19108
## Class :character 1st Qu.: 45.20      1st Qu.:2.500      1st Qu.:19362
## Mode  :character Median : 59.60      Median :3.500      Median :19558
##                      Mean  : 56.23      Mean   :3.576      Mean   :19576
##                      3rd Qu.: 69.05      3rd Qu.:4.500      3rd Qu.:19816
##                      Max.   :108.69      Max.   :6.000      Max.   :20053
##
##      sex          age          len          wgt
## Length:780      Min.   : 7.00      Min.   :240.0      Min.   : 150
## Class :character 1st Qu.:10.00      1st Qu.:443.0      1st Qu.: 775
## Mode  :character Median :11.00      Median :493.0      Median : 1100
##                      Mean  :11.45      Mean   :487.1      Mean   : 1175
##                      3rd Qu.:12.25      3rd Qu.:536.2      3rd Qu.: 1500
##                      Max.   :21.00      Max.   :762.0      Max.   :15800
##                      NA's   :580              NA's   :1
```


```
## remove NAs
laketrout <- laketrout[!is.na(laketrout$sex),]
summary(laketrout) #780 observations to 721 for sex
```

```
##      locID          pnldep          mesh          fishID
## Length:721      Min.   : 17.99      Min.   :2.000      Min.   :19110
## Class :character 1st Qu.: 46.80      1st Qu.:2.500      1st Qu.:19379
## Mode  :character Median : 60.37      Median :3.500      Median :19560
##                      Mean  : 57.64      Mean   :3.587      Mean   :19589
##                      3rd Qu.: 69.21      3rd Qu.:4.500      3rd Qu.:19830
```


```
##           Max.      :108.69   Max.      :6.000   Max.      :20053
##
##      sex           age           len           wgt
## Length:721      Min.      : 7.00   Min.      :246.0   Min.      : 150
## Class :character 1st Qu.:10.00   1st Qu.:446.0   1st Qu.: 800
## Mode  :character Median :11.00   Median :493.0   Median :1100
##                      Mean  :11.44   Mean  :488.9   Mean  :1184
##                      3rd Qu.:12.50   3rd Qu.:536.0   3rd Qu.:1500
##                      Max.   :21.00   Max.   :762.0   Max.   :15800
##                      NA's    :522      NA's    :1
```

```
## violin plots
```

```
loc_len_violin <- ggplot(laketrout, aes(x = locID, y = len, color = sex)) + geom_violin(size = 1.5)
loc_len_violin
```




```
sex_len_violin <- ggplot(laketrout, aes(x = sex, y = len, color = locID)) + geom_violin(size = 1.5)
sex_len_violin
```




```
## ridgelines plots
len_loc_ridge <- ggplot(laketrout, aes(x = len , y = locID, fill = locID)) +
  ggridges::geom_density_ridges(scale = 1)
len_loc_ridge
```

```
## Picking joint bandwidth of 19.5
```




```
len_sex_ridge_loc <- ggplot(laketrout, aes(x = len , y = sex, fill = locID)) +
  ggridges::geom_density_ridges(scale = 1)
len_sex_ridge_loc
```

```
## Picking joint bandwidth of 22.3
```



```
len_loc_ridge_sex <- ggplot(laketrout, aes(x = len , y = locID, fill = sex)) +
  ggridges::geom_density_ridges(scale = 1)
len_loc_ridge_sex
```

Picking joint bandwidth of 22.3




I have decided to build on the exploratory figure above because I have not made a ridgeline plot before and would like to practice. I also thought this plot did a nice job of showing how length distributions varied among sites and sexes

Creating an expository figure

```
## loading additional packages
library(ggtext)


## defining my base plot, changing the scale (overlap) of the figure, and making the outline of the den.
pp <- ggplot(laketrout, aes(x = len , y = locID, fill = sex, color = sex)) +
  ggribges::geom_density_ridges(scale = 1.2, alpha = 0.4)
pp

## Picking joint bandwidth of 22.3
```




```
## changing axis labels and removing grey background & gridlines
p1 <- pp +
  scale_x_continuous(expand = c(0, 0), name = "Total length [mm]") +
  scale_y_discrete(expand = c(0, 0), name = "") + theme_ridges(grid = FALSE, center = TRUE)
p1
```

```
## Picking joint bandwidth of 22.3
```




```
## using color brewer, changing the colors of male & female to be less stereotypical and more colorblind
p2 <- p1 + scale_fill_manual(values = c("#b2df8a", "#a6cee3"), labels = c("female", "male")) + scale_color_manual(values = c("red", "blue"))
p2
```

```
## Picking joint bandwidth of 22.3
## Picking joint bandwidth of 22.3
```

```
## taking away the legend, and labeling "male" and "female" within the plot
p3 <- p2 + annotate("text", x = 620, y = 4.75, label = "female",
  color = "#33a02c") + annotate("text", x = 410, y = 4.75, label = "male",
  color = "#1f78b4") + theme(legend.position="none")
p3
```

```
## Picking joint bandwidth of 22.3
## Picking joint bandwidth of 22.3
```




```
## adding a title with color
p4 <- p3 + labs(title = "<b> Total length of Siscowet Lake Trout </b><br> <span style = 'font-size:10pt
  theme(
    plot.title.position = "plot",
    plot.title = element_markdown(size = 11, lineheight = 1.2)
  )
p4
```

```
## Picking joint bandwidth of 22.3
## Picking joint bandwidth of 22.3
```

Total length of Siscowet Lake Trout

Male and female fish lengths were compared across four locations in Michigan waters of Lake Su



This is my final expository figure.