## Simulated Segment Evolution using the TKF91 Model

D. M. Goldstein, J. P. Huelsenbeck and S. H. McCreight

#### Abstract

It all started in a little town called Madrid...

Introduction

In this paper, we attempt to do the impossible!

Methods

Conclusion

Vene Vidi Vici

AUTHORS

David M. Goldstein

UCLA, Los Angeles, CA 90095-1543, USA E-mail: dgoldstein@humnet.ucla.edu

We used any and all means necessary.

John P. Huelsenbeck

UC Berkeley, 3040 Valley Life Sciences Building #3140, Berkeley, CA 94720-3140, USA E-mail: johnh@berkeley.edu

Shawn H. McCreight

3060 San Pasqual St., Pasadena, CA 91107, USA

E-mail: shawn.mccreight@gmail.com

### APPENDICES

- 1) RevBayes Source File
- 2) Character file
- 3) Language Tree File
- 4) Concepts Used in the Experiment
- 5) Segments used in the word list
- 6) Feature change in first segment
- 7) Word Lists by Language
- 8) Segment Groups
- 9) Diacritics
- 10) Euler Feature Diagram
- 11) International Phonetic Alphabet
- 12) Language Tree
- 13) Feature Tree

#### References

HÖHNA, LANDIS, HEATH, BOUSSAU, LARTILLOT, MOORE, HUELSENBECK, RONQUIST, RevBayes: Bayesian phylogenetic

## TRANSACTIONS OF THE BEYSIAN SOCIETY

inference using graphical models and an interactive model-specification language, 2016, *Systematic Biology*.: http://www.revbayes.com

IPA Symbols Chart Complete, 2019, International Phonetic Alphabet.org.:

http://www.internationalphoneticalphabet.org/ipa-charts/ipa-symbols-chart-complete

 $IPA\ Symbols\ Chart\ Complete,\ 2019,\ \textit{International Phonetic Alphabet.org.}:$ 

http://www.internationalphoneticalphabet.org/ipa-charts/ipa-symbols-chart-complete

International Phonetic Alphabet, 2019, *Wikipedia*.: https://en.wikipedia.org/wiki/International Phonetic Alphabet

Wichmann, Søren, Eric W. Holman, and Cecil H. Brown (eds.), The ASJP Database (version 18), 2018, ASJP.: https://asjp.clld.org

Extended Speech Assessment Methods Phonetic Alphabet, 2016, *Wikipedia*.: https://en.wikipedia.org/wiki/X-SAMPA

Distinctive Feature, 2020, Wikipedia.: https://en.wikipedia.org/wiki/Distinctive feature

G. A. Lunter, I. Miklós, Y. S. Song, and J. Hein, An Efficient Algorithm for Statistical Multiple Alignment on Arbitrary Phylogenetic Trees, 2003, *Journal Of Computational Biology* 

```
# RevBayes Source File for Linguistomics Project #
clear()
         = "C:/Users/shawn/Documents/Code/Linguistomics/Nytril/Output/"
outpath
         = "C:/Users/shawn/Documents/Code/Linguistomics/Nytril/Input/"
inpath
gammapath = outpath + "Gamma.trees"
# Read in discrete character data
data = readDiscreteCharacterData(inpath + "Characters.nex")
# Get some useful variables from the data. We need these later on
num taxa <- data.ntaxa()</pre>
# Number of branches in an rooted tree
num_branches <- 2 * num_taxa - 2</pre>
taxa <- data.taxa()</pre>
# Create helper variables
      = VectorMoves()
monitors = VectorMonitors()
#############################
# Substitution Model #
#############################
# create a constant variable for the rate matrix
0 \leftarrow fnJC(32)
################
# Tree Model #
################
# Outgroup is a clade consisting of one species
out_group = clade("Latin")
# Prior distribution on the tree topology
topology ~ dnUniformTopology(taxa, outgroup=out group, rooted=TRUE)
# These are moves that change the tree topology
moves.append(mvNNI(topology, weight=num taxa/2.0))
moves.append(mvSPR(topology, weight=num_taxa/10.0))
# Branch length prior
for (i in 1:num_branches) {
 bl[i] ~ dnExponential(10.0)
 moves.append(mvScale(bl[i]))
}
TL := sum(b1)
psi := treeAssembly(topology, bl)
```

```
# Gamma model for among-site variation #
alpha ~ dnUniform(0, 10.0)
moves.append(mvScale(alpha, weight=1))
site_rates := fnDiscretizeGamma(alpha, alpha, 4)
########################
# PhyloCTMC Model
#########################
seq ~ dnPhyloCTMC(tree=psi, Q=Q, type="Standard", siteRates=site_rates)
seq.clamp(data)
##############
# Analysis #
#############
# You can use any node as the argument of model()
mymodel = model(psi)
n_gen = 10
# This prints monitors to the screen
monitors.append( mnScreen(TL, printgen=n gen) )
# This monitors the trees and puts them in a file
monitors.append(mnFile(psi, filename=gammapath, printgen=n_gen))
# Model monitor
monitors.append( mnModel(filename=outpath+"Gamma.log", printgen=n_gen))
mymcmc = mcmc(mymodel, moves, monitors, nruns=1, combine="mixed")
mymcmc.run(generations=1000)
# Summarizes the MCMC runs
mymcmc.operatorSummary()
#######################
# Post processing #
#######################
treetrace = readTreeTrace(gammapath, outgroup=out_group)
map_tree = mapTree(treetrace, outpath+"Gamma_MAP.tree")
mcc_tree = mccTree(treetrace, outpath+"Gamma_MCC.tree")
consensus tree = consensusTree(treetrace, outpath+"Gamma Consensus.tree")
```

## Appendix 2 - Character file

```
#NEXUS
begin data;
  dimensions ntax=10 nchar=22;
  format datatype=STANDARD gap=- missing=? symbols="ABCDEFGHIJKLMNOPQRSTUVWXYZabc
d";
  matrix
  Latin
             (ABC)(DE)(FKF--)(FGHIJ--)(LMNGJ)
  Romanian
             (AN-)(DG)(FPQ--)(GHAOA--)(LMN--)
  Catalan
             (RM-)(DG)(FIUVQ)(GHSTQ--)(LMG--)
  Portuguese (AG-)(DG)(SBVF-)(MHFTF--)(LMWG-)
  Spanish
             (XM-)(DG)(FBVF-)(MHAYF--)(LGAWM)
  French
             (ZQ-)(DI)(M----)(MHA----)(LGWM-)
  Walloon
             (aA-)(DA)(SNQ--)(MHAXA--)(LMWSb)
  Romansh
             (XFN)(DI)(FNQ--)(GHATQ--)(LMc--)
  Friulian
             (XM-)(DG)(FBS--)(MHAbI--)(dGc--)
  Italian
             (IM-)(DG)(FONF-)(MHAOOXM)(LNMWM)
end;
```

## Appendix 3 - Language Tree File

```
#NEXUS
begin taxa;
    dimensions ntax=15;
    taxlabels Latin Nuorese Cagliari Romanian Arumanian Walloon French Provencal
Portuguese Spanish Catalan Ladin Friulian Romansh Italian;
end;

begin trees;
    tree LanguageTree = (Latin:0.81,((Nuorese:411.2,Cagliari:410.52):755.27,(
    (Romanian:526.1,Arumanian:526.97):579.53,(((Walloon:200.55,French:192.63):243.09,Provencal:437.74):333.32,((Portuguese:369.61,Spanish:369.4):256.8,Catalan:626.07):146.55):133.85,((Ladin:582.91,(Friulian:403.47,Romansh:403.37):180.58):178.13,Italian:760.59):144.66):199.54):60.6):958.67):1324.32;
end;
```

Appendix 4 - Concepts Used in the Experiment

	1	You	Water	Ear	New
Latin	ego:	tu:	$ak^wa$	auris	nowus
Romanian	ew	tu	арз	ureke	now
Catalan	30	tu	аixw̃з	игелз	nou
Portuguese	eu	tu	εgw̃a	oraʎa	novu
Spanish	yo	tu	agwa	oreha	nuevo
French	јз	ti	O	ore	nuvo
Walloon	çe	te	£W3	oreye	novel
Romansh	yaw	ti	аwз	ureл́з	nof
Friulian	yo	tu	agε	oreli	łuf
Italian	io	tu	akwa	orekkyo	nwovo

# Appendix 5 - Segments used in the word list

Char.	Segment	Words containing this segment
A	е	egoː, ew, ureke, eu, oreha, nuevo, ore, çe, te, oreye, ureʎɜ, oreli, orekkyo
В	g	egoː, ɛgw̃a, agw̃a, agɛ
C	Oï	ego:
D	t	tuː, tu, ti, te
Е	uː	tu:
F	a	auris, ak <sup>w</sup> a, ap3, aixw̃3, oraʎa, εgw̃a, oreha, agw̃a, yaw, aw3, agε, akwa
G	u	auris, nowus, tu, ureke, urελ3, nou, eu, novu, nuevo, nuvo, ureλ3, łuf
Н	r	auris, ureke, urελ3, oraλa, oreha, ore, oreye, ureλ3, oreli, orekkyo
I	i	auris, aixw̃3, ti, oreli, io
J	S	auris, nowus
K	$k^{w}$	ak <sup>w</sup> a
L	n	nowus, now, nou, novu, nuevo, nuvo, novel, nof, nwovo
M	0	nowus, now, 30, nou, oraλa, novu, yo, oreha, nuevo, ore, o, nuvo, oreye, novel, nof, oreli, io,
3.7		orekkyo, nwovo
N	W	nowus, ew, now, ɛwɜ, yaw, awɜ, akwa, nwovo
O	k	ureke, orekkyo, akwa
P	p	ap3
Q	3	ap3, urελ3, aixw̃3, j3, εw3, ureλ3, aw3
R	3	30
S	3	ureʎɜ, egwa, ewɜ, novel, age
T	λ	ureß, oraßa, ureß
U	X	aixw̃3
V	w̃	aixw̃3, εgw̃a, agw̃a
W	V	novu, nuevo, nuvo, novel, nwovo
X	у	yo, oreye, yaw, orekkyo
Y	h	oreha
Z	j	јз
a	ç	çe
b	l	novel, oreli
c	f	nof, łuf
d	ł	łuf

# Appendix 6 - Feature change in first segment

Concept: I	Concept: You	Concept: Water	Concept: Ear
e	t	a	a
езеуј ç уу і	ttttttt	ааєаоєааа	u u o o o o u o o
Rounded	Rounded	Rounded	Rounded
Vocoid	Vocoid	Vocoid	Vocoid
Semivowel	Semivowel	Semivowel	Semivowel
Long	Long	Long	Long
Voiced	Voiced	Voiced	Voiced
Velarized	Velarized	Velarized	Velarized
Ejective	Ejective	Ejective	Ejective
Pulmonic	Pulmonic	Pulmonic	Pulmonic
Nasal — —	Nasal	Nasal	Nasal
Tenuis	Tenuis	Tenuis	Tenuis
Lateral	Lateral	Lateral	Lateral
Sibilant	Sibilant	Sibilant	Sibilant
Fricative	Fricative	Fricative	Fricative
Approximant	Approximant	Approximant	Approximant
Implosive	Implosive	Implosive	Implosive
Central	Central	Central	Central
Tap/Flap	Tap/Flap	Tap/Flap	Tap/Flap
Trill	Trill	Trill	Trill
Stop	Stop	Stop	Stop
Click	Click	Click	Click
Affricate	Affricate	Affricate	Affricate
Vowel	Vowel	Vowel	Vowel
Rhotic	Rhotic	Rhotic	Rhotic
Occlusive	Occlusive	Occlusive	Occlusive
Strident	Strident	Strident	Strident
Obstruent	Obstruent	Obstruent	Obstruent
Continuant	Continuant	Continuant	Continuant
Vibrant	Vibrant	Vibrant	Vibrant
Liquid	Liquid	Liquid	Liquid

Concept: New

	n
	nnnnnni
Rounded	
Vocoid	
Semivowel	
Long	
Voiced	_
Velarized	
Ejective	
Pulmonic	_
Nasal	
Tenuis	_
Lateral	
Sibilant	
Fricative	_
Approximant	
Implosive	
Central	
Tap/Flap	
Trill	
Stop	
Click	
Affricate	
Vowel	
Rhotic	_
Occlusive	
Strident	
Obstruent	
Continuant	
Vibrant	
Liquid	

# Appendix 7 - Word Lists by Language

		Latin
Concept	IPA	Sounds
I	ego:	ay-g-O
You	tu:	t-U
Ear	auris	ah-u-r-e-s
Water	ak <sup>w</sup> a	ah-kw-ah
New	nowus	n-oh-w-u-s

	Romanian			
Concept	IPA	Sounds		
Ī	ew	ay-w		
You	tu	t-u		
Ear	ureke	u-r-ay-k-ay		
Water	арз	ah-p-aeh		
New	now	n-oh-w		

		Catalan
Concept	IPA	Sounds
	30	gzah-oh
You	tu	t-u
Ear	urελ3	u-r-eh-yuh-aeh
Water	аixw̃з	ah-e-xha-wh-aeh
New	nou	n-oh-u

Portuguese			
Concept	IPA	Sounds	
	eu	ay-u	
You	tu	t-u	
Ear	oraʎa	oh-r-ah-yuh-ah	
Water	εgwa	eh-g-wh-ah	
New	novu	n-oh-v-u	

		Spanish
Concept	IPA	Sounds
I	yo	eeh-oh
You	tu	t-u
Ear	oreha	oh-r-ay-h-ah
Water	agwa	ah-g-wh-ah
New	nuevo	n-u-ay-v-oh

		]	French
Concept	IPA	Sounds	
Ī	јз	jg-aeh	
You	ti	t-e	

Ear ore oh-r-ay
Water o oh
New nuvo n-u-v-oh

Walloon		
Concept	IPA	Sounds
1	çe	sh-ay
You	te	t-ay
Ear	oreye	oh-r-ay-eeh-ay
Water	εwз	eh-w-aeh
New	novel	n-oh-v-eh-l

		Romansh
Concept	IPA	Sounds
1	yaw	eeh-ah-w
You	ti	t-e
Ear	ureАз	u-r-ay-yuh-aeh
Water	aw3	ah-w-aeh
New	nof	n-oh-f

		Friulian
Concept	IPA	Sounds
I	yo	eeh-oh
You	tu	t-u
Ear	oreli	oh-r-ay-l-e
Water	age	ah-g-eh
New	łuf	ssha-u-f

		Italian
Concept	IPA	Sounds
	io	e-oh
You	tu	t-u
Ear	orekkyo	oh-r-ay-k-k-eeh-oh
Water	akwa	ah-k-w-ah
New	nwovo	n-w-oh-v-oh

Appendix 8 - Segment Groups

	Pulmonic Consonants																								
Manner	Bila	abial	Labial	Labic	-Dental	Lingue	o-Labial	De	ntal	Alv	eolar	Post-	Alveolar	Ret	roflex	Pa	latal	V	elar	U۱	/ular	Pharyr	geal-Ep	Gl	ottal
Nasal	m	m			m		ņ			ņ	n			ή	η	ŋိ	ŋ	ŋ̊	ŋ		N				
Stop	p	b	k <sup>w</sup> g <sup>w</sup>	p	þ	ţ	ď			t	d			t	d	С	t	k	g	q	G	7		?	
Sibilant, Fricative										S	Z	ſ	3	Ş	Ζ	Ç	Z								
Fricative	ф	β		f	V	Õ	ğ	θ	ð	$\bar{\theta}$	ğ	ؽؚ	ļ		Ţ	Ç	j	X	γ	χ	R	ħ	ſ	h	h
Approximant				υ	υ					ؠؙ	J			Ĵ	ન	Ĵ	j	พุํ	щ						ţ
Tap/Flap		V,			٧		ŭ			Ĺ	ſ			ř	r						Ğ		7		
Trill	В	В								ŗ	r			ŗς	ŗr					R		Н	£		
Lateral, Fricative										ł	ß			۲	ŀ	۲ٍ	Ý	Ļ	Ļ						
Lateral, Approximant										ļ	l			ľ	l	Ý	λ	Ļ	L		Ļ				
Lateral, Tap/Flap											J				Ţ		χ		Ľ						

Shaded areas denote articulations judged to be impossible. Where symbols appear in pairs, the one to the right represents a modally voiced consonant.

Non-Pulmonic Consonants																		
Manner	Bila	abial	Labio-Dental	De	ntal	Alv	eolar	Post-Alveolar	Reti	roflex	Pa	latal	Ve	elar	Uv	ular	Pharyngeal-Ep	iglot
Ejective, Stop						ť			ť		c'		k'		q'		?'	
Ejective, Fricative	ф'		f'	θ΄		s'		ſ	ş'		¢'		x'		χ΄			
Ejective, Lateral, Fricative						ď												
Tenuis, Click	0	Ô		1	ĵ	!	î				ŧ	ŧ						
Nasal, Click	O			1		1					#							
Tenuis, Lateral, Click							Î											
Implosive	ģ	б				ď	ď		ď	q	f	f	đ	g	ď	G		

Shaded areas denote articulations judged to be impossible. Where symbols appear in pairs, the one to the right represents a modally voiced consonant.

	Vowels											
	Front	Near-Front	Central	Near-Back	Back							
Close	i • y		i • u		w • u							
Near-close		I º Y	₽ • <del>U</del>	υ								
Close-mid	e • ø		Э • Ө		<b>૪ •</b> 0							
Mid	ø		9		Ō							
Open-mid		ε·œ	<b>8</b> • 3		Λ ° Ο							
Near-open		敜	В									
Open		a • Œ	ä		a • p							

Where symbols appear in pairs, the one to the right represents a rounded vowel.

	Long Vowels											
	Front	Near-Front	Central	Near-Back	Back							
Close	ix				uː							
Mid	eː				Οĭ							
Open			ax									

	Pulmonic Affricates											
Manner	Bilabial	Labio-Dental	Dental	Alveolar	Alveolo-Palata	Retroflex	Palatal	Palato-Alveol	Velar	Uvular	Pharyngeal-Ep	Glottal
Sibilant				ts dz	t¢ dz	tş dz	•	<u>t</u> ∫ dʒ				
Non-Sibilant	рфbβ	pf bv	ţθďð	tị dị			сç <del>յ</del> ј	tı̊-dıฺ-	kxgy	qχ	35	?h
Lateral				t‡ dlʒ		tใ∸	cΫ		kĻgĻ			

Shaded areas denote articulations judged to be impossible.


	Ejective Affricates										
Manner	Bilabial	Labio-Dental	Alveolar	Retroflex	Palatal	Palato-Alveola	Velar	Uvular	Pharyngeal-Ep	Glottal	
Central			ts'	ţş'		ţſ	kx'	qχ'			
Lateral			tł'		CΛ̈́ʻ		kĽ'				

Shaded areas denote articulations judged to be impossible.

Other S	Segments
T Uvular Voiced Pulmonic Nasal Fricative	Alveolar Voiced Velarized Pulmonic Lateral Approximant
Mabial-Velar Vocoid Semivowel Approximant Continuant	<b>W</b> Labial-Velar Voiced Nasal Approximant

W <sup>Labial-Velar Vocoid Semivowel Voiced</sup> Approximant Continuant	u Labial-Palatal Vocoid Semivowel Voiced Approximant Continuant
f Post-Alveolar Sibilant Fricative	Pharyngeal-Epiglottal Voiced Fricative
<b>?</b> Pharyngeal-Epiglottal Ejective	p' Bilabial Ejective Pulmonic Stop
@Open-mid Near-Front Rounded Nasal Vowel	$oldsymbol{ ilde{y}}$ Close Front Rounded Nasal Vowel
<b>ã</b> Open Near-Front Nasal Vowel	$oldsymbol{\widetilde{e}}$ Near-open Central Rounded Nasal Vowel
<b>7</b> Open-mid Back Rounded Nasal Vowel	3 Open-mid Near-Front Nasal Vowel
<b>E</b> Open-mid Near-Front Nasal Vowel	$oldsymbol{\widetilde{u}}$ Close Back Rounded Nasal Vowel
<b>e</b> Close-mid Front Nasal Vowel	<b>1</b> Close Front Nasal Vowel

			Diacritics		
	Undefined escape character	~	Nasalized	••	Centralized
+	Advanced	_	Retracted	~	RisingTone
o	Voiceless		Implosive	1	Syllabic
,	Ejective	?	Pharyngealized	^	Falling tone
_	Non-syllabic	٦	No audible release	4	Rhotic hook
-	Advanced tongue root	ы	Apical	"	Extra low tone
	Low rising tone	c	Less rounded	-	Dental
~	Velarized or Pharyngealized	7	Global fall	γ	Velarized
′	High tone	_	High rising tone	h	Aspirated
j	Palatalized	~	Creaky voiced	`	Low tone
1	Lateral release	_	Mid tone		Laminal
~	Linguo-Labial	n	Nasal release	)	More rounded
<b>T</b>	Lowered	F	Retracted tongue root	1	Global rise
~	Rising falling tone	_	Raised	"	Extra high tone
	Breathy voiced	<b>~</b>	Voiced	W	Labialized
	Extra short	×	Mid-centralized	$\downarrow$	Down-step
1	Up-step		Sylable break	1	Primary stress
1	Secondary stress	X	Long	•	Half-long
	Indeterminacy in french vowels		Begin Non-segmental notation		End non-segmental notation
\$	Voiced epiglottal fricative	!	Post-alveolar click		Minor group
1	Dental click		Major group		Alveolar lateral click
‡	Palatal click	0	Voiceless descender	_	Combining macron
	Tie-bar below		Tie-bar above	ł	Ready made combination
$\rightarrow$	Becomes		Separator		



	IPA Se	gments	
a	b	C	d
Open Near-Front Vocoid Vowel Continuant 61	Bilabial Voiced Pulmonic Stop Occlusive 62	Palatal Pulmonic Stop Occlusive 63	Alveolar Voiced Pulmonic Stop Occlusive 64
Close-mid Front Vocoid Vowel Continuant 65	Labio-Dental Pulmonic Fricative Strident Obstruent Continuant 66	h Glottal Pulmonic Fricative 68	Close Front Vocoid Vowel Continuant 69
Palatal Vocoid Semivowel Voiced Pulmonic Approximant Continuant 6A	Velar Pulmonic Stop Occlusive 6B	Alveolar Vocoid Voiced Pulmonic Lateral Approximant Rhotic Liquid 60	Bilabial Voiced Pulmonic Nasal Occlusive 6D
Alveolar Voiced Pulmonic Nasal Occlusive	Close-mid Back Rounded Vocoid Vowel Continuant	P Bilabial Pulmonic Stop Occlusive	Q Uvular Pulmonic Stop Occlusive
Alveolar Voiced Pulmonic	S  Alveolar Pulmonic Sibilant	t Alveolar Pulmonic Stop	U Close Back Rounded Vocoid
Trill Rhotic Vibrant Liquid 72	Fricative Strident Obstruent Continuant 73	Occlusive 74	Vowel Continuant 75
Labio-Dental Voiced Pulmonic Fricative Strident Obstruent Continuant 76	Labial-Velar Vocoid Semivowel Voiced Approximant Continuant 77	Velar Pulmonic Fricative Obstruent Continuant 78	Close Front Rounded Vocoid Vowel Continuant 79

Alveolar Voiced Pulmonic Sibilant Fricative Strident Obstruent Continuant	Open Central Vowel	Near-open Near-Front Vowel	Palatal Pulmonic Fricative Obstruent Continuant E7
Dental Voiced Pulmonic Fricative Obstruent Continuant F0	Close-mid Front Rounded Vocoid Vowel Continuant F8	Pharyngeal-Epiglottal Pulmonic Fricative 127	Velar Voiced Pulmonic Nasal Occlusive 14B
Open-mid Near-Front Rounded Vocoid Vowel Continuant 153	Dental Ejective Tenuis Click Affricate 100	Alveolar Ejective Tenuis Lateral Click Affricate 1C1	Palatal Ejective Tenuis Click Affricate 1C2
Alveolar Ejective Tenuis Click Affricate 1C3	Near-open Central Rounded Vowel 250	Open Back Vocoid Vowel Continuant 251	Open Back Rounded Vocoid Vowel Continuant 252
Bilabial Voiced Ejective Implosive Click Affricate 253	Open-mid Back Rounded Vocoid Vowel Continuant 254	Palatal Pulmonic Sibilant Fricative Strident Obstruent Continuant 255	Retroflex Voiced Pulmonic Stop Occlusive
Alveolar Voiced Ejective Implosive Click Affricate 257	Mid Central Vowel	Close-mid Central Vowel	Open-mid Near-Front Vocoid Vowel Continuant 25B

3	В	+	ď
Open-mid Central Vowel	Open-mid Central Rounded Vowel 25E	Palatal Voiced Pulmonic Stop Occlusive 25F	Velar Voiced Ejective Implosive Click Affricate 260
Velar Voiced Pulmonic Stop Occlusive 261	Uvular Voiced Pulmonic Stop Occlusive 262	Velar Voiced Pulmonic Fricative Obstruent Continuant 263	Close-mid Back Vocoid Vowel Continuant 264
Labial-Palatal Vocoid Semivowel Voiced Approximant Continuant 265	Glottal Voiced Pulmonic Fricative 266	Post-Alveolar Sibilant Fricative 267	Close Central Vowel
Near-close Near-Front Vowel	Alveolar Voiced Velarized Pulmonic Lateral Approximant 268	Alveolar Pulmonic Lateral Fricative Strident Obstruent Continuant Liquid 26C	Retroflex Vocoid Voiced Pulmonic Lateral Approximant Rhotic Liquid 260
Alveolar Voiced Pulmonic Lateral Fricative Strident Obstruent Continuant Liquid 26E	Close Back Vocoid Vowel Continuant 26F	Velar Vocoid Semivowel Voiced Pulmonic Approximant Continuant 270	Labio-Dental Voiced Pulmonic Nasal Occlusive 271
Palatal Voiced Pulmonic Nasal Occlusive 272	Retroflex Voiced Pulmonic Nasal Occlusive 273	Uvular Voiced Pulmonic Nasal Occlusive 274	Close-mid Central Rounded Vowel 275

Œ	Œ	ф	J
Near-open Near-Front Rounded Vowel 276	Open Near-Front Rounded Vocoid Vowel Continuant 276	Bilabial Pulmonic Fricative Obstruent Continuant 278	Alveolar Vocoid Voiced Pulmonic Approximant Rhotic Liquid 279
J	ન	r	ſ
Alveolar Voiced Pulmonic Lateral Tap/Flap Rhotic Vibrant Liquid 27A	Retroflex Vocoid Voiced Pulmonic Approximant Rhotic Liquid 278	Retroflex Voiced Pulmonic Tap/Flap Rhotic Vibrant Liquid 27D	Alveolar Voiced Pulmonic Tap/Flap Rhotic Vibrant Liquid 27E
R	R	Ş	$\int$
Uvular Pulmonic Trill Rhotic Vibrant Liquid 280	Uvular Voiced Pulmonic Fricative Rhotic Strident Obstruent Continuant Liquid 281	Retroflex Pulmonic Sibilant Fricative Strident Obstruent Continuant 282	Post-Alveolar Pulmonic Sibilant Fricative Strident Obstruent Continuant 283
f	t	<del>U</del>	υ
Palatal Voiced Ejective Implosive Click Affricate 284	Retroflex Pulmonic Stop Occlusive 288	Close Central Rounded Vowel 289	Near-close Near-Back Rounded Vowel 28A
υ	Λ	M	Λ
Labio-Dental Vocoid Voiced Pulmonic Approximant 28B	Open-mid Back Vocoid Vowel Continuant 28C	Labial-Velar Vocoid Semivowel Approximant Continuant 28D	Palatal Vocoid Voiced Pulmonic Lateral Approximant Rhotic Liquid 28E
Y	Z	Z	3
Near-close Near-Front Rounded Vowel 28F	Retroflex Voiced Pulmonic Sibilant Fricative Strident Obstruent Continuant 290	Palatal Voiced Pulmonic Sibilant Fricative Strident Obstruent Continuant 291	Post-Alveolar Voiced Pulmonic Sibilant Fricative Strident Obstruent Continuant

7	ς	$\odot$	R
Glottal Pulmonic Stop 294	Pharyngeal-Epiglottal Voiced Pulmonic Fricative 295	Bilabial Ejective Tenuis Click Affricate 298	Bilabial Voiced Pulmonic Trill Vibrant 299
G	Н	j	L
Uvular Voiced Ejective Implosive Click Affricate 29B	Pharyngeal-Epiglottal Pulmonic Trill 29C	Palatal Voiced Pulmonic Fricative Obstruent Continuant	Velar Vocoid Voiced Pulmonic Lateral Approximant Rhotic Liquid 29F
2	7	<b>£</b>	<b>£</b>
Pharyngeal-Epiglottal Ejective 2A1	Pharyngeal-Epiglottal Pulmonic Stop 2A1	Pharyngeal-Epiglottal Voiced Pulmonic Trill 2A2	Pharyngeal-Epiglottal Voiced Fricative
β	θ	χ	Ŧ
Bilabial Voiced Pulmonic Fricative Obstruent Continuant 3B2	Dental Pulmonic Fricative Obstruent Continuant 3B8	Uvular Pulmonic Fricative Strident Obstruent Continuant 3C7	Near-close Central Vowel 1D7B
<del>U</del>	q.	V	aː
Near-close Central Rounded Vowel 1D7F	Retroflex Voiced Ejective Implosive Click Affricate 1091	Labio-Dental Voiced Pulmonic Tap/Flap Vibrant 2C71	Open Central Vocoid Long Vowel Continuant 61, 2D0
ã	þ	bβ	СÇ
Open Near-Front Nasal Vowel 61, 303	Labio-Dental Voiced Pulmonic Stop 62, 32A	Bilabial Voiced Pulmonic Affricate Occlusive 62, 382	Palatal Pulmonic Affricate Occlusive 63, E7

Palatal Ejective Stop	Alveolar Voiced Pulmonic Sibilant Affricate Occlusive	Alveolar Voiced Pulmonic Lateral Affricate	Alveolo-Palatal Voiced Pulmonic Sibilant Affricate
	Strident 64, 7A	64, 26E	Occlusive Strident 64, 291
d	eï	ẽ	f'
Linguo-Labial Voiced Pulmonic Stop 64, 33C	Mid Front Vocoid Long Vowel Continuant 65, 2D0	Close-mid Front Nasal Vowel 65, 303	Labio-Dental Ejective Fricative 66, 2BC
ix	ĩ	j	kx
Close Front Vocoid Long Vowel Continuant 69, 200	Close Front Nasal Vowel	Palatal Pulmonic Approximant 6A, 30A	Velar Pulmonic Affricate Occlusive 68, 78
$k^{w}$	k'	Ľ	ļ
Labial Pulmonic Stop Occlusive 6B, 2B7	Velar Ejective Stop 6B, 2BC	Velar Voiced Pulmonic Lateral Tap/Flap 4C, 306	Alveolar Pulmonic Lateral Approximant 6C, 325
m	ņ	ņ	O.
Bilabial Pulmonic Nasal 6D, 325	Alveolar Pulmonic Nasal 6E, 325	Linguo-Labial Voiced Pulmonic Nasal 6E, 33C	Mid Back Rounded Vocoid Long Vowel Continuant 6F, 2D0
Q	рф	p'	p
Mid Back Vowel 6F, 31E	Bilabial Pulmonic Affricate Occlusive 70, 278	Bilabial Ejective Pulmonic Stop 70, 2BC	Labio-Dental Pulmonic Stop 70, 32A

<b>~</b> ,	<b>212.</b>	~	
q	qχ	r	ŗ
Uvular Ejective Stop 71, 2BC	Uvular Pulmonic Affricate 71, 3C7	Uvular Voiced Pulmonic Nasal Fricative 72, 303	Alveolar Pulmonic Trill 72, 325
s'	ts	tç	ť'
Alveolar Ejective Fricative 73, 2BC	Alveolar Pulmonic Sibilant Affricate Occlusive Strident 74, 73	Alveolo-Palatal Pulmonic Sibilant Affricate Occlusive Strident 74, 255	Alveolar Ejective Stop 74, 2BC
ţ	ux	ũ	W
Linguo-Labial Pulmonic Stop 74, 33C	Close Back Rounded Long Vowel 75, 2D0	Close Back Rounded Nasal Vowel 75, 303	Labial-Velar Voiced Nasal Approximant 77, 303
x'	ỹ	ð	ğ
Velar Ejective Fricative 78, 2BC	Close Front Rounded Nasal Vowel 79, 303	Alveolar Voiced Pulmonic Fricative F0, 320	Linguo-Labial Voiced Pulmonic Fricative F0, 33C
Ø	ŋ̈́	œ	7
Mid Front Vowel F8, 31E	Velar Pulmonic Nasal 14B, 30A	Open-mid Near-Front Rounded Nasal Vowel 153, 303	Dental Ejective Nasal Click Affricate 100, 303
J		#	<b>‡</b>
Dental Voiced Ejective Tenuis Click Affricate 100, 320	Alveolar Voiced Ejective Tenuis Lateral Click Affricate 1C1, 32C	Palatal Ejective Nasal Click Affricate 1C2, 303	Palatal Voiced Ejective Tenuis Click Affricate 1C2, 32C

7		$\tilde{\mathbf{p}}$	6
<b>i</b>	•	E	Ŋ
Alveolar Ejective Nasal Click	Alveolar Voiced Ejective	Near-open Central Rounded	Bilabial Ejective Implosive
Affricate 1C3, 303	Tenuis Click Affricate 1C3, 32C	Nasal Vowel 250, 303	Click Affricate 253, 325
$\widetilde{\mathfrak{I}}$	<b>C</b> '	47	$\mathbf{d}$
J	<b>6</b>	qz	ų,
Open-mid Back Rounded	Palatal Ejective Fricative	Retroflex Voiced Pulmonic	Alveolar Ejective Implosive
Nasal Vowel	255, 2BC	Sibilant Affricate Occlusive	Click Affricate
254, 303		Strident 256, 290	257, 325
$\mathbf{\tilde{\epsilon}}$	$\tilde{3}$	ıi	ď
C	J	は	9
Open-mid Near-Front Nasal	Open-mid Near-Front Nasal	Palatal Voiced Pulmonic	Velar Ejective Implosive
Vowel	Vowel	Affricate Occlusive	Click Affricate
25B, 303	25C, 303	25F, 29D	260, 30A
<b>~</b>	~W	J	17
QV	Q ·	Ğ	Y
<i>5</i> 0	J		
Velar Voiced Pulmonic Affricate Occlusive	Labial Voiced Pulmonic Stop Occlusive	Uvular Voiced Pulmonic Tap/Flap	Alveolar Ejective Lateral Fricative
261, 263	261, 2B7	262, 306	26C, 2BC
-	51/		O
<b> </b>	<b>T</b>	The state of the s	111
L_	L	L	Щ
Retroflex Voiced Pulmonic	Retroflex Voiced Pulmonic	Retroflex Pulmonic Lateral	Velar Pulmonic Approximant
Lateral Fricative 26D, 2D4	Lateral Tap/Flap 26D, 306	Approximant 26D, 30A	270, 30A
, <del></del>	, 500	, 50	
n°	no	ሐ'	1
JI	1	Ψ	J.
Palatal Pulmonic Nasal	Retroflex Pulmonic Nasal	Pilobial Figative Emigative	Alveolar Pulmonic
272, 30A	273, 30A	Bilabial Ejective Fricative 278, 2BC	Approximant
			279, 325

J.	် ပို	γr	Ϋ́
Retroflex Voiced Pulmonic Fricative 27B, 2D4	Retroflex Pulmonic Approximant 27B, 30A	Retroflex Voiced Pulmonic Trill 27D, 72	Retroflex Pulmonic Tap/Flap 27D, 30A
		•	a
Ĺ	ŗ	Ş	J'
Alveolar Pulmonic Tap/Flap 27E, 325	Linguo-Labial Voiced Pulmonic Tap/Flap 27E, 33C	Retroflex Ejective Fricative 282, 2BC	Post-Alveolar Ejective Fricative 283, 28C
<b>O</b>	_		
$\mathbf{f}$	ţş	ť	Ų
Palatal Ejective Implosive Click Affricate 284, 30A	Retroflex Pulmonic Sibilant Affricate Occlusive Strident 288, 282	Retroflex Ejective Stop 288, 2BC	Labio-Dental Pulmonic Approximant 28B, 325
Y	C	C	
Λ	$oldsymbol{\Lambda}$	$\Lambda_{\!$	?h
Palatal Voiced Pulmonic Lateral Tap/Flap 28E, 306	Palatal Voiced Pulmonic Lateral Fricative 28E, 31D	Palatal Pulmonic Lateral Approximant 28E, 325	Glottal Pulmonic Affricate 294, 68
2	$\sim$		
Ţ	$\odot$	Û	$\mathbf{B}_{\!\!\!\mathbf{o}}$
Glottal Voiced Pulmonic Approximant 294, 31E	Bilabial Ejective Nasal Click Affricate 298, 303	Bilabial Voiced Ejective Tenuis Click Affricate 298, 320	Bilabial Pulmonic Trill
G	Ļ	L	L
Uvular Ejective Implosive Click Affricate	Velar Voiced Pulmonic Lateral Fricative	Uvular Voiced Pulmonic Lateral Approximant	Velar Pulmonic Lateral Approximant
29B, 325	29F, 31D	29F, 320	29F, 325
<b>2</b> £	7'	7	$\Theta'$
Pharyngeal-Epiglottal Voiced Pulmonic Affricate 2A1, 2A2	Pharyngeal-Epiglottal Ejective Stop 2A1, 2BC	Pharyngeal-Epiglottal Voiced Pulmonic Tap/Flap 2A1, 306	Dental Ejective Fricative 3B8, 2BC

Ð	Õ	χ΄	ď
Alveolar Pulmonic Fricative 3B8, 320	Linguo-Labial Pulmonic Fricative 3B8, 33C	Uvular Ejective Fricative 3C7, 2BC	Retroflex Ejective Implosive Click Affricate 1D91, 30A
V <sub>+</sub>	þу	ф	<u>d</u> 3
Bilabial Voiced Pulmonic Tap/Flap 2C71, 31F	Labio-Dental Voiced Pulmonic Affricate Occlusive Strident 62, 32A, 76	Alveolar Voiced Pulmonic Affricate 64, 279, 31D	Palato-Alveolar Voiced Pulmonic Sibilant Affricate Occlusive Strident 64, 320, 292
ďð	kx'	pf	qχ'
Dental Voiced Pulmonic Affricate Occlusive 64, 32A, F0	Velar Ejective Central Affricate 6B, 78, 2BC	Labio-Dental Pulmonic Affricate Occlusive Strident 70, 32A, 66	Uvular Ejective Central Affricate 71, 3C7, 2BC
ts'	tł'	ţ∫	ţθ
Alveolar Ejective Central Affricate 74, 73, 2BC	Alveolar Ejective Lateral Affricate 74, 26C, 2BC	Palato-Alveolar Pulmonic Sibilant Affricate Occlusive Strident 74, 320, 283	Dental Pulmonic Affricate Occlusive 74, 32A, 3B8
дĻ	<b>L</b>	j	<u>j</u>
Velar Voiced Pulmonic Lateral Affricate 261, 29F, 31D	Retroflex Pulmonic Lateral Fricative 26D, 30A, 2D4	Post-Alveolar Voiced Pulmonic Fricative 279, 31D, 30A	Post-Alveolar Pulmonic Fricative 279, 320, 30A
ţş'	Ţ	Ļ	СÅ
Retroflex Ejective Central Affricate 288, 282, 28C	Palatal Pulmonic Lateral Fricative 28E, 31D, 30A	Velar Pulmonic Lateral Fricative 29F, 31D, 30A	Palatal Voiced Pulmonic Lateral Affricate 63, 28E, 31D, 30A

<b>k</b> L Velar Pulmonic Lateral	Alveolar Pulmonic Lateral	Alveolar Pulmonic Affricate	Palato-Alveolar Ejective
Affricate	Affricate	74, 279, 31D, 30A	Central Affricate
6B, 29F, 31D, 30A	74, 26C, 31D, 30A		74, 320, 283, 2BC
βŗ	† <b></b> L	CÅ'	$d^{7}$
Retroflex Pulmonic Trill	Retroflex Pulmonic Lateral	Palatal Ejective Lateral	Palato-Alveolar Voiced
27D, 30A, 72, 325	Affricate 288, 26D, 30A, 2D4	Affricate 63, 28E, 31D, 30A, 2BC	Pulmonic Affricate 64, 320, 279, 320, 2D4
<b>k</b> Loode Velar Ejective Lateral	T_1_L Palato-Alveolar Pulmonic		
Affricate	Affricate		
6B, 29F, 31D, 30A, 2BC	74, 320, 279, 320, 30A, 2D4		

