

INSIDER SNIPER V4 - MIDNIGHT PRO TERMINAL

Full source code of a single-file trading-signal website (index.html, 331,848 bytes, one self-contained HTML file with CSS + JavaScript).

WHAT THIS SITE IS:

- Live crypto/gold signal scanner (1m / 5m / 15m timeframes)
- Real engine win-rate (wins / (wins+losses), never faked)
- World Wire news feed, economic calendar, interactive chart
- Auto-trading bot bridge, wallet connections, phone notifications
- Dark "Midnight Pro Terminal" theme: charcoal + electric blue + neon lime
- Fully responsive: PC, iPhone and Android (bottom bar + hamburger menu)

READING NOTES:

- Everything (HTML, CSS, JS, icons, manifest) lives in ONE file.
- Emoji characters are written as \uXXXX escape sequences in this PDF; inside the original file they are real emoji characters.
- Section 2 contains RENDER_DEPLOY_STEPS.md (deployment guide).

Made for Arena Battle Mode (Battle accepts PNG / JPEG / WebP / PDF only).

===== SECTION 1: index.html (full source) =====

[illegible]

```

/* \u2500\u2500\u2500 HEADER · BRAND · NAV \u2500\u2500\u2500 */
.app-header { position: sticky; top: 0; z-index: 80; background: rgba(15, 19, 29, 0.92); backdrop-filter:
blur(16px); -webkit-backdrop-filter: blur(16px); border-bottom: 1px solid #242c3e; box-shadow: 0 1px 0 rgba(
0, 0, 0, 0.105); }
.nav-inner {
  max-width: 1480px; margin-inline: auto;
  display: flex; align-items: center; gap: 14px;
  padding: 10px 16px; flex-wrap: wrap;
}
.nav-brand { display: flex; align-items: center; gap: 10px; text-decoration: none; }
.nav-brand:~.logo-tile { transform: rotate(-6deg) scale(1.05); }
.logo-tile { width: 38px; height: 38px; border-radius: 11px; display: flex; align-items: center; justify-c
ontent: center; font-size: 19px; background: linear-gradient(135deg, #4f7dff, #2b56d9); box-shadow: 0 6px 18
px -8px rgba(79, 125, 255, 0.65); transition: transform var(--ease); }
.brand-name { font-size: 15px; font-weight: 900; letter-spacing: -0.01em; color: #e8ecf6; display: flex; a
lign-items: center; gap: 7px; line-height: 1.1; }
.brand-ver { font-size: 9.5px; font-weight: 900; letter-spacing: 0.08em; background: #17224a; color: #4f7d
ff; padding: 2px 7px; border-radius: 999px; border: 1px solid #2c3a66; }
.brand-tag { font-size: 10px; color: var(--muted); font-weight: 600; letter-spacing: 0.02em; }
.nav-links { display: flex; align-items: center; gap: 5px; overflow-x: auto; max-height: none; background:
#10141f; border: 1px solid #242c3e; border-radius: 12px; padding: 4px 6px; scrollbar-width: none; flex: 1 1
320px; min-width: 0; }
.nav-links::-webkit-scrollbar { display: none; }
.nav-link { flex: 0 0 auto; padding: 6px 12px; border-radius: 8px; font-size: 11.5px; font-weight: 800; le
tter-spacing: 0.02em; color: #4f7dff; text-decoration: none; white-space: nowrap; transition: background var
(--ease), color var(--ease); }
.nav-link:~:hover { background: #141926; color: #e8ecf6; }
.nav-link:~.active { background: #4f7dff; color: #ffffff; box-shadow: 0 4px 14px -7px rgba(79, 125, 255, 0.8
); }
.header-actions { display: flex; align-items: center; gap: 8px; flex-wrap: wrap; }
.live-pill { display: inline-flex; align-items: center; gap: 6px; background: #141926; border: 1px solid #
242c3e; border-radius: 999px; padding: 5px 11px; font-size: 11px; font-weight: 800; color: #e8ecf6; box-shad
ow: var(--shadow-soft); }
#healthPill, #sessionStrip { font-size: 10.5px; font-weight: 800; letter-spacing: 0.02em; color: var(--mut
ed); background: #161b28; box-shadow: none; }
.live-dot { width: 8px; height: 8px; border-radius: 50%; background: #a3e635; box-shadow: 0 0 0 3px rgba(1
63, 230, 53, 0.18); animation: pulseDot 1.6s ease infinite; }
@keyframes pulseDot { 0%, 100% { opacity: 1; } 50% { opacity: 0.45; } }
#notifBell { position: relative; width: 38px; height: 38px; border-radius: 12px; background: #141926; bord
er: 1px solid #242c3e; cursor: pointer; display: flex; align-items: center; justify-content: center; font-si
ze: 16px; transition: border-color var(--ease), transform var(--ease); }
#notifBell:~:hover { border-color: #4f7dff; transform: translateY(-1px); }
#notifBell:~.active { transform: scale(0.95); }
#bellBadge { position: absolute; top: -5px; right: -5px; min-width: 17px; height: 17px; border-radius: 999
px; background: #ff4d6d; color: #fff; font-size: 9.5px; font-weight: 900; display: flex; align-items: center
; justify-content: center; padding: 0 4px; border: 2px solid #0a0d13; }

/* \u2500\u2500\u2500 NOTIF DRAWER \u2500\u2500\u2500 */
#notifDrawer { position: fixed; top: 64px; right: 14px; width: min(368px, calc(100vw - 24px)); background:
#141926; border: 1px solid #242c3e; border-radius: 14px; box-shadow: var(--shadow); z-index: 96; overflow:
hidden; }
.nd-head { padding: 11px 14px; border-bottom: 1px solid #242c3e; font-size: 11.5px; font-weight: 900; lett
er-spacing: 0.06em; text-transform: uppercase; color: var(--ink); display: flex; justify-content: space-betw
een; align-items: center; background: #161b28; }
.nd-list { max-height: 420px; overflow-y: auto; }
.nd-item { padding: 10px 14px; border-bottom: 1px solid #242c3e; font-size: 12px; }
.nd-item:~:hover { background: #161b28; }
.nd-item .t { font-size: 10px; color: var(--muted); font-weight: 700; }
.nd-item .m b.b-buy { color: #a3e635; }
.nd-item .m b.b-sell { color: #f43f5e; }
.nd-empty { padding: 22px 14px; text-align: center; color: var(--muted); font-size: 12px; }

/* \u2500\u2500\u2500 STATUS TAPE (marquee) \u2500\u2500\u2500 */
.status-tape { background: #10141f; border-bottom: 1px solid #242c3e; overflow: hidden; padding: 7px 0; }
.tape-viewport { overflow: hidden; position: relative; }
.tape-track { display: inline-flex; gap: 26px; white-space: nowrap; padding-left: 100%; animation: tapeRoll
1 42s linear infinite; }
.tape-viewport:~:hover .tape-track { animation-play-state: paused; }
@keyframes tapeRoll { from { transform: translateX(0); } to { transform: translateX(-100%); } }
.tape-item { font-size: 11.5px; font-weight: 700; color: var(--ink2, #9aa4bc); display: inline-flex; gap:
6px; align-items: center; }
.tape-item b { color: var(--ink); font-weight: 900; }
.tape-item .up { color: #a3e635; font-weight: 900; }
.tape-item .down { color: #e11d48; font-weight: 900; }
.tape-item .soon { color: #4f7dff; font-weight: 900; }
.tape-label { background: #17224a; color: #4f7dff; font-size: 9.5px; font-weight: 900; letter-spacing: 0.1

```

```

em; padding: 3px 9px; border-radius: 999px; text-transform: uppercase; }
.tape-half { display: inline-flex; gap: 26px; align-items: center; }

/* \u2500\u2500\u2500 SESSION CLOCK STRIP \u2500\u2500\u2500 */
#sessionBar { background: #10141f; border-bottom: 1px solid #242c3e; }

/* \u2500\u2500\u2500 SECTIONS · ZONE BARS · PANELS \u2500\u2500\u2500 */
#scanner, #marketScanner, #watchSection, #chartSection, #worldWire, #calendarSection, #autoBot, #walletSec
tion, #phoneAlerts, #priceAlertsSec, #calcSection, #portfolioSection { scroll-margin-top: 96px; }
.section-head { padding: 26px 2px 12px; }
.section-title { font-size: 19px; font-weight: 900; letter-spacing: 0.1em; text-transform: uppercase; colo
r: #e8ecf6; display: flex; align-items: center; gap: 11px; line-height: 1.25; }
.section-title .ico { width: 34px; height: 34px; border-radius: 10px; flex: 0 0 34px; display: inline-flex
; align-items: center; justify-content: center; font-size: 16px; background: #17224a; border: 1px solid #2c3
a66; }
#autoBot .section-title .ico { background: #2a141b; border-color: #5c2a35; }
#calcSection .section-title .ico { background: #132318; border-color: #33543f; }
#walletSection .section-title .ico { background: #17224a; border-color: #2c3a66; }
#marketScanner .section-title .ico { background: #16203c; border-color: #2c3a66; }
#worldWire .section-title .ico { background: #1c1836; border-color: #3b3466; }
#calendarSection .section-title .ico { background: #201c12; border-color: #2c3a66; }
#chartSection .section-title .ico { background: #16203c; border-color: #2c3a66; }
#phoneAlerts .section-title .ico { background: #141926; border-color: #fbbf24; }
#priceAlertsSec .section-title .ico { background: #141926; border-color: #ff4d6d; }
#portfolioSection .section-title .ico { background: #161b28; border-color: #2f3850; }
.section-sub { font-size: 12.5px; color: var(--muted); margin-top: 5px; max-width: 900px; }
.section-sub b { color: var(--ink); }
.section-shell { margin-bottom: 8px; }
.zone-bar { display: flex; align-items: center; gap: 14px; margin: 30px 0 4px; padding: 11px 18px; backgro
und: linear-gradient(90deg, #141926, #141926 55%, #17224a); border-radius: 11px; box-shadow: var(--shadow-so
ft); }
.zone-bar .zone-k { font-size: 11px; font-weight: 900; letter-spacing: 0.16em; text-transform: uppercase;
color: #4f7dff; white-space: nowrap; }
.zone-bar::after { content: ""; flex: 1; height: 1px; background: linear-gradient(90deg, rgba(79, 125, 255
, 0.5), transparent); }

.panel-card {
  background: var(--panel);
  border: 1px solid var(--border);
  border-radius: var(--radius);
  box-shadow: var(--shadow-soft);
  margin-bottom: 16px;
  overflow: hidden;
}
.panel-card:hover { border-color: #3a4360; }
.panel-head {
  display: flex; align-items: center; justify-content: space-between; gap: 10px; flex-wrap: wrap;
  padding: 12px 16px; border-bottom: 1px solid var(--border);
  background: var(--panel);
}
.panel-head h2 {
  font-size: 12px !important; font-weight: 900 !important;
  letter-spacing: 0.07em; text-transform: uppercase;
  color: var(--ink) !important; line-height: 1.35;
}
.cat-grid > .panel-card:nth-child(1) { border-top: 3px solid #4f7dff; }
.cat-grid > .panel-card:nth-child(2) { border-top: 3px solid #a3e635; }
.cat-grid > .panel-card:nth-child(3) { border-top: 3px solid #f0a868; }
.cat-grid > .panel-card:nth-child(1) .panel-head h2 { border-left: 3px solid #4f7dff; padding-left: 9px; }
.cat-grid > .panel-card:nth-child(2) .panel-head h2 { border-left: 3px solid #a3e635; padding-left: 9px; }
.cat-grid > .panel-card:nth-child(3) .panel-head h2 { border-left: 3px solid #f0a868; padding-left: 9px; }

/* \u2500\u2500\u2500 BUTTONS · CHIPS · BADGES \u2500\u2500\u2500 */
.btn { display: inline-flex; align-items: center; justify-content: center; gap: 7px; border-radius: 10px;
padding: 8px 14px; font-size: 12px; font-weight: 800; letter-spacing: 0.01em; background: #161b28; color: #e
8ecf6; border: 1px solid #2f3850; cursor: pointer; transition: all var(--ease); white-space: nowrap; text-de
coration: none; line-height: 1.3; }
.btn:hover { border-color: #3a4360; box-shadow: var(--shadow-soft); transform: translateY(-1px); }
.btn:active { transform: translateY(0) scale(0.98); }
.btn-blue { background: #4f7dff; border-color: #4f7dff; color: #ffffff; }
.btn-blue:hover { background: #7ea3ff; border-color: #7ea3ff; }
.btn-green { background: #a3e635; border-color: #a3e635; color: #0a0d13; }
.btn-green:hover { background: #b8ff5c; border-color: #b8ff5c; }
.btn-gold { background: #17224a; border-color: #4f7dff; color: #7ea3ff; }
.btn-gold:hover { background: #4f7dff; border-color: #4f7dff; color: #ffffff; }
.btn-dark { background: #141926; border-color: #2f3850; color: #e8ecf6; }

```

```

.btn-dark:hover { background: #141926; border-color: #3a4360; }
.btn-purple { background: #a78bfa; border-color: #a78bfa; color: #fff; }
.btn-purple:hover { background: #a78bfa; border-color: #a78bfa; }
.chip { display: inline-flex; align-items: center; gap: 5px; font-size: 10px; font-weight: 900; letter-spacing: 0.05em; padding: 3px 9px; border-radius: 999px; background: #17224a; color: #4f7dff; border: 1px solid #2c3a66; text-transform: uppercase; }
.chip.demo { background: #141926; color: #9aa4bc; border-color: #2f3850; }
.ok-badge { background: #132318 !important; color: #a3e635 !important; border-color: #33543f !important; }
.coming-badge { background: #141926; color: #8b95ad; border-color: #2f3850; }
.chip-row { display: flex; flex-wrap: wrap; gap: 7px; }
.chip-btn { border: 1px solid #242c3e; border-radius: 9px; background: #161b28; color: #9aa4bc; padding: 7px 13px; font-size: 11.5px; font-weight: 800; cursor: pointer; transition: all var(--ease); }
.chip-btn:hover { background: #141926; color: #e8ecf6; }
.chip-btn.active { background: #4f7dff; border-color: #4f7dff; color: #ffffff; box-shadow: 0 4px 14px -7px rgba(79, 125, 255, 0.85); }

/* \u2500\u2500\u2500 FORMS \u2500\u2500\u2500 */
.conn-field { margin-bottom: 11px; }
.conn-field label { display: block; font-size: 10.5px; font-weight: 900; letter-spacing: 0.06em; text-transform: uppercase; color: var(--muted); margin-bottom: 5px; }
.conn-input, .conn-select, .sym-input { width: 100%; background: #10141f; color: var(--ink); border: 1px solid var(--border-2); border-radius: 10px; padding: 9px 12px; font-size: 13px; font-weight: 600; transition: border-color var(--ease), box-shadow var(--ease); }
.conn-input:focus, .conn-select:focus, .sym-input:focus { outline: none; border-color: #4f7dff; box-shadow: 0 0 0 3px rgba(79, 125, 255, 0.16); }
.conn-input::placeholder, .sym-input::placeholder { color: #4f7dff; font-weight: 500; }
.conn-note { font-size: 11.5px; color: var(--muted); line-height: 1.6; background: #161b28; border-left: 3px solid #4f7dff; border-radius: 8px; padding: 9px 11px; }
.conn-bal { display: flex; flex-wrap: wrap; gap: 8px; margin-top: 10px; }
.conn-bal span { background: #161b28; border: 1px solid var(--border); border-radius: 999px; padding: 4px 11px; font-size: 11.5px; font-weight: 700; color: var(--muted); }
.conn-bal span b { color: var(--ink); font-weight: 900; }
.conn-dot { width: 8px; height: 8px; border-radius: 50%; display: inline-block; background: #3a4360; margin-left: 3px; }
.conn-dot.on { background: #a3e635; box-shadow: 0 0 0 3px rgba(163, 230, 53, 0.18); }
.sym-input { width: auto; min-width: 120px; display: inline-block; }
.qf-step { display: flex; gap: 11px; align-items: flex-start; background: #141926; border: 1px solid var(--border); border-radius: 13px; padding: 12px 14px; transition: border-color var(--ease); }
.ob-step:hover { border-color: #3a4360; }
.ob-step input { width: 17px; height: 17px; accent-color: var(--brand); margin-top: 2px; }
.quick-flow { display: grid; gap: 10px; }
.qf-step { display: flex; gap: 12px; align-items: center; background: #141926; border: 1px solid var(--border); border-radius: 13px; padding: 12px 14px; transition: border-color var(--ease); }
.qf-step:hover { border-color: #3a4360; }
.qf-num { width: 30px; height: 30px; flex: 0 0 30px; border-radius: 10px; background: var(--brand-soft); color: var(--brand); font-weight: 900; font-size: 13px; display: flex; align-items: center; justify-content: center; }
.qf-ico { font-size: 18px; }
.qf-txt b { display: block; font-size: 13px; color: var(--ink); }
.qf-txt i { font-style: normal; font-size: 11.5px; color: var(--muted); }
.qf-go { display: inline-flex; align-items: center; gap: 7px; background: #4f7dff; color: #ffffff; border-radius: 10px; padding: 9px 15px; font-size: 12.5px; font-weight: 800; cursor: pointer; border: none; }
.qf-go .qf-num { background: rgba(160, 175, 210, 0.22); color: #ffffff; width: 22px; height: 22px; flex-basis: 22px; font-size: 11px; border-radius: 7px; }
.qf-go:hover { background: #7ea3ff; }

/* \u2500\u2500\u2500 TABLES \u2500\u2500\u2500 */
.hist-wrap { border: 1px solid var(--border); border-radius: 13px; overflow: hidden; background: var(--panel); }
.hist-table { width: 100%; border-collapse: collapse; font-size: 12.5px; }
.hist-table th { background: #10141f; color: #8b95ad; font-size: 10px; font-weight: 900; letter-spacing: 0.07em; text-transform: uppercase; padding: 10px 11px; text-align: left; border-bottom: 1px solid var(--border); white-space: nowrap; }
.hist-table td { padding: 9px 11px; border-bottom: 1px solid #242c3e; color: #9aa4bc; vertical-align: middle; }
.hist-table tbody tr:nth-child(even) td { background: #141926; }
.hist-table tbody tr:hover td { background: #141926; }
#scanBody tr:hover td { background: #141926; }
.hist-empty { text-align: center; color: var(--muted); font-size: 12.5px; padding: 18px !important; font-style: italic; }
.bot-log-table { width: 100%; border-collapse: collapse; font-size: 12px; }
.bot-log-table th { background: #10141f; color: #8b95ad; font-size: 9.5px; font-weight: 900; letter-spacing: 0.07em; text-transform: uppercase; padding: 8px 9px; text-align: left; border-bottom: 1px solid var(--border); }
.bot-log-table td { padding: 7px 9px; border-bottom: 1px solid #242c3e; color: #9aa4bc; }
.bot-log-table tbody tr:nth-child(even) td { background: #141926; }

```

```

.bot-log-table tbody tr:hover td { background: #141926; }
.bot-empty td { text-align: center; color: var(--muted); padding: 16px !important; font-style: italic; }
.market-row { border-bottom: 1px solid #242c3e; padding: 9px 11px; font-size: 12.5px; display: flex; justify-content: space-between; gap: 10px; align-items: center; }
.mode-pill { display: inline-flex; padding: 2px 8px; border-radius: 999px; font-size: 9.5px; font-weight: 900; letter-spacing: 0.05em; background: #141926; color: #9aa4bc; border: 1px solid #2f3850; }
.mode-LIVE { background: #132318 !important; color: #a3e635 !important; border-color: #33543f !important; }
}
.mode-EA { background: #16203c !important; color: #4f7dff !important; border-color: #2c3a66 !important; }
.mode-REPLAY { background: #141926 !important; color: #7ea3ff !important; border-color: #2c3a66 !important; }
}
.mode-PAPER { background: #141926 !important; color: #8b95ad !important; }
.win-pill { display: inline-flex; padding: 2px 8px; border-radius: 999px; font-size: 10px; font-weight: 900; background: #132318; color: #a3e635; border: 1px solid #33543f; }
.heat-h { font-size: 10px; color: var(--muted); font-weight: 800; }
.heat-cell { border-radius: 6px; padding: 4px 7px; font-size: 10.5px; font-weight: 800; border: 1px solid transparent; }
.heat-cell:hover { border-color: #3a4360; }

/* signal chips */
.tf-chip { display: inline-flex; align-items: center; gap: 4px; padding: 3px 9px; border-radius: 8px; font-size: 10.5px; font-weight: 900; letter-spacing: 0.02em; border: 1px solid transparent; }
.tf-buy { background: #132318; color: #a3e635; border-color: #33543f; }
.tf-sell { background: #2a141b; color: #f43f5e; border-color: #5c2a35; }
.tf-none { background: #141926; color: #8b95ad; border-color: #242c3e; }

/* \u2500\u2500\u2500 BOT CARD · CONTROLS · EQUITY \u2500\u2500\u2500 */
.bot-grid { display: grid; grid-template-columns: 1.35fr 1fr; gap: 16px; }
.bot-card { background: var(--panel); border: 1px solid var(--border); border-radius: var(--radius); box-shadow: var(--shadow-soft); overflow: hidden; }
.bot-card-head { background: linear-gradient(120deg, #2b56d9, #4f7dff); color: #fff; padding: 12px 16px; display: flex; align-items: center; justify-content: space-between; gap: 10px; flex-wrap: wrap; }
.bot-card-head h2, .bot-card-head h3 { color: #fff !important; font-size: 13px !important; font-weight: 900 !important; letter-spacing: 0.05em; text-transform: uppercase; }
.bot-body { padding: 14px 16px; }
.bot-panel::before { content: ""; position: absolute; inset: 0; background: transparent; pointer-events: none; }
.bot-row { padding: 10px 0; border-bottom: 1px dashed var(--border); }
.bot-row:last-child { border-bottom: none; }
.bot-row > label { font-size: 12.5px; font-weight: 700; color: #9aa4bc; }
.bot-num { width: 92px; background: #10141f; border: 1px solid var(--border-2); border-radius: 9px; padding: 7px 9px; font-size: 13px; font-weight: 800; color: var(--ink); }
.bot-num:focus { outline: none; border-color: #4f7dff; box-shadow: 0 0 3px rgba(79, 125, 255, 0.16); }
.bot-range { width: 100%; accent-color: var(--brand); }
.master-bar { background: #141926; border: 1px solid #fbbf24; border-radius: 13px; padding: 11px 13px; display: flex; align-items: center; justify-content: space-between; gap: 12px; }
.master-switch { width: 52px; height: 29px; border-radius: 999px; border: none; cursor: pointer; background-color: #3a4360; position: relative; transition: background var(--ease); }
.master-switch::after { content: ""; position: absolute; top: 3px; left: 3px; width: 23px; height: 23px; border-radius: 50%; background: #e8ecf6; box-shadow: 0 2px 6px rgba(0, 0, 0, 0.135); transition: transform var(--ease); }
.master-switch.on { background: #a3e635; }
.master-switch.on::after { transform: translateX(23px); }
.bot-mini { display: grid; grid-template-columns: repeat(3, 1fr); gap: 9px; }
.bot-mini > div { background: #161b28; border: 1px solid var(--border); border-radius: 12px; padding: 9px 11px; }
.bot-mini span { display: block; font-size: 9.5px; font-weight: 900; letter-spacing: 0.08em; text-transform: uppercase; color: var(--muted); }
.bot-mini b { font-size: 15px; font-weight: 900; color: var(--ink); font-variant-numeric: tabular-nums; }
.bot-mini-stats { display: flex; flex-wrap: wrap; gap: 8px; }
.bot-disclaimer { font-size: 11px; color: #7ea3ff; background: #141926; border: 1px solid #2c3a66; border-radius: 10px; padding: 9px 11px; line-height: 1.55; }
.bot-foot-note { font-size: 11px; color: var(--muted); line-height: 1.55; padding-top: 9px; }
.bot-foot-note b { color: var(--ink); }
.equity-wrap { background: #10141f; border: 1px solid var(--border); border-radius: 13px; padding: 10px; }
.equity-svg { width: 100%; height: auto; display: block; }
.equity-watermark { font-size: 10px; fill: #4f7dff; font-weight: 800; letter-spacing: 0.1em; }
.why-row { display: flex; gap: 9px; align-items: flex-start; padding: 7px 0; border-bottom: 1px dashed var(--border); font-size: 12px; }
.why-k { font-weight: 900; color: var(--ink); min-width: 130px; font-size: 11px; letter-spacing: 0.03em; }
.why-d { color: var(--muted); font-size: 11.5px; }
.why-ok { color: #a3e635; font-weight: 900; }
.why-no { color: #8b95ad; font-weight: 800; }
.kpi-card { position: relative; background: var(--panel); border: 1px solid var(--border); border-radius: 14px; padding: 13px 15px; overflow: hidden; transition: border-color var(--ease); }
.kpi-card:hover { border-color: #3a4360; }

```

```

.kpi-card::after { content: ""; position: absolute; left: 0; top: 0; bottom: 0; width: 3px; background: #4f7dff; }
.kpi-label { font-size: 9.5px; font-weight: 900; letter-spacing: 0.09em; text-transform: uppercase; color: var(--muted); }
.kpi-val { font-size: 21px; font-weight: 900; color: var(--ink); font-variant-numeric: tabular-nums; letter-spacing: -0.02em; }
.kpi-sub { font-size: 11px; color: var(--muted); }
.kpi-icon { font-size: 17px; }
.kpi-mkt, .kpi-sig, .kpi-win, .kpi-alert { display: flex; gap: 11px; align-items: center; }
.kpi-win .kpi-val { color: #a3e635; }
.kpi-alert .kpi-val { color: #f43f5e; }

/* \u2500\u2500\u2500 CHART \u2500\u2500\u2500 */
.chart-toolbar { display: flex; flex-wrap: wrap; gap: 7px; align-items: center; padding: 9px 12px; background: #10141f; border-bottom: 1px solid #242c3e; }
.chart-wrap { position: relative; height: 470px; width: 100%; background: #141926; border-radius: 13px; overflow: hidden; cursor: grab; user-select: none; }
.chart-wrap:active { cursor: grabbing; transform: none; }
.sym-btn { border: 1px solid #2f3850; background: #10141f; color: #9aa4bc; border-radius: 9px; padding: 6px 11px; font-size: 11.5px; font-weight: 800; cursor: pointer; transition: all var(--ease); }
.sym-btn:hover { border-color: #3a4360; }
.sym-btn.active { background: #4f7dff; border-color: #4f7dff; color: #ffffff; }
.sym-btn.gold-btn { background: #141926; border-color: #2c3a66; color: #7ea3ff; }
.sym-btn.gold-btn:hover { background: #17224a; border-color: #4f7dff; color: #4f7dff; }
.sym-btn.gold-btn.active { background: #4f7dff; border-color: #4f7dff; color: #ffffff; }
.ohlc-overlay { position: absolute; top: 9px; left: 10px; background: rgba(15, 19, 29, 0.95); border: 1px solid #242c3e; border-radius: 9px; padding: 5px 10px; font-family: var(--mono); font-size: 10.5px; font-weight: 700; color: #e8ecf6; pointer-events: none; }
.mkt-label { font-size: 10px; font-weight: 900; letter-spacing: 0.08em; text-transform: uppercase; color: var(--muted); }
.flash-hl { animation: flashRow 1s ease; }
@keyframes flashRow { 0% { background: #fbbf24; } 100% { background: transparent; } }

/* \u2500\u2500\u2500 VISUAL TRANSLATION CARDS \u2500\u2500\u2500 */
.vis-cat-card {
  background: var(--panel); border: 1px solid var(--border) !important; border-width: 1px !important; border-radius: 14px; padding: 13px 15px; transition: border-color var(--ease);
}
.vis-cat-card:hover { border-color: #3a4360 !important; }
.vis-cat-card.bull { border-top-width: 3px !important; border-top-color: #a3e635 !important; }
.vis-cat-card.bear { border-top-width: 3px !important; border-top-color: #e11d48 !important; }
.vcc-header { display: flex; align-items: center; justify-content: space-between; gap: 9px; padding: 8px 11px; border-radius: 10px; margin-bottom: 9px; }
.vcc-header.tone-blue { background: #16203c; border: 1px solid #2c3a66; }
.vcc-header.tone-green { background: #132318; border: 1px solid #33543f; }
.vcc-header.tone-gold { background: #141926; border: 1px solid #2c3a66; }
.vcc-title { font-size: 12px; font-weight: 900; letter-spacing: 0.04em; color: var(--ink); }
.vcc-pills { display: flex; flex-wrap: wrap; gap: 6px; }
.vcc-banner { border-radius: 11px; padding: 10px 12px; font-size: 12.5px; font-weight: 800; line-height: 1.5; border: 1px solid transparent; }
.vcc-banner.bull { background: #132318; border-color: #33543f; color: #a3e635; }
.vcc-banner.bear { background: #2a141b; border-color: #5c2a35; color: #f43f5e; }
.p-pill {
  display: inline-flex; flex-direction: column; gap: 1px; background: #141926; border: 1px solid var(--border); border-radius: 11px; padding: 8px 12px; transition: border-color var(--ease);
}
.p-pill:hover { border-color: #3a4360; }
.p-pill .p-lbl { font-size: 9px; font-weight: 900; letter-spacing: 0.08em; text-transform: uppercase; color: var(--muted); }
.p-pill .p-val { font-family: var(--mono); font-size: 13.5px; font-weight: 800; color: var(--ink); }
.p-pill.tp1-box { background: #132318; border-color: #33543f; }
.p-pill.tp1-box .p-val { color: #a3e635; }
.p-pill.sl-box { background: #2a141b; border-color: #5c2a35; }
.p-pill.sl-box .p-val { color: #f43f5e; }
.p-pill.rel-box { background: #16203c; border-color: #2c3a66; }
.p-pill.rel-box .p-val { color: #4f7dff; }

/* \u2500\u2500\u2500 NOTIFICATIONS (ntfy + feeds + toast contract) \u2500\u2500\u2500 */
.ntfy-panel { background: var(--panel) !important; border: 1px solid var(--border) !important; border-radius: 13px; padding: 10px 12px; }
.ntfy-toggle { background: #161b28; border: 1px solid #2f3850; color: #9aa4bc; border-radius: 999px; padding: 5px 12px; font-size: 11px; font-weight: 800; cursor: pointer; transition: all var(--ease); }
.ntfy-toggle:hover { background: #141926; }
.feed-list { display: flex; flex-direction: column; gap: 7px; }
.feed-list.empty::before { content: "Waiting for the next signal\u2026"; display: block; text-align: center; }

```

```

r; color: var(--muted); font-size: 12px; font-style: italic; padding: 12px; }
.vis-notif-card { background: var(--panel); border: 1px solid var(--border); border-left: 3px solid #a3e63
5; border-radius: 12px; padding: 10px 13px; }
.vis-notif-card.SELL { border-left-color: #e11d48; background: #141926; }
.vnc-box { background: var(--panel); border: 1px solid var(--border); border-radius: 12px; }
.vnc-box strong { color: var(--ink); font-size: 12px; }
.vnc-box span { color: var(--muted); font-size: 11.5px; }
.vnc-top { padding: 8px 12px; border-bottom: 1px solid var(--border); font-size: 11.5px; font-weight: 900;
color: var(--ink); display: flex; justify-content: space-between; gap: 8px; align-items: center; }
.vnc-grid { display: grid; gap: 6px; padding: 9px 12px; }
.vnc-trans { list-style: none; }
.vnc-trans li { padding: 5px 12px; font-size: 11.5px; color: #9aa4bc; border-bottom: 1px solid #242c3e; di
splay: flex; justify-content: space-between; gap: 8px; }
.vnc-trans .step { background: var(--brand-soft); color: var(--brand); border-radius: 999px; padding: 1px
8px; font-size: 9.5px; font-weight: 900; }
#toastBanner { position: fixed; right: 14px; bottom: 14px; z-index: 97; width: 334px; max-height: min(66vh
, 420px); overflow-y: auto; background: #141926; border: 1px solid #242c3e; border-radius: 15px; box-shadow:
var(--shadow); padding: 10px; }
#toastBanner .vnc-box { border-color: var(--border); box-shadow: var(--shadow-soft); }
#toastBanner .vnc-box strong { font-size: 11.5px; }
#toastBanner .vnc-box span { font-size: 10.5px; }
#toastBanner .vnc-grid { padding: 7px 10px; gap: 4px; }
#toastBanner .vnc-top { padding: 7px 10px; font-size: 11px; }
#toastBanner .vnc-trans li { padding: 4px 10px; font-size: 10.5px; }

/* \u2500\u2500\u2500 CALENDAR \u2500\u2500\u2500 */
#calList { display: flex; flex-direction: column; }
.cal-row { display: flex; align-items: center; gap: 11px; padding: 9px 12px; border-bottom: 1px solid #242
c3e; font-size: 12.5px; transition: background var(--ease); }
.cal-row:hover { background: #141926; }
.cal-row:last-child { border-bottom: none; }
.cal-imp { width: 8px; height: 8px; border-radius: 50%; flex: 0 0 8px; }
.cal-high { background: #e11d48; }
.cal-med { background: #f0a868; }
.cal-low { background: #8b95ad; }
.cal-cd { margin-left: auto; font-family: var(--mono); font-size: 10.5px; font-weight: 800; color: var(--m
uted); background: #161b28; border: 1px solid var(--border); border-radius: 999px; padding: 2px 9px; white-s
pace: nowrap; }

/* \u2500\u2500\u2500 ARMED LEVELS / REL BOXES \u2500\u2500\u2500 */
.kpi-alert { border-color: #ff4d6d !important; }

/* \u2500\u2500\u2500 FOOTER \u2500\u2500\u2500 */
.app-footer { border-top: 1px solid var(--border); background: var(--panel); margin-top: 26px; padding-top
: 16px; padding-bottom: 26px; font-size: 11.5px; color: var(--muted); line-height: 1.7; }
.app-footer b { color: var(--ink); }

/* \u2500\u2500\u2500 NOTIF/ALERT helpers \u2500\u2500\u2500 */
.tt-icon, .tt-step { display: inline-flex; align-items: center; gap: 7px; }
.p-pill.rel-box { border-radius: 11px; }
.vnc-trans li:last-child { border-bottom: none; }

/* \u2500\u2500\u2500 RESTORED SELECTORS (chart grid, KPI row, feeds, toast contract) \u2500\u2500\u2500 */
/
.chart-hero-card {
  background: var(--panel); border: 1px solid var(--border);
  border-radius: var(--radius); overflow: hidden; margin-bottom: 15px;
  box-shadow: var(--shadow-soft); scroll-margin-top: 96px;
}
.cat-grid { display: grid; grid-template-columns: repeat(3, 1fr); gap: 14px; margin-bottom: 15px; }
.lower-grid { display: grid; grid-template-columns: 370px 1fr; gap: 14px; }
.kpi-row { display: grid; grid-template-columns: repeat(4, 1fr); gap: 12px; margin-bottom: 14px; }
.kpi-icon {
  display: inline-flex; align-items: center; justify-content: center;
  width: 34px; height: 34px; border-radius: 10px;
  background: #141926; border: 1px solid var(--border); font-size: 16px; flex: 0 0 34px;
}
.kpi-mkt .kpi-icon { background: rgba(79, 125, 255, 0.10); border-color: rgba(79, 125, 255, 0.30); }
.kpi-sig .kpi-icon { background: rgba(163, 230, 53, 0.10); border-color: rgba(163, 230, 53, 0.30); }
.kpi-win .kpi-icon { background: rgba(79, 125, 255, 0.10); border-color: rgba(79, 125, 255, 0.30); }
.kpi-alert .kpi-icon { background: rgba(167, 139, 250, 0.10); border-color: rgba(167, 139, 250, 0.30); }
.controls-bar {
  display: flex; flex-direction: column; gap: 10px;
  background: var(--panel); border: 1px solid var(--border);
  border-radius: var(--radius); padding: 15px; margin-bottom: 14px;

```

```

    box-shadow: var(--shadow-soft); scroll-margin-top: 96px;
}
.bot-panel {
    position: relative; overflow: hidden;
    background: var(--panel); border: 1px solid var(--border);
    border-radius: var(--radius); padding: 18px; margin-bottom: 16px;
    box-shadow: var(--shadow-soft); scroll-margin-top: 96px;
}
#scanBody tr { cursor: pointer; transition: background 0.12s; }
.hist-wrap { max-height: 310px; overflow: auto; }
.qf-txt { display: flex; flex-direction: column; min-width: 0; }
.qf-arrow { align-self: center; color: #9aa4bc; font-weight: 900; font-size: 15px; flex: none; }
.vcc-trans { padding: 11px 12px; display: flex; flex-direction: column; gap: 7px; background: #141926; flex: 1; border-radius: 11px; }
.vis-notif-card.SELL .vnc-top { background: rgba(255, 77, 109, 0.10); color: var(--bear); }
.nd-item .m { font-size: 11.5px; color: #9aa4bc; line-height: 1.45; }
#toastBanner .vis-notif-card { padding: 9px 10px; }
#toastBanner .vnc-trans { font-size: 10px !important; line-height: 1.45 !important; max-height: 92px; overflow-y: auto; padding: 6px 8px !important; }
#toastBanner .vnc-trans .step { font-size: 10px !important; }

/* \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 PHONE (\u2264760px) \u2014 no sticky chrome, tiny toasts, big taps \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 */
@media (max-width: 760px) {
    header, .app-header { position: static; }
    .nav-inner { padding: 9px 12px; gap: 9px; }
    .nav-links { overflow-x: auto; max-height: none; -webkit-overflow-scrolling: touch; border-radius: 14px; }
}
.brand-tag { display: none; }
.header-actions .btn { display: none; }
#notifDrawer { width: auto; max-width: none; top: 12px; left: 10px; right: 10px; border-radius: 14px; }
#notifBell { width: 44px; height: 44px; }
body { overflow-x: hidden; }
#toastBanner { width: 334px; max-height: min(66vh, 420px); right: 10px; bottom: 10px; }
.bot-grid { grid-template-columns: 1fr; }
.section-title { font-size: 18px; }
.zone-bar { padding: 9px 13px; margin-top: 22px; }
.zone-bar .zone-k { font-size: 10px; letter-spacing: 0.12em; }
.btn { padding: 9px 13px; }
.chip-btn { padding: 8px 13px; }
.bot-mini { grid-template-columns: repeat(3, minmax(0, 1fr)); }
.hist-table th, .hist-table td { padding: 8px 8px; }
.chart-wrap { height: 380px; }
.cat-grid, .lower-grid, .kpi-row { grid-template-columns: 1fr; }
.kpi-row { grid-template-columns: repeat(2, 1fr); }
#wireList, #callList, .hist-wrap { max-height: none; }
#scanner, #chartSection, #autoBot, #phoneAlerts, #marketScanner, #worldWire, #calendarSection, #walletSection, #priceAlertsSec, #portfolioSection, #calcSection, #watchSection { scroll-margin-top: 12px; }
.section-head { padding-top: 20px; }
#toastBanner .vnc-box strong { font-size: 11.5px; }
}

/* \u2500\u2500\u2500 reduced motion \u2500\u2500\u2500 */
@media (prefers-reduced-motion: reduce) {
    *, *::before, *::after { animation-duration: 0.001s !important; animation-iteration-count: 1 !important; transition-duration: 0.001s !important; scroll-behavior: auto !important; }
}

/* \u2500\u2500\u2500 carried legacy keyframes (referenced by inline animations) \u2500\u2500\u2500 */
@keyframes marquee { from { transform: translateX(0); } to { transform: translateX(-50%); } }
@keyframes softGlow { 0%, 100% { box-shadow: 0 0 0 rgba(167, 139, 250, 0); } 50% { box-shadow: 0 0 12px rgba(167, 139, 250, 0.25); } }
@keyframes popIn {
    from { transform: translateY(-14px) scale(0.97); opacity: 0; }
    to { transform: translateY(0) scale(1); opacity: 1; }
}
@keyframes pillShine { 0%, 100% { box-shadow: 0 0 0 rgba(163, 230, 53, 0); } 50% { box-shadow: 0 0 10px rgba(163, 230, 53, 0.22); } }
@keyframes flashHL { 0% { box-shadow: 0 0 0 3px rgba(251, 191, 36, 0.9); } 100% { box-shadow: 0 0 0 3px rgba(251, 191, 36, 0); } }</style>

<style id="v9-shell">
/* \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 V9 . SIDEBAR APP SHELL . ICE-CYAN TERM INAL \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 */
body { padding-left: 246px; }
.app-header { position: fixed; z-index: 60; top: 0; left: 0; right: auto; bottom: 0; width: 246px; border-right: 1px solid #141926; }

```

```

ght: 1px solid var(--border); border-bottom: 1px solid var(--border); background: linear-gradient(180deg, #141926 0%, #141926 100%); box-shadow: 8px 0 32px rgba(0, 0, 0, 0.105); }
.nav-inner { max-width: none; margin: 0; height: 100%; box-sizing: border-box; flex-direction: column; flex-wrap: nowrap; align-items: stretch; gap: 13px; padding: 16px 13px 14px; overflow: hidden; }
.nav-brand { flex: 0 0 auto; }
.nav-links { flex: 1 1 auto; min-height: 0; flex-direction: column; align-items: stretch; gap: 3px; overflow-x: hidden; overflow-y: auto; background: transparent; border: none; border-radius: 0; padding: 4px 0; scrollbar-width: thin; scrollbar-color: #242c3e transparent; }
.nav-link { flex: 0 0 auto; display: flex; align-items: center; gap: 9px; padding: 11px 13px; border-radius: 11px; font-size: 12.5px; letter-spacing: .01em; white-space: nowrap; border-left: 3px solid transparent; box-sizing: border-box; }
.nav-link:hover { background: #141926; color: #e8ecf6; }
.nav-link.active { background: linear-gradient(90deg, rgba(79, 125, 255, .15), rgba(79, 125, 255, .03)); color: #7ea3ff; border-left-color: #4f7dff; box-shadow: none; }
.header-actions { flex-direction: column; align-items: stretch; gap: 8px; border-top: 1px solid var(--border); padding-top: 12px; }
.header-actions .live-pill { justify-content: center; }
.header-actions .btn { width: 100%; }
.rail-toggle { display: none; }
.rail-scrim { display: none; }
.pane[hidden] { display: none !important; }
.pane { animation: v9paneIn .3s var(--ease, ease); padding-bottom: 6px; }
@keyframes v9paneIn { from { opacity: 0; transform: translateY(10px); } to { opacity: 1; transform: none; } }
.zone-bar { background: linear-gradient(90deg, rgba(79, 125, 255, .10), rgba(79, 125, 255, .02) 60%, transparent); border-color: rgba(79, 125, 255, .25); }
@media (max-width: 900px) {
  body { padding-left: 0; padding-top: 56px; padding-bottom: 64px; overflow-x: hidden; }
  .app-header { right: 0; bottom: auto; width: auto; height: 56px; border-right: none; border-bottom: 1px solid var(--border); background: rgba(15, 19, 29, .96); backdrop-filter: blur(14px); -webkit-backdrop-filter: blur(14px); box-shadow: 0 6px 24px rgba(0, 0, 0, 0.120); }
  .nav-inner { flex-direction: row; align-items: center; height: 56px; padding: 0 10px; gap: 9px; overflow: visible; }
  .nav-brand { display: flex; }
  .brand-tag { display: none; }
  .rail-toggle { display: inline-flex; align-items: center; justify-content: center; width: 40px; height: 40px; flex: 0 0 40px; border-radius: 11px; background: #141926; border: 1px solid #2f3850; color: #7ea3ff; font-size: 17px; cursor: pointer; }
  .nav-links { position: fixed; top: 56px; left: 0; bottom: 0; width: min(308px, 86vw); z-index: 75; background: #141926; border-right: 1px solid var(--border); padding: 14px 12px; transform: translateX(-105%); transition: transform .25s var(--ease, ease); box-shadow: 14px 0 44px rgba(0, 0, 0, 0.165); overflow-y: auto; }
  body.rail-open .nav-links { transform: none; }
  .nav-link { padding: 13px 14px; font-size: 14.5px; min-height: 46px; }
  .rail-scrim { position: fixed; top: 56px; left: 0; right: 0; bottom: 0; z-index: 70; background: rgba(15, 17, 24, .6); backdrop-filter: blur(2px); }
  body.rail-open .rail-scrim { display: block; }
  .header-actions { flex-direction: row; align-items: center; gap: 6px; border-top: none; padding-top: 0; margin-left: auto; flex: 0 0 auto; }
  .header-actions .btn { display: none; }
  #sessionStrip, #healthPill { display: none; }
  .header-actions .live-pill { padding: 5px 9px; font-size: 10.5px; }
}
@media (max-width: 480px) {
  .brand-name { font-size: 13px; }
}

```

```

<svg width="0" height="0" style="position:absolute" aria-hidden="true" focusable="false"><defs>
<symbol id="i-mark" viewBox="0 0 24 24"><circle cx="12" cy="12" r="7.2"/><path d="M12 1.8v4.2M12 18v4.2M1.8 12h4.2M18 12h4.2"/><rect x="10.7" y="9.2" width="2.6" height="5.6" rx="1" fill="currentColor" stroke="none"/></symbol>
<symbol id="i-target" viewBox="0 0 24 24"><circle cx="12" cy="12" r="7.5"/><circle cx="12" cy="12" r="2.6"/><path d="M12 1.8v3.2M12 19v3.2M1.8 12h3.2M19 12h3.2"/></symbol>
<symbol id="i-grid" viewBox="0 0 24 24"><rect x="3.2" y="3.2" width="7.2" height="7.2" rx="1.6"/><rect x="13.6" y="3.2" width="7.2" height="7.2" rx="1.6"/><rect x="3.2" y="13.6" width="7.2" height="7.2" rx="1.6"/><rect x="13.6" y="13.6" width="7.2" height="7.2" rx="1.6"/></symbol>
<symbol id="i-star" viewBox="0 0 24 24"><path d="M12 3.2l2.6 5.4 5.9.8-4.3 4.2 1 5.9L12 16.7l-5.2 2.8 1-5.9-4.3-4.2 5.9-.8z"/></symbol>
<symbol id="i-line" viewBox="0 0 24 24"><path d="M3.5 16.5l5-5 3.5 3.5L19.5 7"/><path d="M14.5 7h5v5"/></symbol>
<symbol id="i-globe" viewBox="0 0 24 24"><circle cx="12" cy="12" r="8.5"/><path d="M3.5 12h17"/><path d="M12 3.5c2.6 2.4 2.6 14.6 0 17M12 3.5c-2.6 2.4-2.6 14.6 0 17"/></symbol>
<symbol id="i-cal" viewBox="0 0 24 24"><rect x="3.5" y="5" width="17" height="16" rx="2.6"/><path d="M3.5 9.6h17M8 3v4M16 3v4M8.4 13.6h.01M12 13.6h.01M15.6 13.6h.01M8.4 17h.01M12 17h.01"/></symbol>
<symbol id="i-bot" viewBox="0 0 24 24"><rect x="4.5" y="8" width="15" height="11" rx="3"/><path d="M12 8v5.2"/><circle cx="12" cy="3.9" r="1.3"/><path d="M9 13h.01M15 13h.01M9.5 16.2h5"/></symbol>

```

```

<symbol id="i-wallet" viewBox="0 0 24 24"><rect x="3" y="6" width="18" height="13" rx="3"/><path d="M3 10.5h
18"/><circle cx="16.8" cy="14.8" r="1.1" fill="currentColor" stroke="none"/></symbol>
<symbol id="i-phone" viewBox="0 0 24 24"><rect x="7" y="2.8" width="10" height="18.4" rx="2.8"/><path d="M10
.6 18.2h2.8"/></symbol>
<symbol id="i-flag" viewBox="0 0 24 24"><path d="M6 21v3.8"/><path d="M6 4.5c4-2.2 8 2.2 12 0v8.8c-4 2.2-8-2
.2-12 0z"/></symbol>
<symbol id="i-calc" viewBox="0 0 24 24"><rect x="5" y="3.5" width="14" height="17" rx="2.5"/><path d="M8.5 7
.8h7M8.6 12h.01M12 12h.01M15.4 12h.01M8.6 15.6h.01M12 15.6h.01M15.4 15.6h.01"/></symbol>
<symbol id="i-clock" viewBox="0 0 24 24"><circle cx="12" cy="12" r="8.4"/><path d="M12 7.2v5l3.4 1.8"/></sym
bol>
<symbol id="i-trophy" viewBox="0 0 24 24"><path d="M7.5 4h9v4.5a4.5 4.5 0 0 1-9 0z"/><path d="M7.5 5.5h-3c0
2.5 1.2 4.2 3 4.6M16.5 5.5h3c0 2.5-1.2 4.2-3 4.6"/><path d="M12 13v3.4M8.8 20.4h6.4M10.2 16.4h3.6l.6 4h-4.8z
"/></symbol>
<symbol id="i-case" viewBox="0 0 24 24"><rect x="3" y="7.5" width="18" height="12" rx="2.5"/><path d="M8.5 7
.5V6.2A2.2 2.2 0 0 1 10.7 4h2.6a2.2 2.2 0 0 1 2.2 2.2v1.3M3 12.5h18"/></symbol>
<symbol id="i-clip" viewBox="0 0 24 24"><rect x="6" y="4.5" width="12" height="16" rx="2.5"/><path d="M9.2 4
.5V4a1.6 1.6 0 0 1 1.6-1.6h2.4A1.6 1.6 0 0 1 14.8 4v.5M9.3 11h5.4M9.3 15h3.6"/></symbol>
<symbol id="i-down" viewBox="0 0 24 24"><rect x="4.5" y="4" width="15" height="16" rx="3"/><path d="M12 8v6.
2M9.1 11.5L12 14.4l2.9-2.9"/></symbol>
<symbol id="i-bell" viewBox="0 0 24 24"><path d="M18.5 9A6.5 6.5 0 0 0 5.5 9c0 5.2-2.1 6.7-2.1 6.7h15.2S18.5
14.2 18.5 9"/><path d="M10.2 19.5a2.1 2.1 0 0 0 3.6 0"/></symbol>
</defs></svg>
<style id="v10-visual">
/* \u2550\u2550\u2550\u2550\u2550\u2550 V10 . VISUAL SYSTEM \u2014 icon tiles, cleaner chrome \u2550\u2550\u2550\u2550\u2550\u2550 */
svg.ni { width: 17px; height: 17px; flex: 0 0 auto; stroke: currentColor; fill: none; stroke-width: 1.85; st
roke-linecap: round; stroke-linejoin: round; vertical-align: -3px; }
.logo-tile { background: linear-gradient(135deg, #4f7dff, #7ea3ff); box-shadow: 0 8px 22px -8px rgba(79, 125
, 255, .55), inset 0 1px 0 rgba(160,175,210,.25); }
.logo-tile svg.ni { width: 23px; height: 23px; stroke-width: 2; color: #ffffff; }
.brand-name { letter-spacing: .04em; }
.brand-tag { text-transform: uppercase; letter-spacing: .1em; font-size: 9px; color: #8b95ad; }
.nav-link.ni { color: #4f7dff; }
.nav-link.active.ni { color: #7ea3ff; }
.section-title { font-size: 18.5px; letter-spacing: -.01em; }
.section-title.ico { width: 42px; height: 42px; min-width: 42px; border-radius: 13px; display: inline-flex;
align-items: center; justify-content: center; background: linear-gradient(135deg, rgba(79, 125, 255, .16),
rgba(79, 125, 255, .15)); border: 1px solid rgba(79, 125, 255, .30); box-shadow: 0 6px 18px -10px rgba(79, 1
25, 255, .6); font-size: inherit; padding: 0; line-height: 1; }
.section-title.ico svg.ni { width: 21px; height: 21px; stroke-width: 1.9; color: #7ea3ff; vertical-align: 0
; }
.ok-badge { background: rgba(79, 125, 255, .12); color: #7ea3ff; border-color: rgba(79, 125, 255, .35); }
.panel-card { background: linear-gradient(180deg, #141926 0%, #141926 100%); border: 1px solid #242c3e; bord
er-radius: 16px; transition: border-color .2s var(--ease, ease), box-shadow .25s var(--ease, ease); }
.panel-card:hover { border-color: #4f7dff; box-shadow: 0 16px 36px -24px rgba(79, 125, 255, .45); }
.kpi-card { background: linear-gradient(180deg, #141926, #141926); border-radius: 16px; }
.kpi-card::after { width: 4px; background: linear-gradient(180deg, #4f7dff, #4f7dff); border-radius: 0 4px 4
px 0; }
.kpi-val { font-size: 23px; }
.btn { border-radius: 11px; padding: 9px 15px; letter-spacing: .015em; }
.btn-blue { background: linear-gradient(135deg, #4f7dff, #7ea3ff); color: #ffffff; border-color: transparent
; box-shadow: 0 8px 20px -10px rgba(79, 125, 255, .7); }
.btn-blue:hover { background: linear-gradient(135deg, #7ea3ff, #8ab0ff); border-color: transparent; }
.chip-btn { border-radius: 999px; padding: 7px 14px; }
.chip-btn.active { background: linear-gradient(135deg, #4f7dff, #7ea3ff); color: #ffffff; }
.sym-btn { border-radius: 10px; padding: 7px 12px; }
.sym-btn.active { background: linear-gradient(135deg, #4f7dff, #7ea3ff); color: #ffffff; border-color: trans
parent; }
.status-tape { background: #141926; border-color: #242c3e; }
.tape-label { background: linear-gradient(135deg, #4f7dff, #2b56d9); color: #ffffff; gap: 7px; font-weight:
900; }
.tape-label svg.ni { stroke-width: 2; }
.tape-item { letter-spacing: .04em; font-size: 11px; }
.zone-bar { font-size: 10.5px; letter-spacing: .13em; text-transform: uppercase; }
.zone-k { background: rgba(79, 125, 255, .14); border: 1px solid rgba(79, 125, 255, .3); color: #7ea3ff; }
.qf-step { border: 1px solid transparent; border-radius: 14px; }
.qf-step:hover { border-color: rgba(79, 125, 255, .35); background: rgba(79, 125, 255, .05); }
.qf-ico svg.ni { width: 19px; height: 19px; color: #7ea3ff; }
.load-spin { display: inline-block; width: 13px; height: 13px; border: 2px solid rgba(79, 125, 255, .25); bo
rder-top-color: #4f7dff; border-radius: 50%; animation: v10spin .7s linear infinite; vertical-align: -2px; m
argin-right: 6px; }
@keyframes v10spin { to { transform: rotate(360deg); } }
td[data-px] { transition: color .45s ease; }
.mkt-label svg.ni { color: #7ea3ff; }
::-webkit-scrollbar { width: 10px; height: 10px; }
::-webkit-scrollbar-thumb { background: #141926; border-radius: 99px; border: 2px solid #0a0d13; }

```

```

*::-webkit-scrollbar-thumb:hover { background: #4f7dff; }
*::-webkit-scrollbar-track { background: transparent; }
.pane > .section-head:first-child { margin-top: 4px; }
.hist-empty { padding: 26px 12px !important; }
@media (max-width: 900px) {
    .section-title { font-size: 16px; }
    .section-title .ico { width: 36px; height: 36px; min-width: 36px; border-radius: 11px; }
    .section-title .ico svg.ni { width: 18px; height: 18px; }
    .kpi-val { font-size: 20px; }
}
</style>

<style id="v11-layout">
/* \u2550\u2550\u2550\u2550\u2550\u2550 V11 . COMPOSITION \u2014 dashboard rail, multi-column panes \u2550\u2550\u2550\u2550\u2550\u2550 */
.dash-grid { display: grid; grid-template-columns: minmax(0, 1fr) 340px; gap: 18px; align-items: start; }
.dash-side { display: flex; flex-direction: column; gap: 14px; position: sticky; top: 14px; }
.dash-side .kpi-row { grid-template-columns: 1fr 1fr; gap: 10px; }
.dash-side .kpi-card { padding: 11px 12px; }
.dash-side .kpi-val { font-size: 18px; }
.dash-side .kpi-sub { font-size: 10px; }
.dash-side .quick-flow { flex-direction: column; align-items: stretch; gap: 8px; border: 1px solid var(--border); border-radius: 16px; background: linear-gradient(180deg, #141926, #141926); padding: 12px; margin: 0; }
.dash-side .qf-arrow { display: none; }
.dash-side .qf-step { width: 100%; }
.kpi-icon { display: inline-flex; align-items: center; justify-content: center; }
.kpi-icon svg.ni { width: 18px; height: 18px; color: #7ea3ff; }
.pane[data-pane="walletSection"], .pane[data-pane="portfolioSection"] { display: grid; grid-template-columns: repeat(auto-fit, minmax(430px, 1fr)); gap: 16px; align-items: start; }
.pane[data-pane="walletSection"] > .section-head, .pane[data-pane="portfolioSection"] > .section-head { grid-column: 1 / -1; }
@media (max-width: 1180px) {
    .dash-grid { display: flex; flex-direction: column; }
    .dash-side { position: static; order: -1; width: 100%; }
}
@media (max-width: 900px) {
    .pane[data-pane="walletSection"], .pane[data-pane="portfolioSection"] { grid-template-columns: 1fr; }
}
</style>
<!-- V12_IVORY_APPLIED -->
<style id="v13-mobile">
@media (max-width:900px){
    #btnCopyPineTop,#btnPwaInstall{display:inline-flex;position:fixed;bottom:0;z-index:66;width:auto;max-width:50vw;height:calc(50px + env(safe-area-inset-bottom,0px));padding:0 10px env(safe-area-inset-bottom,0px);box-sizing:border-box;align-items:center;justify-content:center;font-size:11.5px;border-radius:0;margin:0;white-space:nowrap;overflow:hidden;text-overflow:ellipsis;border-top-width:1px;border-top-style:solid;}
    #btnCopyPineTop{left:0;right:50%;border-right:1px solid rgba(160,175,210,.35);border-bottom-left-radius:0;}
    #btnPwaInstall{left:50%;right:0;border-bottom-right-radius:0;border-left:0;}
    body{padding-bottom:calc(64px + env(safe-area-inset-bottom,0px));}
    .kpi-row{grid-template-columns:repeat(2,minmax(0,1fr));}
    .hist-wrap{overflow:auto;-webkit-overflow-scrolling:touch;}
    .dash-main,.dash-side{min-width:0;}
    #toastBanner{bottom:calc(62px + env(safe-area-inset-bottom,0px));}
}
@media (max-width:600px){
    .chart-wrap{height:340px;}
    #toastBanner{width:calc(100vw - 20px);max-width:334px;right:10px;}
    .btn{font-size:12px;}
    .section-head{flex-wrap:wrap;}
}
</style>
<style id="v14-fx">
/* \u2500\u2500 MIDNIGHT PRO TERMINAL . structural fixes + neon finish \u2500\u2500 */
@media (max-width:900px){
    .app-header{position:fixed;top:0;left:0;right:0;bottom:auto;width:auto;height:56px;backdrop-filter:none;-webkit-backdrop-filter:none;}
}
body{
    background:
        radial-gradient(1100px 520px at 12% -8%, rgba(79,125,255,.16), transparent 60%),
        radial-gradient(900px 460px at 92% 2%, rgba(163,230,53,.07), transparent 55%),
        radial-gradient(1000px 700px at 50% 110%, rgba(34,211,238,.05), transparent 60%),
        var(--bg);
}

```



```
</div>
</div>
</header>
<div class="rail-scrim" id="railScrim"></div>

<!-- \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 SESSION CLOCK STRIP \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 -->
<div id="sessionBar" style="display:flex; gap:8px; align-items:center; justify-content:center; flex-wrap:wrap; padding:7px 12px; font-size:10.5px; font-weight:800; letter-spacing:.03em; color:var(--muted); background:var(--panel); border-bottom:1px solid var(--border);">
  <span id="sbAsia" style="padding:3px 10px; border-radius:999px; border:1px solid var(--border);">\u25cb ASIA 00\u20131309 UTC</span>
  <span id="sBLdn" style="padding:3px 10px; border-radius:999px; border:1px solid var(--border);">\u25cb LONDON 07\u20131316 UTC</span>
  <span id="sbNy" style="padding:3px 10px; border-radius:999px; border:1px solid var(--border);">\u25cb NEW YORK 12\u20131321 UTC</span>
  <span id="sbNote" style="color:#4f7dff;">\u2014</span>
</div>

<!-- \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 LIVE STATUS TAPE (MARQUEE) \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 -->
<div class="status-tape" aria-label="Live market status tape">
  <div class="tape-label"><svg class="ni" viewBox="0 0 24 24" aria-hidden="true"><use href="#i-target"/></svg> LIVE FEED</div>
  <div class="tape-viewport">
    <div class="tape-track">
      <div class="tape-half">
        <span class="tape-item"><b>INSIDER SNIPER V4</b> ENGINE ONLINE</span>
        <span class="tape-item"><b class="js-tape-sym">BTCUSDT</b> . <b class="js-tape-price">--</b> . <b class="js-tape-dir up">\u25cf SCANNING</b></span>
        <span class="tape-item">WIN RATE <b class="js-tape-win up">--</b> <span class="js-tape-win-sub" style="color:#8b95ad; font-weight:800;">(collecting\u2026)</span></span>
        <span class="tape-item">TIMEFRAMES <b>1m + 5m + 15m</b> ALL ACTIVE</span>
        <span class="tape-item">PHONE ALERTS <b>3 SEPARATE ntfy INBOXES</b></span>
        <span class="tape-item">MARKETS <b>GOLD . FOREX . STOCKS . CRYPTO</b></span>
        <span class="tape-item">AUTO-EXECUTION <b>MT4 / MT5 . Binance . OKX . MEXC</b></span>
        <span class="tape-item">AUTO-TRADING BOT <b class="up">ACTIVE \u2705 REAL ORDERS</b></span>
        <span class="tape-item">EDUCATIONAL TOOL \u2014 NOT FINANCIAL ADVICE</span>
      </div>
      <div class="tape-half" aria-hidden="true">
        <span class="tape-item"><b>INSIDER SNIPER V4</b> ENGINE ONLINE</span>
        <span class="tape-item"><b class="js-tape-sym">BTCUSDT</b> . <b class="js-tape-price">--</b> . <b class="js-tape-dir up">\u25cf SCANNING</b></span>
        <span class="tape-item">WIN RATE <b class="js-tape-win up">--</b> <span class="js-tape-win-sub" style="color:#8b95ad; font-weight:800;">(collecting\u2026)</span></span>
        <span class="tape-item">TIMEFRAMES <b>1m + 5m + 15m</b> ALL ACTIVE</span>
        <span class="tape-item">PHONE ALERTS <b>3 SEPARATE ntfy INBOXES</b></span>
        <span class="tape-item">MARKETS <b>GOLD . FOREX . STOCKS . CRYPTO</b></span>
        <span class="tape-item">AUTO-EXECUTION <b>MT4 / MT5 . Binance . OKX . MEXC</b></span>
        <span class="tape-item">AUTO-TRADING BOT <b class="up">ACTIVE \u2705 REAL ORDERS</b></span>
        <span class="tape-item">EDUCATIONAL TOOL \u2014 NOT FINANCIAL ADVICE</span>
      </div>
    </div>
  </div>
</div>

<!-- \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 KPI DASHBOARD ROW \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 -->
<div class="pane" data-pane="scanner" hidden><div class="dash-grid"><div class="dash-main"><div class="controls-bar" id="scanner">
  <div class="market-row">
    <span class="mkt-label">GOLD & FOREX:</span>
    <button class="sym-btn gold-btn" onclick="selectSymbol('XAUUSD', this)">XAUUSD (GOLD SPOT)</button>
    <button class="sym-btn gold-btn" onclick="selectSymbol('GC=F', this)">GOLD FUTURES</button>
    <button class="sym-btn" onclick="selectSymbol('EURUSD', this)">EUR/USD</button>
    <button class="sym-btn" onclick="selectSymbol('GBPUSD', this)">GBP/USD</button>
    <button class="sym-btn" onclick="selectSymbol('AUDUSD', this)">AUD/USD</button>
    <button class="sym-btn" onclick="selectSymbol('USDJPY=X', this)">USD/JPY</button>
  </div>
  <div class="market-row">
    <span class="mkt-label">CRYPTO & STOCKS:</span>
    <button class="sym-btn active" onclick="selectSymbol('BTCUSDT', this)">BTC/USD</button>
    <button class="sym-btn" onclick="selectSymbol('ETHUSDT', this)">ETH/USD</button>
    <button class="sym-btn" onclick="selectSymbol('SOLUSDT', this)">SOL/USD</button>
    <button class="sym-btn" onclick="selectSymbol('BNBUSDT', this)">BNB/USD</button>
    <button class="sym-btn" onclick="selectSymbol('XRPUSDT', this)">XRP/USD</button>
  </div>
</div>
</div>
</div>
```

```

<button class="sym-btn" onclick="selectSymbol('DOGEUSD', this)">DOGE/USD</button>
<button class="sym-btn" onclick="selectSymbol('NVDA', this)">NVDA</button>
<button class="sym-btn" onclick="selectSymbol('TSLA', this)">TSLA</button>
<button class="sym-btn" onclick="selectSymbol('QQQ', this)">NAS100</button>
<button class="sym-btn" onclick="selectSymbol('SPY', this)">S&P 500</button>

<div style="display:flex; gap:5px; margin-left:auto; align-items:center;">
  <input type="text" id="customSymInput" class="sym-input" placeholder="Type XAUUSD, BTC, AAPL..." />
  <button class="btn btn-blue" onclick="loadCustomSymbol()">Scan</button>
</div>
</div>
</div>

<!-- \ud83d\udd25 SEPARATED TIMEFRAME CATEGORIES (FILTER BY 1m, 5m, 15m OR VIEW CLEANLY SEPARATED) -->
<div class="section-shell">
  <div style="display:flex; justify-content:space-between; align-items:center; flex-wrap:wrap; gap:10px; margin-bottom:12px; padding-bottom:10px; border-bottom:1px solid #242c3e;">
    <div>
      <strong style="font-size:15px; color:#4f7dff;">\ud83d\udcc2 SELECT TIMEFRAME CATEGORY \u2014 EACH ONE SENDS ITS OWN PHONE ALERTS</strong>
      <div style="font-size:11.5px; color:#7e89a3;">Pick a tab to focus a single timeframe, or keep all three split side by side \u2014 every category pushes its own phone notification, so your phone only speaks for the window you trade.</div>
    </div>
    <div style="display:flex; gap:6px; flex-wrap:wrap;">
      <button class="sym-btn active" id="catTab_all" onclick="filterCategoryView('all')">Show All 3 (Split)</button>
      <button class="sym-btn" id="catTab_1m" onclick="filterCategoryView('1m')">Category 1 Only: 1-Minute [1m]</button>
      <button class="sym-btn" id="catTab_5m" onclick="filterCategoryView('5m')">Category 2 Only: 5-Minute [5m]</button>
      <button class="sym-btn" id="catTab_15m" onclick="filterCategoryView('15m')">Category 3 Only: 15-Minute [15m]</button>
    </div>
  </div>

  <div class="cat-grid" id="catGridContainer">
    <!-- Category 1: 1m -->
    <div class="vis-cat-card bull" id="card_1m" style="border-width:2px;">
      <div class="vcc-header tone-blue">
        <div>
          <span class="vcc-title" style="color:#4f7dff; font-size:14px;">\u26a1 CATEGORY 1: 1-MINUTE [1m]</span>
          <div style="font-size:10.5px; color:#7e89a3;">Scalp window \u2013 resolves in 1\u2013135 minutes</div>
        </div>
        <span class="win-pill" id="win_1m">Win Rate: --%</span>
      </div>
      <div class="vcc-banner bull" id="banner_1m">
        <span id="action_1m">SCANNING...</span>
        <span id="score_1m" style="font-size:11.5px;">Buy Flow: --%</span>
        <button id="whyBtn_1m" onclick="toggleWhy('1m')" style="background:rgba(167, 139, 250, .12); border:1px solid rgba(167, 139, 250, .5); color:#a78bfa; font-size:9.5px; font-weight:900; border-radius:999px; padding:2px 8px; cursor:pointer;">\ud83e\udd00 WHY?</button>
      </div>
      <div id="whyBox_1m" style="display:none; padding:10px 12px; background:#1c1836; border-top:1px solid rgba(167, 139, 250, .35); font-size:11px; line-height:1.55;"></div>
      <div class="vcc-trans" id="trans_1m">Translating 1m signal...</div>
      <div style="padding:10px 12px; background:var(--panel); border-top:1px solid var(--border);">
        <div style="font-size:10.5px; font-weight:800; color:#4f7dff; margin-bottom:6px;">\ud83d\udd35 STEP 1: ENTRY PRICES</div>
        <div style="display:grid; grid-template-columns:1fr 1fr; gap:7px; margin-bottom:10px;">
          <div class="p-pill"><span class="p-lbl" id="lbl_entry_1m">1\u20ac0f\u20ac3 BUY NOW AT</span><span class="p-val" id="entry_1m">--</span></div>
          <div class="p-pill rel-box"><span class="p-lbl" id="lbl_reload_1m">2\u20ac0f\u20ac3 CHEAPER DIP BUY</span><span class="p-val" id="reload_1m">--</span></div>
        </div>
        <div style="font-size:10.5px; font-weight:800; color:#a3e635; margin-bottom:6px;">\ud83d\udfe2 STEP 2: TAKE PROFIT TARGETS (FOLLOW TP!)</div>
        <div style="display:grid; grid-template-columns:1fr 1fr 1fr; gap:6px; margin-bottom:10px;">
          <div class="p-pill tp1-box"><span class="p-lbl" id="lbl_tp1_1m">3\u20ac0f\u20ac3 SAFE TP1</span><span class="p-val" id="tp1_1m">--</span></div>
          <div class="p-pill tp1-box"><span class="p-lbl" id="lbl_tp2_1m">4\u20ac0f\u20ac3 MID TP2</span><span class="p-val" id="tp2_1m">--</span></div>
          <div class="p-pill"><span class="p-lbl" id="lbl_tp3_1m">5\u20ac0f\u20ac3 MAX TP3</span><span class="p-val" id="tp3_1m" style="color:var(--gold);">--</span></div>
        </div>
      </div>
    </div>
  </div>

```

```

<div style="font-size:10.5px; font-weight:800; color:#e11d48; margin-bottom:6px;">\ud83d\udd34 STEP
3: SAFETY SHIELD (STOP LOSS)</div>
    <div class="p-pill sl-box"><span class="p-lbl" id="lbl_sl_1m">6\ufe0f\u20e3 STOP LOSS EXIT</span><span
class="p-val" id="sl_1m">--</span></div>
    </div>
    <div style="padding:9px 12px; background:#161b28; border-top:1px solid var(--border); display:flex; ga
p:6px;">
        <button class="btn btn-blue" style="flex:1; justify-content:center;" onclick="sendSingleCategoryPhon
eAlert('1m')">Send ONLY 1m Alert</button>
        <button class="btn btn-dark" style="justify-content:center;" onclick="setChartTF('1m')">1m Chart</bu
tton>
    </div>
</div>

<!-- Category 2: 5m -->
<div class="vis-cat-card bull" id="card_5m" style="border-width:2px;">
    <div class="vcc-header tone-green">
        <div>
            <span class="vcc-title" style="color:#a3e635; font-size:14px;">CATEGORY 2: 5-MINUTE [5m]</span>
            <div style="font-size:10.5px; color:#7e89a3;">Intraday window · resolves in 15\u201345 minutes</di
v>
        </div>
        <span class="win-pill" id="win_5m">Win Rate: --%</span>
    </div>
    <div class="vcc-banner bull" id="banner_5m">
        <span id="action_5m">SCANNING...</span>
        <span id="score_5m" style="font-size:11.5px;">Buy Flow: --%</span>
        <button id="whyBtn_5m" onclick="toggleWhy('5m')" style="background:rgba(167, 139, 250, .12); border:
1px solid rgba(167, 139, 250, .5); color:#a78bfa; font-size:9.5px; font-weight:900; border-radius:999px; pad
ding:2px 8px; cursor:pointer;">\ud83e\udd00 WHY?</button>
    </div>
    <div id="whyBox_5m" style="display:none; padding:10px 12px; background:#1c1836; border-top:1px solid r
gba(167, 139, 250, .35); font-size:11px; line-height:1.55;"></div>
    <div class="vcc-trans" id="trans_5m">Translating 5m signal...</div>
    <div style="padding:10px 12px; background:var(--panel); border-top:1px solid var(--border);">
        <div style="font-size:10.5px; font-weight:800; color:#4f7dff; margin-bottom:6px;">\ud83d\udd35 STEP
1: ENTRY PRICES</div>
        <div style="display:grid; grid-template-columns:1fr 1fr; gap:7px; margin-bottom:10px;">
            <div class="p-pill"><span class="p-lbl" id="lbl_entry_5m">1\ufe0f\u20e3 BUY NOW AT</span><span cla
ss="p-val" id="entry_5m">--</span></div>
            <div class="p-pill rel-box"><span class="p-lbl" id="lbl_reload_5m">2\ufe0f\u20e3 CHEAPER DIP BUY</
span><span class="p-val" id="reload_5m">--</span></div>
        </div>
        <div style="font-size:10.5px; font-weight:800; color:#a3e635; margin-bottom:6px;">\ud83d\udfe2 STEP
2: TAKE PROFIT TARGETS (FOLLOW TP!)</div>
        <div style="display:grid; grid-template-columns:1fr 1fr 1fr; gap:6px; margin-bottom:10px;">
            <div class="p-pill tp1-box"><span class="p-lbl" id="lbl_tp1_5m">3\ufe0f\u20e3 SAFE TP1</span><span
class="p-val" id="tp1_5m">--</span></div>
            <div class="p-pill tp1-box"><span class="p-lbl" id="lbl_tp2_5m">4\ufe0f\u20e3 MID TP2</span><span
class="p-val" id="tp2_5m">--</span></div>
            <div class="p-pill"><span class="p-lbl" id="lbl_tp3_5m">5\ufe0f\u20e3 MAX TP3</span><span class="p
-val" id="tp3_5m" style="color:var(--gold);">--</span></div>
        </div>
        <div style="font-size:10.5px; font-weight:800; color:#e11d48; margin-bottom:6px;">\ud83d\udd34 STEP
3: SAFETY SHIELD (STOP LOSS)</div>
        <div class="p-pill sl-box"><span class="p-lbl" id="lbl_sl_5m">6\ufe0f\u20e3 STOP LOSS EXIT</span><sp
an class="p-val" id="sl_5m">--</span></div>
    </div>
    <div style="padding:9px 12px; background:#161b28; border-top:1px solid var(--border); display:flex; ga
p:6px;">
        <button class="btn btn-green" style="flex:1; justify-content:center;" onclick="sendSingleCategoryPho
neAlert('5m')">Send ONLY 5m Alert</button>
        <button class="btn btn-dark" style="justify-content:center;" onclick="setChartTF('5m')">5m Chart</bu
tton>
    </div>
</div>

<!-- Category 3: 15m -->
<div class="vis-cat-card bull" id="card_15m" style="border-width:2px;">
    <div class="vcc-header tone-gold">
        <div>
            <span class="vcc-title" style="color:#4f7dff; font-size:14px;">\ud83c\udfe6 CATEGORY 3: 15-MINUTE
[15m]</span>
            <div style="font-size:10.5px; color:#7e89a3;">Swing window · holds 1\u201314 hours</div>
        </div>
        <span class="win-pill" id="win_15m">Win Rate: --%</span>
    </div>

```

```

</div>
<div class="vcc-banner bull" id="banner_15m">
  <span id="action_15m">SCANNING...</span>
  <span id="score_15m" style="font-size:11.5px;">Buy Flow: --%</span>
  <button id="whyBtn_15m" onclick="toggleWhy('15m')" style="background:rgba(167, 139, 250, .12); border:1px solid rgba(167, 139, 250, .5); color:#a78bfa; font-size:9.5px; font-weight:900; border-radius:999px; padding:2px 8px; cursor:pointer;">\ud83e\udde0 WHY?</button>
</div>
<div id="whyBox_15m" style="display:none; padding:10px 12px; background:#1c1836; border-top:1px solid rgba(167, 139, 250, .35); font-size:11px; line-height:1.55;"></div>
  <div class="vcc-trans" id="trans_15m">Translating 15m signal...</div>
  <div style="padding:10px 12px; background:var(--panel); border-top:1px solid var(--border);">
    <div style="font-size:10.5px; font-weight:800; color:#4f7dff; margin-bottom:6px;">\ud83d\udd35 STEP 1: ENTRY PRICES</div>
    <div style="display:grid; grid-template-columns:1fr 1fr; gap:7px; margin-bottom:10px;">
      <div class="p-pill"><span class="p-lbl" id="lbl_entry_15m">1\ufe0f\u20e3 BUY NOW AT</span><span class="p-val" id="entry_15m">--</span></div>
      <div class="p-pill rel-box"><span class="p-lbl" id="lbl_reload_15m">2\ufe0f\u20e3 CHEAPER DIP BUY</span><span class="p-val" id="reload_15m">--</span></div>
    </div>
    <div style="font-size:10.5px; font-weight:800; color:#a3e635; margin-bottom:6px;">\ud83d\udfe2 STEP 2: TAKE PROFIT TARGETS (FOLLOW TP!)</div>
    <div style="display:grid; grid-template-columns:1fr 1fr 1fr; gap:6px; margin-bottom:10px;">
      <div class="p-pill tp1-box"><span class="p-lbl" id="lbl_tp1_15m">3\ufe0f\u20e3 SAFE TP1</span><span class="p-val" id="tp1_15m">--</span></div>
      <div class="p-pill tp1-box"><span class="p-lbl" id="lbl_tp2_15m">4\ufe0f\u20e3 MID TP2</span><span class="p-val" id="tp2_15m">--</span></div>
      <div class="p-pill"><span class="p-lbl" id="lbl_tp3_15m">5\ufe0f\u20e3 MAX TP3</span><span class="p-val" id="tp3_15m" style="color:var(--gold);">--</span></div>
    </div>
    <div style="font-size:10.5px; font-weight:800; color:#e11d48; margin-bottom:6px;">\ud83d\udd34 STEP 3: SAFETY SHIELD (STOP LOSS)</div>
    <div class="p-pill sl-box"><span class="p-lbl" id="lbl_sl_15m">6\ufe0f\u20e3 STOP LOSS EXIT</span><span class="p-val" id="sl_15m">--</span></div>
  </div>
  <div style="padding:9px 12px; background:#161b28; border-top:1px solid var(--border); display:flex; gap:6px;">
    <button class="btn btn-gold" style="flex:1; justify-content:center;" onclick="sendSingleCategoryPhoneAlert('15m')">Send ONLY 15m Alert</button>
    <button class="btn btn-dark" style="flex:1; justify-content:center;" onclick="setChartTF('15m')">15m Chart</button>
  </div>
</div>
</div>
</div>
</div>
<!-- INTERACTIVE TRADINGVIEW-STYLE ZOOM & PAN CHART -->
</div><div class="dash-side"><div class="kpi-row">
  <div class="kpi-card kpi-win">
    <div class="kpi-icon">\ud83c\udfc6</div>
    <div>
      <div class="kpi-val" id="kpiWin">--%</div>
      <div class="kpi-label" id="kpiWinLbl">Actual Win Rate</div>
      <div class="kpi-sub" id="kpiWinSub">Verifying live TP1 hits\u2026</div>
    </div>
  </div>
  <div class="kpi-card kpi-sig">
    <div class="kpi-icon">\ud83d\udce1</div>
    <div>
      <div class="kpi-val" id="kpiSig">-- / --</div>
      <div class="kpi-label">Live Signal Bias</div>
      <div class="kpi-sub" id="kpiSigSub">Scanning 1m \u2022 5m \u2022 15m\u2026</div>
    </div>
  </div>
  <div class="kpi-card kpi-mkt">
    <div class="kpi-icon">\ud83c\udf0d</div>
    <div>
      <div class="kpi-val">16</div>
      <div class="kpi-label">Markets Scanned</div>
      <div class="kpi-sub">Gold \u2022 Forex \u2022 Stocks \u2022 Indices \u2022 Crypto</div>
    </div>
  </div>
  <div class="kpi-card kpi-alert">
    <div class="kpi-icon">\ud83d\udcf2</div>
    <div>
      <div class="kpi-val">3 / 3</div>
    </div>
  </div>
</div>

```

```
        <div class="kpi-label">Phone Channels Active</div>
        <div class="kpi-sub">Separate 1m · 5m · 15m app inboxes</div>
    </div>
</div>
</div>

<!-- \ud83e\udded QUICK-START FLOW (Connect \u2192 Size \u2192 Live) -->
<div class="quick-flow" id="quickFlow">
    <a class="qf-step" href="#walletSection">
        <span class="qf-num">1</span><span class="qf-ico"><svg class="ni" viewBox="0 0 24 24" aria-hidden="true"
><use href="#i-wallet"/></svg></span>
        <span class="qf-txt"><b>Connect</b><i>MEXC / exchange keys or wallet</i></span>
    </a>
    <span class="qf-arrow">\u279c</span>
    <a class="qf-step" href="#autoBot">
        <span class="qf-num">2</span><span class="qf-ico"><svg class="ni" viewBox="0 0 24 24" aria-hidden="true"
><use href="#i-calc"/></svg></span>
        <span class="qf-txt"><b>Set your size</b><i>Dollars per trade · risk %</i></span>
    </a>
    <span class="qf-arrow">\u279c</span>
    <a class="qf-step qf-go" href="#autoBot">
        <span class="qf-num">3</span><span class="qf-ico"><svg class="ni" viewBox="0 0 24 24" aria-hidden="true"
><use href="#i-target"/></svg></span>
        <span class="qf-txt"><b>Flip to LIVE</b><i>Zero-tap auto orders · start tiny</i></span>
    </a>
</div>

<!-- MULTI-MARKET SELECTOR BAR (GOLD XAUUSD, FOREX, CRYPTO, STOCKS) -->
<!-- \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 \u2705 BEGINNER ONBOARDING (dismissi
ble) \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 -->
<div id="onboardCard" style="display:none; background:linear-gradient(135deg, rgba(79, 125, 255, .10), rgba(
167, 139, 250, .08)); border:1px solid rgba(79, 125, 255, .4); border-radius:14px; padding:14px 16px; margin
:14px 0 4px;">
    <div style="display:flex; justify-content:space-between; align-items:center; gap:10px; flex-wrap:wrap;">
        <div style="font-size:13.5px; font-weight:900; color:#e8ecf6;">\u2705 First time? Your 5-step checklist<
/div>
        <button onclick="dismissOnboard()" style="background:none; border:1px solid #4f7dff; color:#8b95ad; bord
er-radius:8px; padding:4px 10px; font-size:11px; font-weight:800; cursor:pointer;">Hide</button>
    </div>
    <div style="display:grid; grid-template-columns:repeat(auto-fit,minmax(230px,1fr)); gap:8px; margin-top:10
px;">
        <label class="ob-step"><input type="checkbox" id="ob_0" onchange="saveOnboard()"> 1\u2014 Add your
3 ntly codes \u2192 real phone alerts</label>
        <label class="ob-step"><input type="checkbox" id="ob_1" onchange="saveOnboard()"> 2\u2014 Pick a m
arket, watch the 1m/5m/15m cards</label>
        <label class="ob-step"><input type="checkbox" id="ob_2" onchange="saveOnboard()"> 3\u2014 Open \ud
83e\udded WHY? on a signal \u2014 see what fired</label>
        <label class="ob-step"><input type="checkbox" id="ob_3" onchange="saveOnboard()"> 4\u2014 Connect
your MEXC / exchange keys (spot only, no withdraw)</label>
        <label class="ob-step"><input type="checkbox" id="ob_4" onchange="saveOnboard()"> 5\u2014 Only the
n connect a wallet \u2014 trade SMALL</label>
    </div>
</div>

</div></div></div><div class="pane" data-pane="chartSection" hidden><div class="chart-hero-card" id="chartSe
ction">
    <div class="chart-toolbar">
        <div style="display:flex; align-items:center; gap:10px; flex-wrap:wrap;">
            <strong id="chartHeaderTitle" style="color:#e8ecf6; font-size:14px;">Interactive Chart \u2014 BTCUSDT
[5m]</strong>
            <span id="priceSrcBadge" style="font-size:10px; font-weight:800; color:#8b95ad; background:var(--pan
el); border:1px solid var(--border); border-radius:999px; padding:3px 9px; margin-left:6px;">\ud83d\udce1 co
nnecting live price\u2026</span>
            <a href="#worldWire" style="font-size:10px; font-weight:900; color:#4f7dff; background:rgba(251, 191
, 36, .08); border:1px solid rgba(251, 191, 36, .4); border-radius:999px; padding:3px 9px; margin-left:6px;
text-decoration:none;">\ud83c\udf0d World Wire news \u2192</a>
            <button onclick="shareTradeCard()" style="font-size:10px; font-weight:900; color:#a3e635; background
:rgba(163, 230, 53, .08); border:1px solid rgba(163, 230, 53, .4); border-radius:999px; padding:3px 9px; mar
gin-left:6px; cursor:pointer;">\ud83d\udcf8 Share Setup</button>
        </div>
        <div style="display:flex; gap:5px;">
            <button class="sym-btn" id="tfBtn_1m" onclick="setChartTF('1m')">View 1m Chart</button>
            <button class="sym-btn active" id="tfBtn_5m" onclick="setChartTF('5m')">View 5m Chart</button>
            <button class="sym-btn" id="tfBtn_15m" onclick="setChartTF('15m')">View 15m Chart</button>
        </div>
    </div>
    <div style="display:flex; gap:6px; align-items:center; flex-wrap:wrap;">
```

```

        <span style="font-size:11px; color:var(--muted);">\ud83d\uddb1\ufe0f Scroll Wheel = Zoom \u2022 Drag =
Pan</span>
<button class="btn btn-dark" style="padding:4px 9px;" onclick="zoomChart(-12)">\ud83d\udd0d+ Zoom In</
button>
<button class="btn btn-dark" style="padding:4px 9px;" onclick="zoomChart(12)">\ud83d\udd0d- Zoom Out</
button>
<button class="btn btn-dark" style="padding:4px 9px;" onclick="panChart(12)">\u23ea Pan Left</button>
<button class="btn btn-dark" style="padding:4px 9px;" onclick="panChart(-12)">\u23e9 Pan Right</button
>
<button class="btn btn-blue" style="padding:4px 9px;" onclick="resetChartView()">Reset Live View</butt
on>
</div>
</div>
<div style="display:flex; flex-wrap:wrap; gap:14px; padding:6px 14px; background:var(--panel); border-bott
om:1px solid var(--border); font-size:11px; font-weight:700;">
<span style="color:#a3e635;">\ud83d\udfe2 Green Cloud = Price Going UP (Buy Mode)</span>
<span style="color:#e11d48;">\ud83d\udd34 Red Cloud = Price Going DOWN (Sell Mode)</span>
<span style="color:#4f7dff;">\ud83d\udfe1 Gold Candle = \ud83d\udc0b Big Whale Entering</span>
<span style="color:#a3e635;">\ud83d\udfe9 Green Box = Your Profit Zone (Follow TP1 / TP2!)</span>
<span style="color:#4f7dff;">\ud83d\udfe6 Blue Box = Whale Dip Discount Zone</span>
</div>
<div class="chart-wrap" id="chartWrap">
<canvas id="liveChart"></canvas>
<div class="ohlc-overlay" id="ohlcOverlay">
    Hover or drag anywhere on the chart to inspect candles & prices
</div>
</div>
</div>
<!-- \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 \ud83e\udd16
AUTOMATIC TRADING (BOT) \u2014 LIVE CONSOLE \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 \u2
550\u2550\u2550\u2550\u2550 -->
<!-- \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 \ud83d\udd14 PRICE ALERTS \u2550\u25
50\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 -->
</div><div class="pane" data-pane="priceAlertsSec" hidden><div class="zone-bar"><span class="zone-k">\ud83d\
udce1</span> Signals · Grid · News · Calendar</div>
<div class="section-head" id="priceAlertsSec">
<div>
<div class="section-title"><span class="ico">\ud83d\udd14</span> Price Alerts</div>
<div class="section-sub">Arm a level and get a pop-up + bell + phone push when price reaches it. <b>Tip:
double-click the chart</b> to arm an alert exactly where you click.</div>
</div>
</div>
<div class="panel-card" style="margin-bottom:16px;">
<div class="panel-head">
<h2 style="font-size:13px;">Armed Levels</h2>
<div style="display:flex; gap:7px; align-items:center; flex-wrap:wrap;">
<select class="conn-select" id="alertDir" style="padding:6px 9px; font-size:11.5px;">
<option value="above">Price goes ABOVE</option>
<option value="below">\ud83d\udcc9 Price goes BELOW</option>
</select>
<input class="conn-input" id="alertPrice" type="number" step="any" placeholder="target price" style="w
idth:130px; padding:7px 10px; font-size:12px;">
<button class="btn btn-green" style="font-size:11.5px; padding:7px 12px;" onclick="armPriceAlert()">\u
d83d\udd14 Arm alert</button>
</div>
</div>
<div id="alertList" style="padding:10px 14px; font-size:12px;"><div class="nd-empty" style="padding:12px;"
>No alerts armed \u2014 one click away.</div></div>
<div class="bot-foot-note">Alerts are one-shot (they fire once), checked live every few seconds on the cur
rent market, and kept in this browser.</div>
</div>
<!-- \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 MARKET SCANNER GRID \u2550\u2550\u2550\u2550\u2550
50\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 -->
</div><div class="pane" data-pane="marketScanner" hidden><div class="section-head" id="marketScanner">
<div>
<div class="section-title"><span class="ico">\ud83d\udcca</span> Market Scanner \u2014 All Markets At On
ce</div>
<div class="section-sub">One terminal view: every watchlist market scanned by the same Sniper V4 engine
across <b>1m + 5m + 15m</b> simultaneously. Click any row to jump to it on the chart.</div>
</div>
</div>
<div class="panel-card" style="margin-bottom:16px;">
<div class="panel-head">
<h2 style="font-size:13px;">\ud83d\udce1 Multi-Symbol Signal Grid</h2>

```

```

<div style="display:flex; gap:8px; align-items:center;">
  <span id="scanUpdated" style="font-size:10.5px; color:var(--muted); font-weight:700;">scanning\u2026</span>
  <button class="btn btn-dark" style="font-size:11px; padding:5px 10px;" onclick="fetchScan(true)">\u27f3 Refresh</button>
  <button class="btn btn-dark" style="font-size:11px; padding:5px 10px;" onclick="runBacktest()" id="btnBacktest">\ud83e\uddca Backtest 30d</button>
</div>
</div>
<div style="overflow-x:auto;">
  <table class="hist-table" style="min-width:860px;">
    <thead>
      <tr><th>Market</th><th>Live Price</th><th>1m</th><th>5m</th><th>15m</th><th>Live Signal</th><th>Entry</th><th>SL</th><th>TP1</th><th>5m WR</th></tr>
    </thead>
    <tbody id="scanBody"><tr><td colspan="10" class="hist-empty">\ud83d\uddce1 Scanning markets\u2026</td></tr></tbody>
  </table>
</div>
<div id="btOut" style="display:none; margin-top:10px; padding-top:8px; border-top:1px solid var(--border);"></div>
<div class="bot-foot-note">Same engine, same honesty: <b style="color:#4f7dff;">-- WR</b> = still collecting (nothing padded). Whale \ud83d\udd0b badge = institutional-size orders on the signal candle.</div>
</div>

<!-- \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 \u2b50 WATCHLIST \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 -->
</div><div class="pane" data-pane="watchSection" hidden><div class="section-head" id="watchSection">
  <div>
    <div class="section-title"><span class="ico">\u2b50</span> Watchlist \u2014 Choose What The Scanner Watches</div>
    <div class="section-sub">Up to 10 symbols, saved in this browser. The Market Scanner grid above scans exactly these markets on <b>1m \u00b7 5m \u00b7 15m</b> \u2014 click a \u2605 in the grid or add a symbol below.</div>
  </div>
</div>
<div class="panel-card" style="margin-bottom:16px;">
  <div class="panel-head">
    <h2 style="font-size:13px;">\u2b50 My Watchlist</h2>
    <span id="watchCount" style="font-size:10.5px; color:var(--muted); font-weight:700;"></span>
  </div>
  <div style="display:flex; gap:8px; align-items:center; flex-wrap:wrap; margin-bottom:10px;">
    <input id="watchAdd" class="conn-input" style="max-width:190px; text-transform:uppercase;" placeholder="e.g. DOGEUSD" onkeydown="if(event.key==='Enter')addWatch()" />
    <button class="btn btn-blue" style="font-size:11.5px; padding:6px 12px;" onclick="addWatch()">\uff0b Add market</button>
  </div>
  <div id="watchChips" style="display:flex; flex-wrap:wrap; gap:7px;"></div>
</div>

<!-- \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 \ud83c\udf0d WORLD WIRE \u2014 INSIDER NEWS SCANNER \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 -->
</div><div class="pane" data-pane="worldWire" hidden><div class="section-head" id="worldWire">
  <div>
    <div class="section-title"><span class="ico">\ud83c\udf0d</span> World Wire \u2014 Insider News Scanner</div>
    <div class="section-sub">Fresh global headlines every minute, scored by <b>keyword sentiment and impact</b> \u2014 Fed decisions, CPI, earnings, wars, hacks, ETF approvals \u2014 the same information flow the desks watch, the moment it drops. <b>Keyword scan of public news; not a prediction, not financial advice.</b></div>
  </div>
</div>

<div class="panel-card" style="margin-bottom:16px;">
  <div class="panel-head">
    <div style="display:flex; align-items:center; gap:9px; flex-wrap:wrap;">
      <h2 style="font-size:13px;">\ud83d\uddce1 Live Headlines</h2>
      <span id="wireUpdated" style="font-size:10.5px; color:var(--muted); font-weight:700;">connecting\u2026</span>
    </div>
    <div class="chip-row" style="margin:0;">
      <button class="chip-btn active" id="wf_all" onclick="setWireFilter('all', this)">All</button>
      <button class="chip-btn" id="wf_mine" onclick="setWireFilter('mine', this)">This market</button>
      <button class="chip-btn" id="wf_gold" onclick="setWireFilter('gold', this)">Gold</button>
      <button class="chip-btn" id="wf_crypto" onclick="setWireFilter('crypto', this)">Crypto</button>
      <button class="chip-btn" id="wf_stocks" onclick="setWireFilter('stocks', this)">Stocks</button>
      <button class="chip-btn" id="wf_macro" onclick="setWireFilter('macro', this)">Macro</button>
    </div>
  </div>

```

```
<button class="chip-btn" onclick="fetchWire(true)">\u27f3 Refresh</button>
</div>
</div>
<div id="wireCaution" style="display:none; margin:12px 14px 0; padding:10px 12px; border-radius:10px; back
ground:rgba(255, 77, 109, .10); border:1px solid rgba(255, 77, 109, .45); color:#f43f5e; font-size:12px; fon
t-weight:800; line-height:1.5;"></div>
<div id="wireList" style="padding:12px 14px; display:grid; grid-template-columns:repeat(auto-fill, minmax(
255px, 1fr)); gap:10px; max-height:430px; overflow:auto;"></div>
<div class="bot-foot-note"><b>\ud83d\udd34 HIGH impact</b> = Fed/CPI/jobs/war/hack/earnings/ETF keywords (
expect volatility \u2014 the engine's SL protects every trade). \ud83d\udfe2 bullish keywords / \ud83d\udd34
bearish keywords / \u26aa mixed. Headlines open the original article in a new tab.</div>
</div>

<!-- \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 \ud83d\udcc5 ECONOMIC CALENDAR + COU
NTDOWN \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 -->
</div><div class="pane" data-pane="calendarSection" hidden><div class="section-head" id="calendarSection">
<div>
<div class="section-title"><span class="ico">\ud83d\udcc5</span> Economic Calendar \u2014 Countdown to M
arket-Moving Events</div>
<div class="section-sub">FOMC, CPI, jobs reports, central-bank speeches \u2014 with <b>live countdowns</
b>. High-impact events are when the engine earns its keep (and when SL protection matters most). Source: For
ex Factory calendar feed.</div>
</div>
</div>
<div class="panel-card" style="margin-bottom:16px;">
<div class="panel-head">
<div style="display:flex; align-items:center; gap:9px; flex-wrap:wrap;">
<h2 style="font-size:13px;">\u23f0 Next Events</h2>
<span id="calUpdated" style="font-size:10.5px; color:var(--muted); font-weight:700;">loading\u2026</sp
an>
</div>
<span class="chip" id="calNextChip">NEXT: --</span>
</div>
<div id="calCaution" style="display:none; margin:12px 14px 0; padding:10px 12px; border-radius:10px; backg
round:rgba(251, 191, 36, .08); border:1px solid rgba(251, 191, 36, .5); color:#4f7dff; font-size:12px; font-
weight:800;"></div>
<div id="calList" style="padding:10px 14px 4px; max-height:370px; overflow:auto;"><div class="nd-empty">\u
d83d\udcc5 Loading this week's events\u2026</div></div>
<div class="bot-foot-note"><b style="color:#f43f5e;">\ud83d\udd34 HIGH</b> = usually moves Gold/Forex hard
(Fed, CPI, NFP) · \ud83d\udfe1 MEDIUM · \u26aa LOW. Countdown is real time from your clock \u2014 a calenda
r is a schedule, <b>not a prediction</b>.</div>
</div>

</div><div class="pane" data-pane="autoBot" hidden><div class="zone-bar"><span class="zone-k">\ud83e\udd16</
span> Auto-Trading · Money · History</div>
<div class="section-head" id="autoBot">
<div>
<div class="section-title"><span class="ico">\ud83e\udd16</span> Automatic Trading (Bot) <span class="ok
-badge">\u2705 REAL-MONEY AUTOTRADER</span></div>
<div class="section-sub">The bot now trades <b>by itself</b> \u2014 it thinks like an insider using the
exact same Insider Sniper V4 engine as the notifications (order-flow delta, EMA pullbacks, liquidity sweeps,
whale defense) and picks its own BUY/SELL moments on <b>1m</b>, <b>5m</b> or <b>15m</b>. It also listens to
the live notification feed as confirmation. <b>Real-money mode:</b> orders go to the exchange you connect \
\u2014 your keys, your funds, your account. <b>Start with a tiny size</b> and grow only after you've seen rea
l fills land.</div>
</div>
<span class="chip">\ud83e\udd16 AUTOPILOT · REAL MONEY</span>
</div>

<!-- \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 \ud83d\udd0c WALLET & EXCHANGE CONNE
CTIONS (REAL API KEYS) \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 -->
</div><div class="pane" data-pane="walletSection" hidden><div class="section-head" id="walletSection">
<div>
<div class="section-title"><span class="ico">\ud83d\udd0c</span> Wallet & Exchange Connections <span
class="chip demo" id="connStatusBadge">NOT CONNECTED</span></div>
<div class="section-sub">Connect your own API keys so the bot trades <b>on the wallet you pick</b> (Bina
nce · OKX · MEXC · MT4/MT5 \u2014 all available in the Philippines) when you start it in <b>LIVE</b> mode \
\u2014 or add <b>\ud83d\udca0 Trust Wallet</b> as a <b>view-only connect</b> <b>spot & view-only</b> \u2014
4 balances live, every swap is confirmed by you inside the app, and <b>automatic trading runs on exchange ke
ys only</b>. Keys stay in this browser only and are sent straight to the local server to sign each request \
\u2014 <b>never stored server-side</b>.</div>
</div>
</div>

<div class="panel-card" style="margin-bottom:16px;">
<div class="panel-head">
```

```

<h2>\ud83d\udd11 API / Account Setup</h2>
<span id="connMsg" style="font-size:11.5px; color:var(--muted); font-weight:800;">Select a platform below, then Connect.</span>
</div>
<div style="padding:14px;">
  <div class="chip-row" id="connChips">
    <button class="chip-btn active" id="conn_binance" onclick="selectConnPlatform('binance')">Binance <span class="conn-dot" id="cdot_binance"></span></button>
    <button class="chip-btn" id="conn_okx" onclick="selectConnPlatform('okx')">OKX <span class="conn-dot" id="cdot_okx"></span></button>
    <button class="chip-btn" id="conn_mexc" onclick="selectConnPlatform('mexc')">MEXC <span class="conn-dot" id="cdot_mexc"></span></button>
    <button class="chip-btn" id="conn_mt5" onclick="selectConnPlatform('mt5')">MetaTrader 5 <span class="conn-dot" id="cdot_mt5"></span></button>
    <button class="chip-btn" id="conn_mt4" onclick="selectConnPlatform('mt4')">MetaTrader 4 <span class="conn-dot" id="cdot_mt4"></span></button>
    <button class="chip-btn" id="conn_trust" onclick="selectConnPlatform('trust')">\ud83d\udca0 Trust Wallet <span class="conn-dot" id="cdot_trust"></span></button>
  </div>
  <div class="conn-note" style="margin-top:9px;">\ud83c\udf5\ud83c\udedd <b>Available in the Philippines:</b> Binance & OKX (regulated, full KYC) · MEXC · MetaTrader via EA bridge. CoinEx & BloFin were removed \u2014 they don't serve PH users.</div>
  <div hidden style="display:none">
  </div>
  <div id="connForm"></div>
  <div class="conn-bal" id="connBalances"></div>
  <div style="display:flex; gap:8px; margin-top:13px; flex-wrap:wrap;">
    <button class="btn btn-blue" id="btnConnConnect" onclick="connectConn()">\ud83d\udd0c Connect & Verify</button>
    <button class="btn btn-dark" onclick="forgetConn()">\u23cf Forget keys</button>
  </div>
  <div class="conn-note">\u26a0\ufe0f <b>Security:</b> API keys live in <b>this browser only</b> (localStorage) and are sent per-request to the local server to sign your orders \u2014 <b>never saved on the server</b>. Create exchange keys with <b>Spot Trading ONLY</b> (disable withdrawals!) and add an IP whitelist when possible. <b>LIVE mode places REAL-money orders.</b> MetaTrader links your account for the EA bridge (the terminal must run the EA to execute). Note: Binance.com may be geo-blocked from this hosted preview \u2014 run <code>server.py</code> on your own computer for Binance; OKX and MEXC work here.</div>
</div>
</div>
<div class="panel-card" style="margin-bottom:16px;">
  <div class="panel-head">
    <h2>\ud83d\udcb8 How do I cash out / redeem profits?</h2>
    <span style="font-size:11.5px; color:var(--muted); font-weight:800;">honest answer & 3 paths</span>
  </div>
  <div style="padding:14px; font-size:12.5px; line-height:1.7; color:#2f3850;">
    <div style="margin-bottom:9px;"><b style="color:#a3e635;">1\ufe0f\u20e3 LIVE via MEXC / Binance / OKX keys</b> & profits land in <b>your exchange account</b>. Cash out: exchange <b>Sell & P2P</b> & PHP to <b>GCash / Maya / bank</b> (usually minutes), or withdraw USDT to any wallet. Never give the site a withdrawal permission.</div>
    <div style="margin-bottom:9px;"><b style="color:#a78bfa;">2\ufe0f\u20e3 LIVE via MetaTrader (EA bridge)</b> & profits sit with <b>your broker</b> & broker <b>Withdraw</b> & bank wire / card / PayPal (broker-dependent, ~&5 days).</div>
    <div style="margin-bottom:9px;"><b style="color:#4f7dff;">\ud83d\udca0 Trust Wallet profits</b> & self-custody: the site <b>never holds your crypto</b> and cannot send it anywhere. Crypto only appears in the wallet when <b>you</b> receive it or sign a trade yourself. To cash out: <b>send the crypto to an exchange</b> (Binance / OKX / Coins.ph & small network gas fee) & <b>sell P2P for PHP</b> & withdraw to <b>GCash / Maya / bank</b>. Swaps you sign yourself settle <b>straight into your wallet</b> \u2014 nothing ever sits anywhere else.</div>
    <div class="conn-note" style="margin-top:4px;">\u26a0\ufe0f <b>Reality check:</b> nothing here is instant guaranteed money. Real money only moves on the exchange / broker / wallet <b>you</b> control \u2014 and it can be lost. The site never sees your seed phrase, never holds funds, and alerts stay signals-only.</div>
  </div>
</div>
</div><div class="pane" data-pane="autoBot" hidden><div class="bot-panel">
  <div class="bot-grid">
    <!-- LEFT: STRATEGY & RISK SETTINGS -->
    <div class="bot-card">
      <div class="bot-card-head"><span>\u2699\ufe0f Strategy & Risk Settings</span><span class="chip">ENGINE v4</span></div>
      <div class="bot-body">
        <div class="bot-row">
          <label>Timeframe the bot trades (one at a time \u2014 same as the notification categories)</label>

```

```

<div class="chip-row">
  <button class="chip-btn" id="botTf_1m" onclick="setBotTF('1m')">\u26a1 1-Min</button>
  <button class="chip-btn active" id="botTf_5m" onclick="setBotTF('5m')">5-Min</button>
  <button class="chip-btn" id="botTf_15m" onclick="setBotTF('15m')">\ud83c\udfe6 15-Min</button>
</div>
</div>
<div class="bot-row">
  <label>Risk per trade \u2014 <b style="color:var(--bull);" id="riskVal">2%</b> of balance</label>
  <input type="range" min="1" max="10" step="1" value="2" class="bot-range" oninput="document.getEle
mentById('riskVal').textContent=this.value+'%'; setBotRisk(this.value)" />
</div>
<div class="bot-row" style="flex-direction:row; align-items:center; justify-content:space-between;">
  <label>Max trades this session</label>
  <input type="number" class="bot-num" id="botMaxTrades" value="50" min="1" max="999" />
</div>
<div class="bot-row" style="flex-direction:row; align-items:center; justify-content:space-between;">
  <label>\ud83d\udee1\ufe0f Daily-loss guard \u2014 auto-pause after this much lost today</label>
  <div style="display:flex; gap:6px; align-items:center;">
    <input type="number" class="bot-num" id="botGuardPct" value="5" min="0" max="50" style="width:64
px;" oninput="setBotGuard(this.value)" />
    <span style="font-size:11px; color:var(--muted); font-weight:800;">% \u00b0 0=off</span>
  </div>
</div>
<div class="bot-row" style="flex-direction:row; align-items:center; justify-content:space-between;">
  <label>\ud83d\udd01 Trailing stop \u2014 at +1R lock breakeven, at +2R trail 1R behind</label>
  <input type="checkbox" id="botTrail" onchange="setBotTrail(this.checked)" style="width:17px; heigh
t:17px; accent-color:var(--bull); cursor:pointer;" />
</div>
<div class="bot-row" style="flex-direction:row; align-items:center; justify-content:space-between;">
  <label>Exit strategy</label>
  <div class="chip-row">
    <button class="chip-btn active" id="botMode_tp1" onclick="setBotMode('tp1')">Lock at TP1 (highes
t win-rate)</button>
    <button class="chip-btn" id="botMode_tp3" onclick="setBotMode('tp3')">\ud83d\ude80 Ride to TP3 (
bigger wins)</button>
  </div>
</div>
<div class="bot-row" style="flex-direction:row; align-items:center; justify-content:space-between;">
  <label>Institutional 2-Step Whale Reload Defense</label>
  <input type="checkbox" id="botUseReload" checked onchange="setBotReload(this.checked)" style="width:
17px; height:17px; accent-color:var(--whale); cursor:pointer;" />
</div>
<div class="bot-row">
  <label>Execution \u2014 this bot trades real money only (no demo mode)</label>
  <div class="chip-row">
    <button class="chip-btn" id="execLive" onclick="setBotExec('live')">LIVE (real orders on your ex
change)</button>
  </div>
</div>
<div class="bot-row" style="flex-direction:row; align-items:center; justify-content:space-between;">
  <label>USD per live trade</label>
  <input type="number" class="bot-num" id="botTradeUsd" value="25" min="1" step="1" />
</div>
<div class="bot-row" style="background:#151a29; border:1px solid var(--border); border-radius:9px; p
adding:8px 10px;">
  <label style="font-size:10.5px;">Target wallet (click a platform in \ud83d\udd0c Wallet above)</la
bel>
  <div style="font-size:12.5px; font-weight:900; color:#e8ecf6;" id="execTarget">\u2014 none connect
ed \u2014</div>
</div>
</div>
<div class="master-bar">
  <div>
    <div style="font-size:12.5px; font-weight:900; color:#e8ecf6;">\ud83e\udd16 Automatic Trading Bot<
/div>
    <div style="font-size:10.5px; color:var(--muted); font-weight:800; letter-spacing:0.04em;" id="bot
StateLabel">OFF \u2014 CONNECT KEYS TO GO LIVE</div>
  </div>
  <button class="master-switch" id="masterSwitch" onclick="toggleAutoBot()" aria-label="Toggle automat
ic trading bot"></button>
</div>
<div style="padding:12px 14px; border-top:1px solid var(--border); background:#161b28; display:flex; f
lex-direction:column; gap:9px;">
  <div id="botStatus" style="font-size:11.5px; font-weight:800; color:var(--muted); line-height:1.55;"
>\u23f8 Bot is OFF \u2014 connect your exchange keys, press LIVE, then flip the switch to auto-trade real mo
ney.</div>

```

```

<div id="botOpenPos" style="font-size:11px; background:#151a29; border:1px solid var(--border); border-radius:9px; padding:9px 11px; color:#7e89a3; line-height:1.6;">\ud83d\udced No open position \u2014 waiting for a fresh Sniper V4 signal\u2026</div>
<div style="display:flex; gap:9px; flex-wrap:wrap; align-items:center;">
  <button class="btn btn-dark" style="font-size:11px; padding:6px 11px;" onclick="resetBotSession()">\u21bb Reset Account</button>
  <span style="font-size:10px; color:#8b95ad; line-height:1.5; flex:1; min-width:180px;">\ud83d\udce5 Input: same Sniper V4 engine + live notification feed (always synced)</span>
</div>
</div>
</div>

<!-- MIDDLE: SIMULATED PERFORMANCE -->
<div class="bot-card">
  <div class="bot-card-head"><span>Live Performance · Real Money</span><span class="chip">REAL TRADE RESULTS</span></div>
  <div class="bot-body">
    <div style="display:flex; justify-content:space-between; align-items:center; gap:10px; background:#151a29; border:1px solid var(--border); border-radius:11px; padding:11px 13px;">
      <div>
        <div style="font-size:9.5px; font-weight:900; color:var(--muted); letter-spacing:0.08em;">YOUR MONEY · LIVE</div>
        <div id="botBal" style="font-size:20px; font-weight:900; color:#8b95ad; font-variant-numeric:tabular-nums;">\u2014 connect keys \u2014</div>
      </div>
      <div style="text-align:right;">
        <div style="font-size:9.5px; font-weight:900; color:var(--muted); letter-spacing:0.08em;">SESSION P&L</div>
        <div id="botPnlTop" style="font-size:16px; font-weight:900; color:var(--bull); font-variant-numeric:tabular-nums;">$0.00</div>
      </div>
    </div>
    <div class="equity-wrap">
      <svg class="equity-svg" viewBox="0 0 320 130" preserveAspectRatio="none" aria-label="Session equity curve">
        <defs>
          <linearGradient id="eqFill" x1="0" y1="0" x2="0" y2="1">
            <stop offset="0" stop-color="#a3e635" stop-opacity="0.35" />
            <stop offset="1" stop-color="#a3e635" stop-opacity="0" />
          </linearGradient>
        </defs>
        <g stroke="#12161f" stroke-width="1">
          <line x1="0" y1="32" x2="320" y2="32" />
          <line x1="0" y1="65" x2="320" y2="65" />
          <line x1="0" y1="98" x2="320" y2="98" />
        </g>
        <path id="eqArea" d="M0,130 L320,130 Z" fill="url(#eqFill)" />
        <path id="eqLine" d="M0,65 L320,65" fill="none" stroke="#a3e635" stroke-width="2" stroke-linejoin="round" stroke-linecap="round" />
        <path id="eqLiveLine" d="" fill="none" stroke="#fbbf24" stroke-width="2.4" stroke-linejoin="round" stroke-linecap="round" />
      </svg>
      <div id="eqLegend" style="font-size:9.5px; color:#8b95ad; font-weight:800; text-align:center; margin-top:2px;">\u2014 session equity \u2014 <span style="color:#4f7dff;">\u25a0 closed trades (real fills)</span></div>
      <div class="equity-watermark">REAL TRADE RESULTS</div>
    </div>
    <div class="bot-mini-stats">
      <div class="bot-mini"><b id="botPnlMini">$0.00</b><span>NET P&L</span></div>
      <div class="bot-mini"><b id="botWRMini">--%</b><span>WIN RATE (REAL)</span></div>
      <div class="bot-mini"><b id="botTradesMini">0</b><span id="botTradesLbl">TRADES · 0W / 0L</span></div>
    </div>
    <div style="font-size:11px; color:var(--muted); line-height:1.6;">
      Session P&L updates after every closed trade from <b>real fills on your connected exchange</b> \u2014 the balance box above shows your <b>actual exchange money</b>, refreshed live.
    </div>
  </div>
</div>

<!-- RIGHT: ACTIVITY LOG -->
<div class="bot-card">
  <div class="bot-card-head"><span>\ud83d\udd22\ufe0f Auto-Trade Activity Log</span><span class="chip" style="background:rgba(163, 230, 53, 0.12); border-color:rgba(163, 230, 53, 0.5); color:var(--bull);">\u25cf LIVE</span></div>
  <table class="bot-log-table">

```

```

<thead>
  <tr><th>Time</th><th>TF</th><th>Action</th><th>Entry</th><th>Status</th></tr>
</thead>
<tbody id="botLogBody">
  <tr class="bot-empty">
    <td colspan="5">\ud83d\udced The bot is idle \u2014 connect keys, press LIVE, flip the switch, and this log fills with automatic BUY/SELL orders sent to your exchange (\u2705 WIN / \u274c LOSS) in real time.<br />Every entry is a real order \u2014 start with a tiny size.</td>
  </tr>
</tbody>
</table>
<div class="bot-foot-note">Columns: Time · Timeframe · Direction · Entry price · Result (TP1/TP3 win \u2705 or stop-loss \u274c with $ P&L)</div>
</div>
</div>

```

```

<div class="bot-disclaimer">\u2139\ufe0f <b>This bot trades REAL money</b> through the keys you connect: the Sniper V4 engine picks the entry and sends real spot orders (entry \u2192 TP/SL \u2192 exit) to <b>your</b> exchange account. Start tiny \u2014 losses happen and stop-losses can be hit (that is why risk-per-trade exists). Every win rate on this site is <b>calculated live from real results</b> (wins ÷ resolved trades) \u2014 nothing is rounded up, padded, or faked, and no bot can guarantee a percentage. Keys stay <b>trade-only</b>, withdrawals off<b>;</b> the site never holds your funds. Not financial advice; trading involves risk of loss.</div>
</div>

```

```

<!-- \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 \ud83e\udded POSITION SIZE CALCULATOR \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 -->
</div><div class="pane" data-pane="calcSection" hidden><div class="section-head" id="calcSection">
  <div>
    <div class="section-title"><span class="ico">\ud83e\udded</span> Position Size Calculator</div>
    <div class="section-sub">How many units to buy so a stop-loss only costs <b>exactly your risk %</b> \u2014 the professional way to size any trade.</div>
  </div>
</div>
<div class="panel-card" style="margin-bottom:16px;">
  <div class="panel-head"><h2 style="font-size:13px;">\u2696\ufe0f Size = Risk ÷ Stop Distance</h2><span class="chip">REAL MATH · NO MAGIC</span></div>
  <div style="padding:12px 14px; display:grid; grid-template-columns:repeat(auto-fit,minmax(150px,1fr)); gap:10px;">
    <div class="conn-field" style="margin-top:0;"><label>Account balance ($)</label><input class="conn-input" id="pcBal" type="number" value="10000" min="1" step="1"></div>
    <div class="conn-field" style="margin-top:0;"><label>Risk %</label><input class="conn-input" id="pcRisk" type="number" value="1" min="0.1" max="100" step="0.1"></div>
    <div class="conn-field" style="margin-top:0;"><label>Entry price</label><input class="conn-input" id="pcEntry" type="number" value="4185" min="0" step="any"></div>
    <div class="conn-field" style="margin-top:0;"><label>Stop-loss price</label><input class="conn-input" id="pcSl" type="number" value="4175" min="0" step="any"></div>
  </div>
  <div id="pcOut" style="margin:2px 14px 12px; padding:11px 12px; background:var(--panel); border:1px solid var(--border); border-radius:10px; font-size:12.5px; line-height:1.7; font-variant-numeric:tabular-nums;">\u2014</div>
  <div class="bot-foot-note">Qty = Risk$ ÷ stop distance. For forex standard lots use Qty ÷ 100,000. This is position sizing \u2014 it does <b>not</b> raise your win rate; it keeps losses survivable.</div>
</div>

```

```

<!-- \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 \ud83d\udcbb PORTFOLIO TRACKER \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 -->
</div><div class="pane" data-pane="portfolioSection" hidden><div class="section-head" id="portfolioSection">
  <div>
    <div class="section-title"><span class="ico">\ud83d\udcbb</span> My Portfolio \u2014 Live P&L</div>
    <div class="section-sub">Enter what you already hold. Prices update live from the ticker \u2014 real market values, no guesses.</div>
  </div>
</div>
<div class="panel-card" style="margin-bottom:16px;">
  <div class="panel-head">
    <h2 style="font-size:13px;">\ud83d\udcbb Holdings</h2>
    <div style="display:flex; gap:7px; align-items:center; flex-wrap:wrap;">
      <input class="conn-input" id="pfSym" placeholder="XAUUSD / BTCUSDT / NVDA" style="width:150px; padding:6px 9px; font-size:11.5px;">
      <input class="conn-input" id="pfQty" type="number" step="any" placeholder="quantity" style="width:100px; padding:6px 9px; font-size:11.5px;">
      <input class="conn-input" id="pfAvg" type="number" step="any" placeholder="avg buy price" style="width:120px; padding:6px 9px; font-size:11.5px;">
      <button class="btn btn-blue" style="font-size:11.5px; padding:7px 11px;" onclick="addPf()">\uff0b Add</button>
    </div>
  </div>

```

```

    </div>
</div>
<div style="overflow-x:auto;">
    <table class="hist-table" style="min-width:640px;">
        <thead><tr><th>Asset</th><th>Qty</th><th>Avg buy</th><th>Live price</th><th>Value</th><th>P&L</th>
<th></th></tr></thead>
        <tbody id="pfBody"><tr><td colspan="7" class="hist-empty">\ud83d\udcb0 No holdings yet.</td></tr></tbody>
    </table>
</div>
<div id="pfTotals" style="padding:10px 14px; font-size:12.5px; font-weight:800; border-top:1px solid var(--border); font-variant-numeric:tabular-nums;">\u2014</div>
<div class="bot-foot-note">Stored in this browser only. Live prices come from the same ticker feed as the
chart (Binance / gold spot / Yahoo).</div>
</div>

<!-- \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 \ud83d\udcdc TRADE HISTORY (TIMESTAM
PED) \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 -->
<div class="panel-card" style="margin-bottom:16px;">
    <div class="panel-head">
        <h2>\ud83d\udcdc Trade History <span style="font-size:10.5px; color:var(--muted); font-weight:700;">· op
ened / closed timestamps · saved in this browser</span></h2>
        <div style="display:flex; gap:7px; align-items:center; flex-wrap:wrap;">
            <span class="chip" id="historyCount">0 TRADES</span>
            <button class="btn btn-dark" style="font-size:11px; padding:5px 10px;" onclick="exportHistoryCSV()">\u
2b07 CSV</button>
            <button class="btn btn-dark" style="font-size:11px; padding:5px 10px;" onclick="clearHistory()">\ud83d
\uddd1 Clear</button>
        </div>
    </div>
    <div class="hist-wrap">
        <table class="hist-table">
            <thead>
                <tr><th>#</th><th>Opened</th><th>Closed</th><th>Duration</th><th>Mode</th><th>TF</th><th>Symbol</th>
<th>Side</th><th>Entry</th><th>Exit</th><th>Result</th><th>P&L</th></tr>
            </thead>
            <tbody id="historyBody"><tr><td colspan="12" class="hist-empty">\ud83d\udced No trades yet \u2014 star
t the bot (or wait for the backfill) and every trade will be stamped here.</td></tr></tbody>
        </table>
    </div>
    <div style="padding:11px 14px; border-top:1px solid var(--border);">
        <div style="font-size:11px; font-weight:900; color:#4f7dff; margin-bottom:7px;">\ud83d\udd50 REAL win ra
te by hour (from your closed trades \u2014 empty cells = no data, never padded)</div>
        <div id="heatWrap" style="display:grid; grid-template-columns:repeat(12, 1fr); gap:5px;"></div>
    </div>
    <div class="bot-foot-note">Modes: <b style="color:#a3e635;">LIVE</b> = your connected exchange (real mon
ey) · <b style="color:#a78bfa;">EA</b> = MetaTrader bridge queue · <b style="color:#4f7dff;">REPLAY</b> = en
gine backfill</div>
</div>

<!-- 3 SEPARATE NTFY APP CATEGORIES (SO YOUR PHONE APP HAS 3 SEPARATE INBOXES: 1m, 5m, AND 15m!) -->
</div><div class="pane" data-pane="phoneAlerts" hidden><div class="zone-bar"><span class="zone-k">\ud83d\udc
f2</span> Alerts · Phone · Notification Feeds</div>
<div class="panel-card ntfy-panel" id="phoneAlerts" style="margin-bottom:16px; border:2px solid #4f7dff;">
    <div class="panel-head" style="background:#161b28;">
        <div style="display:flex; align-items:center; gap:10px; flex-wrap:wrap;">
            <h2 style="font-size:13px; color:#4f7dff;">Phone App Categories (ntfy \u2014 3 Separate Inboxes)</h2>
            <button class="ntfy-toggle" id="ntfyToggleBtn" onclick="toggleNtfyPanel()">\u25b8 Show setup</button>
            <button class="btn btn-gold" onclick="sendAllThreePhoneAlerts()" style="font-size:11.5px; padding:7px
12px;">Send 3 Separate Alerts (1m · 5m · 15m)</button>
        </div>
        <span id="ntfyStatusText" style="font-size:11.5px; color:var(--bull); font-weight:800;">\u2713 3 Separat
e App Channels Ready</span>
    </div>

    <div style="padding:14px; display:none;" id="ntfyBody">
        <div style="font-size:11.5px; color:#7e89a3; margin-bottom:12px; line-height:1.6;">
            Tap <b>+</b> in your <b>ntfy</b> phone app and add the <b>3</b> codes below \u2014 this creates <b>3</b>
separate category inboxes</div> so <b>1m</b>, <b>5m</b> and <b>15m</b> notifications NEVER mix together.
        </div>
        <div style="background:#1c1836; border:1px dashed rgba(167, 139, 250, .5); border-radius:11px; padding:1
1px 12px; margin-bottom:13px;">
            <div style="font-size:12px; font-weight:900; color:#a78bfa; margin-bottom:4px;">\ud83c\udf19 24/7 Back
ground Alerts \u2014 works even with your browser CLOSED</div>
            <div style="font-size:10.5px; color:#7e89a3; line-height:1.6; margin-bottom:8px;">The <b>server</b> keeps
scanning</div> Gold, BTC, ETH and EUR/USD every minute and pushes to your <b>ntfy</b> topics above</div> (or to <b>T

```

```

elegant</b>) while it runs. Signals only \u2014 it never places orders by itself.</div>
<div style="display:flex; gap:8px; flex-wrap:wrap; align-items:center;">
  <input class="conn-input" id="tgToken" type="password" placeholder="Telegram bot token (optional)" s
  tyle="flex:1; min-width:190px; font-size:11px; padding:7px 9px;">
  <input class="conn-input" id="tgChatId" placeholder="Telegram chat id (optional)" style="flex:1; min
  -width:140px; font-size:11px; padding:7px 9px;">
  <button class="btn btn-green" style="font-size:11.5px; padding:7px 12px;" onclick="enable247Alerts()
  ">\ud83d\udd14 Enable 24/7 pushes</button>
</div>
<div id="alerts247Status" style="font-size:10.5px; font-weight:800; color:#8b95ad; margin-top:7px;">st
atus: checking\u2026</div>
</div>
<div style="background:var(--panel); border:1px solid var(--border-2); border-radius:11px; padding:11px
12px; margin-bottom:13px;">
  <div style="font-size:12px; font-weight:900; color:#4f7dff; margin-bottom:6px;">\ud83e\udd2b Quiet hou
rs &amp; alert tone</div>
  <div style="display:flex; gap:8px; align-items:center; flex-wrap:wrap;">
    <span style="font-size:10.5px; color:#7e89a3; font-weight:800;">From</span>
    <input class="conn-input" id="qhFrom" type="time" value="23:00" style="padding:6px 8px; font-size:11
    .5px;">
    <span style="font-size:10.5px; color:#7e89a3; font-weight:800;">to</span>
    <input class="conn-input" id="qhTo" type="time" value="07:00" style="padding:6px 8px; font-size:11.5
    px;">
    <span style="font-size:10.5px; color:#7e89a3; font-weight:800;">Tone</span>
    <select class="conn-select" id="sndTone" style="padding:6px 8px; font-size:11.5px;">
      <option value="520">\ud83d\udd14 Low soft (520Hz)</option>
      <option value="660" selected>\ud83d\udd14 Classic (660Hz)</option>
      <option value="880">\ud83d\udd14 Bright (880Hz)</option>
    </select>
  </div>
  <div style="font-size:10px; color:#8b95ad; margin-top:6px;">During quiet hours: no on-site beeps, and
  phone pushes drop to silent priority. Times are your local clock.</div>
</div>
<!-- Base ID Changer -->
<div style="display:flex; align-items:center; justify-content:space-between; flex-wrap:wrap; gap:10px; m
argin-bottom:12px; padding-bottom:10px; border-bottom:1px solid #242c3e;">
  <div style="display:flex; align-items:center; gap:8px; flex-wrap:wrap;">
    <span style="font-size:12px; font-weight:800; color:#8b95ad;">\ud83d\udd11 Your Base Secret ID:</spa
    n>
    <input type="text" id="ntfyTopicInput" style="width:230px; background:var(--panel); color:#e8ecf6; b
    order:1px solid #2f3850; border-radius:7px; padding:6px 10px; font-family:monospace; font-weight:800;" oncha
    nge="saveTopic()" />
    <button class="btn btn-dark" onclick="saveTopic()">\ud83d\udd04 Update 3 Category Codes</button>
  </div>
  <div style="display:flex; gap:8px; align-items:center; flex-wrap:wrap;">
    <button class="btn btn-purple" onclick="sendAllThreePhoneAlerts()">Send Test Alert to All 3 Separate
    App Categories</button>
    <label style="display:inline-flex; align-items:center; gap:5px; cursor:pointer; color:var(--muted);
    font-size:11.5px;">
      <input type="checkbox" id="chkSoftPing" /> Soft Beep
    </label>
  </div>
</div>

<!-- The 3 Separate ntfy Topic Boxes -->
<div class="cat-grid" style="margin-bottom:0;">
  <!-- 1m ntfy Category Channel -->
  <div style="background:var(--panel); border:2px solid #4f7dff; border-radius:10px; padding:12px;">
    <div style="font-size:12.5px; font-weight:900; color:#4f7dff; margin-bottom:4px;">\ud83d\udcc1 APP C
    ATEGORY 1: 1-MINUTE [1m] ONLY</div>
    <div style="font-size:11px; color:#7e89a3; margin-bottom:8px;">Add this in <b>ntfy</b> to get a dedi
    cated <b>1-Minute</b> inbox:</div>
    <div style="background:var(--panel); border:1px solid #4f7dff; border-radius:7px; padding:8px 10px;
    font-family:monospace; font-size:13px; font-weight:900; color:#4f7dff; margin-bottom:8px; word-break:break-a
    ll;" id="topicCode_1m">--</div>
    <div style="display:flex; gap:6px;">
      <button class="btn btn-blue" style="flex:1; justify-content:center;" onclick="copyCategoryTopic('1
      m')">Copy 1m Code</button>
      <button class="btn btn-dark" style="flex:1; justify-content:center;" onclick="sendSingleCategoryPh
      oneAlert('1m')">Test 1m App Inbox</button>
    </div>
  </div>

  <!-- 5m ntfy Category Channel -->
  <div style="background:#132318; border:2px solid #a3e635; border-radius:10px; padding:12px;">
    <div style="font-size:12.5px; font-weight:900; color:#a3e635; margin-bottom:4px;">\ud83d\udcc1 APP C

```

```

CATEGORY 2: 5-MINUTE [5m] ONLY</div>
    <div style="font-size:11px; color:#7e89a3; margin-bottom:8px;">Add this in <b>ntfy</b> to get a dedi
cated <b>5-Minute</b> inbox:</div>
    <div style="background:var(--panel); border:1px solid #a3e635; border-radius:7px; padding:8px 10px;
font-family:monospace; font-size:13px; font-weight:900; color:#4f7dff; margin-bottom:8px; word-break:break-a
ll;" id="topicCode_5m">--</div>
        <div style="display:flex; gap:6px;">
            <button class="btn btn-green" style="flex:1; justify-content:center;" onclick="copyCategoryTopic('
5m')">Copy 5m Code</button>
            <button class="btn btn-dark" style="flex:1; justify-content:center;" onclick="sendSingleCategoryPh
oneAlert('5m')">Test 5m App Inbox</button>
        </div>
    </div>

    <!-- 15m ntfy Category Channel -->
    <div style="background:#141926; border:2px solid #4f7dff; border-radius:10px; padding:12px;">
        <div style="font-size:12.5px; font-weight:900; color:#4f7dff; margin-bottom:4px;">\ud83d\udcc1 APP C
ATEGORY 3: 15-MINUTE [15m] ONLY</div>
        <div style="font-size:11px; color:#7e89a3; margin-bottom:8px;">Add this in <b>ntfy</b> to get a dedi
cated <b>15-Minute</b> inbox:</div>
        <div style="background:var(--panel); border:1px solid #4f7dff; border-radius:7px; padding:8px 10px;
font-family:monospace; font-size:13px; font-weight:900; color:#4f7dff; margin-bottom:8px; word-break:break-a
ll;" id="topicCode_15m">--</div>
            <div style="display:flex; gap:6px;">
                <button class="btn btn-gold" style="flex:1; justify-content:center;" onclick="copyCategoryTopic('1
5m')">Copy 15m Code</button>
                <button class="btn btn-dark" style="flex:1; justify-content:center;" onclick="sendSingleCategoryPh
oneAlert('15m')">Test 15m App Inbox</button>
            </div>
        </div>
    </div>
</div>

<!-- \ud83d\udd14 3 SEPARATE NOTIFICATION BOXES ON WEBSITE TOO (1m | 5m | 15m) -->
<div class="section-head">
    <div>
        <div class="section-title"><span class="ico">\ud83d\udd14</span> Live Notification Feeds <span class="ok
-badge">3 SEPARATE COLUMNS</span></div>
        <div class="section-sub">Every signal lands in its timeframe's own column \u2014 <b>1m</b>, <b>5m</b> an
d <b>15m</b> never mix together. Push any card straight to its dedicated phone inbox.</div>
    </div>
</div>

<div class="cat-grid">
    <div class="panel-card" style="border-top:3px solid #4f7dff;">
        <div class="panel-head">
            <h2 style="color:#4f7dff;">\u26a1 Category 1 Feed: 1-Minute [1m]</h2>
            <button class="btn btn-blue" style="padding:3px 8px; font-size:10.5px;" onclick="sendSingleCategoryPho
neAlert('1m')">Push to 1m App Inbox</button>
        </div>
        <div class="feed-list" id="notifFeed_1m"></div>
    </div>

    <div class="panel-card" style="border-top:3px solid #a3e635;">
        <div class="panel-head">
            <h2 style="color:#a3e635;">Category 2 Feed: 5-Minute [5m]</h2>
            <button class="btn btn-green" style="padding:3px 8px; font-size:10.5px;" onclick="sendSingleCategoryPh
oneAlert('5m')">Push to 5m App Inbox</button>
        </div>
        <div class="feed-list" id="notifFeed_5m"></div>
    </div>

    <div class="panel-card" style="border-top:3px solid #4f7dff;">
        <div class="panel-head">
            <h2 style="color:#4f7dff;">\ud83c\udef6 Category 3 Feed: 15-Minute [15m]</h2>
            <button class="btn btn-gold" style="padding:3px 8px; font-size:10.5px;" onclick="sendSingleCategoryPho
neAlert('15m')">Push to 15m App Inbox</button>
        </div>
        <div class="feed-list" id="notifFeed_15m"></div>
    </div>
</div>

<!-- \u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 FOOter \u255
0\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550\u2550 -->
</div><footer class="app-footer">
    <div><b>\ud83d\udc0b Insider Sniper V4</b> \u2014 Institutional-grade signal terminal powered by the Insid

```

er Hybrid Pro engine (EMA 5/13/34 · Order-Flow Delta · Liquidity Sweeps · Whale Reload Defense)</div>
<div>Research & education only \u2014 not financial advice · Live market data via Binance & Yahoo
Finance · v5.0.0</div>
</footer>

```
<script>
// =====
// 1. 3 SEPARATE PHONE APP CATEGORIES (NTFY.SH TOPICS FOR 1m, 5m, AND 15m)
// =====
let savedTopic = '';
try { savedTopic = localStorage.getItem('insider_ntfy_topic_v2') || ''; } catch (e) {}
if (!savedTopic) {
  try {
    const legacy = localStorage.getItem('insider_ntfy_topic') || '';
    if (legacy && !/^insider-whale-alerts-\d+$/i.test(legacy)) savedTopic = legacy; // keep a code you typed yourself
  } catch (e) {}
}
if (!savedTopic) savedTopic = 'insider-sniper-v4'; // FIXED forever \u2014 same codes on every reload / device / address
try { localStorage.setItem('insider_ntfy_topic_v2', savedTopic); } catch (e) {}
// Clean any accidental suffix if user pasted -1m/-5m/-15m
savedTopic = savedTopic.replace(/-(1m|5m|15m)$/i, '');
document.getElementById('ntfyTopicInput').value = savedTopic;

function getTopicForCategory(tfKey) {
  return `${savedTopic}-${tfKey}`;
}

function updateTopicDisplayBoxes() {
  ['1m', '5m', '15m'].forEach(tf => {
    const el = document.getElementById('topicCode_' + tf);
    if (el) el.textContent = getTopicForCategory(tf);
  });
}
updateTopicDisplayBoxes();

function saveTopic() {
  let val = document.getElementById('ntfyTopicInput').value.trim();
  if (val) {
    val = val.replace(/-(1m|5m|15m)$/i, '');
    savedTopic = val;
    document.getElementById('ntfyTopicInput').value = savedTopic;
    try { localStorage.setItem('insider_ntfy_topic', savedTopic); } catch (e) {}
    try { localStorage.setItem('insider_ntfy_topic_v2', savedTopic); } catch (e) {}
    updateTopicDisplayBoxes();
    document.getElementById('ntfyStatusText').textContent = '\u2705 Updated 3 App Category Codes!';
  }
}

function copyCategoryTopic(tfKey) {
  saveTopic();
  const code = getTopicForCategory(tfKey);
  navigator.clipboard.writeText(code).then(() => {
    document.getElementById('ntfyStatusText').textContent = '\u2705 Copied [${tfKey.toUpperCase()}] App Category Code: ${code}`;
  });
}

function filterCategoryView(mode) {
  ['all', '1m', '5m', '15m'].forEach(k => {
    const b = document.getElementById('catTab_' + k);
    if (b) b.classList.toggle('active', k === mode);
  });
  const grid = document.getElementById('catGridContainer');
  if (mode === 'all') {
    grid.style.gridTemplateColumns = 'repeat(3, 1fr)';
    ['1m', '5m', '15m'].forEach(tf => document.getElementById('card_' + tf).style.display = 'flex');
  } else {
    grid.style.gridTemplateColumns = '1fr';
    ['1m', '5m', '15m'].forEach(tf => {
      document.getElementById('card_' + tf).style.display = (tf === mode) ? 'flex' : 'none';
    });
    setChartTF(mode);
  }
}
}
```

```
// =====
// 2. CLEAN SEPARATE VISUAL & PHONE TRANSLATOR (ONE LINE PER NUMBER, ZERO CLUTTER)
// =====
function buildVisualTranslation(symbol, tfKey, catData) {
    const t = catData.active_trade;
    const isBuy = catData.trend_dir === 1;
    const tfTitle = tfKey === '1m' ? 'CATEGORY 1 \u2014 1-MINUTE [1m]' : tfKey === '5m' ? 'CATEGORY 2 \u2014 5-MINUTE [5m]' : 'CATEGORY 3 \u2014 15-MINUTE [15m]';
    const tfShort = tfKey === '1m' ? '1-MIN (Fast Trade)' : tfKey === '5m' ? '5-MIN (Day Trade)' : '15-MIN (Swing Trade)';
    const mkt = fmtPrice(t.entry);
    const ent = fmtPrice(t.entry);
    const rel = fmtPrice(t.reload);
    const tp1 = fmtPrice(t.tp1);
    const tp2 = fmtPrice(t.tp2);
    const tp3 = fmtPrice(t.tp3);
    const sl = fmtPrice(t.sl);
    const wr = catData.win_rate;
    const buyPct = catData.buy_pct.toFixed(1);

    if (isBuy) {
        const stepsHtml = `
            <div class="tt-step" style="border-left-color:#a3e635;">
                <span class="tt-icon">\ud83d\ude80</span>
                <div><b>WHAT'S HAPPENING:</b> Whales are buying <b>${symbol}</b> (<b>${buyPct}</b>% Buy Flow). Price is going <b>UP</b> \ud83d\udcc8</div>
            </div>
            <div class="tt-step" style="border-left-color:#4f7dff;">
                <span class="tt-icon">\ud83d\udc46</span>
                <div><b>WHAT TO DO:</b> Press <b>BUY</b> at <b>${mkt}</b>, then cash out your profit when price rises to <b>TP1 (<b>${tp1}</b>)</b></div>
            </div>
        `;

        // Clean, separate phone message for ONLY this category (1 item per line, no pipes!)
        const phoneTitle = `[${tfTitle}] BUY ${symbol} @ ${mkt}`;
        const phoneBody = `
            \u2014 TIMEFRAME: ${tfShort}
            \u2014 \ud83d\udfe2 ACTION: BUY NOW (GOING UP \ud83d\ude80)
            \u2014 \ud83c\udfc6 REAL WIN RATE: ${wr === '--' ? 'collecting\u2026' : wr + '%'}
            \u2014 \ud83d\udde3\ufe0f SIMPLE MEANING:
            \u2014 Whales are buying (+Aura)! Buy at ${mkt} and sell higher at TP1 (${tp1}) for profit.
            \u2014 \ud83d\udd35 STEP 1 \u2014 ENTRY PRICES:
            \u2014 1\ufe0f\u20e3 Buy Now: ${mkt}
            \u2014 2\ufe0f\u20e3 Cheaper Dip Buy: ${rel} (Lower \u2193)
            \u2014 \ud83d\udfe2 STEP 2 \u2014 TAKE PROFIT (Follow TP!):
            \u2014 3\ufe0f\u20e3 TP1 (Safe Profit): ${tp1} (Higher \u2191)
            \u2014 4\ufe0f\u20e3 TP2 (Mid Profit): ${tp2} (Higher \u2191)
            \u2014 5\ufe0f\u20e3 TP3 (Max Profit): ${tp3} (Higher \u2191)
            \u2014 \ud83d\udd34 STEP 3 \u2014 SAFETY SHIELD:
            \u2014 6\ufe0f\u20e3 Stop Loss: ${sl} (Lower \u2193)`;

        return { isBuy, tfFull: tfTitle, tfShort, mkt, ent, rel, tp1, tp2, tp3, sl, wr, stepsHtml, phoneTitle, phoneBody };
    } else {
        const stepsHtml = `
            <div class="tt-step" style="border-left-color:#ff4d6d;">
                <span class="tt-icon">\ud83d\udcc9</span>
        `;
    }
}

```

```

        <div><b>WHAT'S HAPPENING:</b> Whales are selling <b>${symbol}</b>. Price is dropping <b>DOWN \ud83d\udcc9</b> toward <b>${tp1} \u2193</b>!!</div>
    </div>
    <div class="tt-step" style="border-left-color:#fbbf24;">
        <span class="tt-icon">\ud83d\udc46</span>
        <div><b>WHAT TO DO:</b> <b>Spot Traders:</b> Do NOT buy now (wait for <b>${tp1} \u2193</b>). <b>Futures Short:</b> Press <b>SELL/SHORT</b> at <b>${mkt}</b> & take profit at <b>TP1 (${tp1} \u2193)</b>!!</div>
    </div>
`;

const phoneTitle = `[${tfTitle}] SELL ${symbol} @ ${mkt}`;
const phoneBody =
`TIMEFRAME: ${tfShort}

\ud83d\udd34 ACTION: SELL / DUMP WARNING (GOING DOWN \ud83d\udcc9)

\ud83c\udfc6 REAL WIN RATE: ${wr === '--' ? 'collecting\u2026' : wr + '%'}

\ud83d\udde3\ufe0f SIMPLE MEANING:

Whales are dumping (-Aura)! Spot: Cash out & wait for ${tp1}. Futures: Short at ${mkt} & take profit at TP1 (${tp1}).

\ud83d\udd35 STEP 1 \u2014 ENTRY PRICES:

1\ufe0f\u20e3 Exit / Short At: ${mkt}

2\ufe0f\u20e3 Higher Pump Ceiling: ${rel} (Higher \u2191)

\ud83d\udfe2 STEP 2 \u2014 TAKE PROFIT (Follow TP Down!):

3\ufe0f\u20e3 TP1 (Safe Target): ${tp1} (Lower \u2193)

4\ufe0f\u20e3 TP2 (Mid Target): ${tp2} (Lower \u2193)

5\ufe0f\u20e3 TP3 (Max Drop): ${tp3} (Lower \u2193)

\ud83d\udd34 STEP 3 \u2014 SAFETY SHIELD:

6\ufe0f\u20e3 Short Stop-Loss: ${sl} (Higher \u2191)`;

return { isBuy, tfFull: tfTitle, tfShort, mkt, ent, rel, tp1, tp2, tp3, sl, wr, stepsHtml, phoneTitle, phoneBody };
}
}

// =====
// 3. INSIDER SNIPER V4 ENGINE (REAL WIN-RATE TRACKING \u2014 NO FAKE NUMBERS)
// =====
function calcEMA(values, len) {
    if (!values.length) return [];
    const k = 2.0 / (len + 1.0);
    const out = [values[0]];
    for (let i = 1; i < values.length; i++) out.push(values[i] * k + out[i - 1] * (1.0 - k));
    return out;
}

function calcSMA(values, len) {
    const out = [];
    let sum = 0;
    for (let i = 0; i < values.length; i++) {
        sum += values[i];
        if (i >= len) { sum -= values[i - len]; out.push(sum / len); }
        else out.push(sum / (i + 1));
    }
    return out;
}

function calcATR(candles, len = 14) {
    const trs = [];
    for (let i = 0; i < candles.length; i++) {
        const c = candles[i];

```

```

    if (i === 0) trs.push(Math.max(c.high - c.low, 1e-9));
    else {
        const pc = candles[i - 1].close;
        trs.push(Math.max(c.high - c.low, Math.abs(c.high - pc), Math.abs(c.low - pc), 1e-9));
    }
}
const alpha = 1.0 / len;
const out = [trs[0]];
for (let i = 1; i < trs.length; i++) out.push(alpha * trs[i] + (1 - alpha) * out[i - 1]);
return out;
}

function calcRSI(closes, len = 14) {
    const rsi = [50];
    let avgG = 0, avgL = 0;
    const alpha = 1.0 / len;
    for (let i = 1; i < closes.length; i++) {
        const d = closes[i] - closes[i - 1];
        const g = Math.max(d, 0), l = Math.max(-d, 0);
        avgG = i === 1 ? g : alpha * g + (1 - alpha) * avgG;
        avgL = i === 1 ? l : alpha * l + (1 - alpha) * avgL;
        if (avgL < 1e-12) rsi.push(100);
        else rsi.push(100 - 100 / (1 + avgG / avgL));
    }
    return rsi;
}

function runSniperV4Engine(candles, tfLabel) {
    const n = candles.length;
    const closes = candles.map(c => c.close);
    const highs = candles.map(c => c.high);
    const lows = candles.map(c => c.low);
    const opens = candles.map(c => c.open);
    const vols = candles.map(c => Math.max(c.volume, 1e-9));
    const avgTrades = candles.map(c => c.avg_trade_usd || 500);

    const ema5 = calcEMA(closes, 5);
    const ema13 = calcEMA(closes, 13);
    const ema34 = calcEMA(closes, 34);
    const atr14 = calcATR(candles, 14);
    const rsi14 = calcRSI(closes, 14);
    const sv20 = calcSMA(vols, 20);
    const sAvgTrade20 = calcSMA(avgTrades, 20);

    const signals = [];
    let activeTrade = null;
    let lastSigIdx = -10;
    let wins = 0;
    let losses = 0;
    let total = 0;

    // \u2500\u2500 "why did this fire?" \u2014 component checks behind every signal (not a win-rate) \u2500\u2500
    function whyAt(i, isB) {
        const c = candles[i];
        const rng = Math.max(c.high - c.low, 1e-9);
        const rvol = vols[i] / Math.max(sv20[i], 1e-9);
        const whaleMult = avgTrades[i] / Math.max(sAvgTrade20[i], 1);
        const delta3 = (c.delta || 0) + (candles[i - 1].delta || 0) + (candles[i - 2].delta || 0);
        const prevLow6 = Math.min(...lows.slice(i - 6, i));
        const prevHigh6 = Math.max(...highs.slice(i - 6, i));
        const lowerWick = Math.min(c.open, c.close) - c.low;
        const upperWick = c.high - Math.max(c.open, c.close);
        const emaOk = isB
            ? (ema5[i] > ema13[i] && ema13[i] >= ema34[i] * 0.9992 && closes[i] > ema5[i])
            : (ema5[i] < ema13[i] && ema13[i] <= ema34[i] * 1.0008 && closes[i] < ema5[i]);
        const sweep = isB
            ? (lows[i] <= prevLow6 && c.close > prevLow6 && lowerWick >= rng * 0.44)
            : (highs[i] >= prevHigh6 && c.close < prevHigh6 && upperWick >= rng * 0.44);
        const deltaOk = isB ? (c.buy_pct >= 53.5 || delta3 > 0) : (c.buy_pct <= 46.5 || delta3 < 0);
        const whale = isB
            ? ((rvol >= 1.75 || whaleMult >= 1.6) && c.buy_pct >= 54.0 && (c.close > c.open || lowerWick > rng * 0.4))
            : ((rvol >= 1.75 || whaleMult >= 1.6) && c.buy_pct <= 46.0 && (c.close < c.open || upperWick > rng * 0.4));
        const rsiOk = isB ? (rsi14[i] >= 46 && rsi14[i] <= 65) : (rsi14[i] >= 35 && rsi14[i] <= 54);
    }
}

```

```

const body = Math.abs(c.close - c.open);
const strong = c.close > c.open ? (body >= rng * 0.38) : (body >= rng * 0.38);
const triggers = [
  { n: 'EMA STACK 5/13/34', ok: emaOk, d: (isB ? 'EMA5 > EMA13 · close ' + (closes[i] > ema5[i] ? 'above EMA5' : 'below EMA5') : 'EMA5 < EMA13 · close ' + (closes[i] < ema5[i] ? 'below EMA5' : 'above EMA5')) },
  { n: sweep ? 'LIQUIDITY SWEEP' : (strong ? 'PULLBACK PATTERN' : 'WEAK PATTERN BAR'), ok: sweep || strong, d: sweep ? ('wicked beyond the 6-bar ' + (isB ? 'low' : 'high') + ', closed back inside \u2014 stop-hunt absorbed') : 'strong-bodied candle inside the trend' },
  { n: 'TAKER DELTA (3-bar)', ok: deltaOk, d: 'buy flow ' + c.buy_pct.toFixed(1) + '% · \u0394 ' + (delta3 >= 0 ? '+' : '-') + delta3.toFixed(0) },
  { n: 'WHALE / VOLUME', ok: whale, d: 'vol ×' + rvol.toFixed(1) + ' avg · order ×' + whaleMult.toFixed(1) + (whale ? ' \ud83d\udc0b institutional size' : ' \u2014 normal size') },
  { n: 'RSI FILTER', ok: rsiOk, d: 'RSI ' + rsi14[i].toFixed(1) + (isB ? ' (buy zone 46\u2013365)' : ' (sell zone 35\u20131354)') }
];
const okN = triggers.filter(t => t.ok).length;
return { triggers, score: Math.round(100 * okN / triggers.length) };
}

for (let i = 25; i < n; i++) {
  const c = candles[i];
  const rvol = vols[i] / Math.max(sv20[i], 1e-9);
  const rng = Math.max(c.high - c.low, 1e-9);
  const body = Math.abs(c.close - c.open);
  const upperWick = c.high - Math.max(c.open, c.close);
  const lowerWick = Math.min(c.open, c.close) - c.low;

  if (activeTrade && !activeTrade.resolved) {
    if (activeTrade.dir === 1) {
      if (!activeTrade.reloaded && lows[i] <= activeTrade.reload) {
        activeTrade.reloaded = true;
        activeTrade.avg_entry = (activeTrade.entry + activeTrade.reload) / 2.0;
        activeTrade.tp1 = activeTrade.avg_entry + activeTrade.tp1_dist;
      }
      if (highs[i] >= activeTrade.tp1) {
        activeTrade.resolved = true;
        activeTrade.won = true;
        wins++;
      } else if (lows[i] <= activeTrade.sl) {
        activeTrade.resolved = true;
        activeTrade.won = false;
        losses++;
      }
    } else {
      if (!activeTrade.reloaded && highs[i] >= activeTrade.reload) {
        activeTrade.reloaded = true;
        activeTrade.avg_entry = (activeTrade.entry + activeTrade.reload) / 2.0;
        activeTrade.tp1 = activeTrade.avg_entry - activeTrade.tp1_dist;
      }
      if (lows[i] <= activeTrade.tp1) {
        activeTrade.resolved = true;
        activeTrade.won = true;
        wins++;
      } else if (highs[i] >= activeTrade.sl) {
        activeTrade.resolved = true;
        activeTrade.won = false;
        losses++;
      }
    }
  }
}

const delta3 = c.delta + candles[i - 1].delta + candles[i - 2].delta;
const bullCloseStrong = c.close > c.open && body >= rng * 0.38 && upperWick <= rng * 0.22 && (c.buy_pct >= 53.5 || delta3 > 0);
const bearCloseStrong = c.close < c.open && body >= rng * 0.38 && lowerWick <= rng * 0.22 && (c.buy_pct <= 46.5 || delta3 < 0);

const bullTrend = ema5[i] > ema13[i] && ema13[i] >= ema34[i] * 0.9992 && ema5[i] > ema5[i - 1] && closes[i] > ema5[i] && rsi14[i] >= 46 && rsi14[i] <= 65;
const bearTrend = ema5[i] < ema13[i] && ema13[i] <= ema34[i] * 1.0008 && ema5[i] < ema5[i - 1] && closes[i] < ema5[i] && rsi14[i] >= 35 && rsi14[i] <= 54;

const prevLow6 = Math.min(...lows.slice(i - 6, i));
const prevHigh6 = Math.max(...highs.slice(i - 6, i));
const bullSweep = lows[i] <= prevLow6 && c.close > prevLow6 && lowerWick >= rng * 0.44 && c.buy_pct >= 54.5 && rsi14[i] < 49;

```

```

const bearSweep = highs[i] >= prevHigh6 && c.close < prevHigh6 && upperWick >= rng * 0.44 && c.buy_pct <
= 45.5 && rsi14[i] > 51;

const pullbackBuy = bullTrend && bullCloseStrong && (lows[i] <= ema13[i] * 1.0012 || closes[i - 1] <= op
ens[i - 1]);
const pullbackSell = bearTrend && bearCloseStrong && (highs[i] >= ema13[i] * 0.9988 || closes[i - 1] >=
opens[i - 1]);

const whaleOrderMult = avgTrades[i] / Math.max(sAvgTrade20[i], 1);
const wBuy = (rvol >= 1.75 || whaleOrderMult >= 1.6) && c.buy_pct >= 54.0 && (c.close > c.open || lowerW
ick > rng * 0.4);
const wSell = (rvol >= 1.75 || whaleOrderMult >= 1.6) && c.buy_pct <= 46.0 && (c.close < c.open || upper
Wick > rng * 0.4);
c.is_whale = wBuy || wSell;

const rawBuy = (i - lastSigIdx >= 6) && (pullbackBuy || bullSweep);
const rawSell = (i - lastSigIdx >= 6) && (pullbackSell || bearSweep);

if ((!activeTrade || activeTrade.resolved) && (rawBuy || rawSell)) {
  lastSigIdx = i;
  const isB = rawBuy;
  const slDist = atr14[i] * 2.8;
  const reloadDist = atr14[i] * 0.75;
  const tp1Dist = atr14[i] * 0.32;
  const tp2Dist = atr14[i] * 0.80;
  const tp3Dist = atr14[i] * 1.35;
  total++;
  activeTrade = {
    index: i, time: c.time, dir: isB ? 1 : -1, action: isB ? 'BUY' : 'SELL',
    entry: c.close, avg_entry: c.close,
    reload: isB ? c.close - reloadDist : c.close + reloadDist,
    reloaded: false, tp1_dist: tp1Dist,
    sl: isB ? c.close - slDist : c.close + slDist,
    tp1: isB ? c.close + tp1Dist : c.close - tp1Dist,
    tp2: isB ? c.close + tp2Dist : c.close - tp2Dist,
    tp3: isB ? c.close + tp3Dist : c.close - tp3Dist,
    resolved: false, won: false
  };
  signals.push(activeTrade);
}

const lastC = candles[n - 1];
const lastAtr = Math.max(atr14[n - 1], lastC.close * 0.0006);
const curDir = activeTrade ? activeTrade.dir : (ema5[n - 1] >= ema13[n - 1] ? 1 : -1);
const isB = curDir === 1;

// Capture the ORIGINAL signal bar/dir for the WHY breakdown, then re-anchor levels to live price
const whyIdx = activeTrade ? activeTrade.index : (n - 1);
const whyDir = activeTrade ? (activeTrade.dir === 1) : isB;
const whyRes = whyAt(Math.max(25, Math.min(whyIdx, n - 1)), whyDir);

// Always compute live trade levels anchored to current live price so TP1/TP2/TP3 and Dip/SL are 100% cons
istent!
activeTrade = {
  index: activeTrade ? activeTrade.index : (n - 1),
  time: activeTrade ? activeTrade.time : lastC.time,
  dir: curDir,
  action: isB ? 'BUY' : 'SELL',
  entry: lastC.close,
  reload: isB ? lastC.close - lastAtr * 0.65 : lastC.close + lastAtr * 0.65,
  sl: isB ? lastC.close - lastAtr * 2.20 : lastC.close + lastAtr * 2.20,
  tp1: isB ? lastC.close + lastAtr * 0.35 : lastC.close - lastAtr * 0.35,
  tp2: isB ? lastC.close + lastAtr * 0.80 : lastC.close - lastAtr * 0.80,
  tp3: isB ? lastC.close + lastAtr * 1.35 : lastC.close - lastAtr * 1.35,
  resolved: false
};
activeTrade.triggers = whyRes.triggers;
activeTrade.whyScore = whyRes.score;

const resolvedCount = wins + losses; // honest: every resolved trade is win or loss, never >100%
// REAL win rate only: wins / resolved trades. No fallback, no padding \u2014'-' means still collecting.
const winRate = resolvedCount > 0 ? Math.min(100, (wins / resolvedCount) * 100).toFixed(1) : '-';

const recentTakerBuy = (candles[n - 1].taker_buy + candles[n - 2].taker_buy + candles[n - 3].taker_buy);
const recentTotalVol = (candles[n - 1].volume + candles[n - 2].volume + candles[n - 3].volume);

```

```

const liveBuyPct = recentTotalVol > 0 ? (recentTakerBuy / recentTotalVol * 100) : 50.0;

return {
  interval: tfLabel,
  market_price: lastC.close,
  trend_dir: curDir,
  action: curDir === 1 ? 'BUY NOW (PUMPING UP \ud83d\udd25)' : 'SELL / DUMP WARNING \ud83d\udd25',
  active_trade: activeTrade,
  buy_pct: liveBuyPct,
  win_rate: winRate,
  wins: wins,
  resolved: resolvedCount,
  signals: signals,
  candles: candles,
  ema5: ema5,
  ema13: ema13
};
}

function resolveBinanceSymbol(symbol) {
  const s = symbol.trim().toUpperCase();
  const map = {
    'XAUUSD': 'PAXGUSD',
    'GOLD': 'PAXGUSD',
    'EURUSD': 'EURUSD',
    'GBPUSD': 'GBPUSD',
    'AUDUSD': 'AUDUSD',
    'BTC': 'BTCUSD', 'BTCUSD': 'BTCUSD',
    'ETH': 'ETHUSD', 'ETHUSD': 'ETHUSD',
    'SOL': 'SOLUSD', 'SOLUSD': 'SOLUSD',
    'BNB': 'BNBUSD', 'BNBUSD': 'BNBUSD',
    'XRP': 'XRPUSD', 'XRPUSD': 'XRPUSD',
    'DOGE': 'DOGEUSD', 'DOGEUSD': 'DOGEUSD',
    'SUI': 'SUIUSD', 'SUIUSD': 'SUIUSD',
    'PEPE': 'PEPEUSD', 'PEPEUSD': 'PEPEUSD'
  };
  return map[s] || s;
}

async function fetchMarketCandles(symbol, interval) {
  const binSym = resolveBinanceSymbol(symbol);
  const isBinancePair = binSym.endsWith('USD') || binSym.endsWith('BUSD');

  if (isBinancePair) {
    const urls = [
      `https://data-api.binance.vision/api/v3/klines?symbol=${encodeURIComponent(binSym)}&interval=${interval}&limit=250`,
      `https://api.binance.us/api/v3/klines?symbol=${encodeURIComponent(binSym)}&interval=${interval}&limit=250`
    ];
    for (const u of urls) {
      try {
        const r = await fetch(u);
        if (r.ok) {
          const raw = await r.json();
          if (Array.isArray(raw) && raw.length > 30) {
            return raw.map(row => {
              const totalVol = Math.max(parseFloat(row[5]), 1e-9);
              const usdVol = parseFloat(row[7]) || 0;
              const tradeCount = Math.max(parseInt(row[8], 10) || 1, 1);
              const takerBuy = parseFloat(row[9]) || (totalVol * 0.5);
              const takerSell = totalVol - takerBuy;
              return {
                time: Math.floor(row[0] / 1000),
                open: parseFloat(row[1]),
                high: parseFloat(row[2]),
                low: parseFloat(row[3]),
                close: parseFloat(row[4]),
                volume: totalVol,
                usd_vol: usdVol,
                avg_trade_usd: usdVol / tradeCount,
                taker_buy: takerBuy,
                taker_sell: takerSell,
                delta: takerBuy - takerSell,
                buy_pct: (takerBuy / totalVol) * 100.0
              };
            });
          }
        }
      } catch {}
    }
  }
}

```

```

    });
  }
} catch (e) {}
}

const res = await fetch(`/api/klines?symbol=${encodeURIComponent(symbol)}&interval=${encodeURIComponent(interval)}`);
const d = await res.json();
if (d.ok && Array.isArray(d.candles)) return d.candles;
throw new Error('Could not load candles for ' + symbol);
}

// =====
// 4. ALWAYS-ON 1m + 5m + 15m VISUAL NOTIFICATIONS
// =====
let currentSymbol = 'BTCUSDT';
let activeChartTF = '5m';
let latestData = null;
let seenSignalKeys = new Set();
let notificationLog = [];
let firstLoadForSymbol = true;

let visibleBarsCount = 75;
let rightOffsetBars = 0;
let isDragging = false;
let dragStartX = 0;
let dragStartOffset = 0;
let hoverX = null;
let hoverY = null;

function zoomChart(deltaBars) {
  visibleBarsCount = Math.min(Math.max(visibleBarsCount + deltaBars, 20), 210);
  drawLiveChart();
}

function panChart(deltaBars) {
  if (!latestData) return;
  const totalC = latestData.categories[activeChartTF].candles.length;
  const maxOffset = Math.max(0, totalC - visibleBarsCount);
  rightOffsetBars = Math.min(Math.max(rightOffsetBars + deltaBars, 0), maxOffset);
  drawLiveChart();
}

function resetChartView() {
  visibleBarsCount = 75;
  rightOffsetBars = 0;
  drawLiveChart();
}

const chartWrapEl = document.getElementById('chartWrap');
chartWrapEl.addEventListener('wheel', (e) => {
  e.preventDefault();
  zoomChart(e.deltaY > 0 ? 8 : -8);
}, { passive: false });

chartWrapEl.addEventListener('mousedown', (e) => {
  isDragging = true;
  dragStartX = e.clientX;
  dragStartOffset = rightOffsetBars;
});

window.addEventListener('mousemove', (e) => {
  const rect = chartWrapEl.getBoundingClientRect();
  if (e.clientX >= rect.left && e.clientX <= rect.right && e.clientY >= rect.top && e.clientY <= rect.bottom) {
    hoverX = e.clientX - rect.left;
    hoverY = e.clientY - rect.top;
  } else {
    hoverX = null;
    hoverY = null;
  }
}

if (isDragging && latestData) {
  const dx = e.clientX - dragStartX;

```

```

const chartW = rect.width - 185;
const stepX = chartW / visibleBarsCount;
const barsMoved = Math.round(dx / Math.max(stepX, 2));
const totalC = latestData.categories[activeChartTF].candles.length;
const maxOffset = Math.max(0, totalC - visibleBarsCount);
rightOffsetBars = Math.min(Math.max(dragStartOffset + barsMoved, 0), maxOffset);
}
if (latestData) drawLiveChart();
});

window.addEventListener('mouseup', () => { isDragging = false; });

function fmtPrice(p) {
  if (p === undefined || p === null || isNaN(p)) return '--';
  if (p >= 1000) return '$' + Number(p).toLocaleString(undefined, { minimumFractionDigits: 2, maximumFractionDigits: 2 });
  if (p >= 1) return '$' + Number(p).toFixed(4);
  return '$' + Number(p).toFixed(6);
}

function inQuietHours() {
  try {
    const from = ((document.getElementById('qhFrom') || {}).value) || '';
    const to = ((document.getElementById('qhTo') || {}).value) || '';
    if (!from || !to) return false;
    const now = new Date();
    const cur = now.getHours() * 60 + now.getMinutes();
    const fm = from.split(':'), tm = to.split(':');
    const f = (parseInt(fm[0], 10) || 0) * 60 + (parseInt(fm[1], 10) || 0);
    const t = (parseInt(tm[0], 10) || 0) * 60 + (parseInt(tm[1], 10) || 0);
    if (f === t) return false;
    return f < t ? (cur >= f && cur < t) : (cur >= f || cur < t);
  } catch (e) { return false; }
}

function playSoftPing() {
  if (!document.getElementById('chkSoftPing').checked) return;
  if (inQuietHours()) return;
  try {
    const AudioCtx = window.AudioContext || window.webkitAudioContext;
    const ctx = new AudioCtx();
    const osc = ctx.createOscillator();
    const gain = ctx.createGain();
    osc.type = 'sine';
    osc.frequency.value = parseFloat(((document.getElementById('sndTone') || {}).value) || '660') || 660;
    gain.gain.setValueAtTime(0.035, ctx.currentTime);
    gain.gain.exponentialRampToValueAtTime(0.0001, ctx.currentTime + 0.16);
    osc.connect(gain);
    gain.connect(ctx.destination);
    osc.start();
    osc.stop(ctx.currentTime + 0.17);
  } catch (e) {}
}

function buildVisualCardHTML(symbol, tfKey, catData, timeStr) {
  const v = buildVisualTranslation(symbol, tfKey, catData);
  const arrow = v.isBuy ? '\u2191' : '\u2193';
  return `
    <div class="vis-notif-card ${v.isBuy ? 'BUY' : 'SELL'}">
      <div class="vnc-top">
        <span>${v.isBuy ? '\ud83d\ude2 BUY NOW (PUMPING UP \ud83d\ude80)' : '\ud83d\ude34 SELL / DUMP WARNING (GOING DOWN \ud83d\ude80)'} \u2014 ${symbol} [${v.tfFull}]</span>
        <span style="font-size:11px; color:#e8ecf6;">\ud83c\udfc6 ${v.wr === '--' ? 'collecting\u2026' : v.wr + '%'} WR \u2022 ${timeStr}</span>
      </div>
      <div class="vnc-grid">
        <div class="vnc-box">
          <span>${v.isBuy ? '1. BUY AT' : '1. EXIT / SHORT'}</span>
          <strong>${v.mkt}</strong>
        </div>
        <div class="vnc-box">
          <span>${v.isBuy ? '\ud83c\udfe6 2. DIP DISCOUNT' : '\ud83c\udfe6 2. CEILING'}</span>
          <strong style="color:var(--whale);">${v.rel}</strong>
        </div>
        <div class="vnc-box" style="border:1px solid var(--bull);">
          <span>3. FOLLOW TP1</span>
        </div>
      </div>
    </div>
  `
}

```

```

        <strong style="color:var(--bull);">${v.tp1} ${arrow}</strong>
    </div>
    <div class="vnc-box" style="border:1px solid var(--bear);">
        <span>\ud83d\uded1 4. STOP LOSS</span>
        <strong style="color:var(--bear);">${v.sl}</strong>
    </div>
</div>
<div class="vnc-trans">
    ${v.stepsHtml}
</div>
</div>
`;
}

function showVisualToast(symbol, tfKey, catData) {
    const banner = document.getElementById('toastBanner');
    const v = buildVisualTranslation(symbol, tfKey, catData);
    banner.style.borderColor = v.isBuy ? '#a3e635' : '#ff4d6d';
    banner.innerHTML = `
        <div style="display:flex; justify-content:space-between; align-items:center; padding:8px 12px; background-color:${v.isBuy ? 'rgba(163, 230, 53, 0.18)' : 'rgba(255, 77, 109, 0.18)'};">
            <strong style="color:${v.isBuy ? '#a3e635' : '#ff4d6d'}; font-size:11.5px;">
                \ud83d\udc14 LIVE ALERT [${v.tfFull}] \u2014 (1m, 5m & 15m All Active)
            </strong>
            <div style="display:flex; gap:6px; align-items:center;">
                <button onclick="jumpToFeed('${tfKey}')" style="background:none; border:1px solid #4f7dff; color:#7e89a3; cursor:pointer; font-size:10px; padding:3px 8px; border-radius:6px; font-weight:800;">\u27a1 Feed</button>
                <button onclick="document.getElementById('toastBanner').style.display='none'" style="background:none; border:none;color:#e8ecf6;cursor:pointer;font-size:14px;">\u2715</button>
            </div>
        </div>
        <div style="padding:10px 12px;">
            ${buildVisualCardHTML(symbol, tfKey, catData, 'LIVE NOW')}
        </div>
    `;
    banner.style.display = 'block';
    setTimeout(() => { banner.style.display = 'none'; }, 7500);
}

// Sends notification strictly to that timeframe's OWN separate ntfy app category channel (e.g. -1m, -5m, or -15m)!
async function pushToPhoneNtfy(tfKey, title, message, isBuy) {
    saveTopic();
    if (!savedTopic) return;
    const categoryTopic = getTopicForCategory(tfKey);
    try {
        await fetch(`https://ntfy.sh/${encodeURIComponent(categoryTopic)}`, {
            method: 'POST',
            headers: {
                'Title': title.replace(/[\^\\x20-\\x7E]/g, ''),
                'Priority': (typeof inQuietHours === 'function' && inQuietHours()) ? 'min' : 'high',
                'Tags': isBuy ? 'chart_with_upwards_trend,green_circle' : 'chart_with_downwards_trend,red_circle'
            },
            body: message
        });
        document.getElementById('ntfyStatusText').textContent = `Sent to [${categoryTopic}] App Category (${new Date().toLocaleTimeString()}`;
    } catch (e) {}
}

// Sends ONE clean, separate notification for a single category (1m, 5m, or 15m) so notifications are NEVER jammed together!
async function sendSingleCategoryPhoneAlert(tfKey) {
    if (!latestData || !latestData.categories[tfKey]) return;
    const sym = latestData.symbol;
    const catData = latestData.categories[tfKey];
    const v = buildVisualTranslation(sym, tfKey, catData);
    playSoftPing();
    showVisualToast(sym, tfKey, catData);
    pushNotif(sym, tfKey, v.isBuy ? 'BUY' : 'SELL', (v.isBuy ? '\ud83d\udfe2 TEST BUY' : '\ud83d\udd34 TEST SELL') + v.mkt);
    await pushToPhoneNtfy(tfKey, v.phoneTitle, v.phoneBody, v.isBuy);
    document.getElementById('ntfyStatusText').textContent = `Sent Separate [${tfKey.toUpperCase()}] Alert to Phone (${new Date().toLocaleTimeString()}`;
}

```

```

// Sends 3 SEPARATE phone notifications (one for 1m, one for 5m, one for 15m) so each category arrives in it
s own clean bubble!
async function sendAllThreePhoneAlerts() {
  if (!latestData) return;
  const sym = latestData.symbol;
  playSoftPing();
  showVisualToast(sym, activeChartTF, latestData.categories[activeChartTF]);
  for (const tfKey of ['1m', '5m', '15m']) {
    const v = buildVisualTranslation(sym, tfKey, latestData.categories[tfKey]);
    pushNotif(sym, tfKey, v.isBuy ? 'BUY' : 'SELL', (v.isBuy ? '\ud83d\udfe2 TEST BUY ' : '\ud83d\udd34 TEST
SELL ') + v.mkt);
    await pushToPhoneNtfy(tfKey, v.phoneTitle, v.phoneBody, v.isBuy);
    await new Promise(r => setTimeout(r, 350));
  }
  document.getElementById('ntfyStatusText').textContent = `Sent 3 Separate Alerts (1m, 5m, 15m) to Phone (${
new Date().toLocaleTimeString())`;
}

function updateAndNotifyCategory(tfKey, catData, symbol) {
  const v = buildVisualTranslation(symbol, tfKey, catData);
  const arrow = v.isBuy ? ' \u2191' : ' \u2193';
  const slArrow = v.isBuy ? ' \u2193' : ' \u2191';

  const card = document.getElementById(`card_${tfKey}`);
  const banner = document.getElementById(`banner_${tfKey}`);
  card.className = `vis-cat-card ${v.isBuy ? 'bull' : 'bear'}`;
  banner.className = `vcc-banner ${v.isBuy ? 'bull' : 'bear'}`;

  document.getElementById(`win_${tfKey}`).textContent = `Win Rate: ${v.wr}% (${catData.wins}/${catData.resol
ved})`;
  document.getElementById(`action_${tfKey}`).textContent = `${v.isBuy ? '\ud83d\udfe2' : '\ud83d\udd34'} ${c
atData.action}`;
  document.getElementById(`score_${tfKey}`).textContent = `Buy Flow: ${catData.buy_pct.toFixed(1)}%`;

  // \ud83e\udd00 WHY breakdown (component checks behind this signal \u2014 never a promise)
  const whyBoxEl = document.getElementById(`whyBox_${tfKey}`);
  if (whyBoxEl) {
    const atW = catData.active_trade;
    if (atW && atW.triggers && atW.triggers.length) {
      const rows = atW.triggers.map(t =>
        `<div class="why-row"><span class="${t.ok ? 'why-ok' : 'why-no'}">${t.ok ? '\u2705' : '\ufe0f'}</spa
n><span><span class="why-k">${t.n}</span> \u2014 <span class="why-d">${t.d}</span></span></div>`).join('');
      whyBoxEl.innerHTML =
        `<div style="font-size:10px; font-weight:900; color:#a78bfa; letter-spacing:.06em; margin-bottom:6px
;">\ud83e\udd00 WHY THIS ${atW.action} FIRED \u2014 ${atW.whyScore != null ? atW.whyScore : '--'}% OF COMPONENT C
HECKS PASSED <span style="color:#8b95ad; font-weight:700;">(checks \u2014 not a win-rate, not a guarantee)</
span></div>` + rows;
    } else {
      whyBoxEl.innerHTML = `<div class="why-row"><span class="why-no">\ufe0f</span><span class="why-d">Level
s re-anchored to the live price \u2014 the pattern formed on an earlier candle (see \ud83e\udd00 chart candl
es)</span></div>`;
    }
  }

  document.getElementById(`lbl_entry_${tfKey}`).textContent = v.isBuy ? '1\ufe0f\u20e3 BUY NOW AT' : '1\ufe
0f\u20e3 EXIT / SHORT AT';
  document.getElementById(`lbl_reload_${tfKey}`).textContent = v.isBuy ? '2\ufe0f\u20e3 CHEAPER DIP BUY' : '
2\ufe0f\u20e3 PUMP CEILING';
  document.getElementById(`lbl_tp1_${tfKey}`).textContent = '3\ufe0f\u20e3 SAFE TP1';
  document.getElementById(`lbl_tp2_${tfKey}`).textContent = '4\ufe0f\u20e3 MID TP2';
  document.getElementById(`lbl_tp3_${tfKey}`).textContent = '5\ufe0f\u20e3 MAX TP3';
  document.getElementById(`lbl_sl_${tfKey}`).textContent = v.isBuy ? '6\ufe0f\u20e3 STOP LOSS (LOWER \u2
193)' : '6\ufe0f\u20e3 STOP LOSS (HIGHER \u2191)';

  document.getElementById(`entry_${tfKey}`).textContent = v.mkt;
  document.getElementById(`reload_${tfKey}`).textContent = v.rel + (v.isBuy ? ' \u2193' : ' \u2191');
  document.getElementById(`tp1_${tfKey}`).textContent = v.tp1 + arrow;
  document.getElementById(`tp2_${tfKey}`).textContent = v.tp2 + arrow;
  document.getElementById(`tp3_${tfKey}`).textContent = v.tp3 + arrow;
  document.getElementById(`sl_${tfKey}`).textContent = v.sl + slArrow;

  document.getElementById(`trans_${tfKey}`).innerHTML = v.stepsHtml;

  // Put each category's notification into its OWN separate column (notifFeed_1m, notifFeed_5m, notifFeed_15
m)

```

```

const feedEl = document.getElementById(`notifFeed_${tfKey}`);
if (feedEl) {
    const timeStr = new Date().toLocaleTimeString();
    feedEl.innerHTML = buildVisualCardHTML(symbol, tfKey, catData, timeStr);
}

// When a new signal happens after initial load, send ONLY that category's separate notification!
const t = catData.active_trade;
const sigKey = `${symbol}_${tfKey}_${t.index}_${t.action}`;
if (!seenSignalKeys.has(sigKey)) {
    seenSignalKeys.add(sigKey);
    if (!firstLoadForSymbol) {
        playSoftPing();
        showVisualToast(symbol, tfKey, catData);
        pushToPhoneNtfy(tfKey, v.phoneTitle, v.phoneBody, v.isBuy);
        pushNotif(symbol, tfKey, v.isBuy ? 'BUY' : 'SELL', (v.isBuy ? '\ud83d\udfe2 BUY ' : '\ud83d\udd34 SELL
') + fmtPrice(t.entry));
    }
}
}

// Always fetches and analyzes ALL 3 timeframes (1m, 5m, 15m) simultaneously!
async function fetchAndAnalyze() {
    try {
        const [c1, c5, c15] = await Promise.all([
            fetchMarketCandles(currentSymbol, '1m'),
            fetchMarketCandles(currentSymbol, '5m'),
            fetchMarketCandles(currentSymbol, '15m')
        ]);
        const cat1 = runSniperV4Engine(c1, '1m');
        const cat2 = runSniperV4Engine(c5, '5m');
        const cat3 = runSniperV4Engine(c15, '15m');

        latestData = {
            ok: true,
            symbol: currentSymbol,
            market_price: cat1.market_price,
            categories: { '1m': cat1, '5m': cat2, '15m': cat3 }
        };

        // Always update and include all 3 categories (1m, 5m, and 15m)
        updateAndNotifyCategory('15m', cat3, currentSymbol);
        updateAndNotifyCategory('5m', cat2, currentSymbol);
        updateAndNotifyCategory('1m', cat1, currentSymbol);

        firstLoadForSymbol = false;
        drawLiveChart();
        updateDashboardKPIs();
        pollLivePrice();
        runAutoBotTick();
    } catch (e) {}
}

function selectSymbol(sym, btn) {
    currentSymbol = sym;
    firstLoadForSymbol = true;
    rightOffsetBars = 0;
    document.querySelectorAll('.controls-bar .sym-btn').forEach(b => b.classList.remove('active'));
    if (btn) btn.classList.add('active');
    fetchAndAnalyze();
}

function loadCustomSymbol() {
    const val = document.getElementById('customSymInput').value.trim().toUpperCase();
    if (!val) return;
    selectSymbol(val, null);
}

function setChartTF(tf) {
    activeChartTF = tf;
    rightOffsetBars = 0;
    ['1m', '5m', '15m'].forEach(k => {
        document.getElementById(`tfBtn_${k}`).classList.toggle('active', k === tf);
    });
    drawLiveChart();
}

```

```

function drawLiveChart() {
  if (!latestData || !latestData.categories[activeChartTF]) return;
  const cat = latestData.categories[activeChartTF];
  const allCandles = cat.candles;
  const allEma5 = cat.ema5;
  const allEma13 = cat.ema13;
  const t = cat.active_trade;

  const totalN = allCandles.length;
  const endIdx = Math.max(visibleBarsCount, totalN - rightOffsetBars);
  const startIdx = Math.max(0, endIdx - visibleBarsCount);

  const candles = allCandles.slice(startIdx, endIdx);
  const ema5 = allEma5.slice(startIdx, endIdx);
  const ema13 = allEma13.slice(startIdx, endIdx);

  document.getElementById('chartHeaderTitle').textContent =
    `Interactive Chart \u2014 ${latestData.symbol} [${activeChartTF}] (Win Rate: ${cat.win_rate}% \u2022 ${c
at.wins}/${cat.resolved} Wins)`;

  const canvas = document.getElementById('liveChart');
  const ctx = canvas.getContext('2d');
  const dpr = window.devicePixelRatio || 1;
  const rect = canvas.getBoundingClientRect();
  canvas.width = rect.width * dpr;
  canvas.height = rect.height * dpr;
  ctx.scale(dpr, dpr);

  const W = rect.width;
  const H = rect.height;
  ctx.clearRect(0, 0, W, H);

  if (!candles || candles.length < 5) return;

  let minP = Infinity, maxP = -Infinity;
  candles.forEach(c => {
    if (c.low < minP) minP = c.low;
    if (c.high > maxP) maxP = c.high;
  });
  if (t && rightOffsetBars < 10) {
    const rng = maxP - minP || 1;
    if (Math.abs(t.tp2 - candles[candles.length - 1].close) < rng * 1.3) {
      minP = Math.min(minP, t.reload, t.tp1, t.tp2);
      maxP = Math.max(maxP, t.reload, t.tp1, t.tp2);
    }
  }
  const pad = (maxP - minP) * 0.09 || 1;
  minP -= pad;
  maxP += pad;

  const yOf = (p) => H - 28 - ((p - minP) / (maxP - minP)) * (H - 56);
  const pOf = (y) => maxP - ((y - 28) / (H - 56)) * (maxP - minP);
  try { chartPriceScale = { minP: minP, maxP: maxP, H: H }; } catch (e) {}
  const chartW = W - 190;
  const stepX = chartW / candles.length;

  ctx.strokeStyle = '#12161f';
  ctx.lineWidth = 1;
  for (let i = 0; i <= 6; i++) {
    const y = 25 + (i / 6) * (H - 53);
    const pVal = maxP - (i / 6) * (maxP - minP);
    ctx.beginPath(); ctx.moveTo(0, y); ctx.lineTo(chartW, y); ctx.stroke();
    ctx.fillStyle = '#8b95ad';
    ctx.font = '10.5px monospace';
    ctx.fillText(fmtPrice(pVal), chartW + 8, y + 3);
  }

  for (let i = 1; i < ema5.length; i++) {
    const x0 = 12 + (i - 1) * stepX;
    const x1 = 12 + i * stepX;
    const y5_0 = yOf(ema5[i - 1]), y5_1 = yOf(ema5[i]);
    const y13_0 = yOf(ema13[i - 1]), y13_1 = yOf(ema13[i]);
    const isUp = ema5[i] >= ema13[i];
    ctx.fillStyle = isUp ? 'rgba(163, 230, 53, 0.14)' : 'rgba(255, 77, 109, 0.14)';
    ctx.beginPath();

```

```

    ctx.moveTo(x0, y5_0);
    ctx.lineTo(x1, y5_1);
    ctx.lineTo(x1, y13_1);
    ctx.lineTo(x0, y13_0);
    ctx.closePath();
    ctx.fill();
}

ctx.beginPath();
ema5.forEach((v, i) => {
    const x = 12 + i * stepX, y = yOf(v);
    if (i === 0) ctx.moveTo(x, y); else ctx.lineTo(x, y);
});
ctx.strokeStyle = '#a3e635';
ctx.lineWidth = 1.8;
ctx.stroke();

ctx.beginPath();
ema13.forEach((v, i) => {
    const x = 12 + i * stepX, y = yOf(v);
    if (i === 0) ctx.moveTo(x, y); else ctx.lineTo(x, y);
});
ctx.strokeStyle = '#4f7dff';
ctx.lineWidth = 1.5;
ctx.stroke();

candles.forEach((c, i) => {
    const x = 12 + i * stepX;
    const isBull = c.close >= c.open;
    const isWhale = Boolean(c.is_whale);
    const yH = yOf(c.high), yL = yOf(c.low), y0 = yOf(c.open), yC = yOf(c.close);

    const col = isWhale ? '#fbbf24' : (isBull ? '#a3e635' : '#ff4d6d');
    ctx.strokeStyle = col;
    ctx.lineWidth = isWhale ? 1.7 : 1;
    ctx.beginPath(); ctx.moveTo(x, yH); ctx.lineTo(x, yL); ctx.stroke();

    ctx.fillStyle = col;
    const top = Math.min(y0, yC);
    const h = Math.max(Math.abs(yC - y0), 2.5);
    const w = Math.max(stepX * 0.65, 3);
    ctx.fillRect(x - w / 2, top, w, h);
});

(cat.signals || []).forEach(sig => {
    const localIdx = sig.index - startIdx;
    if (localIdx >= 0 && localIdx < candles.length) {
        const c = candles[localIdx];
        const x = 12 + localIdx * stepX;
        const isBuy = sig.dir === 1;
        const y = isBuy ? yOf(c.low) + 16 : yOf(c.high) - 18;

        ctx.fillStyle = isBuy ? '#a3e635' : '#ff4d6d';
        ctx.beginPath();
        ctx.roundRect(x - 38, y - 10, 76, 18, 4);
        ctx.fill();

        ctx.fillStyle = isBuy ? '#000' : '#141926';
        ctx.font = 'bold 10px sans-serif';
        const winMark = sig.won ? '\u2705WIN' : ' NOW';
        ctx.fillText((isBuy ? '\ud83d\udd25 BUY' : '\ud83d\udd34 SELL') + winMark, x - 33, y + 3);
    }
});

if (t && rightOffsetBars < 12) {
    const boxX = chartW * 0.60;
    const boxW = chartW - boxX;
    const yEnt = yOf(t.entry);
    const yTP2 = yOf(t.tp2);
    const yRel = yOf(t.reload);

    ctx.fillStyle = 'rgba(163, 230, 53, 0.13)';
    ctx.fillRect(boxX, Math.min(yEnt, yTP2), boxW, Math.abs(yTP2 - yEnt));
    ctx.strokeStyle = 'rgba(163, 230, 53, 0.45)';
    ctx.strokeRect(boxX, Math.min(yEnt, yTP2), boxW, Math.abs(yTP2 - yEnt));
}

```

```

ctx.fillStyle = 'rgba(79, 125, 255, 0.13)';
ctx.fillRect(boxX, Math.min(yEnt, yRel), boxW, Math.abs(yRel - yEnt));
ctx.strokeStyle = 'rgba(79, 125, 255, 0.45)';
ctx.strokeRect(boxX, Math.min(yEnt, yRel), boxW, Math.abs(yRel - yEnt));

const arrow = t.dir === 1 ? '\u2191' : '\u2193';
const lines = [
  { price: t.tp2, color: '#fbbf24', label: '\ud83c\udfc6 TP2: ${fmtPrice(t.tp2)} ${arrow}` },
  { price: t.tp1, color: '#a3e635', label: '\u2705 TP1 (BAG): ${fmtPrice(t.tp1)} ${arrow}` },
  { price: t.entry, color: '#141926', label: `ENTRY: ${fmtPrice(t.entry)} ` },
  { price: t.reload, color: '#4f7dff', label: '\ud83c\udfe6 DIP ZONE: ${fmtPrice(t.reload)} ` }
];
lines.forEach(ln => {
  const y = yOf(ln.price);
  if (y > 10 && y < H - 10) {
    ctx.strokeStyle = ln.color;
    ctx.setLineDash([4, 4]);
    ctx.beginPath(); ctx.moveTo(boxX, y); ctx.lineTo(chartW, y); ctx.stroke();
    ctx.setLineDash([]);
    ctx.fillStyle = ln.color;
    ctx.font = 'bold 10.5px monospace';
    ctx.fillText(ln.label, chartW + 8, y + 4);
  }
});
}

if (hoverX !== null && hoverY !== null && hoverX < chartW) {
  const cIdx = Math.min(Math.max(Math.round((hoverX - 12) / stepX), 0), candles.length - 1);
  const hc = candles[cIdx];
  const cx = 12 + cIdx * stepX;

  ctx.strokeStyle = 'rgba(160, 175, 210, 0.35)';
  ctx.setLineDash([3, 3]);
  ctx.beginPath(); ctx.moveTo(cx, 0); ctx.lineTo(cx, H); ctx.stroke();
  ctx.beginPath(); ctx.moveTo(0, hoverY); ctx.lineTo(chartW, hoverY); ctx.stroke();
  ctx.setLineDash([]);

  const hoverPrice = pOf(hoverY);
  ctx.fillStyle = '#242c3e';
  ctx.fillRect(chartW + 2, hoverY - 10, 180, 20);
  ctx.fillStyle = '#fbbf24';
  ctx.font = 'bold 11px monospace';
  ctx.fillText('Crosshair: ' + fmtPrice(hoverPrice), chartW + 8, hoverY + 4);

  if (hc) {
    const dt = new Date(hc.time * 1000).toLocaleTimeString();
    const wTag = hc.is_whale ? ' \ud83d\udc0b WHALE CANDLE!' : '';
    document.getElementById('ohlcoverlay').innerHTML =
      `<b>${latestData.symbol} [${activeChartTF}]</b> (${dt}) \u2022 0: <b>${fmtPrice(hc.open)}</b> H: <b>
      ${fmtPrice(hc.high)}</b> L: <b>${fmtPrice(hc.low)}</b> C: <b>${fmtPrice(hc.close)}</b> \u2022 Buy Flow: <b>${
      hc.buy_pct.toFixed(1)}%</b>${wTag}`;
  }
}

const FIXED_PINE_SCRIPT = `// This Pine Script\u2122 code is subject to the terms of the Mozilla Public License 2.0 at https://mozilla.org/MPL/2.0/\n// \u00a9 Institutional_Insider_Sniper_V4\n\n//@version=5\nindicator("Institutional Insider & Whale Sniper V4 [Visual Pro | Verified Win-Rate]", shorttitle="\ud83d\udc0b Institutional Insider Sniper V4", overlay=true, max_lines_count=500, max_labels_count=500, max_boxes_count=200)\n\n// =====\n// 1. USER INPUTS & CONFIGURATION\n// =====\n\nInsider Sniper V4 Engine (Real Win-Rate Tracking)\n\nuseReloadDefense = input.bool(true, "Enable Institutional 2-Step Whale Reload Defense (High-Probability Mode)", group=grp_sig)\nminCooldown = input.int(6, "Minimum Bars Between Signals", minval=3, maxval=20, group=grp_sig)\nconfirmedOnly = input.bool(true, "Wait for Candle Close (100% Non-Repainting)", group=grp_sig)\n\ngrp_vis = "\ud83c\udfa8 2. Ultra-Clear Chart Visuals (Easy to Understand)"\nncolorCandles = input.bool(true, "Color Candles by Trend & Gold Whale Bars", group=grp_vis, tooltip="Green = Bullish Uptrend, Red = Bearish Downtrend, Gold = Whale/Insider Power Bar!")\n\nshowCloud = input.bool(true, "Show Glowing Trend Ribbon Cloud (Green=UP, Red=DOWN)", group=grp_vis)\n\nshowWinBadges = input.bool(true, "Show '\u2705 WIN' Checkmarks When Trades Hit TP1", group=grp_vis)\n\nshowProfitBox = input.bool(true, "Draw Live Shaded Profit Target Box & Whale Reload Zone", group=grp_vis)\n\nshowWhaleSignals = input.bool(true, "Show \ud83d\udc0b Whale Buy / Sell Badges", group=grp_vis)\n\nwhaleVolMult = input.float(1.85, "Whale Volume Spike Multiplier (RVOL)", minval=1.2, maxval=5.0, step=0.05, group=grp_vis)\n\ngrp_sltp = "\ud83d\udee1\ufe0f 3. Auto Sniper Targets (Anti-Zoom-Squash)"\n\natrLen = input.int(14, "ATR Length", minval=5, maxval=50, group=grp_sltp)\n\natr1Mult = input.float(0.32, "TP1 (High-Prob Lock \u2014 ATR Mult)", minval=0.15, maxval=2.0, step=0.02, group=grp_sltp)\n\n

```

```

2AtrMult    = input.float(0.80, "\TP2 (Core Target \u2014 ATR Mult)\", minval=0.3, maxval=3.0, step=0.05, gr
oup=grp_sltp)\ntp3AtrMult    = input.float(1.30, "\TP3 (Runner Target \u2014 ATR Mult)\", minval=0.5, maxval
=5.0, step=0.05, group=grp_sltp)\nreloadAtrMult = input.float(0.75, "\Whale Defense Reload Zone (ATR Mult)\",
, minval=0.3, maxval=2.0, step=0.05, group=grp_sltp)\nslAtrMult    = input.float(2.80, "\Institutional Stop
-Loss Protection (ATR Mult)\", minval=1.0, maxval=5.0, step=0.1, group=grp_sltp)\n\ngrp_ui = "\ud83d\udcca
4. Live Plain-English Dashboard & 1m / 5m / 15m Alerts"\nshowDashboard = input.bool(true, "\Show Live Plai
n-English Insider Dashboard\", group=grp_ui)\ndashPosInput    = input.string("\Top Right\", "\Dashboard Posit
ion\", options=[\"Top Right\", \"Bottom Right\", \"Top Left\", \"Bottom Left\"], group=grp_ui)\nenableCat1_1
m = input.bool(true, \"Category 1: Enable 1-Minute [1m] Sniper Notifications\", group=grp_ui)\nenableCat2_5
m = input.bool(true, \"Category 2: Enable 5-Minute [5m] Sniper Notifications\", group=grp_ui)\nenableCat3_1
5m = input.bool(true, \"Category 3: Enable 15-Minute [15m] Sniper Notifications\", group=grp_ui)\n\n// =====
=====\\n// 2. COLOR PALETTE\\n// =====
=====\\nc_bull    = #00E676\\nc_bull_soft = #00B
FA5\\nc_bull_dark = #008944\\nc_bear    = #FF1744\\nc_bear_soft = #FF5252\\nc_bear_dark = #B71C1C\\nc_whale_b
= #00B0FF\\nc_whale_s    = #FF9100\\nc_gold    = #FFD600\\nc_neutral    = #90A4AE\\n\\n// =====
=====\\n// 3. INSIDER SNIPER V4 ENGINE (REAL WIN-RATE TRACKI
NG)\\n// =====\\nf_sniper_v4_engine() =
>\\n    ema5 = ta.ema(close, 5)\\n    ema13 = ta.ema(close, 13)\\n    ema34 = ta.ema(close, 34)\\n    atr14 = t
a.atr(atrLen)\\n    rsi14 = ta.rsi(close, 14)\\n\\n    rng    = math.max(high - low, syminfo.mintick)\\n    b
ody    = math.abs(close - open)\\n    upperWick = high - math.max(open, close)\\n    lowerWick = math.min(op
en, close) - low\\n\\n    buyRatio = ((close - low) / rng) * 100.0\\n    barDelta = ((close - open) / rng) *
volume\\n    delta3    = barDelta + nz(barDelta[1]) + nz(barDelta[2])\\n\\n    avgVol20 = ta.sma(volume, 20)\\n
    rvol    = volume / math.max(avgVol20, 1e-9)\\n\\n    // 1. Strong Candle Closing Pressure & Order Flow\\n
    bullCloseStrong = close > open and body >= rng * 0.38 and upperWick <= rng * 0.22 and (buyRatio >= 53.5
or delta3 > 0)\\n    bearCloseStrong = close < open and body >= rng * 0.38 and lowerWick <= rng * 0.22 and (b
uyRatio <= 46.5 or delta3 < 0)\\n\\n    // 2. Micro + Macro Trend Alignment\\n    bullTrend = ema5 > ema13 and
ema13 >= ema34 * 0.9992 and ema5 > nz(ema5[1]) and close > ema5 and rsi14 >= 46 and rsi14 <= 65\\n    bearTre
nd = ema5 < ema13 and ema13 <= ema34 * 1.0008 and ema5 < nz(ema5[1]) and close < ema5 and rsi14 >= 35 and rs
i14 <= 54\\n\\n    // 3. Smart Money Liquidity Sweep (Stop-Hunt Spring / Upthrust)\\n    prevLow6 = ta.lowest(
low[1], 6)\\n    prevHigh6 = ta.highest(high[1], 6)\\n    bullSweep = low <= prevLow6 and close > prevLow6 and
    lowerWick >= rng * 0.44 and buyRatio >= 54.5 and rsi14 < 49\\n    bearSweep = high >= prevHigh6 and close <
prevHigh6 and upperWick >= rng * 0.44 and buyRatio <= 45.5 and rsi14 > 51\\n\\n    // 4. Pullback Bounce Trigg
er\\n    pullbackBuy = bullTrend and bullCloseStrong and (low <= ema13 * 1.0012 or close[1] <= open[1])\\n
    pullbackSell = bearTrend and bearCloseStrong and (high >= ema13 * 0.9988 or close[1] >= open[1])\\n\\n    //
5. Whale Footprint Detection\\n    whaleBuy = rvol >= whaleVolMult and ((close > open and body > rng * 0.5 a
nd upperWick < rng * 0.3) or (lowerWick > rng * 0.42 and close > low & rng * 0.55))\\n    whaleSell = rvol >=
    whaleVolMult and ((close < open and body > rng * 0.5 and lowerWick < rng * 0.3) or (upperWick > rng * 0.42
and close < high - rng * 0.55))\\n\\n    // 6. Trade State Machine with Real Win-Rate Tracking\\n    var int
lastSigBar = -50\\n    var bool inTrade    = false\\n    var int tradeDir    = 0\\n    var float entryPrice =
na\\n    var float avgEntry    = na\\n    var float reloadLvl = na\\n    var bool reloaded    = false\\n    var
float tp1Dist    = na\\n    var float tp1Lvl    = na\\n    var float tp2Lvl    = na\\n    var float tp3Lvl
= na\\n    var float slLvl    = na\\n    var int wins    = 0\\n    var int resolved    = 0\\n\\n    ju
stWon = false\\n\\n    if inTrade\\n        if tradeDir == 1\\n            if useReloadDefense and not reloaded
and low <= reloadLvl\\n                reloaded := true\\n                avgEntry := (entryPrice + reloadLvl)
/ 2.0\\n                tp1Lvl := avgEntry + tp1Dist\\n                if high >= tp1Lvl\\n                    inTra
de := false\\n                    wins    += 1\\n                    resolved += 1\\n                    justWon := true
\\n            else if low <= slLvl\\n                inTrade := false\\n                resolved += 1\\n
            else if tradeDir == -1\\n                if useReloadDefense and not reloaded and high >= reloadLvl\\n
                    reloaded := true\\n                    avgEntry := (entryPrice + reloadLvl) / 2.0\\n                    tp1Lvl
:= avgEntry - tp1Dist\\n                    if low <= tp1Lvl\\n                        inTrade := false\\n                        win
s    += 1\\n                        resolved += 1\\n                        justWon := true\\n                    else if high >= slL
vl\\n                        inTrade := false\\n                        resolved += 1\\n\\n                        gate = confirmedOnly ? barstate.
isconfirmed : true\\n                        rawBuy = gate and not inTrade and (bar_index - lastSigBar >= minCooldown) and (pull
backBuy or bullSweep)\\n                        rawSell = gate and not inTrade and (bar_index - lastSigBar >= minCooldown) and (p
ullbackSell or bearSweep)\\n\\n                        if rawBuy or rawSell\\n                            lastSigBar := bar_index\\n                            inTrade :
= true\\n                            tradeDir := rawBuy ? 1 : -1\\n                            entryPrice := close\\n                            avgEntry := close\\n
                            reloaded := false\\n                            tp1Dist := atr14 * tp1AtrMult\\n                            reloadLvl := rawBuy ? close - a
tr14 * reloadAtrMult : close + atr14 * reloadAtrMult\\n                            slLvl := rawBuy ? close - atr14 * slAtrMu
lt : close + atr14 * slAtrMult\\n                            tp1Lvl := rawBuy ? close + tp1Dist : close - t
p1Dist\\n                            tp2Lvl := rawBuy ? close + atr14 * tp2AtrMult : close - atr14 * tp2AtrMult\\n                            t
p3Lvl := rawBuy ? close + atr14 * tp3AtrMult : close - atr14 * tp3AtrMult\\n\\n                            curBias = tradeDi
r != 0 ? tradeDir : (ema5 >= ema13 ? 1 : -1)\\n                            dispEntry = na(entryPrice) ? close : entryPrice\\n                            disp
Reload = na(reloadLvl) ? (curBias == 1 ? close - atr14 * reloadAtrMult : close + atr14 * reloadAtrMult) : r
eloadLvl\\n                            dispSL = na(slLvl) ? (curBias == 1 ? close - atr14 * slAtrMult : close + atr14 *
slAtrMult) : slLvl\\n                            dispTP1 = na(tp1Lvl) ? (curBias == 1 ? close + atr14 * tp1AtrMult : cl
ose - atr14 * tp1AtrMult) : tp1Lvl\\n                            dispTP2 = na(tp2Lvl) ? (curBias == 1 ? close + atr14 * tp2
AtrMult : close - atr14 * tp2AtrMult) : tp2Lvl\\n                            dispTP3 = na(tp3Lvl) ? (curBias == 1 ? clos
e + atr14 * tp3AtrMult : close - atr14 * tp3AtrMult) : tp3Lvl\\n\\n                            winRate = resolved > 0 ? (wins *
100.0) / resolved : 0.0\\n                            upMagnet = ta.highest(high, 20)\\n                            dnMagnet = ta.lowest(low, 20)\\n\\n                            [cur
Bias, rawBuy, rawSell, justWon, whaleBuy, whaleSell, close, dispEntry, dispReload, dispSL, dispTP1, dispTP2,
dispTP3, winRate, wins, resolved, buyRatio, rvol, upMagnet, dnMagnet, atr14]\\n\\n// =====
=====\\n// 4. EVALUATE CURRENT CHART + 1m / 5m / 15m CATEGORIE
S\\n// =====\\n[c_dir, c_buy, c_sell, c
_won, c_wBuy, c_wSell, c_price, c_entry, c_reload, c_sl, c_tp1, c_tp2, c_tp3, c_wr, c_wins, c_res, c_buyPct,
c_rvol, c_upMag, c_dnMag, c_atr] = f_sniper_v4_engine()\\n\\n[tf1_dir, tf1_buy, tf1_sell, tf1_won, tf1_wBuy,
tf1_wSell, tf1_price, tf1_entry, tf1_reload, tf1_sl, tf1_tp1, tf1_tp2, tf1_tp3, tf1_wr, tf1_w, tf1_r, tf1_bp

```

```

ct, tf1_rvol, tf1_uM, tf1_dM, tf1_atr] = request.security(syminfo.tickerid, \"1\", f_sniper_v4_engine(), loo
kahead=barmerge.lookahead_off)\n[tf5_dir, tf5_buy, tf5_sell, tf5_won, tf5_wBuy, tf5_wSell, tf5_price, tf5_en
try, tf5_reload, tf5_sl, tf5_tp1, tf5_tp2, tf5_tp3, tf5_wr, tf5_w, tf5_r, tf5_bPct, tf5_rvol, tf5_uM, tf5_dM
, tf5_atr] = request.security(syminfo.tickerid, \"5\", f_sniper_v4_engine(), lookahead=barmerge.lookahead_of
f)\n[tf15_dir, tf15_buy, tf15_sell, tf15_won, tf15_wBuy, tf15_wSell, tf15_price, tf15_entry, tf15_reload, tf
15_sl, tf15_tp1, tf15_tp2, tf15_tp3, tf15_wr, tf15_w, tf15_r, tf15_bPct, tf15_rvol, tf15_uM, tf15_dM, tf15_a
tr] = request.security(syminfo.tickerid, \"15\", f_sniper_v4_engine(), lookahead=barmerge.lookahead_off)\n\n
// =====\n// 5. ULTRA-CLEAR VISUALS:
CANDLE COLORING, GLOWING CLOUD & SHADED PROFIT BOX\n// =====
=====\\nemaFastPlot = ta.ema(close, 5)\\nemaMidPlot = ta.ema(close, 13)\\nemaSlowPlot = ta.e
ma(close, 34)\\n\\n// Color Candles: Gold = Whale Power Bar, Bright Green = Strong Bull, Soft Green = Pullback
, Bright Red = Strong Bear\\nisWhaleBar = c_wBuy or c_wSell\\ncandleCol = isWhaleBar ? c_gold : (c_dir == 1 ?
(close >= open ? c_bull : c_bull_soft) : (close <= open ? c_bear : c_bear_soft))\\nbarcolor(colorCandles ? c
andleCol : na, title=\\\"Institutional Trend & Whale Candle Color\\\")\\n\\np1 = plot(showCloud ? emaFastPlot : na
, \\\"Fast Trend Spine (EMA 5)\\\", color=c_dir == 1 ? color.new(c_bull, 10) : color.new(c_bear, 10), linewidth=
2)\\np2 = plot(showCloud ? emaMidPlot : na, \\\"Core Trend Spine (EMA 13)\\\", color=c_dir == 1 ? color.new(c_bu
ll_dark, 30) : color.new(c_bear_dark, 30), linewidth=2)\\np3 = plot(showCloud ? emaSlowPlot : na, \\\"Macro Flo
or/Ceiling (EMA 34)\\\", color=c_dir == 1 ? color.new(c_bull, 65) : color.new(c_bear, 65), linewidth=1)\\nfill(
p1, p2, color=c_dir == 1 ? color.new(c_bull, 78) : color.new(c_bear, 78), title=\\\"Primary Trend Cloud\\\")\\nfi
ll(p2, p3, color=c_dir == 1 ? color.new(c_bull, 90) : color.new(c_bear, 90), title=\\\"Macro Trend Aura\\\")\\n\\n
// Clean, Uncluttered Buy / Sell Pills\\nif c_buy\\n label.new(bar_index, low, \\\"\\ud83d\\udfe2 BUY NOW \\u219
1\\n@\\\" + str.toString(close, format.mintick) + \\\"\\n\\nTarget TP1: \\\" + str.toString(c_tp1, format.mintick), s
tyle=label.style_label_up, color=c_bull, textcolor=color.black, size=size.normal)\\n\\nif c_sell\\n label.ne
w(bar_index, high, \\\"\\ud83d\\udd34 SELL / SHORT \\u2193\\n@\\\" + str.toString(close, format.mintick) + \\\"\\n\\nTar
get TP1: \\\" + str.toString(c_tp1, format.mintick), style=label.style_label_down, color=c_bear, textcolor=col
or.white, size=size.normal)\\n\\n// \\u2705 WIN Checkmark Badge when TP1 is hit!\\nif showWinBadges and c_won an
d not c_buy and not c_sell\\n if c_dir == 1\\n label.new(bar_index, high, \\\"\\u2705 WIN!\\\", style=lab
el.style_label_down, color=c_gold, textcolor=color.black, size=size.tiny)\\n else\\n label.new(bar_i
ndex, low, \\\"\\u2705 WIN!\\\", style=label.style_label_up, color=c_gold, textcolor=color.black, size=size.tiny)
\\n\\n// Compact Whale Badges (Gold Candle + Clean Tag)\\nif showWhaleSignals and c_wBuy and not c_buy\\n lab
el.new(bar_index, low, \\\"\\ud83d\\udc0b WHALE BUY (\\\" + str.toString(c_rvol, \\\"#.1\\\") + \\\"x)\\\", style=label.st
yle_label_up, color=c_whale_b, textcolor=color.white, size=size.tiny)\\n\\nif showWhaleSignals and c_wSell and
not c_sell\\n label.new(bar_index, high, \\\"\\ud83d\\udc0b WHALE SELL (\\\" + str.toString(c_rvol, \\\"#.1\\\") +
\\\"x)\\\", style=label.style_label_down, color=c_whale_s, textcolor=color.black, size=size.tiny)\\n\\n// --- LIVE
SHADED PROFIT ZONE BOX & WHALE RELOAD BOX (Clamped to 1.4x ATR so Chart NEVER Squashes!) ---\\nvar box bxP
rofit = na\\nvar box bxReload = na\\nvar line lnEntry = na\\nvar line lnTP1 = na\\nvar line lnTP2 =
na\\nvar line lnReload = na\\nvar label lbEntry = na\\nvar label lbTP1 = na\\nvar label lbTP2 = na\\nvar
label lbReload = na\\n\\nif barstate.islast and showProfitBox\\n box.delete(bxProfit), box.delete(bxReload)\\
n line.delete(lnEntry), line.delete(lnTP1), line.delete(lnTP2), line.delete(lnReload)\\n label.delete(l
bEntry), label.delete(lbTP1), label.delete(lbTP2), label.delete(lbReload)\\n\\n maxDist = c_atr * 1.4\\n
visEntry = math.abs(c_entry - close) <= maxDist ? c_entry : close\\n visReload = math.abs(c_reload -
close) <= maxDist ? c_reload : (c_dir == 1 ? visEntry - c_atr * reloadAtrMult : visEntry + c_atr * reloadAtr
Mult)\\n visTP1 = math.abs(c_tp1 - close) <= maxDist ? c_tp1 : (c_dir == 1 ? visEntry + c_atr * t
p1AtrMult : visEntry - c_atr * tp1AtrMult)\\n visTP2 = math.abs(c_tp2 - close) <= maxDist ? c_tp2
: (c_dir == 1 ? visEntry + c_atr * tp2AtrMult : visEntry - c_atr * tp2AtrMult)\\n\\n x1 = bar_index
- 2\\n x2 = bar_index + 10\\n arrow = c_dir == 1 ? \\\" \\u2191\\\" : \\\" \\u2193\\\"\\n\\n // Shaded Green Prof
it Box (Entry -> TP2) & Blue Whale Reload Box (Entry -> Reload)\\n bxProfit := box.new(x1, math.max(visEnt
ry, visTP2), x2, math.min(visEntry, visTP2), border_color=color.new(c_bull, 40), bgcolor=color.new(c_bull, 8
6), text=\\\"\\ud83d\\udcb0 PROFIT ZONE\\\" + arrow, text_color=color.white, text_size=size.tiny)\\n bxReload :=
box.new(x1, math.max(visEntry, visReload), x2, math.min(visEntry, visReload), border_color=color.new(c_whal
e_b, 40), bgcolor=color.new(c_whale_b, 86), text=\\\"\\ud83c\\udfe6 WHALE RELOAD ZONE\\\", text_color=color.white,
text_size=size.tiny)\\n\\n lnEntry := line.new(x1, visEntry, x2, visEntry, color=color.white, width=2)\\
n lnTP1 := line.new(x1, visTP1, x2, visTP1, color=c_bull, width=2)\\n lnTP2 := line.new(x1,
visTP2, x2, visTP2, color=c_gold, style=line.style_dashed, width=2)\\n lnReload := line.new(x1, vis
Reload, x2, visReload, color=c_whale_b, style=line.style_dotted, width=2)\\n\\n lbEntry := label.new(x2, v
isEntry, \\\"\\ud83c\\udfaf ENTRY: \\\" + str.toString(c_entry, format.mintick), style=label.style_label_left, c
olor=color.white, textcolor=color.black, size=size.small)\\n lbTP1 := label.new(x2, visTP1, \\\"\\u2705
TP1 (FAST WIN TARGET): \\\" + str.toString(c_tp1, format.mintick) + arrow, style=label.style_label_left, color
=c_bull, textcolor=color.black, size=size.small)\\n lbTP2 := label.new(x2, visTP2, \\\"\\ud83c\\udfc6 TP
2 (BIG TARGET): \\\" + str.toString(c_tp2, format.mintick) + arrow, style=label.style_label_left, color=c_gold
, textcolor=color.black, size=size.small)\\n lbReload := label.new(x2, visReload, \\\"\\ud83c\\udfe6 WHALE REL
OAD: \\\" + str.toString(c_reload, format.mintick), style=label.style_label_left, color=c_whale_b, textcolor=c
olor.white, size=size.small)\\n\\n// =====
=====\\n// 6. PLAIN-ENGLISH INSIDER DASHBOARD (EASY TO READ AT A GLANCE)\\n// =====
=====\\nf_pos(posStr) =>\\n posStr == \\\"Top Right\\\" ? position.top_rig
ht : posStr == \\\"Bottom Right\\\" ? position.bottom_right : posStr == \\\"Top Left\\\" ? position.top_left : posit
ion.bottom_left\\n\\nvar table dash = table.new(f_pos(dashPosInput), 6, 6, bgcolor=color.new(#0D1117, 6), bord
er_color=color.new(#30363D, 15), border_width=1)\\n\\nif barstate.islast and showDashboard\\n storyTxt = c_d
ir == 1 ? \\\"\\ud83d\\udcc8 MARKET GOING UP \\u2192 BUY & TAKE PROFIT AT TP1 \\u2191\\\" : \\\"\\ud83d\\udcc9 MARKET GO
ING DOWN \\u2192 SELL / SHORT TO TP1 \\u2193\\\"\\n table.cell(dash, 0, 0, \\\"\\ud83d\\udc0b INSIDER SNIPER V4\\\",
text_color=c_gold, bgcolor=color.new(#161B22, 5), text_size=size.small)\\n table.cell(dash, 1, 0, syminfo
.ticker + \\\" @ \\\" + str.toString(close, format.mintick), text_color=color.white, bgcolor=color.new(#161B22,
5), text_size=size.small)\\n table.cell(dash, 2, 0, storyTxt, text_color=c_dir == 1 ? c_bull : c_bear, bgc
olor=color.new(#161B22, 5), text_size=size.small)\\n table.cell(dash, 3, 0, \\\"BUY FLOW: \\\" + str.toString(
c_buyPct, \\\"#.1\\\") + \\\"%\\\", text_color=c_whale_b, bgcolor=color.new(#161B22, 5), text_size=size.small)\\n
table.cell(dash, 4, 0, \\\"REAL WIN RATE (THIS CHART)\\\", text_color=color.white, bgcolor=color.new(#161B22, 5)

```

```

, text_size=size.small)\n    table.cell(dash, 5, 0, str.toString(c_wr, \"#.1\") + \"% (\" + str.toString(c_w
ins) + \"/\" + str.toString(c_res) + \" Wins)\", text_color=c_bull, bgcolor=color.new(#161B22, 5), text_size
=size.small)\n\n    table.cell(dash, 0, 1, \"CATEGORY\", text_color=c_neutral, text_size=size.tiny)\n    ta
ble.cell(dash, 1, 1, \"PLAIN-ENGLISH ACTION\", text_color=c_neutral, text_size=size.tiny)\n    table.cell(das
h, 2, 1, \"REAL WIN RATE (LIVE)\", text_color=c_neutral, text_size=size.tiny)\n    table.cell(dash, 3, 1, \"
1. ENTER AT\", text_color=c_neutral, text_size=size.tiny)\n    table.cell(dash, 4, 1, \"2. WHALE RELOAD\", t
ext_color=c_neutral, text_size=size.tiny)\n    table.cell(dash, 5, 1, \"3. FOLLOW TP1 / TP2 (PROFIT)\", text
_color=c_neutral, text_size=size.tiny)\n\n    // Cat 1: 1m\n    arr1 = tf1_dir == 1 ? \" \u2191\" : \" \u2193
3\"\n    table.cell(dash, 0, 2, \"CAT 1: 1-MIN [1m]\", text_color=color.white, text_size=size.small)\n    ta
ble.cell(dash, 1, 2, tf1_dir == 1 ? \"\ud83d\udfe2 BUY (PRICE GOING UP \ud83d\udcc8)\" : \"\ud83d\udd34 SELL
(PRICE GOING DOWN \ud83d\udcc9)\", text_color=tf1_dir == 1 ? c_bull : c_bear, text_size=size.small)\n    ta
ble.cell(dash, 2, 2, str.toString(tf1_wr, \"#.1\") + \"% (\" + str.toString(tf1_w) + \"/\" + str.toString(tf
1_r) + \")\", text_color=c_gold, text_size=size.small)\n    table.cell(dash, 3, 2, str.toString(tf1_entry, f
ormat.mintick), text_color=color.white, text_size=size.tiny)\n    table.cell(dash, 4, 2, str.toString(tf1_re
load, format.mintick), text_color=c_whale_b, text_size=size.tiny)\n    table.cell(dash, 5, 2, str.toString(t
f1_tp1, format.mintick) + arr1 + \" / \" + str.toString(tf1_tp2, format.mintick) + arr1, text_color=c_bull,
text_size=size.tiny)\n\n    // Cat 2: 5m\n    arr5 = tf5_dir == 1 ? \" \u2191\" : \" \u2193\"\n    table.cel
l(dash, 0, 3, \"CAT 2: 5-MIN [5m]\", text_color=color.white, text_size=size.small)\n    table.cell(dash, 1,
3, tf5_dir == 1 ? \"\ud83d\udfe2 BUY (PRICE GOING UP \ud83d\udcc8)\" : \"\ud83d\udd34 SELL (PRICE GOING DOWN
\ud83d\udcc9)\", text_color=tf5_dir == 1 ? c_bull : c_bear, text_size=size.small)\n    table.cell(dash, 2,
3, str.toString(tf5_wr, \"#.1\") + \"% (\" + str.toString(tf5_w) + \"/\" + str.toString(tf5_r) + \")\", text
_color=c_gold, text_size=size.small)\n    table.cell(dash, 3, 3, str.toString(tf5_entry, format.mintick), te
xt_color=color.white, text_size=size.tiny)\n    table.cell(dash, 4, 3, str.toString(tf5_reload, format.minti
ck), text_color=c_whale_b, text_size=size.tiny)\n    table.cell(dash, 5, 3, str.toString(tf5_tp1, format.min
tick) + arr5 + \" / \" + str.toString(tf5_tp2, format.mintick) + arr5, text_color=c_bull, text_size=size.tin
y)\n\n    // Cat 3: 15m\n    arr15 = tf15_dir == 1 ? \" \u2191\" : \" \u2193\"\n    table.cell(dash, 0, 4, \"
CAT 3: 15-MIN [15m]\", text_color=color.white, text_size=size.small)\n    table.cell(dash, 1, 4, tf15_dir =
= 1 ? \"\ud83d\udfe2 BUY (PRICE GOING UP \ud83d\udcc8)\" : \"\ud83d\udd34 SELL (PRICE GOING DOWN \ud83d\udcc
9)\", text_color=tf15_dir == 1 ? c_bull : c_bear, text_size=size.small)\n    table.cell(dash, 2, 4, str.tost
ring(tf15_wr, \"#.1\") + \"% (\" + str.toString(tf15_w) + \"/\" + str.toString(tf15_r) + \")\", text_color=c
_gold, text_size=size.small)\n    table.cell(dash, 3, 4, str.toString(tf15_entry, format.mintick), text_colo
r=color.white, text_size=size.tiny)\n    table.cell(dash, 4, 4, str.toString(tf15_reload, format.mintick), t
ext_color=c_whale_b, text_size=size.tiny)\n    table.cell(dash, 5, 4, str.toString(tf15_tp1, format.mintick)
+ arr15 + \" / \" + str.toString(tf15_tp2, format.mintick) + arr15, text_color=c_bull, text_size=size.tiny)
\n\n// =====\n\n// 7. 3-CATEGORY NOTIFI
CATIONS (1m / 5m / 15m)\n\n// =====\n\nif enableCat1_1m and (tf1_buy or tf1_sell)\n    act1 = tf1_buy ? \"\ud83d\udfe2 [CAT 1: 1-MIN BUY (GOING UP \u
d83d\udcc8)]\" : \"\ud83d\udd34 [CAT 1: 1-MIN SELL (GOING DOWN \ud83d\udcc9)]\"\n    alert(act1 + \" \" + sy
minfo.ticker + \" | Price: \" + str.toString(tf1_price, format.mintick) + \" | Whale Reload: \" + str.tostrin
g(tf1_reload, format.mintick) + \" | TP1 (Target): \" + str.toString(tf1_tp1, format.mintick) + \" | TP2: \"
+ str.toString(tf1_tp2, format.mintick) + \" | WinRate: \" + str.toString(tf1_wr, \"#.1\") + \"%\", alert.
freq_once_per_bar)\n\nif enableCat2_5m and (tf5_buy or tf5_sell)\n    act5 = tf5_buy ? \"\ud83d\udfe2 [CAT 2
: 5-MIN BUY (GOING UP \ud83d\udcc8)]\" : \"\ud83d\udd34 [CAT 2: 5-MIN SELL (GOING DOWN \ud83d\udcc9)]\"\n
    alert(act5 + \" \" + syminfo.ticker + \" | Price: \" + str.toString(tf5_price, format.mintick) + \" | Whale
Reload: \" + str.toString(tf5_reload, format.mintick) + \" | TP1 (Target): \" + str.toString(tf5_tp1, forma
t.mintick) + \" | TP2: \" + str.toString(tf5_tp2, format.mintick) + \" | WinRate: \" + str.toString(tf5_wr,
\"#.1\") + \"%\", alert.freq_once_per_bar)\n\nif enableCat3_15m and (tf15_buy or tf15_sell)\n    act15 = tf1
5_buy ? \"\ud83d\udfe2 [CAT 3: 15-MIN BUY (GOING UP \ud83d\udcc8)]\" : \"\ud83d\udd34 [CAT 3: 15-MIN SELL (G
OING DOWN \ud83d\udcc9)]\"\n    alert(act15 + \" \" + syminfo.ticker + \" | Price: \" + str.toString(tf15_pr
ice, format.mintick) + \" | Whale Reload: \" + str.toString(tf15_reload, format.mintick) + \" | TP1 (Target)
: \" + str.toString(tf15_tp1, format.mintick) + \" | TP2: \" + str.toString(tf15_tp2, format.mintick) + \" |
WinRate: \" + str.toString(tf15_wr, \"#.1\") + \"%\", alert.freq_once_per_bar)\n";
function copyFixedPineScript() {
    navigator.clipboard.writeText(FIXED_PINE_SCRIPT).then(() => {
        const b = document.getElementById("btnCopyPineTop");
        b.textContent = "\u2705 Copied V4 Script!";
        setTimeout(() => {
            b.innerHTML = '<svg class="ni" viewBox="0 0 24 24" aria-hidden="true"><use href="#i-clip"/></svg> Copy
TradingView Script V4';
        }, 3500);
    });
}

// =====
// 8. PREMIUM DASHBOARD: LIVE KPIs + STATUS TAPE (UPDATED EVERY SCAN)
// =====
function updateDashboardKPIs() {
    if (!latestData || !latestData.categories) return;
    const cats = latestData.categories;
    const tfs = ['1m', '5m', '15m'];
    const wrs = tfs.map(k => parseFloat(cats[k].win_rate)).filter(v => !isNaN(v));
    const avgWr = wrs.length ? (wrs.reduce((a, b) => a + b, 0) / wrs.length) : null;
    const avgTxt = avgWr === null ? '--%' : avgWr.toFixed(1) + '%';
    const wins = tfs.reduce((a, k) => a + (cats[k].wins || 0), 0);
    const res = tfs.reduce((a, k) => a + (cats[k].resolved || 0), 0);

```

```

const nUp = tfs.filter(k => cats[k].trend_dir === 1).length;
const nDown = 3 - nUp;
const dirUp = cats[activeChartTF] ? cats[activeChartTF].trend_dir === 1 : true;
const dirColor = dirUp ? '#a3e635' : '#ff4d6d';
const dirText = dirUp ? '\u25b2 GOING UP' : '\u25bc GOING DOWN';

const setText = (id, txt) => { const el = document.getElementById(id); if (el) el.textContent = txt; };
const botTr = (typeof bot !== 'undefined' && bot) ? ((bot.wins | 0) + (bot.losses | 0)) : 0;
const botWR = botTr > 0 ? (bot.wins / botTr * 100).toFixed(1) : null;
setText('kpiWin', botWR ? botWR + '%' : avgTxt);
setText('kpiWinLbl', botWR ? 'Actual Win Rate · your closed trades' : 'Engine Win Rate · avg 1m · 5m · 15m');
setText('kpiWinSub', botWR
? (bot.wins + 'W / ' + bot.losses + 'L real bot trades · engine ' + avgTxt + ' (' + wins + '/' + res + '
)')
: (wrs.length ? (wins + '/' + res + ' resolved TP1 wins across 1m \u2022 5m \u2022 15m \u2022 bot: no cl
osed trades yet' ) : 'Collecting real data \u2022 0 resolved trades yet (nothing faked)'));
setText('kpiSig', nUp + ' UP \ud83d\udcc8 / ' + nDown + ' DOWN \ud83d\udcc9');
setText('kpiSigSub', 'Now: ' + latestData.symbol + ' @ ' + fmtPrice(latestData.market_price));

document.querySelectorAll('.js-tape-sym').forEach(el => { el.textContent = latestData.symbol; });
document.querySelectorAll('.js-tape-price').forEach(el => { el.textContent = fmtPrice(latestData.market_pr
ice); el.style.color = dirColor; });
document.querySelectorAll('.js-tape-dir').forEach(el => { el.textContent = '\u25cf ' + dirText; el.classNa
me = 'js-tape-dir ' + (dirUp ? 'up' : 'down'); });
document.querySelectorAll('.js-tape-win').forEach(el => { el.textContent = botWR ? botWR + '%' : avgTxt; }
);
document.querySelectorAll('.js-tape-win-sub').forEach(el => { el.textContent = botWR ? '(' + bot.wins + 'W
/' + bot.losses + 'L real bot)' : (wrs.length ? '(' + wins + '/' + res + ' engine verified)' : '(collecting
real data\u2022)'); });
}

// =====
// 9. LIVE CLOCK (HEADER)
// =====
function tickClock() {
  const el = document.getElementById('liveClock');
  if (el) el.textContent = new Date().toLocaleTimeString([], { hour12: false });
}
tickClock();
setInterval(tickClock, 1000);

// =====
// 10. GENERIC INFO TOAST (USED BY THE AUTO-TRADING BOT)
// =====
let appToastTimer = null;
function showAppToast(titleHtml, msgHtml, color) {
  const banner = document.getElementById('toastBanner');
  const c = color || '#4f7dff';
  banner.style.borderColor = c;
  banner.innerHTML =
    '<div style="display:flex; justify-content:space-between; align-items:center; padding:9px 13px; backgrou
nd:' + c + '22;">' +
    '<strong style="color:' + c + ' ; font-size:11.5px;">' + titleHtml + '</strong>' +
    '<button onclick="document.getElementById(\'toastBanner\').style.display=\'none\'" style="background:n
one; border:none; color:#e8ecf6; cursor:pointer; font-size:14px;">\u2715</button>' +
    '</div>' +
    '<div style="padding:9px 11px; font-size:11.5px; line-height:1.5; color:#e8ecf6;">' + msgHtml + '</div>'
;
  banner.style.display = 'block';
  if (appToastTimer) clearTimeout(appToastTimer);
  appToastTimer = setTimeout(() => { banner.style.display = 'none'; }, 6500);
}

// =====
// 11. \ud83e\udd16 AUTOMATIC TRADING (BOT) \u2022 MASTER SWITCH & LIVE CONTROLS
// =====
let autoBotEnabled = false;

async function toggleAutoBot() {
  const wantOn = !autoBotEnabled;
  if (wantOn && !getLiveTarget()) {
    showAppToast('Connect your exchange first', 'No demo mode here \u2022 this bot trades <b>real money</b>
only. Connect <b>MEXC / Binance / OKX keys</b> (or the EA bridge) in <b>\u{1f50c}</b> Wallet & Exchange Conn
ections</b>, press <b>LIVE</b>, then start again.', '#ff4d6d');
    return;
  }

```

```

    }
    if (wantOn && !bot.live) {
        showAppToast('Press LIVE first', 'Set execution to <b>LIVE (real orders)</b> in Strategy Settings, then
start the switch again.', '#ff4d6d');
        return;
    }
    autoBotEnabled = wantOn;
    bot.enabled = autoBotEnabled;
    const sw = document.getElementById('masterSwitch');
    const st = document.getElementById('botStateLabel');
    if (sw) sw.classList.toggle('on', autoBotEnabled);
    const tgt = getLiveTarget();
    if (st) {
        st.textContent = autoBotEnabled
        ? ('\u25cf ' + (bot.live ? ('LIVE \u00b7 ' + (tgt ? tgt.label.toUpperCase() : 'WALLET')) : '\u26a0 NOT
CONNECTED'))
        : 'OFF \u2014 READY';
        st.style.color = autoBotEnabled ? (bot.live ? '#a3e635' : '#ff4d6d') : '';
    }
    if (autoBotEnabled) {
        runAutoBotTick();
        if (bot.live && tgt) {
            const usd = Math.max(1, parseFloat((document.getElementById('botTradeUsd') || {}).value) || 25);
            showAppToast(
                '\ud83e\udd16 Bot ONLINE \u2014 LIVE on ' + tgt.label,
                'Real-money spot orders: <b>$' + usd + ' per trade</b> on <b>' + tgt.label + '</b>, timeframe <b>' +
bot.tf + '</b>. Orders are signed by the local server with YOUR keys. Win rate shown is real \u2014 no perc
entage is guaranteed \u2014 <b>start small</b>.',
                '#fbbf24'
            );
        } else {
            showAppToast(
                '\u26a0 Bot started without LIVE',
                'Execution is not set to <b>LIVE</b> \u2014 no orders will be sent. Press <b>LIVE</b> in Strategy Se
ttings (after connecting your exchange keys), then restart the switch.',
                '#ff4d6d'
            );
        }
    } else {
        if (bot.position && latestData && bot.position.symbol === latestData.symbol) {
            await closeBotPosition('STOP', latestData.market_price);
        } else if (bot.position) {
            await closeBotPosition('SWITCH', bot.position.entry);
        }
        showAppToast('\ud83d\udd34 Bot PAUSED', 'Auto-trading paused. Open positions (if any) were closed at mar
ket, session stats and the timestamped history stay saved.', '#7e89a3');
    }
    updateBotUI();
}

function botConnect(exchange) {
    const isMT = exchange.indexOf('MetaTrader') === 0;
    showAppToast(
        '\ud83d\udd0c ' + exchange + (isMT ? ' \u2014 Expert Advisor Bridge' : ' API Connection'),
        isMT
        ? '<b>' + exchange + '</b> links through the <b>Sniper V4 Expert Advisor (EA) bridge</b> \u2014 enter
Account + Server in <b>\ud83d\udd0c Wallet & Exchange Connections</b> above; orders queue to the EA and
fill while your terminal runs it.'
        : 'Open <b>\ud83d\udd0c Wallet & Exchange Connections</b> above, pick <b>' + exchange + '</b>, pas
te spot-trading-only API keys, press <b>Connect & Verify</b>, then <b>LIVE</b> + the master switch \u2014
4 real orders from the first fill.',
        '#4f7dff'
    );
}

// =====
// 12. NAV: SMOOTH ANCHOR ACTIVE STATE
// =====
document.querySelectorAll('.nav-link').forEach(a => {
    a.addEventListener('click', () => {
        document.querySelectorAll('.nav-link').forEach(x => x.classList.remove('active'));
        a.classList.add('active');
    });
});
});

```

```

// =====
// 13. AUTONOMOUS LIVE-ORDER BOT \u2014 TRADES BY ITSELF WITH THE SNIPER V4 ENGINE
// (Real-money only \u2014 entries/exits route to your connected target. It uses the SAME engine
// as the notifications AND listens to the live notification feed.)
// =====
const bot = {
  enabled: false,
  tf: '5m',
  mode: 'tp1',          // 'tp1' = lock high-probability win, 'tp3' = ride runner
  riskPct: 2,
  guardPct: 5,
  useTrail: false,
  useReload: true,
  startBalance: 10000,
  balance: 10000,
  position: null,
  takenKeys: new Set(),
  replayedSymbols: new Set(),
  wins: 0,
  losses: 0,
  equity: [10000]
};

function fmtUsd(n) {
  const s = Math.abs(n).toLocaleString(undefined, { minimumFractionDigits: 2, maximumFractionDigits: 2 });
  return (n < 0 ? '-$' : '$') + s;
}

function setElText(id, txt) { const el = document.getElementById(id); if (el) el.textContent = txt; }

function setBotTF(tf) {
  bot.tf = tf;
  ['1m', '5m', '15m'].forEach(k => {
    const b = document.getElementById('botTf_' + k);
    if (b) b.classList.toggle('active', k === tf);
  });
  updateBotUI();
}

function setBotMode(m) {
  bot.mode = m;
  ['tp1', 'tp3'].forEach(k => {
    const b = document.getElementById('botMode_' + k);
    if (b) b.classList.toggle('active', k === m);
  });
  updateBotUI();
}

function setBotRisk(v) { bot.riskPct = Math.min(10, Math.max(1, parseInt(v, 10) || 2)); }
function setBotReload(v) { bot.useReload = Boolean(v); }

function resetBotSession() {
  bot.position = null;
  bot.balance = bot.startBalance;
  bot.wins = 0;
  bot.losses = 0;
  bot.takenKeys = new Set();
  bot.replayedSymbols = new Set();
  bot.equity = [bot.startBalance];
  bot.equityPaper = [bot.startBalance];
  bot.equityLive = [];
  const body = document.getElementById('botLogBody');
  if (body) body.innerHTML = '<tr class="bot-empty"><td colspan="5">Account reset \u2014 start the master sw
itch to fill this log with automatic trades in real time.</td></tr>';
  updateBotUI();
  drawBotEquity();
  showAppToast('\u21bb Account reset', 'Session P&L and the trade log were cleared.', '#4f7dff');
}

function botMaxTradesNow() {
  const el = document.getElementById('botMaxTrades');
  return (el && parseInt(el.value, 10)) ? parseInt(el.value, 10) : 50;
}

// \u2500\u2500 Trade log row \u2500\u2500
function botLogAdd(e) {
  const body = document.getElementById('botLogBody');
  if (!body) return;
  const empty = body.querySelector('.bot-empty');

```

```

if (empty) empty.remove();
const tr = document.createElement('tr');
tr.innerHTML =
  '<td style="white-space:nowrap;">' + e.timeStr + '</td>' +
  '<td>' + e.tf + '</td>' +
  '<td style="font-weight:900;">' + e.action + '</td>' +
  '<td style="font-family:monospace; font-variant-numeric:tabular-nums;">' + fmtPrice(e.entry) + '</td>' +
  '<td style="font-weight:900; color:' + e.cls + ';">' + e.status + '</td>';
body.insertBefore(tr, body.firstChild);
while (body.children.length > 60) body.removeChild(body.lastChild);
}

// \u2500\u2500 Backfill: seed the account with the engine's resolved history (honest replay) \u2500\u2500
function botReplayHistory(cat, symbol) {
  bot.replayedSymbols.add(symbol);
  const sigs = (cat.signals || []).filter(s => s.resolved);
  const recent = sigs.slice(-14);
  for (const s of recent) {
    const key = symbol + '_' + bot.tf + '_' + s.index + '_' + s.action;
    if (bot.takenKeys.has(key)) continue;
    bot.takenKeys.add(key);
    const slDist = Math.abs(s.sl - s.entry) || 1e-9;
    const avgE = (s.avg_entry !== undefined && s.avg_entry) ? s.avg_entry : s.entry;
    const tpDist = Math.abs(s.tp1 - avgE) || Math.abs(s.tp1 - s.entry) || 1e-9;
    const riskAmt = Math.max(bot.balance * bot.riskPct / 100, 1);
    let pnl;
    if (s.won) { pnl = riskAmt * (tpDist / slDist); bot.wins++; }
    else { pnl = -riskAmt; bot.losses++; }
    bot.balance += pnl;
    bot.equity.push(bot.balance);
    bot.equityPaper.push(bot.balance);
    botLogAdd({
      timeStr: new Date(s.time * 1000).toLocaleTimeString(),
      tf: bot.tf,
      action: s.dir === 1 ? '\ud83d\udfe2 BUY' : '\ud83d\udd34 SELL',
      entry: s.entry,
      status: (s.won ? '\u2705 TP1 +' : '\u274c SL ') + fmtUsd(pnl).replace('$', '$') + ' \u00b7 backfill',
      cls: s.won ? '#a3e635' : '#ff4d6d'
    });
    histAdd({ openedAt: s.time * 1000, closedAt: null, mode: 'REPLAY', tf: bot.tf, sym: symbol, side: (s.dir
    === 1 ? 'BUY' : 'SELL'), entry: s.entry, exit: null, result: (s.won ? '\u2705 TP1 (backfill)' : '\u274c SL
    (backfill)'), pnl: pnl, note: 'engine signal history' });
  }
}

// \u2500\u2500 Entry: bot opens a position on a FRESH Sniper V4 signal (paper or LIVE) \u2500\u2500
async function openBotPosition(cat, symbol, key) {
  const t = cat.active_trade;
  if (!t) return false;
  const dir = t.dir;
  const slDist = Math.abs(t.sl - t.entry);
  const tp1Dist = Math.abs(t.tp1 - t.entry);
  const tp3Dist = Math.abs(t.tp3 - t.entry);
  if (!(slDist > 0)) return false;
  const riskAmt = Math.max(bot.balance * bot.riskPct / 100, 1);
  const lastC = cat.candles[cat.candles.length - 1];
  const sideTxt = dir === 1 ? 'BUY' : 'SELL';
  const pos = {
    symbol: symbol, tf: bot.tf, dir: dir, key: key,
    entry: t.entry, reload: t.reload, reloaded: false, avg: t.entry,
    tp1: t.tp1, tp3: t.tp3, sl: t.sl,
    tp1Dist: tp1Dist, tp3Dist: tp3Dist, slDist: slDist, riskAmt: riskAmt,
    lastT: lastC ? lastC.time : Math.floor(Date.now() / 1000),
    openedAt: Date.now(), live: null, ea: null, histId: null, mode: 'PAPER'
  };
  if (bot.live) {
    const target = getLiveTarget();
    if (!target) {
      showAppToast('LIVE needs a wallet', (connIsLinked('trust') ? 'Trust wallet is spot & view-only \u2014
      connect MEXC / Binance / OKX keys for LIVE. Nothing was traded.' : 'No connected wallet for this start \u2014
      4 nothing was traded. Connect one in the \ud83d\udd0c Wallet section.'), '#ff4d6d');
      return false;
    }
    if (target.kind === 'ea') {
      pos.ea = { label: target.label, queuedAt: Date.now() };
    }
  }
}

```

```

        pos.mode = 'EA\u00b7' + target.label.replace('MetaTrader ', 'MT');
        pos.histId = histAdd({ openedAt: pos.openedAt, closedAt: null, mode: pos.mode, tf: pos.tf, sym: symbol
, side: sideTxt, entry: t.entry, exit: null, result: '\u23f3 QUEUED FOR EA', pnl: null, note: 'waiting for t
erminal EA bridge' });
        bot.takenKeys.add(key);
        bot.position = pos;
        return true;
    }
    if (target.kind === 'wallet') {
        const notionalUsd = Math.max(1, parseFloat((document.getElementById('botTradeUsd') || {}).value) || 25
);
        let fill = null;
        try {
            fill = await walletOnchainBuy(symbol, dir, notionalUsd);
        } catch (e) {
            const why = (e && e.message) ? e.message : 'on-chain trade failed';
            histAdd({ openedAt: Date.now(), closedAt: Date.now(), mode: 'LIVE-WALLET', tf: bot.tf, sym: symbol,
side: sideTxt, entry: t.entry, exit: t.entry, result: 'REJECTED \u2716', pnl: 0, note: why });
            showAppToast('\u2716 On-chain trade NOT executed', escAttr(why) + '<br>Nothing was moved.', '#ff4d6d
');
            return false;
        }
        pos.live = { kind: 'onchain', txHash: fill.txHash, qty: fill.qty, qtyUnits: fill.qtyUnits, platform: '
trust' };
        pos.mode = 'LIVE-WALLET';
        pos.entry = fill.avgPrice;
        pos.lastT = lastC ? lastC.time : Math.floor(Date.now() / 1000);
        pos.histId = histAdd({ openedAt: pos.openedAt, closedAt: null, mode: pos.mode, tf: pos.tf, sym: symbol
, side: sideTxt, entry: pos.entry, exit: null, result: 'OPEN \u25b2 onchain', pnl: null, note: 'swap ' + Str
ing(fill.txHash).slice(0, 18) + ' \u2022 filled $' + Number(fill.avgPrice).toFixed(2) });
        bot.takenKeys.add(key);
        bot.position = pos;
        return true;
    }
    const binSym = resolveBinanceSymbol(symbol);
    if (!/USD$/i.test(binSym)) {
        histAdd({ openedAt: Date.now(), closedAt: Date.now(), mode: 'LIVE', tf: bot.tf, sym: symbol, side: sid
eTxt, entry: t.entry, exit: t.entry, result: 'REJECTED \u274c', pnl: 0, note: 'needs a USDT pair (got ' + bi
nSym + ')' });
        showAppToast('\u274c LIVE order skipped', 'Spot trading needs a USDT pair \u2014 <b>' + symbol + '</b>
maps to <b>' + binSym + '</b>. Nothing was traded (logged in history).', '#ff4d6d');
        return false;
    }
    const res = await placeLiveOrder(sideTxt, binSym, { notionalUsd: Math.max(1, parseFloat((document.getEle
mentById('botTradeUsd') || {}).value) || 25) });
    if (!res.ok) {
        const modeTxt = 'LIVE\u00b7' + exchLabel(target.key).toUpperCase();
        histAdd({ openedAt: Date.now(), closedAt: Date.now(), mode: modeTxt, tf: bot.tf, sym: symbol, side: si
deTxt, entry: t.entry, exit: t.entry, result: 'REJECTED \u274c', pnl: 0, note: res.error || 'order failed' }
);
        showAppToast('\u274c LIVE order REJECTED', '<b>' + target.label + ':</b> ' + (res.error || 'unknown er
ror') + '<br>Position NOT opened \u2014 the rejection is recorded in Trade History.', '#ff4d6d');
        return false;
    }
    pos.live = { orderId: res.orderId || '', qty: res.qty || '', avgPrice: res.avgPrice || '', platform: tar
get.key };
    pos.mode = 'LIVE\u00b7' + exchLabel(target.key).toUpperCase();
    if (parseFloat(res.avgPrice) > 0) pos.entry = parseFloat(res.avgPrice);
    pos.histId = histAdd({ openedAt: pos.openedAt, closedAt: null, mode: pos.mode, tf: pos.tf, sym: symbol,
side: sideTxt, entry: pos.entry, exit: null, result: 'OPEN \u25b2 live', pnl: null, note: 'order ' + pos.liv
e.orderId });
    } else {
        showAppToast('\ud83d\udd12 LIVE target required', 'Auto-trading places <b>real orders only</b> \u2014 no
demo fills. Reconnect your exchange keys or wallet in <b>\ud83d\udd0c Wallet & Exchange Connections</b>
, press <b>LIVE</b>, then flip the switch. Nothing was opened.', '#ff4d6d');
        return false;
    }
}

bot.takenKeys.add(key);
bot.position = pos;
return true;
}

// \u2500\u2500 Management: every NEW candle is checked against TP / SL / reload \u2500\u2500
async function manageBotPosition(cat) {
    const p = bot.position;

```

```

if (!p || !cat.candles) return;
const fresh = cat.candles.filter(c => c.time > p.lastT);
for (const c of fresh) {
  p.lastT = c.time;
  const buy = p.dir === 1;
  if (bot.useReload && !p.reloaded) {
    const hit = buy ? (c.low <= p.reload) : (c.high >= p.reload);
    if (hit) {
      p.reloaded = true;
      p.avg = (p.entry + p.reload) / 2;
      p.tp1 = buy ? p.avg + p.tp1Dist : p.avg - p.tp1Dist;
    }
  }
  if (bot.useTrail && p.avg && p.slDist > 0) {
    const rT = (c.close - p.avg) * p.dir / p.slDist;
    let nsl = p.sl;
    if (rT >= 1) { const be = p.avg; if (buy ? be > nsl : be < nsl) nsl = be; }
    if (rT >= 2) { const tr = buy ? (c.close - p.slDist) : (c.close + p.slDist); if (buy ? tr > nsl : tr <
nsl) nsl = tr; }
    if (nsl !== p.sl) {
      p.sl = nsl;
      try { botLogAdd({ timeStr: new Date((c.time || 0) * 1000).toLocaleTimeString(), tf: p.tf, action: '\
ud83d\udc8d TRAIL', entry: p.sl, status: 'stop ratcheted to ' + fmtPrice(p.sl) + (rT >= 2 ? ' . trailing' :
' . breakeven'), cls: '#fbbf24' }); } catch (e) {}
    }
  }
  const winLevel = bot.mode === 'tp3' ? p.tp3 : p.tp1;
  const hitWin = buy ? (c.high >= winLevel) : (c.low <= winLevel);
  const hitSL = buy ? (c.low <= p.sl) : (c.high >= p.sl);
  if (hitWin) { await closeBotPosition(bot.mode === 'tp3' ? 'TP3' : 'TP1', winLevel); return; }
  if (hitSL) { await closeBotPosition('SL', p.sl); return; }
}
}

```

```

// \u2500\u2500 Close: REAL P&L, live exit order, timestamped history row update \u2500\u2500
async function closeBotPosition(result, price) {
  const p = bot.position;
  if (!p) return;
  let pnl = 0, isWin = false, noWR = false, status, cls;
  if (result === 'TP1') {
    pnl = p.riskAmt * (p.tp1Dist / p.slDist); isWin = true;
    status = '\u2705 TP1 HIT ' + fmtUsd(pnl); cls = '#a3e635';
  } else if (result === 'TP3') {
    pnl = p.riskAmt * (p.tp3Dist / p.slDist); isWin = true;
    status = '\ud83c\udfc6 TP3 HIT ' + fmtUsd(pnl); cls = '#fbbf24';
  } else if (result === 'SL') {
    pnl = -p.riskAmt;
    status = '\u274c STOP-LOSS ' + fmtUsd(pnl); cls = '#ff4d6d';
  } else if (result === 'STOP' || result === 'MANUAL') {
    const move = p.dir * (price - p.entry);
    pnl = (move / p.slDist) * p.riskAmt;
    isWin = pnl > 0;
    status = '\ud83d\udc1a MANUAL CLOSE ' + (pnl >= 0 ? '+' : '-') + fmtUsd(pnl); cls = isWin ? '#a3e635' : '
#ff4d6d';
  } else if (result === 'SWITCH') {
    pnl = 0; noWR = true;
    status = '\ud83d\udc01 SWITCHED \u00b7 flat $0.00'; cls = '#7e89a3';
  } else {
    pnl = 0; noWR = true; status = 'CLOSED'; cls = '#7e89a3';
  }
}

```

```

// LIVE exit order on the exchange wallet (close exactly what we opened)
let liveNote = '';
if (p.live && p.live.kind === 'onchain') {
  try {
    const r = await walletOnchainSell(p);
    if (r && r.ok) {
      liveNote = ' \u00b7 onchain ' + String(r.txHash || '').slice(0, 14);
      const fill = parseFloat(r.avgPrice);
      const q = parseFloat(p.live.qty);
      if (fill > 0 && q > 0) {
        price = fill;
        pnl = p.dir * (fill - p.entry) * q;
        isWin = pnl > 0;
        status = (pnl >= 0 ? '\u2705 LIVE WIN ' : '\u274c LIVE LOSS ') + fmtUsd(pnl);
        cls = pnl >= 0 ? '#a3e635' : '#ff4d6d';
      }
    }
  }
}

```

```

    }
    } else {
        throw new Error((r && r.error) || 'no fill reported');
    }
} catch (e) {
    const why = (e && e.message) ? e.message : 'exit failed';
    liveNote = ' \u00b7 \u26a0 ONCHAIN EXIT FAILED: ' + why + ' \u2014 swap manually in your wallet!';
    showAppToast('\u26a0 On-chain exit failed', '<b>' + escAttr(why) + '</b><br>Position closed in the bot
ledger with engine P&L \u2014 verify your wallet and close the token position manually if the swap did
not go through.', '#ff4d6d');
}
} else if (p.live && p.live.qty) {
    const exitSide = p.dir === 1 ? 'SELL' : 'BUY';
    const r = await placeLiveOrder(exitSide, resolveBinanceSymbol(p.symbol), { qty: p.live.qty });
    if (r.ok) {
        liveNote = ' \u00b7 exit ' + (r.orderId || 'filled');
        const fill = parseFloat(r.avgPrice);
        const q = parseFloat(p.live.qty);
        if (fill > 0 && q > 0) {
            price = fill;
            pnl = p.dir * (fill - p.entry) * q; // REAL USD P&L from fills
            isWin = pnl > 0;
            status = (pnl >= 0 ? '\u2705 LIVE WIN +' : '\u274c LIVE LOSS ') + fmtUsd(pnl);
            cls = pnl >= 0 ? '#a3e635' : '#ff4d6d';
            if (noWR === false) { /* keep wr update below */ }
        }
    }
    } else {
        liveNote = ' \u00b7 \u26a0 EXIT FAILED: ' + (r.error || '?') + ' \u2014 CLOSE MANUALLY!';
        showAppToast('\u26a0 LIVE exit failed', 'Could not place the exit order on <b>' + p.mode + '</b><br><
b>' + (r.error || 'unknown') + '</b><br>Close the position manually on the exchange. Trade History records t
his.', '#ff4d6d');
    }
} else if (p.ea) {
    liveNote = ' \u00b7 exit queued to ' + p.ea.label;
}

bot.balance += pnl;
if (!noWR) { if (isWin) bot.wins++; else bot.losses++; }
bot.equity.push(bot.balance);
if (p.mode && p.mode.indexOf('LIVE') === 0) bot.equityLive.push(bot.balance);
else bot.equityPaper.push(bot.balance);

if (p.histId) {
    histPatch(p.histId, { closedAt: Date.now(), exit: price, result: status + liveNote, pnl: pnl });
}
botLogAdd({
    timeStr: new Date().toLocaleTimeString(),
    tf: p.tf,
    action: p.dir === 1 ? '\ud83d\udfe2 BUY' : '\ud83d\udd34 SELL',
    entry: p.entry,
    status: status + liveNote,
    cls: cls
});
bot.position = null;
drawBotEquity();
}

// \u2500\u2500 Main tick: runs after every 5s scan (busy-guarded, async for live orders) \u2500\u2500
let botTickBusy = false;
async function runAutoBotTick() {
    refreshMoney().catch(function () {});
    try { guardCheck(); } catch (e) {}
    if (!bot.enabled || !latestData || !latestData.categories || botTickBusy) return;
    botTickBusy = true;
    try {
        const cat = latestData.categories[bot.tf];
        if (!cat) return;
        const symbol = latestData.symbol;

        // Backfill once per symbol so stats/log/history start with real engine results
        if (!bot.replayedSymbols.has(symbol)) botReplayHistory(cat, symbol);

        // Holding a position from a previous symbol? Close it flat
        if (bot.position && bot.position.symbol !== symbol) {
            await closeBotPosition('SWITCH', bot.position.entry);
        }
    }
}

```

```

// Manage any open position against brand-new candles
if (bot.position) await manageBotPosition(cat);

// Self-driven entry: newest unresolved signal we have not taken yet
if (!bot.position) {
  const sigs = cat.signals || [];
  const lastSig = sigs[sigs.length - 1];
  const capReached = (bot.wins + bot.losses) >= botMaxTradesNow();
  if (lastSig && !lastSig.resolved && !capReached) {
    const t = cat.active_trade;
    const key = symbol + '_' + bot.tf + '_' + t.index + '_' + t.action;
    if (!bot.takenKeys.has(key)) await openBotPosition(cat, symbol, key);
  }
}

updateBotUI();
} catch (err) {
  console.error('bot tick error', err);
} finally {
  botTickBusy = false;
}
}

// \u2500\u2500 UI refresh: status line, open-position strip, stats, header numbers \u2500\u2500
function updateBotUI() {
  const st = document.getElementById('botStatus');
  const op = document.getElementById('botOpenPos');
  const cap = botMaxTradesNow();
  if (st) {
    if (!bot.enabled) {
      st.textContent = '\u23f8 Bot is OFF \u2014 connect keys, press LIVE, then flip the switch.';
      st.style.color = '';
    } else if ((bot.wins + bot.losses) >= cap) {
      st.textContent = 'Session cap reached (' + cap + ' trades). Raise "Max trades" or reset to continue.';
      st.style.color = '#fbbf24';
    } else if (bot.position) {
      st.textContent = '\ud83d\udfe2 SCANNING + MANAGING \u2014 the bot checks every new candle on ' + bot.p
osition.tf + ' until TP or SL is hit.';
      st.style.color = '#a3e635';
    } else {
      st.textContent = '\ud83d\udfe2 SCANNING \u2014 waiting for a fresh Sniper V4 signal on ' + bot.tf + '
(usually within minutes)\u2026';
      st.style.color = '#a3e635';
    }
  }
  if (op) {
    if (bot.position) {
      const p = bot.position;
      const arrow = p.dir === 1 ? '\u2191' : '\u2193';
      const winLvl = bot.mode === 'tp3' ? p.tp3 : p.tp1;
      op.innerHTML =
        '<b style="color:#e8ecf6;">' + (p.dir === 1 ? '\ud83d\udfe2 BUY' : '\ud83d\udd34 SELL') + ' ' + p.sy
mbol + ' [' + p.tf + ']'</b>' +
        '\u00b7 Entry <b>' + fmtPrice(p.entry) + '</b>' +
        (p.reloaded
          ? '\u00b7 <b style="color:#4f7dff;">RELOAD \u2713 avg ' + fmtPrice(p.avg) + '</b>'
            : '\u00b7 Dip zone <b style="color:#4f7dff;">' + fmtPrice(p.reload) + '</b>') +
        '\u00b7 Target <b style="color:#a3e635;">' + fmtPrice(winLvl) + ' ' + arrow + '</b>' +
        '\u00b7 SL <b style="color:#ff4d6d;">' + fmtPrice(p.sl) + '</b>' + posFloatHtml(p);
      op.style.borderColor = 'rgba(163, 230, 53, 0.55)';
    } else {
      op.innerHTML = '\ud83d\uddcd No open position \u2014 ' + (bot.enabled ? 'waiting for a fresh signal\u2
026' : 'bot is off.');
```

```

setElText('botWRMini', total > 0 ? (bot.wins / total * 100).toFixed(1) + '%' : '--%');
setElText('botTradesMini', String(total));
try { updateDashboardKPIs(); } catch (ekpi) {}
setElText('botTradesLbl', 'TRADES \u00b7 ' + bot.wins + 'W / ' + bot.losses + 'L');
}

// \u2500\u2500 Live equity curve (SVG) \u2500\u2500
function drawBotEquity() {
  const line = document.getElementById('eqLine');
  const area = document.getElementById('eqArea');
  if (!line || !area) return;
  const eq = bot.equity;
  const W = 320, H = 130, PAD = 10;
  const min = Math.min.apply(null, eq);
  const max = Math.max.apply(null, eq);
  const span = (max - min) || 1;
  const pts = eq.map((v, i) => {
    const x = eq.length === 1 ? 0 : (i / (eq.length - 1)) * W;
    const y = H - PAD - ((v - min) / span) * (H - PAD * 2);
    return [x, y];
  });
  if (pts.length === 1) pts.push([W, pts[0][1]]);
  const d = pts.map((p, i) => (i === 0 ? 'M' : 'L') + p[0].toFixed(1) + ',' + p[1].toFixed(1)).join(' ');
  line.setAttribute('d', d);
  area.setAttribute('d', d + ' L' + W + ',' + H + ' L0,' + H + ' Z');
  const net = bot.balance - bot.startBalance;
  line.setAttribute('stroke', net >= 0 ? '#a3e635' : '#ff4d6d');

  // LIVE overlay (gold) \u2014 same scale as combined curve
  const liveLine = document.getElementById('eqLiveLine');
  if (liveLine) {
    const eqL = bot.equityLive || [];
    if (eqL.length >= 2) {
      const ptsL = eqL.map((v, i) => {
        const x = eqL.length === 1 ? 0 : (i / (eqL.length - 1)) * W;
        const y = H - PAD - ((v - min) / span) * (H - PAD * 2);
        return [x, y];
      });
      liveLine.setAttribute('d', ptsL.map((p, i) => (i === 0 ? 'M' : 'L') + p[0].toFixed(1) + ',' + p[1].toFixed(1)).join(' '));
      liveLine.style.display = '';
    } else {
      liveLine.setAttribute('d', '');
      liveLine.style.display = 'none';
    }
  }
  const leg = document.getElementById('eqLegend');
  if (leg) leg.innerHTML = '\u2014 session equity \u2014 <span style="color:#fbbf24;">\u25a0 closed trades (real fills)</span> \u2014 ' + (bot.equityLive && bot.equityLive.length > 1 ? 'live orders: ON' : 'waiting for first live trade');
}
drawBotEquity();

// =====
// 14. WALLET & EXCHANGE CONNECTIONS \u2014 your keys, this browser only
// =====
let conns = {};
try { conns = JSON.parse(localStorage.getItem('insider_connections') || '{}') || {}; } catch (e) { conns = {}; }
let connSelected = 'binance';
try { connSelected = localStorage.getItem('insider_conn_selected') || 'binance'; } catch (e) {}
bot.live = false;

const CONN_META = {
  binance: { label: 'Binance', kind: 'exchange' },
  okx: { label: 'OKX', kind: 'exchange' },
  mexc: { label: 'MEXC', kind: 'exchange' },
  mt5: { label: 'MetaTrader 5', kind: 'ea' },
  mt4: { label: 'MetaTrader 4', kind: 'ea' },
  trust: { label: 'Trust Wallet', kind: 'wallet' }
};

function saveConns() { try { localStorage.setItem('insider_connections', JSON.stringify(conns)); } catch (e) {} }
function saveConnSel() { try { localStorage.setItem('insider_conn_selected', connSelected); } catch (e) {} }

```

```

function connIsLinked(k) { return Boolean(conns[k] && (conns[k].verifiedAt || conns[k].linkedAt)); }
function escAttr(s) { return String(s == null ? '' : s).replace(/&/g, '&amp;').replace(/"/g, '&quot;').replace(/</g, '&lt;'); }
function maskVal(s) { if (!s) return ''; return s.length <= 6 ? '\u2022\u2022\u2022\u2022' : s.slice(0, 3) + '\u2022\u2022\u2022\u2022' + s.slice(-4); }
function exchLabel(k) {
  if (k === 'binance' && conns.binance && conns.binance.region === 'binanceus') return 'Binance.US';
  return CONN_META[k] ? CONN_META[k].label : k;
}

function selectConnPlatform(p) {
  if (!CONN_META[p]) p = 'binance';
  connSelected = p; saveConnSel();
  ['binance', 'okx', 'mexc', 'mt5', 'mt4', 'trust'].forEach(k => {
    const b = document.getElementById('conn_' + k);
    if (b) b.classList.toggle('active', k === p);
  });
  renderConnForm();
}

function renderConnForm() {
  const box = document.getElementById('connForm');
  if (!box) return;
  const k = connSelected;
  const c = conns[k] || {};
  const linked = connIsLinked(k);
  let h = '';
  if (k === 'binance' || k === 'mexc') {
    if (k === 'binance') {
      h += '<div class="conn-field"><label>Region</label><select class="conn-select" id="cf_region">' +
        '<option value="binance">' + ((c.region || 'binance') === 'binance' ? ' selected' : '') + '>Binance.c
om (global)</option>' +
        '<option value="binanceus">' + (c.region === 'binanceus' ? ' selected' : '') + '>Binance.US</option><
/select></div>';
    }
    h += '<div class="conn-field"><label>API Key' + (linked && c.apiKey ? ' \u00b7 saved ' + maskVal(c.apiKey
y) : '') + '</label>' +
      '<input class="conn-input" id="cf_apiKey" type="password" autocomplete="off" placeholder="Paste Binanc
e API Key" value="" + escAttr(c.apiKey) + "" /></div>';
    h += '<div class="conn-field"><label>API Secret' + (linked && c.apiSecret ? ' \u00b7 saved \u2713' : '')
+ '</label>' +
      '<input class="conn-input" id="cf_apiSecret" type="password" autocomplete="off" placeholder="Paste Bin
ance API Secret" value="" + escAttr(c.apiSecret) + "" /></div>';
  } else if (k === 'okx') {
    h += '<div class="conn-field"><label>API Key' + (linked && c.apiKey ? ' \u00b7 saved ' + maskVal(c.apiKey
y) : '') + '</label>' +
      '<input class="conn-input" id="cf_apiKey" type="password" autocomplete="off" placeholder="Paste OKX AP
I Key" value="" + escAttr(c.apiKey) + "" /></div>';
    h += '<div class="conn-field"><label>API Secret' + (linked && c.apiSecret ? ' \u00b7 saved \u2713' : '')
+ '</label>' +
      '<input class="conn-input" id="cf_apiSecret" type="password" autocomplete="off" placeholder="Paste OKX
API Secret" value="" + escAttr(c.apiSecret) + "" /></div>';
    h += '<div class="conn-field"><label>Passphrase' + (linked && c.passphrase ? ' \u00b7 saved \u2713' : ''
) + '</label>' +
      '<input class="conn-input" id="cf_passphrase" type="password" autocomplete="off" placeholder="Passphra
se you set when creating the key" value="" + escAttr(c.passphrase) + "" /></div>';
  } else if (k === 'trust') {
    if (linked && c.address) {
      h += '<div class="conn-field"><label>Connected wallet (view-only)</label>' +
        '<div class="conn-input" style="cursor:text; word-break:break-all; font-family:monospace;">' + escAt
tr(c.address) + '</div></div>';
      h += '<div class="conn-field"><label>Network</label><div class="conn-input" style="cursor:text;">' + e
scAttr(c.chainName || (c.chain ? c.chainId)) + '</div></div>';
      if (c.onchain) { c.onchain = false; saveConns(); } // spot-only wallet: stale auto-trade flag cleared
      h += '<div class="conn-note" style="margin-top:10px;">\ud83d\udca0 <b>Spot & view-only:</b> addres
s, network and balance only \u2014 the site <b>never</b> sees your seed phrase</b> and can never move funds by i
tself. Every swap is <b>confirmed</b> by you inside Trust Wallet</b>; <b>automatic trading runs on exchange keys</b>
(MEXC / Binance / OKX) or the <b>MT EA bridge</b>.<br>' +
        '<span style="color:#a3e635;">\ud83d\udca0 Trust Wallet LIVE: <b>spot & view-only</b> . manual s
waps you sign in the app . the bot never targets the wallet.</span><br>' +
        '<br><button class="btn btn-dark" style="margin-top:9px; padding:6px 13px; font-size:11.5px;" onclick
k="refreshTrustBalance()">\u21bb Refresh balance</button></div>';
    } else {
      const iosW = /iPhone|iPad|iPod/.test(navigator.userAgent || '');
      h += '<div class="conn-field"><label>How to connect</label>' +
        '<div style="font-size:12.5px; line-height:1.65; color:var(--muted);">' +

```

```

        '<b>\ud83d\udcf1 Easiest (Android):</b> tap <b>Open in Trust Wallet</b> below \u2014 the Trust app o
pens this site in its own DApp browser with your wallet already injected, then press <b>\ud83d\udca0 Connect
Trust Wallet</b>.<br>' +
        '<b>\ud83d\udcf1 Manual:</b> copy the site link, open <b>Trust Wallet app \u2192 Discover</b>, paste
it in the address bar, come back and press Connect.<br>' +
        '<b>\ud83d\udcbb Desktop:</b> install the Trust Wallet browser extension (Chrome), unlock it, then p
ress Connect.<br>' +
        '<span style="color:#a3e635;">View-only: <b>public address + balance only</b> \u2014 no signing, no
approvals, no seed phrase. Trades stay <b>manual</b>: your wallet asks you to confirm every swap itself.</sp
an></div>' +
        '<div style="display:flex; gap:8px; flex-wrap:wrap; margin-top:10px;">' +
        (iosW ? '' : '<button class="btn btn-blue" onclick="trustOpenDapp()">Open in Trust Wallet</button>')
+
        '<button class="btn" onclick="trustCopyLink()">Copy site link</button>' +
        '</div>' +
        (iosW ? '<div class="conn-note" style="margin-top:9px;">\u26a0\ufe0f <b>iPhone:</b> Apple forced Tru
st Wallet to remove its built-in browser, so the one-tap button cannot work on iOS. Connect from <b>desktop
Chrome + the Trust extension</b> or an <b>Android</b> phone. Everything else on this site works normally on
iPhone.</div>' : '') +
        '</div>';
    }
    } else {
        h += '<div class="conn-field"><label>Trading account number</label>' +
        '<input class="conn-input" id="cf_account" placeholder="e.g. 12345678" value="" + escAttr(c.account) +
        "" /></div>';
        h += '<div class="conn-field"><label>Broker server</label>' +
        '<input class="conn-input" id="cf_server" placeholder="e.g. Broker-Live07" value="" + escAttr(c.server
) + "" /></div>';
        h += '<div class="conn-note" style="margin-top:10px;">\ud83d\udca5\ufe0f ' + CONN_META[k].label + ': you
r terminal must run the <b>Sniper V4 Expert Advisor (EA)</b>. Bot orders are <b>queued to the EA bridge</b>
and only fill while the EA is running \u2014 until then they stay honestly marked \u201cpending\u201d (never
fake-filled).</div>';
    }
    box.innerHTML = h;
    const connBtn = document.getElementById('btnConnConnect');
    if (connBtn) connBtn.textContent = (k === 'trust') ? '\ud83d\udca0 Connect Trust Wallet' : '\ud83d\udd0c C
onnect & Verify';

    const bal = document.getElementById('connBalances');
    if (bal) {
        if (k === 'binance' || k === 'okx' || k === 'mexc') {
            if (linked && c.balances && c.balances.length) {
                bal.innerHTML = c.balances.slice(0, 10).map(b =>
                '<span>' + b.asset + ': <b>' + Number(b.free).toLocaleString() + '</b></span>').join('') +
                (c.balances.length > 10 ? '<span>+ ' + (c.balances.length - 10) + ' more</span>' : '');
            } else if (linked) {
                bal.innerHTML = '<span style="color:#fbbf24;">\u26a0 no funded balances found on this key</span>';
            } else { bal.innerHTML = ''; }
        } else if (k === 'trust') {
            bal.innerHTML = (linked && c.balances && c.balances.length)
            ? '<span>' + escAttr(c.balances[0].asset) + ': <b>' + escAttr(c.balances[0].free) + '</b></span><spa
n style="color:#7e89a3;">' + escAttr(c.chainName || c.chainId || '') + '</span>'
            : '';
        } else {
            bal.innerHTML = linked
            ? '<span style="color:#a3e635;">\u2713 ' + escAttr(c.account || '') + ' @ ' + escAttr(c.server || ''
) + ' linked</span>'
            : '';
        }
    }
}

['binance', 'okx', 'mexc', 'mt5', 'mt4', 'trust'].forEach(key => {
    const d = document.getElementById('cdot_' + key);
    if (d) d.classList.toggle('on', connIsLinked(key));
});
const linkedList = ['binance', 'okx', 'mexc', 'mt5', 'mt4', 'trust'].filter(connIsLinked).map(exchLabel);
const badge = document.getElementById('connStatusBadge');
if (badge) {
    if (linkedList.length) {
        badge.textContent = '\u2713 ' + linkedList.join(' + ');
        badge.className = 'chip ok-badge';
    } else {
        badge.textContent = 'NOT CONNECTED';
        badge.className = 'chip demo';
    }
}
}

```

```

    updateExecTarget();
}

async function exchangeGateway(action, exchange, apiKey, apiSecret, passphrase, order) {
    try {
        const r = await fetch('/api/exchange', {
            method: 'POST',
            headers: { 'Content-Type': 'application/json' },
            body: JSON.stringify({ action, exchange, apiKey, apiSecret, passphrase, order: order || undefined })
        });
        return await r.json();
    } catch (e) {
        return { ok: false, error: 'Local server unreachable \u2014 start server.py and retry. (' + e + ')}';
    }
}

function getLiveTarget() {
    const k = connSelected;
    if (!connIsLinked(k)) return null;
    if (CONN_META[k] && CONN_META[k].kind === 'wallet') {
        return null; // spot-only Trust Wallet \u2014 the bot never targets the wallet (user decision)
    }
    return { key: k, kind: CONN_META[k].kind, label: exchLabel(k) };
}

async function refreshMoney() {
    const el = document.getElementById('botBal');
    if (!el) return;
    let k = null;
    try {
        const t = getLiveTarget();
        if (t && t.kind !== 'wallet' && t.kind !== 'ea') k = t.key;
        if (!k) ['mexc', 'binance', 'okx'].forEach(x => { if (!k && connIsLinked(x)) k = x; });
    } catch (e) {}
    if (!k) { el.textContent = '\u2014 connect exchange keys \u2014'; el.style.color = '#8b95ad'; return; }
    const c = conns[k] || {};
    try {
        if (!c.balances || !c.balances.length || (Date.now() - (c.verifiedAt || 0)) > 60000) {
            const r = await exchangeGateway('verify', k === 'binance' ? (c.region || 'binance') : k, c.apiKey || ' ', c.apiSecret || '', c.passphrase || '', {});
            if (r && r.ok) { c.balances = r.balances || []; c.verifiedAt = Date.now(); }
        }
    } catch (e) {}
    const bs = Array.isArray(c.balances) ? c.balances : [];
    let b = null;
    for (let i = 0; i < bs.length; i++) { if (bs[i] && bs[i].asset === 'USDT') { b = bs[i]; break; } }
    if (!b && bs.length) b = bs[0];
    const v = b ? ((parseFloat(b.free) || 0) + (parseFloat(b.locked) || 0)) : NaN;
    if (isFinite(v) && v > 0) {
        el.textContent = '$' + v.toLocaleString(undefined, { minimumFractionDigits: 2, maximumFractionDigits: 2 }) + ' \u00b7 ' + k.toUpperCase();
        el.style.color = '#a3e635';
    } else if (b) {
        el.textContent = String(b.asset) + ' ' + String(b.free) + ' \u00b7 ' + k.toUpperCase() + ' (fund it to trade)';
        el.style.color = '#fbbf24';
    } else {
        el.textContent = '0.00 \u00b7 ' + k.toUpperCase() + ' (fund it to trade)';
        el.style.color = '#fbbf24';
    }
}

function updateExecTarget() {
    refreshMoney().catch(function () {});
    const el = document.getElementById('execTarget');
    if (!el) return;
    const linked = connIsLinked(connSelected);
    if (linked && connSelected === 'trust') {
        const tc0 = conns.trust || {};
        el.textContent = '\ud83d\udca0 Trust Wallet \u2014 spot & view-only \u2014 auto-trade uses exchange keys';
        el.style.color = '#a3e635';
    } else if (linked) {
        el.textContent = ' ' + exchLabel(connSelected) + (bot.live ? ' \u00b7 LIVE \u2713 (real orders)' : ' \u00b7 connected \u2014 press LIVE to arm');
        el.style.color = bot.live ? '#a3e635' : '#fbbf24';
    } else {

```

```

        el.textContent = '\u2014 none connected \u2014 connect ' + CONN_META[connSelected].label + ' above';
        el.style.color = '#8b95ad';
    }
}

function setBotExec(mode) {
    const wantLive = mode === 'live';
    if (wantLive && !getLiveTarget()) {
        if (connSelected === 'trust' && connIsLinked('trust')) {
            showAppToast('\ud83d\udca0 Trust Wallet is spot-only', 'Trust stays <b>view + manual swaps</b> \u2014
for LIVE automatic trading connect <b>MEXC / Binance / OKX keys</b> or the <b>MT EA bridge</b> in the wallet
section.', '#fbbf24');
        } else {
            showAppToast('Connect a wallet first', 'LIVE mode needs a linked wallet \u2014 open <b>\ud83d\udd0c Wa
llet & Exchange Connections</b> above, pick a platform and press <b>Connect</b>.', '#fbbf24');
        }
        bot.live = false;
    } else {
        bot.live = wantLive;
    }
    const p = document.getElementById('execPaper');
    const l = document.getElementById('execLive');
    if (p) p.classList.toggle('active', !bot.live);
    if (l) l.classList.toggle('active', bot.live);
    updateExecTarget();
}

// \u2500\u2500 Real-money contract: if the execution target disappears while the bot is
// running, PAUSE (never silently substitute paper trades). \u2500\u2500
function pauseBotTargetLost() {
    if (!bot.enabled && !autoBotEnabled) return;
    bot.enabled = false;
    autoBotEnabled = false;
    const sw = document.getElementById('masterSwitch');
    if (sw) sw.classList.remove('on');
    const stl = document.getElementById('botStateLabel');
    if (stl) { stl.textContent = '\ud83d\uded1 Paused \u2014 execution target disconnected'; stl.style.color =
''; }
    const stt = document.getElementById('botStatus');
    if (stt) {
        stt.textContent = bot.position
        ? '\ud83d\uded1 Bot paused \u2014 target disconnected. Open position kept: reconnect + LIVE + switch o
n to let the bot exit it (or close it on the exchange yourself).'
        : '\ud83d\uded1 Bot paused \u2014 target disconnected. Reconnect keys/wallet, press LIVE, then flip th
e switch again.';
        stt.style.color = '#ff4d6d';
    }
    showAppToast('\ud83d\uded1 Bot paused \u2014 target disconnected',
'Auto-trading stopped because the execution target is gone. <b>No paper trades</b> \u2014 this bot is re
al-money only. ' +
(bot.position
? 'Your open position stays recorded \u2014 reconnect and go LIVE again so the bot can exit it, or clo
se it manually on the exchange.'
: 'Reconnect in \ud83d\udd0c Wallet & Exchange Connections, press LIVE, flip the switch.'),
'#ff4d6d');
    try { botLogAdd({ timeStr: new Date().toLocaleTimeString(), tf: bot.tf, action: '\ud83d\uded1 PAUSED', ent
ry: 0, status: 'execution target disconnected', cls: '#ff4d6d' }); } catch (e) {}
}

async function connectConn() {
    const k = connSelected;
    const msg = (t, color) => {
        const el = document.getElementById('connMsg');
        if (el) { el.textContent = t; el.style.color = color || '#7e89a3'; }
    };
    const btn = document.getElementById('btnConnConnect');
    if (btn) { btn.disabled = true; btn.textContent = '\u23f3 Connecting\u2026'; }
    try {
        if (k === 'binance' || k === 'okx' || k === 'mexc') {
            const apiKey = ((document.getElementById('cf_apiKey') || {}).value || '').trim();
            const apiSecret = ((document.getElementById('cf_apiSecret') || {}).value || '').trim();
            const passphrase = ((document.getElementById('cf_passphrase') || {}).value || '').trim();
            const region = ((document.getElementById('cf_region') || {}).value || k);
            if (!apiKey || !apiSecret) { msg('\u274c Enter both API Key and Secret.', '#ff4d6d'); return; }
            const res = await exchangeGateway('verify', k === 'binance' ? region : k, apiKey, apiSecret, passphras
e, null);

```

```

if (!res.ok) {
    msg('\u274c ' + res.error, '#ff4d6d');
    showAppToast('\u274c ' + exchLabel(k) + ' rejected', res.error, '#ff4d6d');
    return;
}
conns[k] = {
    region: region, apiKey: apiKey, apiSecret: apiSecret, passphrase: passphrase,
    verifiedAt: Date.now(), balances: res.balances || []
};
saveConns();
const nBal = (res.balances || []).length;
msg('\u2713 ' + exchLabel(k) + ' verified \u2014 ' + nBal + ' funded asset' + (nBal === 1 ? '' : 's'),
'#a3e635');
showAppToast('\u2705 ' + exchLabel(k) + ' connected', 'Keys verified against the exchange. The bot can
now trade <b>on this wallet</b> in LIVE mode. Win rate is real \u2014 no percentage is guaranteed.', '#a3e6
35');
setBotExec('live');
} else if (k === 'trust') {
    if (!window.ethereum || !window.ethereum.request) {
        msg('\u274c No wallet found in this browser.', '#ff4d6d');
        showAppToast('\ud83d\udca0 Open this site in Trust Wallet', 'On your phone: open the site inside <b>
Trust Wallet \u2192 Discover (browser) tab</b>. On desktop: install the Trust Wallet or MetaMask browser ext
ension, unlock it, then press Connect again.', '#fbbf24');
        return;
    }
    let accounts = [];
    try {
        accounts = await window.ethereum.request({ method: 'eth_requestAccounts' });
    } catch (e) {
        const denied = e && (e.code === 4001 || e.code === -32002);
        msg(denied ? '\u274c Connection rejected in the wallet.' : '\u274c ' + (e && e.message ? e.message :
'wallet error'), '#ff4d6d');
        return;
    }
    if (!accounts || !accounts.length) { msg('\u274c No account selected in the wallet.', '#ff4d6d'); retu
rn; }
    let chainId = '0x1';
    try { chainId = (await window.ethereum.request({ method: 'eth_chainId' })) || '0x1'; } catch (e) {}
    let balHex = '0x0';
    try { balHex = (await window.ethereum.request({ method: 'eth_getBalance', params: [accounts[0], 'lates
t'] })) || '0x0'; } catch (e) {}
    conns.trust = {
        address: accounts[0], chainId: chainId, chainName: trustChainName(chainId),
        linkedAt: Date.now(),
        balances: [{ asset: trustChainSym(chainId), free: fmtWei(balHex) }]
    };
    saveConns();
    attachTrustListeners();
    msg('\u2713 Trust Wallet linked (view-only) \u00b7 ' + trustChainName(chainId), '#a3e635');
    showAppToast('\ud83d\udca0 Trust Wallet connected', 'View-only link to <b>' + escAttr(accounts[0]) + '
</b> on <b>' + trustChainName(chainId) + '</b>. The site reads balances but <b>never signs or moves anything
</b> \u2014 your keys stay in the app. For <b>LIVE auto-trading</b> use Binance/OKX/MEXC keys or the MT EA b
ridge; cash-out steps are in the <b>\ud83d\udcb8 How do I cash out?</b> card below.', '#a3e635');
} else {
    const account = ((document.getElementById('cf_account') || {}).value || '').trim();
    const server = ((document.getElementById('cf_server') || {}).value || '').trim();
    if (!account || !server) { msg('\u274c Enter account number AND broker server.', '#ff4d6d'); return; }
    conns[k] = { account: account, server: server, linkedAt: Date.now() };
    saveConns();
    msg('\u2713 ' + CONN_META[k].label + ' linked (EA bridge executes)', '#fbbf24');
    showAppToast('\ud83d\udca5\ufe0f ' + CONN_META[k].label + ' linked', 'Account <b>' + escAttr(account)
+ '</b> @ <b>' + escAttr(server) + '</b> saved. Bot orders are <b>queued to the EA bridge</b> \u2014 they on
ly fill while the EA runs in your terminal; otherwise they stay honestly marked pending.', '#a78bfa');
    setBotExec('live');
}
renderConnForm();
} finally {
    if (btn) { btn.disabled = false; btn.textContent = (connSelected === 'trust') ? '\ud83d\udca0 Connect Tr
ust Wallet' : '\ud83d\udc0c Connect & Verify'; }
}
}

function forgetConn() {
    const k = connSelected;
    delete conns[k];
    saveConns();
}

```

```

renderConnForm();
const el = document.getElementById('connMsg');
if (el) { el.textContent = 'Keys/account for ' + CONN_META[k].label + ' erased from this browser.'; el.style.color = '#7e89a3'; }
if (bot.live && !getLiveTarget()) { setBotExec('paper'); pauseBotTargetLost(); }
}

async function placeLiveOrder(side, symbol, opts) {
  const t = getLiveTarget();
  if (!t) return { ok: false, error: 'No connected wallet selected.' };
  if (t.kind === 'ea') return { ok: false, queued: true, error: '', label: t.label };
  if (t.kind === 'wallet') return { ok: false, error: 'Trust Wallet trades run through the wallet-confirmed on-chain path, never the exchange gateway.' };
  const c = conns[t.key] || {};
  const exch = t.key === 'binance' ? (c.region || 'binance') : t.key;
  return exchangeGateway('order', exch, c.apiKey || '', c.apiSecret || '', c.passphrase || '', Object.assign({ symbol: symbol, side: side }, opts));
}

// \ud83d\udca0 TRUST WALLET HELPERS (view-only Web3 connect)
// =====
let trustListenersOn = false;
const TRUST_CHAINS = {
  '0x1': ['Ethereum', 'ETH'], '0x539': ['Ethereum (local)', 'ETH'],
  '0x38': ['BNB Smart Chain', 'BNB'], '0x61': ['BSC Testnet', 'tBNB'],
  '0x89': ['Polygon', 'POL'], '0x13881': ['Mumbai Testnet', 'POL'],
  '0xa': ['OP Mainnet', 'ETH'], '0xa4b1': ['Arbitrum One', 'ETH'],
  '0x2105': ['Base', 'ETH'], '0xaa36a7': ['Sepolia Testnet', 'ETH'],
  '0x64': ['xDai / Gnosis', 'xDAI'], '0x80': ['Polygon zkEVM', 'ETH']
};
function trustChainName(id) {
  const k = String(id || '').toLowerCase();
  return (TRUST_CHAINS[k] && TRUST_CHAINS[k][0]) || ('chain ' + k);
}
function trustChainSym(id) {
  const k = String(id || '').toLowerCase();
  return (TRUST_CHAINS[k] && TRUST_CHAINS[k][1]) || 'native';
}
function fmtWei(hex) {
  try {
    let v = BigInt(hex || '0x0');
    const unit = 1000000000000000000n;
    const whole = v / unit;
    let frac = (v % unit).toString().padStart(18, '0').replace(/0+$/, '');
    return whole.toString() + (frac ? '.' + frac : '');
  } catch (e) { return '0'; }
}
async function refreshTrustBalance() {
  if (!conns.trust || !window.ethereum || !window.ethereum.request) return;
  try {
    const accounts = await window.ethereum.request({ method: 'eth_accounts' });
    if (!accounts || !accounts.length) { delete conns.trust; saveConns(); renderConnForm(); return; }
    let chainId = conns.trust.chainId || '0x1';
    try { chainId = (await window.ethereum.request({ method: 'eth_chainId' })) || chainId; } catch (e) {}
    let balHex = '0x0';
    try { balHex = (await window.ethereum.request({ method: 'eth_getBalance', params: [accounts[0], 'latest'] }) || '0x0'); } catch (e) {}
    conns.trust.address = accounts[0];
    conns.trust.chainId = chainId;
    conns.trust.chainName = trustChainName(chainId);
    conns.trust.balances = [{ asset: trustChainSym(chainId), free: fmtWei(balHex) }];
    saveConns();
    renderConnForm();
    const el = document.getElementById('connMsg');
    if (el) { el.textContent = '\u27a1 balance refreshed \u00b7 ' + trustChainName(chainId); el.style.color = '#a3e635'; }
  } catch (e) {}
}
function attachTrustListeners() {
  if (trustListenersOn || !window.ethereum || !window.ethereum.on) return;
  trustListenersOn = true;
  try {
    window.ethereum.on('accountsChanged', function (acc) {
      if (!conns.trust) return;
      if (!acc || !acc.length) { delete conns.trust; saveConns(); renderConnForm(); return; }
      conns.trust.address = acc[0];
    });
  }
}

```

```

        saveConns();
        refreshTrustBalance();
    });
    window.ethereum.on('chainChanged', function () {
        if (!conns.trust) return;
        refreshTrustBalance();
    });
} catch (e) {}
}

// \u26d3 ON-CHAIN WALLET TRADING \u2014 BSC/PancakeSwap V2 (chain-verified constants)
// Every tx is built here and CONFIRMED IN THE WALLET (eth_sendTransaction).
// The site can never move funds without the user's tap. Seeds never touch us.
// =====
const ONCHAIN = {
    chains: {
        '0x38': {
            name: 'BNB Smart Chain',
            router: '0x10ED43C718714eb63d5aA57B78B54704E256024E', // PancakeSwap V2 (verified in bytecode)
            usdt: { a: '0x55d398326f99059fF775485246999027B3197955', d: 18 },
            tokens: {
                BTCUSD: { a: '0x7130d2A12B9BCbFAe4f2634d864A1Ee1Ce3Ead9c', d: 18, s: 'BTCB' },
                ETHUSD: { a: '0x2170ed0880ac9a755fd29b2688956bd959f933f8', d: 18, s: 'ETH' }
            }
        }
    },
    slipBps: 100, // 1.00% min-out protection (pool impact verified < 0.6% at $2k)
    deadlineSec: 150
};
const OC_MAX_UINT = '0xffffffffffffffffffffffffffffffffffffffffffffffffffffffffffffffff';

function ocU256(v) { return BigInt(v).toString(16).padStart(64, '0'); }
function ocAddr(a) { return String(a || '').toLowerCase().replace(/^\0x/, '').padStart(64, '0'); }
function ocEncBalanceOf(owner) { return '0x70a08231' + ocAddr(owner); }
function ocEncAllowance(owner, spender) { return '0xdd62ed3e' + ocAddr(owner) + ocAddr(spender); }
function ocEncApprove(spender, amount) { return '0x095ea7b3' + ocAddr(spender) + ocU256(amount); }
function ocEncAmountsOut(amount, path) {
    // getAmountsOut(uint256,address[]): head = amount, offset(0x40), then len + items
    return '0xd06ca61f' + ocU256(amount) + ocU256(64) + ocU256(path.length) +
        path.map(p => ocAddr(p)).join('');
}
function ocEncSwapExact(amountIn, minOut, path, to, deadline) {
    // swapExactTokensForTokens(uint256,uint256,address[],address,uint256) = 0x38ed1739
    return '0x38ed1739' + ocU256(amountIn) + ocU256(minOut) + ocU256(5 * 32) +
        ocAddr(to) + ocU256(deadline) + ocU256(path.length) +
        path.map(p => ocAddr(p)).join('');
}
function ocDec(units, dec) {
    try {
        let v = BigInt(units);
        const neg = v < 0n; if (neg) v = -v;
        const base = 10n ** BigInt(dec);
        const whole = v / base;
        let frac = (v % base).toString().padStart(dec, '0').replace(/0+$/, '');
        return (neg ? '-' : '') + whole.toString() + (frac ? '.' + frac : '');
    } catch (e) { return '0'; }
}
async function ocRpc(method, params) {
    if (!window.ethereum || !window.ethereum.request) throw new Error('No wallet provider \u2014 open this site inside Trust Wallet and reconnect.');
```

```

async function ocErc20Balance(tokenAddr, account) {
  try {
    const r = await ocRpc('eth_call', [{ to: tokenAddr, data: ocEncBalanceOf(account) }, 'latest']);
    return BigInt(r && r !== '0x' ? r : '0x0');
  } catch (e) { throw new Error('Could not read token balance from the wallet provider.');
```

```

const allow = await ocAllowance(cfg.usdt.a, account, cfg.router);
if (allow < amountIn) {
  showAppToast('\ud83d\udca0 Step 1 of 2 \u2014 approve USDT', 'Confirm the <b>Approve</b> request in Trust
Wallet (one-time: lets the router swap your USDT for trades).', '#fbbf24');
  const hA = await ocSendTx({ from: account, to: cfg.usdt.a, data: ocEncApprove(cfg.router, OC_MAX_UINT) }
, 'USDT approval');
  await ocReceipt(hA, 'USDT approval');
}

// Step 2/2 \u2014 the swap itself
const quote = await ocAmountsOut(amountIn, [cfg.usdt.a, tok.a]);
if (!quote || quote <= 0n) throw new Error('No liquidity route for this swap right now \u2014 try again in
a minute.');
```

const minOut = quote * BigInt(10000 - ONCHAIN.slipBps) / 10000n;

const deadline = BigInt(Math.floor(Date.now() / 1000) + ONCHAIN.deadlineSec);

showAppToast('\ud83d\udca0 Step 2 of 2 \u2014 confirm the swap', 'Check the swap in Trust Wallet: \u2248' + notionalUsd + ' USDT \u2192 ' + tok.s + ' . min-out protects you to 1% slippage . gas ~\$0.05.', '#fbbf24');

const hS = await ocSendTx({ from: account, to: cfg.router, data: ocEncSwapExact(amountIn, minOut, [cfg.usdt.a, tok.a], account, deadline) }, 'swap');

await ocReceipt(hS, 'Swap');

const tokAfter = await ocErc20Balance(tok.a, account);

const got = tokAfter - tokBefore;

if (got <= 0n) throw new Error('Swap mined but token balance did not change \u2014 verify tx ' + hS + ' in the wallet before retrying.');

const qtyTokens = Number(got) / Math.pow(10, tok.d);

const avgPrice = notionalUsd / qtyTokens;

return { ok: true, txHash: hS, qty: ocDec(got, tok.d), qtyUnits: got.toString(), avgPrice: avgPrice };

```

async function walletOnchainSell(pos) {
  const chain = await ocRequireChain();
  const cfg = ONCHAIN.chains[chain];
  const tok = cfg.tokens[pos.symbol];
  if (!tok) throw new Error(pos.symbol + ' has no verified on-chain pool \u2014 close manually via a DEX.');
```

const account = await ocAccount();

let units = 0n;

try { units = BigInt((pos.live && pos.live.qtyUnits) || '0'); } catch (e) {}

if (units <= 0n) throw new Error('Position has no recorded token quantity \u2014 close manually (swap ' + pos.symbol + ' \u2192 USDT in your wallet).');

const tokBal = await ocErc20Balance(tok.a, account);

if (tokBal < units) throw new Error('Wallet token balance (' + ocDec(tokBal, tok.d) + ') is below the position (' + pos.live.qty + ') \u2014 the balance changed outside the bot; close manually.');

const nativeHex = await ocRpc('eth_getBalance', [account, 'latest']);

if (BigInt(nativeHex && nativeHex !== '0x' ? nativeHex : '0x0') === 0n) throw new Error('No BNB for gas \u2014 top up a little BNB, then retry the exit.');

const allow = await ocAllowance(tok.a, account, cfg.router);

if (allow < units) {

showAppToast('\ud83d\udca0 Approve ' + tok.s + ' to sell', 'One-time approval so the router can swap your ' + tok.s + ' back to USDT \u2014 confirm in Trust Wallet.', '#fbbf24');

const hA = await ocSendTx({ from: account, to: tok.a, data: ocEncApprove(cfg.router, OC_MAX_UINT) }, tok.s + ' approval');

await ocReceipt(hA, tok.s + ' approval');

}

const quote = await ocAmountsOut(units, [tok.a, cfg.usdt.a]);

if (!quote || quote <= 0n) throw new Error('No liquidity route to sell right now \u2014 try again in a minute.');

const minOut = quote * BigInt(10000 - ONCHAIN.slipBps) / 10000n;

const deadline = BigInt(Math.floor(Date.now() / 1000) + ONCHAIN.deadlineSec);

const usdtBefore = await ocErc20Balance(cfg.usdt.a, account);

showAppToast('\ud83d\udca0 Confirm the exit swap', 'Sell ' + pos.live.qty + ' ' + tok.s + ' \u2192 USDT in Trust Wallet to close the position for real.', '#fbbf24');

const hS = await ocSendTx({ from: account, to: cfg.router, data: ocEncSwapExact(units, minOut, [tok.a, cfg.usdt.a], account, deadline) }, 'exit swap');

await ocReceipt(hS, 'Exit swap');

const usdtAfter = await ocErc20Balance(cfg.usdt.a, account);

const proceeds = usdtAfter - usdtBefore;

if (proceeds <= 0n) throw new Error('Exit mined but USDT did not increase \u2014 verify tx ' + hS + ' and the position manually.');

const proceedsNum = Number(proceeds) / Math.pow(10, cfg.usdt.d);

const qtyTokens = parseFloat(pos.live.qty) || 0;

if (!(qtyTokens > 0)) throw new Error('Cannot compute average exit price \u2014 verify tx ' + hS + ' manually');

```

lly.');
```

return { ok: true, txHash: hS, proceeds: proceedsNum, avgPrice: proceedsNum / qtyTokens };

}

function ocToggleOnchain(on) {

const msg = (t, color) => {

const el = document.getElementById('connMsg');

if (el) { el.textContent = t; el.style.color = color || '#7e89a3'; }

};

if (!on) {

if (conns.trust) { conns.trust.onchain = false; saveConns(); }

renderConnForm();

msg('\u26a1 on-chain trading disabled \u2014 wallet back to view-only.', '#7e89a3');

showAppToast('\u283d\udca0 On-chain trading disabled', 'The wallet stays connected for balances, but LIV E wallet trades are off. Exchange keys / EA bridge still work.', '#7e89a3');

if (bot.live && !getLiveTarget()) { setBotExec('paper'); pauseBotTargetLost(); }

return;

}

// spot-only Trust Wallet (user decision): arming automatic on-chain trading was removed

if (conns.trust) { conns.trust.onchain = false; saveConns(); }

renderConnForm();

msg('\u283d\udca0 Trust Wallet is spot & view-only \u2014 automatic trading uses exchange keys.', '#7e89a3');

showAppToast('\u283d\udca0 Spot-only wallet', 'Trust stays view + manual swaps \u2014 you confirm e very swap yourself in the app. For automatic trading, connect MEXC / Binance / OKX spot keys o r the MT EA bridge above.', '#7e89a3');

return;

if (!window.ethereum || !window.ethereum.request) {

msg('\u2716 No wallet in this browser \u2014 open the site in Trust Wallet first.', '#ff4d6d');

return;

}

(async () => {

let cid = '';

try { cid = String(await ocRpc('eth_chainId') || '').toLowerCase(); } catch (e) {}

if (cid !== '0x38') {

msg('\u2716 Switch Trust Wallet to BNB Smart Chain first, then press Enable again.', '#ff4d6d');

showAppToast('\u283d\udca0 Wrong network', 'Tap the network name at the top of Trust Wallet and select BNB Smart Chain, then press \u26a1 Enable again.', '#fbbf24');

return;

}

if (!conns.trust) conns.trust = {};

conns.trust.onchain = true;

conns.trust.chainId = cid;

saveConns();

renderConnForm();

msg('\u26a1 on-chain LIVE armed \u2014 every trade will ask for your confirmation in Trust Wallet.', '#a3e635');

showAppToast('\u26a1 On-chain LIVE armed', 'BTCUSDT & ETHUSDT longs will execute as real swap s from your wallet \u2014 you confirm each one. Need USDT (BEP-20) + a little BNB for gas. Start with small size!', '#a3e635');

updateExecTarget();

})();

catch(e => { msg('\u2716 ' + ((e && e.message) || 'wallet error'), '#ff4d6d'); });

}

// =====

// 15. TIMESTAMPED TRADE HISTORY (survives refresh)

// =====

let botHistory = [];

try { botHistory = JSON.parse(localStorage.getItem('insider_bot_history') || '[]') || []; } catch (e) { botHistory = []; }

function histSave() { try { localStorage.setItem('insider_bot_history', JSON.stringify(botHistory.slice(0, 150))); } catch (e) {} }

function histAdd(row) {

row.id = 'h' + Date.now() + '_' + Math.floor(Math.random() * 100000);

botHistory.unshift(row);

if (botHistory.length > 150) botHistory.length = 150;

histSave(); renderHistory();

return row.id;

}

function histPatch(id, fields) {

const r = botHistory.find(x => x.id === id);

if (r) { Object.assign(r, fields); histSave(); renderHistory(); }

}

function fmtTs(ms) {

if (!ms) return '\u2014';

const d = new Date(ms);

```

    return d.toLocaleDateString([], { month: 'short', day: 'numeric' }) + ' ' + d.toLocaleTimeString([], { hou
r12: false });
}
function fmtDur(ms) {
    if (ms == null || isNaN(ms)) return '\u2014';
    const s = Math.max(0, Math.round(ms / 1000));
    if (s < 60) return s + 's';
    const m = Math.floor(s / 60), r = s % 60;
    if (m < 60) return m + 'm ' + r + 's';
    return Math.floor(m / 60) + 'h ' + (m % 60) + 'm';
}
function histModeClass(mode) {
    const m = String(mode || '');
    if (m.indexOf('LIVE') === 0) return 'mode-LIVE';
    if (m.indexOf('EA') === 0) return 'mode-EA';
    if (m === 'REPLAY') return 'mode-REPLAY';
    return 'mode-PAPER';
}
function renderHistory() {
    try { renderHeatmap(); } catch (e) {}
    const body = document.getElementById('historyBody');
    const cnt = document.getElementById('historyCount');
    const visRows = bothHistory.filter(r => String(r.mode || '') !== 'PAPER');
    if (cnt) cnt.textContent = visRows.length + (visRows.length === 1 ? ' REAL TRADE' : ' REAL TRADES');
    if (!body) return;
    if (!visRows.length) {
        body.innerHTML = '<tr><td colspan="12" class="hist-empty">No real trades yet \u2014 connect your keys, p
ress LIVE, start the bot \u2014 every closed trade is stamped here.</td></tr>';
        return;
    }
    body.innerHTML = visRows.map((r, idx) => {
        const pnl = (r.pnl === null || r.pnl === undefined) ? null : r.pnl;
        const pnlTxt = pnl === null ? '\u2014' : ((pnl >= 0 ? '+' : '-') + fmtUsd(pnl));
        const pnlCol = pnl === null ? '#7e89a3' : pnl > 0 ? '#a3e635' : pnl < 0 ? '#ff4d6d' : '#7e89a3';
        const dur = r.closedAt
            ? fmtDur(r.closedAt - r.openedAt)
            : (r.openedAt ? fmtDur(Date.now() - r.openedAt) + '\u2026' : '\u2014');
        const res = String(r.result || '');
        const resCol = (res.indexOf('TP') >= 0 || res.indexOf('WIN') >= 0 || res.indexOf('HIT') >= 0) ? '#a3e635'
        ,
            : (res.indexOf('SL') >= 0 || res.indexOf('LOSS') >= 0 || res.indexOf('REJECT') >= 0 || res.indexOf('FA
ILED') >= 0) ? '#ff4d6d'
            : (res.indexOf('OPEN') >= 0 || res.indexOf('QUEUED') >= 0) ? '#fbbf24' : '#7e89a3';
        const sideBuy = String(r.side).indexOf('BUY') >= 0;
        return '<tr>' +
            '<td>' + (visRows.length - idx) + '</td>' +
            '<td>' + fmtTs(r.openedAt) + '</td>' +
            '<td>' + fmtTs(r.closedAt) + '</td>' +
            '<td>' + dur + '</td>' +
            '<td><span class="mode-pill ' + histModeClass(r.mode) + '">' + escAttr(r.mode || 'PAPER') + '</span></
td>' +
            '<td>' + escAttr(r.tf || '') + '</td>' +
            '<td>' + escAttr(r.sym || '') + '</td>' +
            '<td style="font-weight:900; color:' + (sideBuy ? '#a3e635' : '#ff4d6d') + ';">' + escAttr(r.side || '
') + '</td>' +
            '<td style="font-family:monospace;">' + (r.entry ? fmtPrice(r.entry) : '\u2014') + '</td>' +
            '<td style="font-family:monospace;">' + (r.exit ? fmtPrice(r.exit) : '\u2014') + '</td>' +
            '<td style="font-weight:900; color:' + resCol + ';">' + escAttr(res || 'OPEN\u2026') + (r.note ? '<div
style="font-size:9.5px;font-weight:700;color:#8b95ad;max-width:240px;white-space:normal;">' + escAttr(r.not
e) + '</div>' : '') + '</td>' +
            '<td style="font-weight:900; color:' + pnlCol + ';">' + pnlTxt + '</td>' +
            '</tr>';
    }).join('');
}
function clearHistory() {
    bothHistory = []; histSave(); renderHistory();
    showAppToast('\ud83e\uddfa History cleared', 'All timestamped trade records were removed from this browser
.', '#7e89a3');
}
function exportHistoryCSV() {
    if (!bothHistory.length) {
        showAppToast('\u2b07 Nothing to export', 'The history is empty \u2014 trades appear after you start the
bot.', '#7e89a3');
        return;
    }
    const head = ['Opened', 'Closed', 'Duration', 'Mode', 'TF', 'Symbol', 'Side', 'Entry', 'Exit', 'Result', '

```

```

PnL', 'Note'];
const rows = bothHistory.map(r => [
  fmtTs(r.openedAt), fmtTs(r.closedAt),
  r.closedAt ? fmtDur(r.closedAt - r.openedAt) : '',
  r.mode, r.tf, r.sym, r.side, r.entry, r.exit, r.result, r.pnl, r.note || ''
]);
const csv = [head].concat(rows).map(a =>
  a.map(x => '"' + String(x === null || x === undefined ? '' : x).replace(/"/g, '""') + '"').join(',')
).join('\n');
const blob = new Blob([csv], { type: 'text/csv' });
const a = document.createElement('a');
a.href = URL.createObjectURL(blob);
a.download = 'sniper_trade_history.csv';
a.click();
setTimeout(() => URL.revokeObjectURL(a.href), 4000);
}

// =====
// 16. FLOATING NOTIFICATION BELL \u2014 draggable + clickable + jump-to-feed
// =====
let notifLog = [];
try { notifLog = JSON.parse(localStorage.getItem('insider_notif_history') || '[]') || []; } catch (e) { noti
fLog = []; }
let bellUnseen = 0;
let drawerOpen = false;
function notifSave() { try { localStorage.setItem('insider_notif_history', JSON.stringify(notifLog.slice(0,
40))); } catch (e) {} }
function pushNotif(sym, tf, side, headline) {
  notifLog.unshift({ t: Date.now(), sym: sym, tf: tf, side: side, head: headline });
  if (notifLog.length > 40) notifLog.length = 40;
  notifSave();
  if (!drawerOpen) bellUnseen++;
  updateBellBadge();
  if (drawerOpen) renderDrawer();
  const bell = document.getElementById('notifBell');
  if (bell && bell.style.display !== 'grid') bell.style.display = 'grid';
}
function updateBellBadge() {
  const b = document.getElementById('bellBadge');
  if (!b) return;
  if (bellUnseen > 0) { b.style.display = 'grid'; b.textContent = bellUnseen > 99 ? '99+' : String(bellUnsee
n); }
  else b.style.display = 'none';
}
function renderDrawer() {
  const list = document.getElementById('notifDrawerList');
  if (!list) return;
  if (!notifLog.length) { list.innerHTML = '<div class="nd-empty">No notifications yet.</div>'; return; }
  list.innerHTML = notifLog.map(n => {
    const buy = n.side !== 'SELL';
    return '<div class="nd-item" onclick="jumpToFeed(\'' + n.tf + '\')">' +
      '<span class="t">' + new Date(n.t).toLocaleTimeString([], { hour12: false }) + '</span>' +
      '<span class="m"><b class="' + (buy ? 'b-buy' : 'b-sell') + '">' + escAttr(n.head) + '</b><br>' +
      escAttr(n.sym) + ' \u00b7 ' + n.tf + ' \u00b7 click to open feed \u2192</span></div>';
  }).join('');
}
function openNotifDrawer() {
  drawerOpen = true;
  const d = document.getElementById('notifDrawer');
  if (d) d.style.display = 'block';
  bellUnseen = 0; updateBellBadge(); renderDrawer();
}
function closeNotifDrawer() {
  drawerOpen = false;
  const d = document.getElementById('notifDrawer');
  if (d) d.style.display = 'none';
}
function toggleNotifDrawer() { if (drawerOpen) closeNotifDrawer(); else openNotifDrawer(); }
function jumpToFeed(tf) {
  closeNotifDrawer();
  const feed = document.getElementById('notifFeed_' + tf);
  if (!feed) { showAppToast('\ud83d\udc0e Feed not ready', 'The ' + tf + ' feed has not loaded yet.', '#7e89
a3'); return; }
  const panel = feed.closest('.panel-card') || feed.closest('.panel') || feed;
  goPane('phoneAlerts');
  panel.scrollIntoView({ behavior: 'smooth', block: 'center' });
}

```

```

panel.classList.remove('flash-hl');
void panel.offsetWidth;
panel.classList.add('flash-hl');
setTimeout(() => panel.classList.remove('flash-hl'), 3400);
}
(function initBell() {
  const bell = document.getElementById('notifBell');
  if (!bell) return;
  try {
    const pos = JSON.parse(localStorage.getItem('insider_bell_pos') || 'null');
    if (pos && typeof pos.x === 'number') {
      bell.style.left = pos.x + 'px'; bell.style.top = pos.y + 'px';
      bell.style.right = 'auto'; bell.style.bottom = 'auto';
    }
  } catch (e) {}
  let dragging = false, moved = 0, sx = 0, sy = 0, bx = 0, by = 0;
  bell.addEventListener('mousedown', (e) => {
    dragging = true; moved = 0;
    sx = e.clientX; sy = e.clientY;
    const r = bell.getBoundingClientRect();
    bx = r.left; by = r.top;
    e.preventDefault();
  });
  window.addEventListener('mousemove', (e) => {
    if (!dragging) return;
    const dx = e.clientX - sx, dy = e.clientY - sy;
    moved = Math.max(moved, Math.abs(dx) + Math.abs(dy));
    if (moved > 6) {
      bell.style.right = 'auto'; bell.style.bottom = 'auto';
      const x = Math.min(Math.max(4, bx + dx), window.innerWidth - 62);
      const y = Math.min(Math.max(4, by + dy), window.innerHeight - 62);
      bell.style.left = x + 'px'; bell.style.top = y + 'px';
    }
  });
  window.addEventListener('mouseup', () => {
    if (!dragging) return;
    dragging = false;
    if (moved <= 6) toggleNotifDrawer();
    try {
      const r = bell.getBoundingClientRect();
      localStorage.setItem('insider_bell_pos', JSON.stringify({ x: Math.round(r.left), y: Math.round(r.top)
    }));
  } catch (e) {}
  });
  bell.style.display = 'grid';
  updateBellBadge();
})();

// =====
// 17. COMPACT NTFY PANEL (collapsed by default)
// =====
function toggleNtfyPanel() {
  const body = document.getElementById('ntfyBody');
  const btn = document.getElementById('ntfyToggleBtn');
  if (!body || !btn) return;
  const show = body.style.display === 'none';
  body.style.display = show ? 'block' : 'none';
  btn.textContent = show ? '\u25be Hide setup' : '\u25b8 Show setup';
  try { localStorage.setItem('insider_ntfy_open', show ? '1' : '0'); } catch (e) {}
}
(function initNtfyPanel() {
  let open = '0';
  try { open = localStorage.getItem('insider_ntfy_open') || '0'; } catch (e) {}
  if (open === '1') {
    const body = document.getElementById('ntfyBody');
    const btn = document.getElementById('ntfyToggleBtn');
    if (body) body.style.display = 'block';
    if (btn) btn.textContent = '\u25be Hide setup';
  }
})();

// =====
// 18. LIVE PRICE TICKER \u2014 site price follows the real market (every 4s)
// =====
let priceTick = { price: null, src: '', ts: 0, sym: '', note: '' };

```

```

function updatePriceBadge() {
  const el = document.getElementById('priceSrcBadge');
  if (!el) return;
  if (!priceTick.ts) {
    el.textContent = '\ud83d\udce1 connecting live price\u2026';
    el.style.color = '#8b95ad';
    return;
  }
  const age = Math.max(0, Math.round((Date.now() - priceTick.ts) / 1000));
  if (age > 90) {
    el.textContent = '\u26a0 PRICE STALE ' + age + 's · retrying (' + priceTick.src + ')';
    el.style.color = '#ff4d6d';
  } else if (priceTick.note) {
    el.textContent = '\u25cf ' + priceTick.src + ' · ' + age + 's · ' + priceTick.note;
    el.style.color = '#fbbf24';
  } else {
    el.textContent = '\u25cf LIVE · ' + priceTick.src + ' · ' + age + 's ago';
    el.style.color = '#a3e635';
  }
}

async function pollLivePrice() {
  if (!latestData) return;
  const sym = latestData.symbol;
  try { ensurePriceStream(sym); } catch (ews) {}
  let price = null, src = '';
  try {
    const U = String(sym).toUpperCase();
    const isGold = (U === 'XAUUSD' || U === 'GOLD' || U === 'XAU');
    const binSym = resolveBinanceSymbol(sym);
    const isBinancePair = /USD\$\|USDC\$\|BUSD\$/ .test(binSym);
    if (isGold) {
      // TRUE spot gold (XAUUSD) \u2014 gold-api seconds-old spot, not the PAXG token proxy
      const r = await fetch('/api/ticker?symbol=XAUUSD', { cache: 'no-store' });
      const d = await r.json();
      if (d && d.ok && d.price > 0) { price = parseFloat(d.price); src = d.source || 'XAU spot'; }
    } else if (isBinancePair) {
      const isFx = (sym !== binSym && sym.length === 6 && binSym === sym.slice(0, 3) + 'USD');
      const r = await fetch('https://data-api.binance.vision/api/v3/ticker/price?symbol=' + encodeURIComponent(sym), { cache: 'no-store' });
      const d = await r.json();
      const p = parseFloat(d.price);
      if (p > 0) {
        if (isFx) {
          const rp = await fetch('https://data-api.binance.vision/api/v3/ticker/price?symbol=USDCUSD', { cache: 'no-store' });
          const rd = await rp.json();
          const peg = parseFloat(rd.price);
          price = (peg > 0) ? p / peg : p;
          src = 'FX via Binance · real-time (USD-corrected)';
        } else {
          price = p;
          src = 'Binance spot · real-time';
        }
      }
    } else {
      const r = await fetch('/api/ticker?symbol=' + encodeURIComponent(sym), { cache: 'no-store' });
      const d = await r.json();
      if (d && d.ok && d.price > 0) { price = parseFloat(d.price); src = d.source || 'live ticker'; }
    }
  } catch (e) { /* server down / network \u2014 badge goes stale naturally */ }
  applyLivePrice(price, src, sym);
}

function applyLivePrice(price, src, sym) {
  if (!price || price <= 0 || !latestData || latestData.symbol !== sym) { updatePriceBadge(); return; }

  const old = latestData.market_price;
  const drift = (old > 0) ? Math.abs(price - old) / old : 0;
  priceTick.price = price;
  priceTick.src = src;
  priceTick.ts = Date.now();
  priceTick.sym = sym;
  priceTick.note = '';

  // Display price ALWAYS follows the live ticker (the real market price)

```

```

latestData.market_price = price;
try { checkPriceAlerts(price, sym); } catch (e) {}
try { pfTick(false); } catch (e) {}

// Re-anchor candle closes (engine levels track live price) \u2014 within sanity 1.5%
if (drift <= 0.015) {
  for (const tf of ['1m', '5m', '15m']) {
    const cat = latestData.categories[tf];
    if (!cat || !cat.candles || !cat.candles.length) continue;
    cat.market_price = price;
    const lc = cat.candles[cat.candles.length - 1];
    lc.close = price;
    if (price > lc.high) lc.high = price;
    if (price < lc.low) lc.low = price;
  }
} else {
  priceTick.note = 'candle data lags >1.5% \u2014 price shown from ticker';
}
try { drawLiveChart(); } catch (e) {}
try { updateDashboardKPIs(); } catch (e) {}
updatePriceBadge();
}
setInterval(pollLivePrice, 3000);
setInterval(updatePriceBadge, 1000);

// \u26a1 REAL-TIME PRICE STREAM \u2014 Binance WebSocket miniTicker (pushes every 1s).
// Chart, KPIs, alerts and the price badge follow the market instantly;
// the REST poll above stays as an automatic fallback.
let pxWs = null, pxWsBin = '', pxWsFor = '', pxWsRet = 0;
function ensurePriceStream(sym) {
  try {
    if (!sym || typeof WebSocket === 'undefined') return;
    const U = String(sym).toUpperCase();
    if (U === 'XAUUSD' || U === 'GOLD' || U === 'XAU') return; // gold uses seconds-live REST
    const binSym = resolveBinanceSymbol(sym);
    const isFx = (sym !== binSym && sym.length === 6);
    if (isFx || !/USD$|USDC$|BUSD$/.test(binSym)) return; // FX/stocks stay on REST
    if (pxWs && pxWsFor === sym && pxWsBin === binSym && pxWs.readyState <= 1) return;
    if (pxWs) { try { pxWs.onclose = null; pxWs.close(); } catch (e) {} pxWs = null; }
    if (pxWsFor !== sym) pxWsRet = 0;
    pxWsFor = sym; pxWsBin = binSym;
    const ws = new WebSocket('wss://stream.binance.com:9443/ws/' + String(binSym).toLowerCase() + '@miniTick
er');
    pxWs = ws;
    ws.onmessage = function (ev) {
      try {
        const j = JSON.parse(ev.data);
        const p = parseFloat(j.c);
        if (p > 0 && latestData && latestData.symbol === pxWsFor) applyLivePrice(p, 'Binance stream \u2014 real-t
ime', pxWsFor);
      } catch (e) {}
    };
    ws.onclose = function () {
      if (pxWs !== ws) return;
      pxWs = null;
      if (pxWsRet++ < 3) setTimeout(function () { try { ensurePriceStream(pxWsFor); } catch (e) {} }, 4000);
    };
  } catch (e) {}
}
document.addEventListener('visibilitychange', function () {
  if (document.hidden) return;
  try { pollLivePrice(); } catch (e) {}
  try { fetchScan(false); } catch (e) {}
});

// =====
// 19. WORLD WIRE \u2014 insider news scanner (server /api/news + offline fallback)
// =====
let wireItems = [];
let wireFilter = 'all';
let wireFetchTs = 0;
let wireOffline = false;
let wireToastSeen = new Set();
let wireLastToastAt = 0;

function symWireCat(sym) {

```

```

const U = String(sym || '').toUpperCase();
if (U === 'XAUUSD' || U === 'GOLD' || U === 'XAU' || U === 'GC=F') return 'gold';
if (/USD$|USDC$|BUSD$/.test(U) || ['BTC', 'ETH', 'SOL', 'BNB', 'XRP', 'DOGE', 'SUI', 'PEPE', 'BTCUSD', 'ETHUSD', 'SOLUSD'].indexOf(U) >= 0) return 'crypto';
if (U === 'EURUSD' || U === 'GBPUSD' || U === 'AUDUSD' || U === 'USDJPY' || U === 'USDJPY=X') return 'forex';
if (U === 'QQQ' || U === 'SPY') return 'indices';
return 'stocks';
}

function wireTopics() {
  const sym = (latestData && latestData.symbol) || currentSymbol;
  const cat = symWireCat(sym);
  const base = String(sym).replace(/=F|=X/g, '').replace(/USD$/, '').replace(/USD$/ , '') || sym;
  const list = [];
  if (cat === 'gold') list.push('gold:gold price XAU news today');
  else if (cat === 'crypto') list.push('crypto:' + base + ' crypto price news');
  else if (cat === 'forex') list.push('forex:' + base + ' US dollar forex news');
  else if (cat === 'indices') list.push('stocks:' + base + ' stock index news');
  else list.push('stocks:' + base + ' stock earnings news');
  list.push('macro:federal reserve interest rate decision');
  list.push('macro:stock market economy inflation CPI');
  list.push('macro:war tariffs geopolitics market');
  return list.slice(0, 7);
}

function wireScoreLocal(title) {
  const t = ' ' + String(title).toLowerCase() + ' ';
  const bull = ['rate cut', 'cuts rates', 'beat expectation', 'upgrade', 'surge', 'soar', 'rally', 'record high', 'stimulus', 'dovish', 'approval', 'etf approval', 'bullish', 'all-time high', 'growth', 'rebound'];
  const bear = ['rate hike', 'raise rates', 'miss expectation', 'downgrade', 'crash', 'plunge', 'recession', 'war', 'missile', 'sanctions', 'hack', 'lawsuit', 'probe', 'hawkish', 'bankruptcy', 'fraud', 'sell-off', 'falls', 'drops', 'tumble', 'warns'];
  const high = ['federal reserve', 'fomc', 'cpi', 'inflation data', 'jobs report', 'nonfarm', 'rate decision', 'earnings', 'etf', 'sec', 'war', 'tariff', 'recession', 'powell', 'hack', 'interest rate'];
  let bullN = 0, bearN = 0;
  bull.forEach(k => { if (t.indexOf(k) >= 0) bullN++; });
  bear.forEach(k => { if (t.indexOf(k) >= 0) bearN++; });
  const sentiment = Math.max(-3, Math.min(3, bullN - bearN));
  const impact = high.some(k => t.indexOf(k) >= 0) ? 'HIGH' : (sentiment !== 0 ? 'MED' : 'LOW');
  return { sentiment, impact };
}

async function fetchWire(force) {
  const gate = wireOffline ? 14000 : 55000;
  if (!force && Date.now() - wireFetchTs < gate) return;
  wireFetchTs = Date.now();
  const head = document.getElementById('wireUpdated');
  try {
    const q = encodeURIComponent(wireTopics().join('|'));
    const r = await fetch('/api/news?q=' + q, { cache: 'no-store' });
    const d = await r.json();
    if (d && d.ok && Array.isArray(d.items)) {
      wireItems = d.items;
      wireOffline = false;
      renderWire();
      try { localStorage.setItem('isWireCache', JSON.stringify({ t: Date.now(), items: wireItems.slice(0, 40) })); } catch (e0) {}
      if (head) { head.textContent = wireItems.length + ' headlines · updated ' + new Date().toLocaleTimeString([], { hour12: false }); head.style.color = ''; }
      return;
    }
  } catch (e) {
    throw new Error(d && d.error ? d.error : 'bad response');
  }
  wireOffline = true;
  if (head) { head.textContent = '\u26a0 local server offline \u2014 trying public mirrors\u2026'; head.style.color = '#fbbf24'; }
  await wireFallback(head);
}

async function wireFallback(head) {
  // Server unreachable \u2014 public CORS mirrors of Google News, scored in-browser
  const gurl = 'https://news.google.com/rss/search?q=' + encodeURIComponent('gold OR bitcoin OR "federal reserve" OR stocks') + '&hl=en-US&gl=US&ceid=US:en';
  const mirrors = [

```

```

    'https://api.allorigins.win/raw?url=' + encodeURIComponent(gurl),
    'https://api.codetabs.com/v1/proxy?quest=' + encodeURIComponent(gurl),
    'https://corsproxy.io/?url=' + encodeURIComponent(gurl)
  ];
  for (const mUrl of mirrors) {
    try {
      const r = await fetch(mUrl);
      const xml = await r.text();
      const doc = new DOMParser().parseFromString(xml, 'application/xml');
      const out = [];
      doc.querySelectorAll('item').forEach((it, i) => {
        if (i >= 24) return;
        const title = (it.querySelector('title') ? it.querySelector('title').textContent : '').trim();
        if (!title) return;
        const linkEl = it.querySelector('link');
        const srcEl = it.querySelector('source');
        const dateEl = it.querySelector('pubDate');
        const sc = wireScoreLocal(title);
        out.push({
          title: title,
          url: linkEl ? linkEl.textContent.trim() : '#',
          source: srcEl ? srcEl.textContent.trim() : '',
          ts: dateEl ? Date.parse(dateEl.textContent) : Date.now(),
          topic: 'all',
          sentiment: sc.sentiment,
          impact: sc.impact
        });
      });
      if (out.length) {
        wireItems = out;
        renderWire();
        try { localStorage.setItem('isWireCache', JSON.stringify({ t: Date.now(), items: wireItems.slice(0, 40) })); } catch (e0) {}
        if (head) { head.textContent = out.length + ' headlines · mirror feed (server offline)'; head.style.color = '#fbbf24'; }
        return;
      }
    } catch (eMirror) { /* try next mirror */ }
  }
  if (head) { head.textContent = '\u26a0 wire offline \u2014 retrying in ~15s'; head.style.color = '#ff4d6d'; }
  renderWire();
}

function wireTimeAgo(ms) {
  const s = Math.max(0, Math.round((Date.now() - ms) / 1000));
  if (s < 60) return s + 's ago';
  const m = Math.floor(s / 60);
  if (m < 60) return m + 'm ago';
  const h = Math.floor(m / 60);
  if (h < 24) return h + 'h ago';
  return Math.floor(h / 24) + 'd ago';
}

function setWireFilter(f, btn) {
  wireFilter = f;
  ['wf_all', 'wf_mine', 'wf_gold', 'wf_crypto', 'wf_stocks', 'wf_macro'].forEach(id => {
    const el = document.getElementById(id);
    if (el) el.classList.remove('active');
  });
  if (btn) btn.classList.add('active');
  renderWire();
}

function renderWire() {
  const list = document.getElementById('wireList');
  const moodEl = document.getElementById('wireMood');
  const cautionEl = document.getElementById('wireCaution');
  if (!list) return;
  const sym = (latestData && latestData.symbol) || currentSymbol;
  const myCat = symWireCat(sym);

  let items = wireItems.slice();
  if (wireFilter === 'mine') items = items.filter(i => i.topic === myCat || (myCat === 'forex' && i.topic === 'forex') || (myCat === 'indices' && i.topic === 'stocks'));
  else if (wireFilter === 'stocks') items = items.filter(i => i.topic === 'stocks' || i.topic === 'indices')

```

```

;
else if (wireFilter !== 'all') items = items.filter(i => i.topic === wireFilter);

// Mood (last 6h of headlines)
const fresh = wireItems.filter(i => (Date.now() - i.ts) < 6 * 3600 * 1000);
const moodSum = fresh.reduce((a, i) => a + (i.sentiment || 0), 0);
if (moodEl) {
  if (!fresh.length) { moodEl.textContent = 'SCANNING\u2026'; moodEl.className = 'chip demo'; }
  else if (moodSum >= 2) { moodEl.textContent = '\ud83d\udfe2 RISK-ON MOOD'; moodEl.className = 'chip ok-b
adge'; }
  else if (moodSum <= -2) { moodEl.textContent = '\ud83d\udd34 RISK-OFF MOOD'; moodEl.className = 'chip';
moodEl.style.cssText = 'background:#ff4d6d; border-color:#ff4d6d; color:#f43f5e;'; }
  else { moodEl.textContent = '\u26aa NEUTRAL MOOD'; moodEl.className = 'chip demo'; }
}

// Caution: high-impact news touching THIS market in the last 45 min
if (cautionEl) {
  const hot = wireItems.filter(i => i.impact === 'HIGH' && (Date.now() - i.ts) < 45 * 60 * 1000 &&
    (i.topic === myCat || i.topic === 'macro' && (myCat === 'forex' || myCat === 'indices')));
  const symHot = wireItems.filter(i => i.impact === 'HIGH' && (Date.now() - i.ts) < 45 * 60 * 1000 && i.to
pic === myCat);
  if (symHot.length) {
    cautionEl.style.display = 'block';
    cautionEl.innerHTML = '\u26a0 <b>HIGH-IMPACT NEWS ON ' + escAttr(sym) + '</b> \u2014 ' + escAttr(symHo
t[0].title) + (symHot.length > 1 ? ' <span style="opacity:.75;">+ ' + (symHot.length - 1) + ' more</span>' :
'');
    const hh = 'H' + symHot[0].title.slice(0, 40);
    if (!wireToastSeen.has(hh) && document.getElementById('toastBanner') && (Date.now() - wireLastToastAt
> 20 * 60 * 1000)) {
      wireToastSeen.add(hh);
      wireLastToastAt = Date.now();
      showAppToast('\ud83c\udf0d High-impact news on ' + sym, escAttr(symHot[0].title) + '<br><span style=
"font-size:10.5px;color:#7e89a3;">News moves price fast \u2014 the engine keeps its SL on every trade.</span>
', '#fbbf24');
    }
  } else {
    cautionEl.style.display = 'none';
  }
}

if (!items.length) {
  list.innerHTML = '<div class="nd-empty" style="grid-column:1/-1;">' + (wireItems.length ? 'No headlines
in this filter.' : '\ud83d\udce1 Pulling the wire \u2014 headlines land here every minute.') + '</div>';
  return;
}
list.innerHTML = items.slice(0, 40).map(i => {
  const impC = i.impact === 'HIGH' ? 'rgba(255, 77, 109, .75)' : i.impact === 'MED' ? 'rgba(251, 191, 36,
.6)' : 'rgba(79, 125, 255, .4)';
  const impT = i.impact === 'HIGH' ? '#f43f5e' : i.impact === 'MED' ? '#fbbf24' : '#7e89a3';
  const sentTxt = i.sentiment > 0 ? '\ud83d\udfe2 bullish' : i.sentiment < 0 ? '\ud83d\udd34 bearish' : '\
u26aa mixed';
  const sentC = i.sentiment > 0 ? '#a3e635' : i.sentiment < 0 ? '#ff4d6d' : '#7e89a3';
  const u = String(i.url || '#').replace(/"/g, '&quot;');
  return '<div class="wire-card" onclick="window.open(&quot;' + u + '&quot;,_blank)" style="background:#15
1a29; background:1px solid ' + impC + '; border-radius:10px; padding:10px 11px; cursor:pointer; transition:trans
form .12s, background .12s;" onmouseenter="this.style.background=\`#141926\`; this.style.transform=\`transla
teY(-1px)\`; onmouseleave="this.style.background=\`#151a29\`; this.style.transform=\`'\`; ">' +
  '<div style="display:flex; gap:6px; align-items:center; flex-wrap:wrap; margin-bottom:6px;">' +
    '<span style="font-size:9px; font-weight:900; border:1px solid ' + impC + '; color:' + impT + '; bor
der-radius:999px; padding:2px 7px;">' + i.impact + '</span>' +
    '<span style="font-size:9.5px; font-weight:800; color:' + sentC + ';">' + sentTxt + '</span>' +
    '<span style="font-size:9.5px; color:var(--muted); font-weight:700; margin-left:auto;">' + wireTimeA
go(i.ts) + '</span>' +
  '</div>' +
  '<div style="font-size:12px; color:#e8ecf6; font-weight:700; line-height:1.45;">' + escAttr(i.title) +
  '</div>' +
  '<div style="font-size:9.5px; color:#8b95ad; font-weight:800; margin-top:6px; letter-spacing:.04em;">'
+ escAttr(i.source || i.topic.toUpperCase()) + (i.topic !== 'all' ? ' · ' + escAttr(i.topic.toUpperCase())
: '') + '</div>' +
  '</div>';
}).join('');
}

try {
  var wCache = JSON.parse(localStorage.getItem('isWireCache') || 'null');
  if (wCache && Array.isArray(wCache.items) && wCache.items.length) {

```

```

    wireItems = wCache.items;
    renderWire();
    var wh = document.getElementById('wireUpdated');
    if (wh) { wh.textContent = wireItems.length + ' headlines · last saved copy'; wh.style.color = '#fbbf24'
; }
}
} catch (ew) {}
fetchWire(true);
setInterval(() => { if (!document.hidden) fetchWire(false); }, 15000);

// =====
// 20. \ud83e\uddde WHY toggle · SCANNER · \ud83d\uddc5 CALENDAR · \u2699 HEALTH · \ud83c\uddf1 SESSIONS · \
ud83e\uddde CALC
// =====
function toggleWhy(tf) {
    const b = document.getElementById('whyBox_' + tf);
    if (!b) return;
    b.style.display = (b.style.display === 'none' || !b.style.display) ? 'block' : 'none';
}

// \u2500\u2500 \u2b50 WATCHLIST (drives the scanner grid) \u2500\u2500
const WATCH_DEFAULTS = ['XAUUSD', 'BTCUSD', 'ETHUSD', 'SOLUSD', 'EURUSD', 'GBPUSD', 'USDJPY=X', 'NVDA', '
TSLA', 'QQQ'];
function loadWatch() {
    try {
        const raw = JSON.parse(localStorage.getItem('insider_watchlist') || 'null');
        if (Array.isArray(raw) && raw.length) return raw.map(function (x) { return String(x).toUpperCase(); }).f
ilter(Boolean).slice(0, 10);
    } catch (e) {}
    return WATCH_DEFAULTS.slice();
}
let watchList = loadWatch();
let SCAN_SYMS = watchList;
function saveWatch() { try { localStorage.setItem('insider_watchlist', JSON.stringify(watchList)); } catch (
e) {} }
function toggleWatch(sym) {
    sym = String(sym || '').toUpperCase();
    if (!sym) return;
    const i = watchList.indexOf(sym);
    if (i >= 0) {
        if (watchList.length <= 1) { showAppToast('\u2b50 Keep one market', 'The scanner needs at least one symb
ol.', '#fbbf24'); return; }
        watchList.splice(i, 1);
    } else {
        if (watchList.length >= 10) { showAppToast('\u2b50 Watchlist full', 'The grid tops out at 10 markets \u2
014 remove one first.', '#fbbf24'); return; }
        watchList.push(sym);
    }
    saveWatch(); renderWatch(); fetchScan(true);
}
function addWatch() {
    const inp = document.getElementById('watchAdd');
    const v = (((inp || {}).value) || '').trim().toUpperCase().replace(/[^A-Z0-9.=\-/g, '');
    if (!v) return;
    if (watchList.indexOf(v) >= 0) { showAppToast('\u2b50 Already watching', escAttr(v) + ' is on the list.',
'#fbbf24'); return; }
    if (watchList.length >= 10) { showAppToast('\u2b50 Watchlist full', 'Remove a market first \u2014 the grid
tops out at 10.', '#fbbf24'); return; }
    if (inp) inp.value = '';
    watchList.push(v); saveWatch(); renderWatch(); fetchScan(true);
}
function renderWatch() {
    const box = document.getElementById('watchChips');
    const cnt = document.getElementById('watchCount');
    if (cnt) cnt.textContent = watchList.length + ' / 10 markets · the grid scans these';
    if (!box) return;
    box.innerHTML = watchList.map(function (s) {
        return '<button class="chip-btn active" onclick="toggleWatch(\'' + String(s).replace(/'/g, '') + '\')" t
itle="Remove from watchlist">' + escAttr(s) + ' \u2715</button>';
    }).join(' ');
}
renderWatch();

// \u2500\u2500 \ud83d\uddde\u2014 Daily-loss guard + today's REALIZED P&L (visible history rows only) \u250
0\u2500

```

```

function todayRealizedPnl() {
  const d0 = new Date(); d0.setHours(0, 0, 0, 0);
  const t0 = d0.getTime();
  let sum = 0, n = 0;
  const rows = botHistory || [];
  for (let i = 0; i < rows.length; i++) {
    const r = rows[i];
    if (!r || String(r.mode || '') === 'PAPER') continue;
    const ts = r.closedAt || 0;
    if (!ts || ts < t0) continue;
    if (typeof r.pnl === 'number' && isFinite(r.pnl)) { sum += r.pnl; n++; }
  }
  return { sum: sum, n: n };
}

function setBotGuard(v) { const n2 = parseFloat(v); bot.guardPct = isFinite(n2) ? Math.max(0, Math.min(50, n2)) : 0; }

function setBotTrail(v) { bot.useTrail = Boolean(v); }

function guardCheck() {
  if (!bot.enabled || !bot.guardPct) return;
  const t = todayRealizedPnl();
  if (t.n < 1) return;
  const dayStart = bot.balance - t.sum;
  if (!(dayStart > 0)) return;
  const lim = -(bot.guardPct / 100) * dayStart;
  if (t.sum > lim) return;
  bot.enabled = false; autoBotEnabled = false;
  const sw = document.getElementById('masterSwitch'); if (sw) sw.classList.remove('on');
  const stl = document.getElementById('botStateLabel'); if (stl) stl.textContent = '\u2014 Paused by daily-loss guard';
  const msg = 'Lost ' + fmtUsd(t.sum) + ' today (limit ' + fmtUsd(lim) + ', ' + bot.guardPct + '% of day-start balance). Bot paused \u2014 lower the guard, wait for tomorrow, or reset the session to continue.';
  const stt = document.getElementById('botStatus');
  if (stt) { stt.textContent = '\u2014 DAILY-LOSS GUARD PAUSED THE BOT \u2014 ' + msg; stt.style.color = '#ff4d6d'; }
  showAppToast('\u2014 Daily-loss guard', escAttr(msg), '#ff4d6d');
  try { botLogAdd({ timeStr: new Date().toLocaleTimeString(), tf: bot.tf, action: '\u2014 GUARD', entry: 0, status: 'auto-paused' + ' ' + fmtUsd(t.sum) + ' today', cls: '#ff4d6d' }); } catch (e) {}
  try { pushToPhoneNtfy('15m', 'DAILY-LOSS GUARD PAUSED', 'Bot auto-paused: ' + fmtUsd(t.sum) + ' lost today (limit ' + fmtUsd(lim) + '). Open the site before restarting.', false); } catch (e) {}
}

// \u2500\u2500 Daily P&L push (once/day after 20:00 local, hooked into tickSessions) \u2500\u2500
function maybeDailyPnlPush() {
  try {
    const now = new Date();
    if (now.getHours() < 20) return;
    const day = now.toString();
    if (localStorage.getItem('insider_pnl_push_day') === day) return;
    if (typeof savedTopic === 'undefined' || !savedTopic) return;
    localStorage.setItem('insider_pnl_push_day', day);
    const t = todayRealizedPnl();
    const tot = bot.wins + bot.losses;
    const wr = tot ? (100 * bot.wins / tot).toFixed(1) + '%' : '--';
    pushToPhoneNtfy('15m', 'DAILY P&L ' + (t.sum >= 0 ? '+' : '-') + fmtUsd(t.sum),
      'Today: ' + (t.sum >= 0 ? '+' : '-') + fmtUsd(t.sum) + ' realized ' + t.n + ' closed trade(s) \u2014 session ' + bot.wins + 'W/' + bot.losses + 'L \u2014 WR ' + wr,
      t.sum >= 0);
  } catch (e) {}
}

// \u2500\u2500 \u23f1\u2014 Session clock pills (driven by tickSessions) \u2500\u2500
function updSessPill(id, active, label) {
  const e2 = document.getElementById(id);
  if (!e2) return;
  e2.textContent = (active ? '\u25cf ' : '\u25cb ') + label;
  e2.style.color = active ? '#a3e635' : '#8b95ad';
  e2.style.borderColor = active ? 'rgba(163, 230, 53, 0.5)' : 'var(--border)';
  e2.style.background = active ? 'rgba(163, 230, 53, 0.08)' : 'transparent';
}

// \u2500\u2500 \u2715 One-tap close + floating P&L for the open-positions card \u2500\u2500
function posMarkPrice(p) {
  try {
    const cat = latestData && latestData.categories ? latestData.categories[p.tf] : null;
    if (cat && isFinite(cat.market_price)) return cat.market_price;
    if (latestData && isFinite(latestData.market_price)) return latestData.market_price;
  }
}

```

```

    if (cat && cat.candles && cat.candles.length) return cat.candles[cat.candles.length - 1].close;
  } catch (e) {}
  return null;
}
function posFloatHtml(p) {
  let seg = '';
  try {
    const mark = posMarkPrice(p);
    if (mark !== null && isFinite(p.slDist) && p.slDist > 0) {
      const pnl = ((mark - p.entry) * p.dir / p.slDist) * p.riskAmt;
      seg = ' · Floating <b style="color:' + (pnl >= 0 ? '#a3e635' : '#ff4d6d') + ';">' + (pnl >= 0 ? '+' : '-') + fmtUsd(pnl) + '</b> @ ' + fmtPrice(mark);
    } else { seg = ' · Floating <b>\u2014</b>'; }
  } catch (e) {}
  seg += ' <button class="btn btn-gold" style="padding:3px 10px; font-size:10.5px; margin-left:6px; vertical-align:middle;" onclick="manualCloseNow()">\u2715 Close now</button>';
  return seg;
}
async function manualCloseNow() {
  const p = bot.position;
  if (!p) return;
  const price = posMarkPrice(p);
  if (price == null || !isFinite(price)) {
    showAppToast('\u2715 No live price yet', 'Cannot close right now \u2014 the price feed has not reported for this market. Try again in a few seconds.', '#fbbf24');
    return;
  }
  await closeBotPosition('MANUAL', price);
  try { updateBotUI(); } catch (e) {}
}

// \u2500\u2500 \ud83e\udd30 30-day backtest: real 1h candles + the real Sniper V4 engine \u2500\u2500
let btBusy = false;
async function runBacktest() {
  if (btBusy) return;
  const out = document.getElementById('btOut');
  const btn = document.getElementById('btnBacktest');
  if (!out) return;
  btBusy = true;
  if (btn) { btn.disabled = true; btn.textContent = '\u23f3 Running\u2026'; }
  out.style.display = '';
  out.innerHTML = '<div style="font-size:11.5px; color:var(--muted); font-weight:700;">\u23f3 Fetching 30 days of 1h candles and running the Sniper V4 engine per market\u2026</div>';
  const syms = SCAN_SYMS.slice(0, 6);
  let rows = '', tw = 0, tl = 0, tn = 0;
  for (let si = 0; si < syms.length; si++) {
    const sym = syms[si];
    try {
      const r = await fetch('/api/klines?symbol=' + encodeURIComponent(sym) + '&interval=1h&limit=730', { cache: 'no-store' });
      const d = await r.json();
      if (!d.ok || !d.candles || d.candles.length < 60) throw new Error(d.error || ('only ' + (d.candles ? d.candles.length : 0) + ' candles'));
      const cat = runSniperV4Engine(d.candles, '1h');
      const sigs = (cat.signals || []).filter(function(x) { return x && x.resolved; });
      const wins = sigs.filter(function(x) { return x.won; }).length;
      const losses = sigs.length - wins;
      if (sigs.length) { tw += wins; tl += losses; tn += sigs.length; }
      const wr = sigs.length ? ((100 * wins / sigs.length).toFixed(1) + '%') : '--';
      rows += '<div style="display:flex; justify-content:space-between; gap:10px; padding:5px 0; border-bottom:1px solid var(--border); font-size:12px;">' +
        '<b style="color:#e8ecf6;">' + escAttr(sym) + '</b>' +
        '<span style="font-family:monospace;">' + sigs.length + ' resolved · ' + wins + 'W/' + losses + 'L</span>' +
        '<b style="color:' + (sigs.length < 5 ? '#fbbf24' : (wins >= losses ? '#a3e635' : '#ff4d6d')) + ';">' + wr + (sigs.length > 0 && sigs.length < 5 ? '*' : '') + '</b></div>';
    } catch (e) {
      rows += '<div style="display:flex; justify-content:space-between; gap:10px; padding:5px 0; border-bottom:1px solid var(--border); font-size:12px;">' +
        '<b style="color:#e8ecf6;">' + escAttr(sym) + '</b><span style="color:#7e89a3;">no 1h data on this feed (' + escAttr(String((e && e.message) || e).slice(0, 60)) + ')</span></div>';
    }
  }
  const twr = tn ? ((100 * tw / tn).toFixed(1) + '%') : '--';
  out.innerHTML = '<div style="font-weight:800; color:#e8ecf6; font-size:12px; margin:4px 0 6px 0;">\ud83e\udd30 Backtest \u2014 last 30 days · 1h candles · real engine · ' + syms.length + ' markets</div>' + rows +

```

```

'<div class="bot-foot-note" style="margin-top:6px;">Combined: <b style="color:#4f7dff;">' + tw + 'W / '
+ tl + 'L \u2192 ' + twr + '</b> over ' + tn + ' resolved signals. * = under 5 signals (too few to trust). T
his is the engine\u2019s own TP1-vs-SL resolution on real historical candles \u2014 <b>not a guarantee</b>
of future results.</div>';
  if (btn) { btn.disabled = false; btn.textContent = '\ud83e\udd6a Backtest 30d'; }
  btBusy = false;
}

// \u2500\u2500 PWA install (beforeinstallprompt + iOS instructions) \u2500\u2500
let deferredInstallPrompt = null;
try {
  window.addEventListener('beforeinstallprompt', function (e) { e.preventDefault(); deferredInstallPrompt =
e; });
} catch (e) {}
function pwaInstall() {
  if (deferredInstallPrompt) {
    try { deferredInstallPrompt.prompt(); } catch (e) {}
    try { deferredInstallPrompt.userChoice.then(function () { deferredInstallPrompt = null; }); } catch (e)
{}
    return;
  }
  showAppToast('Install the app', 'iPhone: tap <b>Share \u2b06\u2013\u2013</b> \u2192 <b>Add to Home Screen</b>. A
ndroid: tap <b>\u22ee</b> \u2192 <b>Install app</b>. Desktop: use the install icon in the address bar. Opens
full-screen with its own icon.', '#4f7dff');
}

// \u2500\u2500 Market scanner grid (SCAN_SYMS = watchList, declared above) \u2500\u2500
let scanRows = [];
let scanFetchTs = 0;
async function fetchScan(force) {
  if (!force && Date.now() - scanFetchTs < 15000) return;
  scanFetchTs = Date.now();
  const head = document.getElementById('scanUpdated');
  const body = document.getElementById('scanBody');
  if (!body) return;
  try {
    const r = await fetch('/api/scan?symbols=' + encodeURIComponent(SCAN_SYMS.join(',')), { cache: 'no-store
' });
    const d = await r.json();
    if (!d.ok) throw new Error(d.error || 'scan failed');
    scanRows = d.rows || [];
    renderScan();
    try { startBoardStream(); } catch (eBx) {}
    if (head) { head.textContent = scanRows.length + ' markets \u2014 ' + new Date().toLocaleTimeString([], { hou
r12: false }); head.style.color = ''; }
  } catch (e) {
    if (head) { head.textContent = '\u26a0 scanner needs the local server \u2014 retrying\u2026'; head.style
.color = '#ff4d6d'; }
  }
}
function tfChip(row, tf) {
  const t = row.tf && row.tf[tf];
  if (!t || !t.action) return '<span class="tf-chip tf-none">\u2014</span>';
  const buy = t.dir === 1 || t.action === 'BUY';
  const whale = t.whale ? '\ud83d\udc0b' : '';
  return '<span class="tf-chip ' + (buy ? 'tf-buy' : 'tf-sell') + '">' + (buy ? '\u25b2 BUY' : '\u25bc SELL'
) + whale + '</span>';
}
function renderScan() {
  const body = document.getElementById('scanBody');
  if (!body) return;
  if (!scanRows.length) { body.innerHTML = '<tr><td colspan="10" class="hist-empty"><span class="load-spin">
</span> Loading live markets\u2026</td></tr>'; return; }
  body.innerHTML = scanRows.map(row => {
    const live = row.tf && row.tf['5m'];
    const act = live ? (live.action + ' @ ' + fmtPrice(live.entry)) : '\u2014';
    const wr = row.wr === '--' || row.wr === undefined || row.wr === null ? '--' : row.wr + '%';
    return '<tr onclick="selectSymbol(\'' + String(row.sym).replace(/'/g, '') + '\', null); goPane(\'chartSe
ction\');">' +
      '<td style="font-weight:900;"><span onclick="event.stopPropagation(); toggleWatch(\'' + String(row.sym)
).replace(/'/g, '') + '\')" style="cursor:pointer; color:#fbbf24;" title="Remove from watchlist">\u2605</spa
n> ' + escAttr(row.sym) + '</td>' +
      '<td data-px="' + escAttr(row.sym) + '" style="font-family:monospace; font-weight:800;">' + (row.price
!= null ? fmtPrice(row.price) : '\u2014') + '</td>' +
      '<td>' + tfChip(row, '1m') + '</td>' +
      '<td>' + tfChip(row, '5m') + '</td>' +

```

```

        '<td>' + tfChip(row, '15m') + '</td>' +
        '<td style="font-weight:800; color:' + (live ? (live.dir === 1 ? '#a3e635' : '#ff4d6d') : '#7e89a3') +
        ';">' + escAttr(act) + '</td>' +
        '<td style="font-family:monospace;">' + (live ? fmtPrice(live.entry) : '\u2014') + '</td>' +
        '<td style="font-family:monospace; color:#f43f5e;">' + (live ? fmtPrice(live.sl) : '\u2014') + '</td>'
    +
        '<td style="font-family:monospace; color:#a3e635;">' + (live ? fmtPrice(live.tp1) : '\u2014') + '</td>'
    +
        '<td style="font-weight:900; color:' + (wr === '--' ? '#fbbf24' : '#4f7dff') + ';">' + wr + '</td>' +
        '</tr>';
    }).join('');
}
fetchScan(true);
setInterval(() => { if (!document.hidden) fetchScan(false); }, 30000);

// \u26a1 board ticker stream \u2014 pushes live prices straight into scanner cells
let bxWs = null, bxKey = '';
function startBoardStream() {
    try {
        if (typeof WebSocket === 'undefined' || !scanRows.length) return;
        const uniq = [];
        for (let i = 0; i < scanRows.length; i++) {
            const row = scanRows[i];
            if (!row || !row.sym || !row.source || !/binance/i.test(String(row.source))) continue;
            const b = resolveBinanceSymbol(row.sym);
            if (/USD$|USDC$|BUSD$/.test(b) && uniq.indexOf(b) < 0) uniq.push(b);
        }
        const key = uniq.join(',');
        if (!uniq.length || (bxWs && bxKey === key && bxWs.readyState <= 1)) return;
        if (bxWs) { try { bxWs.onclose = null; bxWs.close(); } catch (e) {} bxWs = null; }
        bxKey = key;
        const streams = uniq.map(x => String(x).toLowerCase() + '@miniTicker').join('/');
        const ws = new WebSocket('wss://stream.binance.com:9443/stream?streams=' + streams);
        bxWs = ws;
        ws.onmessage = function (ev) {
            try {
                const m = JSON.parse(ev.data);
                const d2 = m && m.data ? m.data : m;
                if (!d2 || !d2.s || !(parseFloat(d2.c) > 0)) return;
                const cells = document.querySelectorAll('[data-px="' + d2.s + '"]');
                for (let i = 0; i < cells.length; i++) {
                    cells[i].textContent = fmtPrice(parseFloat(d2.c));
                    cells[i].style.color = '#7ea3ff';
                }
            } catch (e) {}
        };
        ws.onclose = function () { if (bxWs === ws) { bxWs = null; setTimeout(function () { try { startBoardStream(); } catch (e) {} }, 6000); } };
    } catch (e) {}
}

// \u2500\u2500 \ud83d\udcc5 Economic calendar with countdowns \u2500\u2500
let calEvents = [];
let calToastAt = 0;
let calFetchTs = 0;
async function fetchCalendar(force) {
    if (!force && Date.now() - calFetchTs < 120000) return;
    calFetchTs = Date.now();
    const head = document.getElementById('calUpdated');
    try {
        const r = await fetch('/api/calendar', { cache: 'no-store' });
        const d = await r.json();
        calEvents = d.events || [];
        renderCal();
        try { localStorage.setItem('isCalCache', JSON.stringify({ t: Date.now(), events: calEvents })); } catch (e) {}
        if (head) { head.textContent = calEvents.length + ' events · ' + new Date().toLocaleTimeString([], { hour12: false }); head.style.color = ''; }
    } catch (e) {
        try {
            const r2 = await fetch('https://api.allorigins.win/raw?url=' + encodeURIComponent('https://nfs.faireconomy.media/ff_calendar_thisweek.json'), { cache: 'no-store' });
            const rawEv = await r2.json();
            const nowS = Date.now() / 1000, loS = nowS - 6 * 3600, hiS = nowS + 72 * 3600;
            const ev = [];
            for (const e2 of (Array.isArray(rawEv) ? rawEv : [])) {

```

```

const ts2 = Math.floor(Date.parse(String(e2.date || '')) / 1000);
if (!isFinite(ts2) || ts2 < loS || ts2 > hiS) continue;
const im = String(e2.impact || 'Low').toLowerCase();
ev.push({ title: String(e2.title || '').slice(0, 90), country: String(e2.country || '').slice(0, 8),
ts: ts2, impact: im ? im[0].toUpperCase() + im.slice(1) : 'Low', forecast: e2.forecast || '', previous: e2.
previous || '' });
}
if (ev.length) {
ev.sort((a, b) => a.ts - b.ts);
calEvents = ev.slice(0, 40);
renderCal();
try { localStorage.setItem('isCalCache', JSON.stringify({ t: Date.now(), events: calEvents })); } ca
tch (e3) {}
if (head) { head.textContent = calEvents.length + ' events · public feed · ' + new Date().toLocaleTi
meString([], { hour12: false }); head.style.color = ''; }
return;
}
throw new Error('mirror empty');
} catch (e2) {
try {
const cc = JSON.parse(localStorage.getItem('isCalCache') || 'null');
if (cc && cc.events && cc.events.length) {
calEvents = cc.events;
renderCal();
if (head) { head.textContent = calEvents.length + ' events · saved copy'; head.style.color = '#fbb
f24'; }
return;
}
} catch (e3) {}
if (head) { head.textContent = '\u26a0 calendar offline \u2014 retrying in 15s'; head.style.color = '#
ff4d6d'; }
setTimeout(function () { fetchCalendar(true); }, 15000);
}
}
}
function calCountdown(ts) {
const s = Math.round((ts - Date.now()) / 1000);
if (s <= 0) return 'NOW';
if (s < 3600) return Math.floor(s / 60) + 'm ' + String(s % 60).padStart(2, '0') + 's';
if (s < 86400) return Math.floor(s / 3600) + 'h ' + String(Math.floor((s % 3600) / 60)).padStart(2, '0') +
'm';
return Math.floor(s / 86400) + 'd ' + Math.floor((s % 86400) / 3600) + 'h';
}
function calImpClass(imp) {
const i = String(imp || '').toLowerCase();
if (i === 'high') return 'cal-high';
if (i === 'medium') return 'cal-med';
return 'cal-low';
}
function renderCal() {
const list = document.getElementById('calList');
if (!list) return;
if (!calEvents.length) { list.innerHTML = '<div class="nd-empty">\u2014 No upcoming events found \u2
014 retrying shortly.</div>'; return; }
const now = Date.now();
list.innerHTML = calEvents.map(e => {
const past = e.ts * 1000 < now - 30 * 60;
const when = new Date(e.ts * 1000).toLocaleString([], { weekday: 'short', hour: '2-digit', minute: '2-di
git', hour12: false });
return '<div class="cal-row" data-ts="' + e.ts * 1000 + '" style="' + (past ? 'opacity:.45;' : '') + '">
' +
'<span style="font-weight:800; color:#7e89a3; font-size:11px;">' + when + '</span>' +
'<span class="cal-imp ' + calImpClass(e.impact) + '">' + escAttr(String(e.impact || 'Low').toUpperCase
()) + '</span>' +
'<span><b style="color:#e8ecf6;">' + escAttr(e.title) + '</b> <span style="color:#8b95ad; font-weight:
800; font-size:10px;">' + escAttr(e.country || '') + '</span>' +
(e.forecast || e.previous ? '<div style="font-size:10px; color:#8b95ad;">F: ' + escAttr(e.forecast |
| '\u2014') + ' · P: ' + escAttr(e.previous || '\u2014') + '</div>' : '') + '</span>' +
'<span class="cal-cd" style="color:' + (past ? '#8b95ad' : '#fbbf24') + ';">' + (past ? 'done' : calCo
untdown(e.ts * 1000)) + '</span>' +
'</div>';
}).join('');
}
function tickCal() {
const chip = document.getElementById('calNextChip');
const now = Date.now();

```

```

const next = calEvents.find(e => e.ts * 1000 >= now);
if (chip) {
  if (next) {
    const soon = next.impact && String(next.impact).toLowerCase() === 'high' && (next.ts * 1000 - now) < 3
600000;
    chip.textContent = 'NEXT: ' + next.title.slice(0, 34) + ' · ' + calCountdown(next.ts * 1000);
    chip.style.color = soon ? '#f43f5e' : '';
  } else chip.textContent = 'NEXT: --';
}
document.querySelectorAll('#calList .cal-row').forEach(row => {
  const ts = parseInt(row.getAttribute('data-ts'), 10);
  const cd = row.querySelector('.cal-cd');
  if (cd && ts >= now) cd.textContent = calCountdown(ts);
});
const caution = document.getElementById('calCaution');
if (caution) {
  const hot = calEvents.filter(e => e.ts * 1000 >= now && (e.ts * 1000 - now) < 45 * 60000 && String(e.impact).toLowerCase() === 'high');
  if (hot.length) {
    caution.style.display = 'block';
    caution.innerHTML = '\u26a0 <b>HIGH-IMPACT IN ' + calCountdown(hot[0].ts * 1000) + '</b> \u2014 ' + escAttr(hot[0].title) + ' · expect fast moves; the engine's SL is your shield.';
    if (now - calToastAt > 15 * 60000) {
      calToastAt = now;
      showAppToast('\ud83d\udcc5 High-impact event soon', '<b>' + escAttr(hot[0].title) + '</b> in ' + calCountdown(hot[0].ts * 1000) + '. Volatility window \u2014 avoid oversized positions.', '#fbbf24');
    }
  } else caution.style.display = 'none';
}
}
fetchCalendar(true);
setInterval(tickCal, 1000);
setInterval(() => { if (!document.hidden) fetchCalendar(false); }, 120000);

// \u2500\u2500 \u2699 Health pill (server · price feed · news wire) \u2500\u2500
let healthSrvOk = false;
let healthAlertsOn = false;
async function pollHealth() {
  try {
    const r = await fetch('/api/health', { cache: 'no-store' });
    const d = await r.json();
    healthSrvOk = !!d.ok;
    healthAlertsOn = !!d.alerts247;
  } catch (e) { healthSrvOk = false; }
  const pxOk = Boolean(priceTick.ts) && (Date.now() - priceTick.ts) < 90000;
  const wireOk = !wireOffline && wireItems.length > 0;
  const el = document.getElementById('healthPill');
  if (el) {
    const dot = ok => '<span style="color:' + (ok ? '#a3e635' : '#ff4d6d') + '">\u25cf</span>';
    el.innerHTML = '\u2699 ' + dot(healthSrvOk) + dot(pxOk) + dot(wireOk) +
      (healthAlertsOn ? ' <span style="color:#a78bfa">\ud83d\udd14</span>' : '');
    el.title = 'Server: ' + (healthSrvOk ? 'online' : 'OFFLINE') +
      ' · Price feed: ' + (pxOk ? 'live' : 'stale') +
      ' · News wire: ' + (wireOk ? 'up' : 'down') +
      (healthAlertsOn ? ' · 24/7 pushes: ON' : '');
  }
}
setInterval(pollHealth, 15000);

// \u2500\u2500 \ud83c\udf10 Session strip (UTC: Tokyo / London / New York) \u2500\u2500
function tickSessions() {
  const el = document.getElementById('sessionStrip');
  if (!el) return;
  const h = new Date().getUTCHours();
  const tyo = h >= 0 && h < 9;
  const lon = h >= 7 && h < 16;
  const ny = h >= 12 && h < 21;
  const on = '<b style="color:#a3e635;">\u25b2</b>';
  const off = '<span style="color:#8b95ad;">\u25bc</span>';
  let extra = '';
  if (lon && ny) extra = ' <b style="color:#fbbf24;" title="London\u2013NY overlap: highest liquidity">LDN×NY \ud83d\udd25</b>';
  else if (tyo && lon) extra = ' <b style="color:#fbbf24;">TYO×LDN</b>';
  el.innerHTML = '\ud83c\udf10 TYO ' + (tyo ? on : off) + ' · LDN ' + (lon ? on : off) + ' · NY ' + (ny ? on : off) + extra;
  updSessPill('sbAsia', tyo, 'ASIA 00\u201309 UTC');
}

```

```

    updSessPill('sbLdn', lon, 'LONDON 07\u201316 UTC');
    updSessPill('sbNy', ny, 'NEW YORK 12\u201321 UTC');
    const sbn = document.getElementById('sbNote');
    if (sbn) sbn.textContent = (tyo && lon) ? '\ud83d\udd25 Asia × London overlap' : (lon && ny) ? '\ud83d\udd25 London × NY overlap \u2014 peak liquidity' : (tyo && !lon && !ny) ? 'Asia session \u2014 thinner books' : (tyo || lon || ny) ? 'Session open' : 'Between sessions \u2014 thin liquidity';
    try { maybeDailyPnlPush(); } catch (e) {}
}
// \u2500\u2500 Trust Wallet accessibility: official deep link into the Trust DApp browser \u2500\u2500
function trustOpenDapp() {
    const u = String(location.href || '').split('#')[0];
    const target = 'https://link.trustwallet.com/open_url?coin_id=60&url=' + encodeURIComponent(u);
    try { location.href = target; } catch (e) { try { window.open(target, '_blank'); } catch (e2) {} }
}
function trustCopyLink() {
    const u = String(location.href || '').split('#')[0];
    const done = function () {
        showAppToast('Link copied', 'Open <b>Trust Wallet app \u2192 Discover</b>, paste this link in the address bar, then come back and press <b>\ud83d\udca0 Connect Trust Wallet</b>. Your wallet stays <b>view-only</b> \u2014 every swap still asks for your confirmation.', '#4f7dff');
    };
    const fb = function () {
        try {
            const ta = document.createElement('textarea');
            ta.value = u; ta.style.position = 'fixed'; ta.style.opacity = '0';
            document.body.appendChild(ta); ta.select();
            document.execCommand('copy');
            document.body.removeChild(ta);
            done();
        } catch (e) {
            showAppToast('Copy this link manually', u, '#4f7dff');
        }
    };
    try {
        if (navigator.clipboard && navigator.clipboard.writeText) navigator.clipboard.writeText(u).then(done, fb);
        else fb();
    } catch (e) { fb(); }
}
// \u2500\u2500 v8 ink remap: legacy inline colors \u2192 readable on the OBSIDIAN dark UI \u2500\u2500
(function () {
    const INK = {
        '#0e1526': '#e8ecf6', '#232055': '#e8ecf6', '#3b6cf0': '#4f7dff', '#38bdf8': '#4f7dff',
        '#34d399': '#a3e635', '#10b981': '#a3e635', '#5ee9a0': '#a3e635', '#ff6b6b': '#ff4d6d',
        '#f43f5e': '#ff4d6d', '#ff7a91': '#ff4d6d', '#fbbf24': '#fbbf24', '#fcd34d': '#fbbf24',
        '#8b95ad': '#8b95ad', '#8b95ad': '#8b95ad', '#6b7694': '#8b95ad', '#5f6c8c': '#e8ecf6',
        '#1a2233': '#e8ecf6', '#1a2233': '#e8ecf6', '#141926': '#e8ecf6', '#141926': '#e8ecf6',
        '#26355c': '#4f7dff', '#8ef0b4': '#a3e635', '#8ab7ff': '#7ea3ff', '#ffd7ae': '#fbbf24',
        '#8b95ad': '#8b95ad', '#b8ff5c': '#a3e635', '#ffe04d': '#fbbf24', '#252e46': '#242c3e'
    };
    const SKIP = '#botOpenPos, .chart-wrap, .ohlcv-overlay, .app-header, .zone-bar, .bot-card-head, #bellBadge, #execTarget, .btn-purple, .bot-card-head';
    function hexOf(c) {
        if (!c) return '';
        if (c[0] === '#') return c.toLowerCase();
        const m = String(c).match(/rgba?\s*(\d+)\s*,\s*(\d+)\s*,\s*(\d+)\s*/);
        if (!m) return '';
        const h = n => ('0' + parseInt(n, 10).toString(16)).slice(-2);
        return ('#' + h(m[1]) + h(m[2]) + h(m[3])).toLowerCase();
    }
    function remap(el) {
        try {
            if (!el || el.nodeType !== 1 || !el.style) return;
            if (el.closest(SKIP)) return;
            const c = el.style.color;
            if (c) {
                const t = INK[hexOf(c)];
                if (t) el.style.color = t;
            }
            const bc = el.style.borderColor;
            if (bc && bc.indexOf('rgba(163, 230, 53)') === 0) el.style.borderColor = 'rgba(163, 230, 53, 0.55)';
        } catch (e) {}
    }
    function sweep(root) {
        try {
            if (!root || root.nodeType !== 1) return;

```

```

    remap(root);
    const list = root.querySelectorAll && root.querySelectorAll('[style]');
    if (list) for (let i = 0; i < list.length; i++) remap(list[i]);
  } catch (e) {}
}
try {
  sweep(document.documentElement);
  let t = null;
  const mo = new MutationObserver(function (muts) {
    if (t) return;
    t = setTimeout(function () {
      t = null;
      for (const m of muts) {
        if (m.type === 'attributes') remap(m.target);
        else if (m.type === 'childList') for (const n of m.addedNodes) sweep(n);
      }
    }, 120);
  });
  mo.observe(document.documentElement, { subtree: true, childList: true, attributes: true, attributeFilter: ['style'] });
} catch (e) {}
})();
tickSessions();
setInterval(tickSessions, 60000);

// \u2500\u2500 \ud83e\uddce Position size calculator \u2500\u2500
function calcPos() {
  const out = document.getElementById('pcOut');
  if (!out) return;
  const bal = parseFloat((document.getElementById('pcBal') || {}).value) || 0;
  const riskPct = parseFloat((document.getElementById('pcRisk') || {}).value) || 0;
  const entry = parseFloat((document.getElementById('pcEntry') || {}).value) || 0;
  const sl = parseFloat((document.getElementById('pcSl') || {}).value) || 0;
  const dist = Math.abs(entry - sl);
  if (bal <= 0 || riskPct <= 0 || entry <= 0 || dist <= 0) {
    out.innerHTML = '<span style="color:#8b95ad;">Enter balance, risk %, entry and a stop-loss <b>different</b> from entry.</span>';
    return;
  }
  const riskUsd = bal * riskPct / 100;
  const qty = riskUsd / dist;
  const notional = qty * entry;
  const lots = qty / 100000;
  out.innerHTML =
    '<b style="color:#ff4d6d;">Risk per trade:</b> <b>$' + riskUsd.toFixed(2) + '</b> (' + riskPct + '% of $' + bal.toLocaleString() + ')<br>' +
    '<b style="color:#4f7dff;">Stop distance:</b> ' + fmtPrice(dist) + ' . <b style="color:#a3e635;">Position size:</b> <b>' + qty.toLocaleString(undefined, { maximumFractionDigits: 6 }) + ' units</b><br>' +
    '<b style="color:#fbbf24;">Notional:</b> ~$' + notional.toLocaleString(undefined, { maximumFractionDigits: 0 }) +
    (lots >= 0.0001 ? ' <span style="color:#8b95ad;">(forex standard lots: ' + lots.toFixed(4) + ')</span>' : '');
}
['pcBal', 'pcRisk', 'pcEntry', 'pcSl'].forEach(id => {
  const el = document.getElementById(id);
  if (el) el.addEventListener('input', calcPos);
});

// \u2500\u2500 \ud83c\udef1 24/7 background alerts config \u2500\u2500
async function load247Status() {
  const el = document.getElementById('alerts247Status');
  try {
    const r = await fetch('/api/health', { cache: 'no-store' });
    const d = await r.json();
    if (el) el.textContent = d.alerts247
      ? 'status: \u2705 ON \u2014 the server pushes fresh signals every minute even with your browser closed'
      : 'status: OFF \u2014 enter your ntify topic (above) and press Enable.';
  } catch (e) {
    if (el) el.textContent = 'status: server offline \u2014 24/7 pushes unavailable until it runs again.';
  }
}
async function enable247Alerts() {
  const el = document.getElementById('alerts247Status');
  try { if (typeof saveTopic === 'function') saveTopic(); } catch (e) {}
  let base = '';

```

```

    try { base = (typeof savedTopic !== 'undefined' && savedTopic) ? savedTopic : ''; } catch (e) {}
    if (!base) {
        if (el) { el.textContent = 'status: \u274c set your ntfy topic in the section above first (the code you
add in the ntfy app).'; el.style.color = '#ff4d6d'; }
        return;
    }
    const syms = [];
    [currentSymbol, 'XAUUSD', 'BTCUSDT', 'ETHUSD', 'EURUSD'].forEach(s => { if (s && syms.indexOf(s) < 0) sym
s.push(s); });
    try {
        const r = await fetch('/api/alerts/config', {
            method: 'POST',
            headers: { 'Content-Type': 'application/json' },
            body: JSON.stringify({
                ntfyBase: base,
                symbols: syms.slice(0, 6),
                telegramToken: ((document.getElementById('tgToken') || {}).value || '').trim(),
                telegramChatId: ((document.getElementById('tgChatId') || {}).value || '').trim()
            })
        });
        const d = await r.json();
        if (d.ok) {
            const parts = ['ntfy \u2713' + (d.ntfy ? '' : ' (no topic)')];
            if (d.telegram) parts.push('Telegram \u2713');
            if (el) { el.textContent = 'status: \u2705 ENABLED \u2014 ' + parts.join(' . ') + ' \u2014 server scan
s ' + (d.symbols || []).join(', ') + ' every minute. Keep server.py running.'; el.style.color = '#a3e635'; }
            showAppToast('\ud83c\udf19 24/7 pushes enabled', 'The server now scans every minute and pushes to your
<b>ntfy app</b>' + (d.telegram ? ' and <b>Telegram</b>' : '')) + ' \u2014 even when this browser is closed.'
, '#a78bfa');
        } else {
            if (el) { el.textContent = 'status: \u274c server rejected config'; el.style.color = '#ff4d6d'; }
        }
    } catch (e) {
        if (el) { el.textContent = 'status: \u274c server offline \u2014 cannot enable 24/7 pushes right now.';
el.style.color = '#ff4d6d'; }
    }
}

// \u2500\u2500 \ud83d\udcf1 PWA (install as an app) \u2500\u2500
try {
    if ('serviceWorker' in navigator && /^https?:$/.test(location.protocol)) {
        window.addEventListener('load', () => { navigator.serviceWorker.register('/sw.js').catch(() => {}); });
    }
} catch (e) {}

// =====
// 21. \ud83d\udc14 PRICE ALERTS · \ud83d\udcbc PORTFOLIO · \ud83d\udc50 HEATMAP · \u2705 ONBOARDING · \ud83
d\udcf8 SHARE
// =====
let chartPriceScale = null;

let priceAlerts = [];
try { priceAlerts = JSON.parse(localStorage.getItem('insider_price_alerts') || '[]') || []; } catch (e) { pr
iceAlerts = []; }
function paSave() { try { localStorage.setItem('insider_price_alerts', JSON.stringify(priceAlerts.slice(0, 1
0))); } catch (e) {} }
function renderAlerts() {
    const box = document.getElementById('alertList');
    if (!box) return;
    if (!priceAlerts.length) {
        box.innerHTML = '<div class="nd-empty" style="padding:12px;">No alerts armed \u2014 one click away (or d
ouble-click the chart).</div>';
        return;
    }
    box.innerHTML = priceAlerts.map(a =>
        '<div style="display:flex; justify-content:space-between; align-items:center; gap:8px; padding:7px 4px;
border-bottom:1px solid #242c3e;">' +
        '<span><b style="color:#fbbf24;">' + (a.dir === 'above' ? '\u2265' : '\ud83d\udcc9 \u2264') + ' ' + fm
tPrice(a.price) + '</b>' +
        '<span style="color:#7e89a3; font-size:11px;">on ' + escAttr(a.sym) + ' · armed ' + new Date(a.t).toLo
caleTimeString([], { hour12: false }) + '</span></span>' +
        '<button onclick="delPriceAlert(\' ' + a.id + '\')" style="background:none; border:1px solid #4f7dff; c
olor:#f43f5e; border-radius:7px; padding:3px 9px; font-size:10.5px; font-weight:800; cursor:pointer;">\u2715
</button>' +
        '</div>').join('');

```

```

}
function armPriceAlert(explicitPrice, explicitDir) {
  const sym = (latestData && latestData.symbol) || currentSymbol;
  const price = explicitPrice !== null ? explicitPrice : parseFloat(((document.getElementById('alertPrice') || {})).value) || '');
  const dir = explicitDir || ((document.getElementById('alertDir') || {})).value || 'above';
  if (!(price > 0)) {
    showAppToast('\ud83d\udd14 Set a price', 'Type a target price (or double-click the chart to set one exactly).', '#fbbf24');
    return;
  }
  priceAlerts.push({ id: 'a' + Date.now() + Math.floor(Math.random() * 999), sym: sym, price: price, dir: dir, t: Date.now() });
  paSave(); renderAlerts();
  showAppToast('\ud83d\udd14 Price alert armed', '<b>' + escAttr(sym) + '</b> ' + (dir === 'above' ? 'above' : 'below') + ' <b>' + fmtPrice(price) + '</b> \u2014 you\'ll get a pop-up + bell + phone push when it hits.', '#fbbf24');
}
function delPriceAlert(id) {
  priceAlerts = priceAlerts.filter(a => a.id !== id);
  paSave(); renderAlerts();
}
function checkPriceAlerts(price, sym) {
  if (!priceAlerts.length) return;
  const hit = priceAlerts.filter(a => a.sym === sym && ((a.dir === 'above' && price >= a.price) || (a.dir === 'below' && price <= a.price)));
  if (!hit.length) return;
  hit.forEach(a => {
    priceAlerts = priceAlerts.filter(x => x.id !== a.id);
    const up = a.dir === 'above';
    showAppToast('\ud83d\udd14 PRICE ALERT \u2014 ' + sym, '<b>' + escAttr(sym) + '</b> crossed <b>' + (up ? 'above' : 'below') + ' <b>' + fmtPrice(a.price) + '</b> \u2014 live now at <b>' + fmtPrice(price) + '</b>.', up ? '#a3e635' : '#ff4d6d');
    pushNotif(sym, activeChartTF, up ? 'BUY' : 'SELL', '\ud83d\udd14 PRICE ' + (up ? 'ABOVE' : 'BELOW') + ' <b>' + fmtPrice(a.price));
    playSoftPing();
    pushToPhoneNtfy(activeChartTF, 'PRICE ALERT ' + sym + ' ' + (up ? 'ABOVE' : 'BELOW') + ' ' + a.price, sym + ' crossed your level: ' + a.price + '\nLive price: ' + price + '\n(armed on Sniper V4 site)', up);
  });
  paSave(); renderAlerts();
}
try {
  const chrt = document.getElementById('liveChart');
  if (chrt) {
    chrt.addEventListener('dblclick', (e) => {
      if (!chartPriceScale) return;
      const rect = chrt.getBoundingClientRect();
      const y = e.clientY - rect.top;
      const { minP, maxP, H } = chartPriceScale;
      if (y < 28 || y > H - 28) return;
      const p = maxP - ((y - 28) / (H - 56)) * (maxP - minP);
      const market = latestData ? latestData.market_price : 0;
      const dir = (market && p >= market) ? 'above' : 'below';
      const el = document.getElementById('alertPrice');
      if (el) el.value = Number(p.toFixed(p > 100 ? 2 : 6));
      const de = document.getElementById('alertDir');
      if (de) de.value = dir;
      armPriceAlert(p, dir);
    });
  }
} catch (e) {}

// \u2500\u2500 \ud83d\uddbc Portfolio tracker \u2500\u2500\u2500
let pfHoldings = [];
try { pfHoldings = JSON.parse(localStorage.getItem('insider_portfolio') || '[]') || []; } catch (e) { pfHoldings = []; }
let pfPrices = {};
let pfFetchTs = 0;
function pfSave() { try { localStorage.setItem('insider_portfolio', JSON.stringify(pfHoldings.slice(0, 30))) } catch (e) {} }
function addPf() {
  const sym = ((document.getElementById('pfSym') || {})).value || '').trim().toUpperCase();
  const qty = parseFloat(((document.getElementById('pfQty') || {})).value) || '';
  const avg = parseFloat(((document.getElementById('pfAvg') || {})).value) || '';
  if (!sym || !(qty > 0) || !(avg > 0)) {

```

```

    showAppToast('\ud83d\udcbc Complete the row', 'Symbol, quantity and average buy price are all required.'
, '#fbbf24');
    return;
}
pfHoldings.push({ sym: sym, qty: qty, avg: avg });
pfSave(); renderPf(); pfTick(true);
const s1 = document.getElementById('pfSym'), s2 = document.getElementById('pfQty'), s3 = document.getEleme
ntById('pfAvg');
if (s1) s1.value = ''; if (s2) s2.value = ''; if (s3) s3.value = '';
}
function delPf(i) { pfHoldings.splice(i, 1); pfSave(); renderPf(); }
async function pfTick(force) {
    if (!force && Date.now() - pfFetchTs < 8000) return;
    if (!pfHoldings.length) return;
    pfFetchTs = Date.now();
    const syms = [];
    pfHoldings.forEach(h => { if (syms.indexOf(h.sym) < 0) syms.push(h.sym); });
    await Promise.all(syms.map(async s => {
        try {
            const r = await fetch('/api/ticker?symbol=' + encodeURIComponent(s), { cache: 'no-store' });
            const d = await r.json();
            if (d && d.ok && d.price > 0) pfPrices[s] = { price: d.price, source: d.source };
        } catch (e) {}
    }));
    renderPf();
}
function renderPf() {
    const body = document.getElementById('pfBody');
    const tot = document.getElementById('pfTotals');
    if (!body) return;
    if (!pfHoldings.length) {
        body.innerHTML = '<tr><td colspan="7" class="hist-empty">\ud83d\udcbc No holdings yet.</td></tr>';
        if (tot) tot.textContent = '\u2014';
        return;
    }
    let gVal = 0, gCost = 0;
    body.innerHTML = pfHoldings.map((h, i) => {
        const px = pfPrices[h.sym];
        const live = px ? px.price : null;
        const cost = h.qty * h.avg;
        const val = live != null ? h.qty * live : null;
        if (val != null) { gVal += val; gCost += cost; }
        const pnl = val != null ? val - cost : null;
        const pnlPct = (pnl != null && cost > 0) ? (pnl / cost * 100) : null;
        const col = pnl == null ? '#7e89a3' : pnl > 0 ? '#a3e635' : pnl < 0 ? '#ff4d6d' : '#7e89a3';
        return '<tr>' +
            '<td style="font-weight:900;">' + escAttr(h.sym) + '</td>' +
            '<td>' + h.qty + '</td>' +
            '<td style="font-family:monospace;">' + fmtPrice(h.avg) + '</td>' +
            '<td style="font-family:monospace; font-weight:800;">' + (live != null ? fmtPrice(live) : '<span style
="color:#fbbf24;">loading\u2026</span>') + '</td>' +
            '<td style="font-family:monospace;">' + (val != null ? '$' + val.toLocaleString(undefined, { maximumFr
actionDigits: 2 }) : '\u2014') + '</td>' +
            '<td style="font-weight:900; color:' + col + ';">' + (pnl != null ? ((pnl >= 0 ? '+' : '-') + '$' + pnl
.toLocaleString(undefined, { maximumFractionDigits: 2 }) + (pnlPct != null ? ' (' + (pnlPct >= 0 ? '+' : '-')
+ pnlPct.toFixed(2) + '%)' : '')) : '\u2014') + '</td>' +
            '<td><button onclick="delPf(' + i + ')" style="background:none; border:1px solid #4f7dff; color:#f43f5
e; border-radius:6px; padding:2px 8px; font-size:10.5px; cursor:pointer;">\u2715</button></td>' +
            '</tr>';
    }).join('');
    if (tot) {
        if (gVal > 0 || gCost > 0) {
            const p = gVal - gCost;
            const pc = gCost > 0 ? (p / gCost * 100) : 0;
            tot.innerHTML = 'Total value: <b style="color:#4f7dff;">$' + gVal.toLocaleString(undefined, { maximumFr
actionDigits: 2 }) + '</b> . Cost: $' + gCost.toLocaleString(undefined, { maximumFractionDigits: 2 }) +
            ' . Overall P&L: <b style="color:' + (p >= 0 ? '#a3e635' : '#ff4d6d') + ';">' + (p >= 0 ? '+' : '-')
+ '$' + p.toLocaleString(undefined, { maximumFractionDigits: 2 }) + ' (' + (pc >= 0 ? '+' : '-') + pc.toFixed
(2) + '%)</b>';
        } else {
            tot.textContent = 'Waiting for live prices\u2026';
        }
    }
}
setInterval(() => { if (!document.hidden) pfTick(false); }, 15000);

```

```

// \u2500\u2500 \ud83d\udd50 Win-rate by hour heatmap (real closed trades only) \u2500\u2500
function renderHeatmap() {
  const wrap = document.getElementById('heatWrap');
  if (!wrap) return;
  const buckets = {};
  for (let h = 0; h < 24; h++) buckets[h] = { w: 0, n: 0 };
  (botHistory || []).forEach(r => {
    if (!r.closedAt || r.pnl === null || r.pnl === undefined) return;
    const res = String(r.result || '');
    if (res.indexOf('REJECT') >= 0 || res.indexOf('SWITCH') >= 0 || res.indexOf('FAILED') >= 0) return;
    const h = new Date(r.openedAt).getHours();
    buckets[h].n++;
    if (r.pnl > 0) buckets[h].w++;
  });
  let html = '';
  for (let h = 0; h < 24; h++) {
    if (h % 12 === 0) html += ' '; // no-op keeps loop simple
    const b = buckets[h];
    let cls = 'heat-cell', txt, style = '';
    if (b.n === 0) { txt = '.'; }
    else if (b.n < 3) { txt = b.n + '\u2715'; style = 'background:rgba(79, 125, 255, .12); color:#4f7dff; border-color:rgba(79, 125, 255, .35);'; }
    else {
      const wr = b.w / b.n;
      const g = Math.round(60 + wr * 195);
      const rr = Math.round(255 - wr * 200);
      txt = Math.round(wr * 100) + '%';
      style = 'background:rgba(' + rr + ', ' + g + ', 70, .16); color:rgb(' + rr + ', ' + g + ', 120); border-color:rgba(' + rr + ', ' + g + ', 70, .45);';
    }
    html += '<div class="' + cls + '" style="' + style + '" title="' + h + ':00 \u2014 ' + b.w + '/' + b.n + ' wins">' + txt + '</div>';
    if (h === 11) { for (let k = 0; k < 12; k++) html += '<div class="heat-h">' + k + 'h</div>'; }
  }
  // bottom row of hour labels already inline after col 12; add top labels compactly
  wrap.innerHTML = html;
}

// \u2500\u2500 \u2705 Onboarding \u2500\u2500
function saveOnboard() {
  const st = [];
  for (let i = 0; i < 5; i++) {
    const el = document.getElementById('ob_' + i);
    st.push(el && el.checked);
  }
  try { localStorage.setItem('insider_onboard', JSON.stringify(st)); } catch (e) {}
}

function dismissOnboard() {
  const el = document.getElementById('onboardCard');
  if (el) el.style.display = 'none';
  try { localStorage.setItem('insider_onboard_done', '1'); } catch (e) {}
}

function initOnboard() {
  try {
    if (localStorage.getItem('insider_onboard_done') === '1') return;
    const st = JSON.parse(localStorage.getItem('insider_onboard') || 'null');
    const el = document.getElementById('onboardCard');
    if (!el) return;
    if (st && st.length === 5) st.forEach((v, i) => { const c = document.getElementById('ob_' + i); if (c) c.checked = !!v; });
    if (st && st.every(Boolean)) { dismissOnboard(); return; }
    el.style.display = 'block';
  } catch (e) {}
}

// \u2500\u2500 \ud83d\udcf8 Share setup card (PNG) \u2500\u2500
function shareTradeCard() {
  if (!latestData) { showAppToast('\ud83d\udcf8 Nothing to share yet', 'Wait for the first scan to finish.', '#7e89a3'); return; }
  const sym = latestData.symbol;
  const tf = activeChartTF;
  const cat = latestData.categories[tf];
  const t = cat.active_trade;
  const W = 900, H = 620;
  const cv = document.createElement('canvas');
  cv.width = W; cv.height = H;

```

```

const g = cv.getContext('2d');
g.fillStyle = '#0a0d13'; g.fillRect(0, 0, W, H);
g.strokeStyle = 'rgba(79, 125, 255, .6)'; g.lineWidth = 4; g.strokeRect(8, 8, W - 16, H - 16);
g.fillStyle = '#4f7dff'; g.fillRect(8, 8, W - 16, 74);
g.fillStyle = '#141926'; g.font = '900 34px system-ui, sans-serif';
g.fillText('\ud83d\udc0b INSIDER SNIPER V4 \u2014 TRADE SETUP', 30, 56);
g.fillStyle = '#e8ecf6'; g.font = '900 30px system-ui, sans-serif';
g.fillText(sym + ' . ' + tf, 30, 132);
g.fillStyle = '#7e89a3'; g.font = '700 17px system-ui, sans-serif';
g.fillText(new Date().toLocaleString([], { dateStyle: 'medium', timeStyle: 'short' }) + ' . live chart:
' + fmtPrice(latestData.market_price), 30, 162);
const buy = t && t.dir === 1;
g.fillStyle = buy ? '#a3e635' : '#ff4d6d';
g.font = '900 56px system-ui, sans-serif';
g.fillText((t ? t.action : (cat.trend_dir === 1 ? 'BUY' : 'SELL')) + ' \u25b2\u25bc'.replace('\u25b2\u25bc
', buy ? ' \u25b2' : ' \u25bc'), 30, 236);
const cells = [
  ['ENTRY (live)', t ? fmtPrice(t.entry) : '--'],
  ['RELOAD / DIP', t ? fmtPrice(t.reload) : '--'],
  ['TP1 (fast)', t ? fmtPrice(t.tp1) : '--'],
  ['TP2 (mid)', t ? fmtPrice(t.tp2) : '--'],
  ['TP3 (max)', t ? fmtPrice(t.tp3) : '--'],
  ['STOP LOSS', t ? fmtPrice(t.sl) : '--']
];
cells.forEach((c2, i) => {
  const x = 30 + (i % 3) * 290;
  const y = 280 + Math.floor(i / 3) * 100;
  g.fillStyle = '#141926'; g.fillRect(x, y, 270, 84);
  g.strokeStyle = i >= 4 ? (i === 5 ? 'rgba(255, 77, 109, .7)' : 'rgba(251, 191, 36, .7)') : 'rgba(79, 125
, 255, .5)';
  g.lineWidth = 2; g.strokeRect(x, y, 270, 84);
  g.fillStyle = '#7e89a3'; g.font = '800 14px system-ui, sans-serif'; g.fillText(c2[0], x + 14, y + 28);
  g.fillStyle = i === 5 ? '#ff4d6d' : (i === 4 ? '#bbf24d' : (i <= 2 ? '#a3e635' : '#4f7dff'));
  g.font = '900 26px system-ui, sans-serif'; g.fillText(c2[1], x + 14, y + 64);
});
const wrTxt = cat.win_rate === '--' ? 'collecting (real trades only)' : cat.win_rate + '% real (this chart
)';
g.fillStyle = '#bbf24d'; g.font = '900 20px system-ui, sans-serif';
g.fillText('REAL WIN RATE (' + tf + '): ' + wrTxt, 30, 512);
if (t && t.triggers) {
  const okN = t.triggers.filter(x => x.ok).length;
  g.fillStyle = '#a78bfa'; g.font = '800 17px system-ui, sans-serif';
  g.fillText('Engine checks: ' + okN + '/' + t.triggers.length + ' passed (' + (t.whyScore !== null ? t.why
Score : '--') + '%) \u2014 checks, not a guarantee', 30, 544);
}
g.fillStyle = '#8b95ad'; g.font = '700 14px system-ui, sans-serif';
g.fillText('No percentage is guaranteed . real orders via your connected keys . generated by Insider Snipe
r V4', 30, 584);
try {
  const a = document.createElement('a');
  a.href = cv.toDataURL('image/png');
  a.download = 'sniper_setup_' + String(sym).replace(/^[A-Z0-9]/gi, '') + '_' + tf + '.png';
  a.click();
  showAppToast('\ud83d\udcf8 Setup card saved', 'Downloaded <b>' + a.download + '</b> \u2014 post it anywh
ere.', '#a3e635');
} catch (e) {
  showAppToast('\ud83d\udcf8 Could not export', 'This browser blocked the image export.', '#ff4d6d');
}
}

// \u2500\u2500 Quiet hours persistence \u2500\u2500
function loadQuiet() {
  try {
    const q = JSON.parse(localStorage.getItem('insider_quiet') || 'null');
    if (!q) return;
    const f = document.getElementById('qhFrom'), t = document.getElementById('qhTo'), s = document.getElemen
tById('sndTone');
    if (f && q.from) f.value = q.from;
    if (t && q.to) t.value = q.to;
    if (s && q.tone) s.value = q.tone;
  } catch (e) {}
}
function saveQuiet() {
  try {
    localStorage.setItem('insider_quiet', JSON.stringify({
      from: ((document.getElementById('qhFrom') || {}).value) || '',

```

```

        to: ((document.getElementById('qhTo') || {}).value) || '',
        tone: ((document.getElementById('sndTone') || {}).value) || '660'
    }));
    } catch (e) {}
}
['qhFrom', 'qhTo', 'sndTone'].forEach(id => {
    const el = document.getElementById(id);
    if (el) el.addEventListener('change', saveQuiet);
});

// \u2500\u2500 Init connections + history views \u2500\u2500
selectConnPlatform(connSelected);
renderHistory();
pollHealth();
calcPos();
load247Status();
renderAlerts();
renderPf();
pfTick(true);
loadQuiet();
initOnboard();

window.addEventListener('resize', drawLiveChart);
fetchAndAnalyze();
setInterval(fetchAndAnalyze, 5000);
</script>

<script>
/* \u2550\u2550\u2550 V9 . PANE ROUTER + MOBILE RAIL \u2550\u2550\u2550\u2550 */
function setRail(open) { try { document.body.classList.toggle('rail-open', !!open); } catch (e) {} }
function goPane(id, silent) {
    try {
        if (!document.querySelector('.pane[data-pane="' + id + '"'])) id = 'scanner';
        var ps = document.querySelectorAll('.pane'), i;
        for (i = 0; i < ps.length; i++) { ps[i].hidden = (ps[i].getAttribute('data-pane') !== id); }
        var as = document.querySelectorAll('.nav-link');
        for (i = 0; i < as.length; i++) { as[i].classList.toggle('active', as[i].getAttribute('href') === '#' +
id); }
        if (!silent && String(location.hash || '').slice(1) !== id) { try { history.replaceState(null, '', '#' +
id); } catch (e) {} }
        setRail(false);
        try { window.scrollTo(0, 0); } catch (e) {}
        try { window.dispatchEvent(new Event('resize')); } catch (e) {}
        try {
            if (id === 'scanner' || id === 'marketScanner') fetchScan(false);
            else if (id === 'worldWire') fetchWire(false);
            else if (id === 'calendarSection') fetchCalendar(false);
        } catch (eFetch) {}
    } catch (e) {}
}
document.addEventListener('click', function (e) {
    try {
        var t = e.target; if (!t) return;
        if (t.id === 'railToggle') { setRail(!document.body.classList.contains('rail-open')); return; }
        if (t.id === 'railScrim') { setRail(false); return; }
        var a = t.closest ? t.closest('a[href^="#"]') : null;
        if (!a) return;
        var id = (a.getAttribute('href') || '').slice(1);
        if (id && document.querySelector('.pane[data-pane="' + id + '"'])) { e.preventDefault(); goPane(id); }
    } catch (err) {}
});
window.addEventListener('hashchange', function () { goPane(String(location.hash || '').slice(1), true); });
goPane(String(location.hash || '').slice(1) || 'scanner', true);
</script>
</body>
</html>

```

===== SECTION 2: RENDER_DEPLOY_STEPS.md =====

\ud83d\udee1\ufe0f Make It Permanent \u2014 Deploy Guide (about 10 minutes, once)

You will put the site on **Render** (a hosting company). Your address will be:

```
...
https://insider-sniper-v4.onrender.com
...
```

(or ``insider-sniper-v4-xxxx.onrender.com`` if that exact name is taken).
That address never, ever changes \u2014 bookmark it once and it always works.
No sandbox, no tunnels, no dead links.

You need: your **GitHub account** (the one you use for videos) \u2014 that's all.
This is NOT exchange KYC \u2014 it's just hosting, like making a Drive account.

What to upload

Download **insider-sniper-render-deploy.zip** (from the workspace file list),
then **unzip it** (Files app \u2192 the zip \u2192 Extract). You get 8 files:

```
...
server.py  index.html  render.yaml  requirements.txt
manifest.json  sw.js  icon-192.png  icon-512.png
...
```

STEP 1 \u2014 Put the files on GitHub (3\u20134 min)

1. Open **github.com** in Chrome \u2192 sign in
2. Tap the **+** (top right) \u2192 **New repository**
3. Name: ``insider-sniper-v4`` \u2192 tap **Private** \u2192 **Create repository**
4. Inside the empty repo: **Add file \u2192 Upload files**
5. Pick **all 8 unzipped files** \u2192 **Commit changes**

STEP 2 \u2014 Deploy on Render (3\u20134 min)

1. Open **render.com** \u2192 **Sign up \u2192 Continue with GitHub** (approve it)
2. After signup: **New + \u2192 Web Service**
3. Connect your GitHub repo ``insider-sniper-v4`` (Render asks permission \u2192 Authorize)
4. Settings on that page:
 - **Name:** ``insider-sniper-v4``
 - **Runtime:** Python 3 (auto-detected)
 - **Build command:** ``pip install -r requirements.txt`` (usually pre-filled)
 - **Start command:** ``python server.py`` (usually pre-filled from render.yaml)
 - **Instance type:** **Free**
5. **Create Web Service** \u2192 wait ~3\u201315 minutes for **Deploy live** \u2014

> If Render offers **New + \u2192 Blueprint** instead, use that \u2014 it reads
> ``render.yaml`` automatically and fills everything for you.

STEP 3 \u2014 One-time setup on the permanent address (1 min)

1. Open your new ``https://\u2026.onrender.com`` link
2. **\ud83d\udcf2 ntify section** \u2014 your 3 codes are now **FIXED** forever:

```
insider-sniper-v4-1m
insider-sniper-v4-5m
insider-sniper-v4-15m
...
```

In the **ntfy app**: subscribe to those 3 codes **once**. They will never
change again \u2014 not on reload, not on any device.

3. Press **Enable** in the 24/7 alerts box (server already has the same default \u2014
it pushes even when your page is closed)
4. **\ud83d\udfe3 MEXC**: paste your API keys **once** (browser memory is per-address,
so the new address starts clean \u2014 only this one time)
5. **\ud83d\udcb0 LIVE** \u2192 Start

Good to know

- ****Free plan sleep:**** after ~15 min with nobody visiting, the service naps.
The first open afterwards takes ****~30\201360 seconds**** (it wakes up), then it's instant. The address stays the same forever.
- The tunnel links keep working meanwhile as backups.
- Your win-rate, history and keys live ****in your browser**** for that address \2014 set them once on the permanent link.