START HERE

Submit and review with SharePoint

Use Sponsor Highlights - SharePoint Pilot to submit highlights and correct your own confirmed submissions. Each save retains an immutable receipt for review.

Open the SharePoint form


Step	What happens
1 // Submit or correct	For new work, complete the form and submit once. For a correction, use My Submissions > Edit selected > Save correction.
2 // Confirm	JSONL ready confirms the individual receipt file. Teams notifies the owner and submitter; self-submissions skip the duplicate notice.
3 // Collect	The five-minute exporter rebuilds logbook.jsonl from the stored list receipts. Operators check freshness before downloading.
4 // Review and report	Stage the downloaded rows, inspect the latest content, confirm apply and generate a new local report. Email is reserved for important milestones.

This guide follows the active SharePoint workflow. Appendix A preserves the paused GitLab connector reference. Retry each pending save with its same receipt ID. A correction gets a new linked ID; original records remain unchanged.

WORKFLOW MAP

From highlight to reviewed report

New highlights and later corrections follow the same SharePoint review and reporting path.



Solid green: saved data and review steps. A newly exported original or correction triggers Teams, best effort. Dashed: owner-triggered milestones. Corrections do not alter existing reports; local CLI commands send no messages.

Locate the deployed SharePoint components


Component	SharePoint pilot
Canvas app	163f110f-7f8a-401c-894e-0786b2c018a4
Intake flow	64679e9c-ae76-4263-b8fa-8832835516ca
Catalog flow	6f8a4ab5-dd66-4904-9f5d-f307519ab4d5
History / correction flow	36695ee1-47d2-f111-a05c-001dd8062052
Collected exporter	51efa5f9-6e69-4d75-a53b-2c2965fd51bd
Browser slot	SponsorHighlightSharePointPending
Destination	Research Enablement site: Intake Pilot list and JSONL Pilot library

Environment: **Wohlgemuth, Jason** (221f44a6-1468-ea4e-b93d-cd52f1723079). The app binds three standard SharePoint pilot flows; the collected exporter runs separately every five minutes.

Owner-only milestone receiver: dd1d8f67-116c-f55d-7752-7c7d322691c5. It retains Dataverse receipt tracking and is separate from the standard-only contributor bindings.

Understand the SharePoint project catalog

Contract	SharePoint catalog
Source	13 project choices plus a reserved general destination. Project choices were seeded from revision 03ff5836289447034f40f2a4898c155441e6cb66. No automatic repository synchronization.
Response	catalogjson text: source=sharepoint, projects=[{id,label}]. More than 1,000 rows returns catalog_limit with an empty list.
Failure feedback	Safe access_denied, unavailable, invalid_catalog or catalog_limit response. The app shows persistent guidance and Retry Project List, with submission disabled until a valid list loads.
Acceptance	13-project live load and isolated overflow/error/retry acceptance passed. Accepted response and app feedback are deployed.



October 26 catalog capture. Catalog membership does not replace ACORN folder/member authorization during later admission.

Preserve the SharePoint storage contract

Field / behavior	Contract
SubmissionId	Required, unique 36-character UUID. Find/read the receipt before confirming; changed payload under the same UUID conflicts.
PayloadBase64A / B	Base64 of exact original UTF-8 JSON. A holds the first 45,000 encoded characters; B holds the remainder. Encoding is not encryption.
Correction links	revision.rootSubmissionId identifies the original; supersedesSubmissionId identifies the previous receipt. Each correction has a new SubmissionId. Never overwrite a stored payload.
JSONL export	Receipt: decode A + B, add LF and verify UUID.jsonl. Combined: one serialized five-minute flow rebuilds logbook.jsonl from list rows, verifies exact bytes and skips unchanged writes.
ExportStatus / URL	Pending until exact readback succeeds; then Exported with the confirmed file location. A receipt alone is not a successful export.

Correction intake verifies authenticated ownership, current predecessor and fixed project/placement. The unique, nullable, indexed CorrectionParentId prevents competing successors; exact replays reuse their receipt. History is caller-filtered and bounded. Combined export retains all receipts, caps at 5,000 rows / 10 MiB and preserves its prior file on failure. Display fields are not an export source.

Read SharePoint run evidence

Read action outcomes, not just the overall run color. A replay can fail non-overwrite file creation while successfully reading and confirming the existing exact file.

Case	Observed October 26	Run suffix
Fresh app + Teams	Receipt, export/readback, response and Teams action succeeded.	...9436911789262446685 1CU16
Exact replay after Teams	Receipt creation skipped; existing file matched; Teams skipped.	...9274096325003136304 6CU21
Changed payload	Conflict branch succeeded; receipt/file writes skipped.	...1198062104599069564 4CU06
Malformed envelope	Parse failed; persistence skipped; outer response succeeded.	...1118999575780268963 9CU25

Response outputs: status, submissionid, exportstatus, exportfileurl and receipturl. The app accepts exported only with a matching UUID, received status, exported state and expected file URL. Uncertain export retains the frozen payload and offers Retry JSONL export.

Full run IDs and action evidence: sharepoint-pilot.md and _assets/sharepoint/. Secure history hides response values; the published app confirmed the successful response contract. Isolated app-driven failure/retry acceptance passed. October 27 live deployment also verified eight exact collected rows and Teams delivery action.

LOCAL WORKFLOW

Bring downloaded JSONL into local review

Download logbook.jsonl after its next five-minute refresh. Preserve exact rows and IDs. For corrections, include the original and intervening receipts, or use already-applied workspace ancestry. Stage and inspect before confirmed apply; one logical entry retains the latest accepted content.

From the prepared demo directory, use acorn on PATH. intake.json and report.json point to the same separate demo index. Replace BATCH_ID below with the value printed by stage.

```
cd output/pdf/sharepoint-demo-20261026
# 1. Stage the three exact selected rows.
acorn --offline intake stage --batch --config intake.json --source selected-demo.jsonl
# 2. Inspect; 3. apply with the normal Yes / No buttons.
acorn --offline intake inspect --config intake.json --batch-id BATCH_ID
acorn --offline intake apply --config intake.json --batch-id BATCH_ID
# 4. Generate the combined local PDF.
acorn --offline report --config report.json --from 2026-10-26T00:00:00Z --through 2026-10-27T00:00:00Z --dry-run --combine
```

Open .acorn/reports/report.pdf. Defaults use the current directory and all configured projects (only acorn here). Combined mode needs no commit. Keep the fixed date window; --through has no time default. Set CHROME_PATH only if browser discovery fails.

Direct SharePoint URLs remain planned; download the file first. Local reporting sends no messages or callbacks; optional graduation is separate.

Use the current graduation commands

After ingestion, use the current local graduation API. Supported entries can propose contributor or other metadata changes; unsupported entries remain unchanged.

```
acorn intake run --index project/index.json --dry-run
acorn intake run --index project/index.json --interactive
acorn intake run --index project/index.json --force
```

Mode	Meaning
--dry-run	Validate and preview; write nothing.
--interactive	Per-candidate Yes / No selection, then separate final write confirmation. No is the default.
--force	Accept all eligible promotions without prompts; validation, digest checks and exact backup remain.
--accept ID --expected-digest DIGEST	Apply only an explicitly reviewed selection with the pinned digest.

Promotion retains and archives source entries and writes an adjacent exact-byte backup. A bare run --index with eligible entries requires an explicit approval mode. Neither local ingestion nor graduation sends milestone messages.

Operate notifications independently of storage

Route	Automatic Teams gate	Recovery limit
SharePoint	Create_receipt_SP and Mark_exported_SP must both succeed in the same run. Runs after response handling.	Exact replay skips. Export first confirmed on a later retry also skips the initial notice; no durable notice outbox.

SharePoint sends the owner a record link and the submitter a separate confirmation without that private link; self-submissions skip duplication. Secure inputs/outputs and disabled automatic send retries remain. Never resubmit only to get a message.

Callback event	Required additional fields	Channel
mr-created / review-needed	merge_request_url, project_id	Teams / email
report-no-changes	project_id, through	Teams
artifact-ready	checksum, package_url, project_id, through	Email
failed	message, project_id	Email

Manual callback: exact Webhook ID + Event JSON. Unique claim; frozen payload and destination; Pending > Sending > Sent; concurrency one. Sent replay skips. Uncertain Sending holds for reconciliation against the recorded attempt. Never reset solely because a send timed out.

Separate proven behavior from release gates

Area	Current acceptance and operating action
SharePoint default	PA-19 through PA-28 SharePoint work is accepted. Published app keeps its ID, audience, submission formulas and recovery key. Eight-row collected download preserves the prior seven rows exactly.
Rollback SharePoint	Dated sanitized native copies in cutover/ and backup/ predate correction controls. Keep current editing sources separately. Restore approved settings and revalidate an isolated import; historical hashes describe originals. Never blindly overwrite an uncertain write.
Editing acceptance	Published editing passed owner and standard-license contributor checks: private history, correction save and Teams confirmation. The 18-row aggregate preserves original and correction bytes; local review/apply also passed.
Remaining rollout	Pilot stays in Wohlgemuth, Jason for owner and participant. PA-12 owns shared environment, groups and notification migration. Monitor exporter history and file freshness; no automatic exporter-failure alert is implemented.

Keep pending receipts in their original browser slot and reconcile the same UUID. Never create a duplicate to work around uncertainty. Teams/email are notifications; exact stored receipts and reviewed indexes are the evidence.

REFERENCE

Find the live app and retained evidence

Working links

SharePoint pilot app

Research Enablement SharePoint site

ACORN intake command reference

Microsoft SharePoint connector classification

Microsoft Power Apps license designation and linked-flow caveat


Repository evidence

Within .wiki/features/powerapps-jsonl-intake/: sharepoint-pilot.md, notification-walkthrough.md, boundary-acceptance.md, restore-target-readiness.md and index.md. Manual workflow: ../manual-jsonl-ingestion-graduation/walkthrough.md and handback.md.

Screenshots and technical records are sanitized copies. Historical hashes describe the originals; revalidate account settings and package imports before reuse. Synthetic records remain TEST ONLY. Updated October 27 after cutover, contributor correction acceptance and navigation spacing verification. Current route, rollback evidence and native before/after app backups: _assets/sharepoint/cutover/README.md.

Preserve correction history during intake

An edit adds a linked receipt. It preserves the original and the complete correction history.



Example IDs A, B and C represent three saves of one highlight. The download keeps all three rows; reviewed apply keeps one current logbook entry with the latest accepted content.

Keep ancestry in the batch or previously applied workspace history. Missing parents, competing corrections or changed/graduated prior content stop apply for review. Existing PDFs stay unchanged; generate and review a new report.

Locate the retained GitLab components

The GitLab route is preserved with intake and catalog Off. No connector, protected connection, credential, app binding or stored data was deleted during the SharePoint cutover.


Component	Retained identity
Canvas app	15ae605b-585b-49f5-a413-2b091f919a35
Intake	ACORN Logbook GitLab JSONL Intake (Draft) ff4a134b-5fd3-4465-ab19-0325c2f2bf1b
Catalog	ACORN Project Catalog cd27888f-dd74-4675-9dd1-abc246ba56d5
Browser slot	SponsorHighlightPending
Destination	Project 22464 / main / .acorn/intake/logbook.jsonl

Catalog: .acorn.jsonc folders is authoritative, including an empty list. Without it, discover folders containing index.json or index.yaml. Resolve canonical choices at one repository revision; invalid configuration or denied reads stop discovery.

Retained app (paused) | **Pilot GitLab repository**

Verify the GitLab commit and replay

Validate the caller/envelope, resolve the project, check immutable history for an exact replay, then conditionally append one line. Preserve every previous byte and verify the committed snapshot before success.



Dated append evidence. Exact replays return the verified prior commit without another append or Teams notice. History lookup is bounded; missing proof remains unresolved. Preserve the ID and payload across timeouts or network denials.

PA-02 is closed under the owner-approved known-limitation decision. That decision does not establish reliable writes or close the remaining boundary, concurrency or restore tests.

Restore and operate the GitLab route

Restoration normally needs two flow toggles in Wohlgemuth, Jason. Existing credentials must still be valid, premium entitlement must cover the intended users, and GitLab access must succeed.

1 // Enable and check

Turn On ACORN Project Catalog and ACORN Logbook GitLab JSONL Intake (Draft). Verify connection health and catalog load. Retained bindings mean no reimport or new token is normally needed.

2 // Reconcile before new work

Keep the original UUID and exact payload for pending receipts. Check immutable history and retry the same ID. Do not resubmit uncertain GitLab content through SharePoint.

3 // Preserve notification semantics

Queued_new must succeed before the owner Teams notice. Replay, rejection and unresolved results skip delivery. A send failure does not roll back the commit; do not resubmit merely to get a message.

For local review, stage a GitLab file URL online with CI_SERVER_HOST and the protected credential reference, or stage an exact local snapshot. Then use the same inspect / apply / report steps. Local commands send no milestones.

PA-15 boundaries, PA-16 concurrency and PA-17 full restoration checks remain independent unfinished gates. PA-02 records accepted intermittent connectivity. Full rollback evidence: _assets/sharepoint/cutover/README.md.