START HERE

Submit and review with SharePoint

Use Sponsor Highlights - SharePoint Pilot to submit highlights and correct your own confirmed submissions. Each save retains an immutable receipt for review.

Open the SharePoint form


Step	What happens
1 // Submit or correct	For new work, complete the form and submit once. For a correction, use My Submissions > Edit selected > Save correction.
2 // Confirm	JSONL ready confirms the individual receipt file. Teams notifies the owner and submitter; self-submissions skip the duplicate notice.
3 // Collect	The five-minute exporter rebuilds logbook.jsonl from the stored list receipts. Operators check freshness before downloading.
4 // Review and report	Stage the downloaded rows, inspect the latest content, confirm apply and generate a new local report. Email is reserved for important milestones.

This guide follows the active SharePoint workflow. Appendix A preserves the paused GitLab connector reference. Retry each pending save with its same receipt ID. A correction gets a new linked ID; original records remain unchanged.

WORKFLOW MAP

From highlight to reviewed report

New highlights and later corrections follow the same SharePoint review and reporting path.




Solid green: saved data and review steps. A newly exported original or correction triggers Teams, best effort. Dashed: owner-triggered milestones. Corrections do not alter existing reports; local CLI commands send no messages.

Load the correct project list

Report placement is first and defaults to Project highlight. Check Submitted by, then load the project list. My Submissions sits between the banner and form for later corrections.

The catalog may load automatically. The button reads **Load Project List** before its first successful load and **Refresh Project List** afterward. Loading alone does not submit anything.



The catalog has 13 project choices. Report-wide update (no associated project) disables Project and its load button. For project highlights, failed catalog loading blocks submission and offers Retry Project List.


Complete the form fields


Field	What to enter
Report placement	Project highlight is the default. Report-wide update (no associated project) routes to the separate general logbook; standalone CLI reporting remains PA-29.
Project / date	For project highlights, load and select the research project. Enter the date of the work.
Category	administration, collaboration, data, engagement, funding, infrastructure, method, other, personnel, publication, research or software.
Status	completed, in-progress or upcoming.
Event type	Optional: conference, exhibition, meeting, other, presentation, tour, training or workshop.
Summary / details	Summary: required, up to 1,200 characters. Details: optional, one per line; up to 20 details, each up to 1,000 characters.

The form captures the original fields in one submission envelope. Include a concrete result and why it matters. Use non-sensitive content because pending submissions are stored in the browser.

Choose the date and category

Set the date of the work, then choose the category that best describes it.







Dated form captures, October 24. Left: calendar picker; confirm with Ok or use Cancel to retain the prior date. Right: category menu; scroll for additional choices. Earlier project labels in the captures are not the current catalog inventory.

Choose status and optional event type

Status is required. Event type can remain Not specified if the highlight has no associated event. Choose the most specific applicable value.





Dated form captures, October 24. Left: progress status. Right: optional event type. The form remains an intake surface; choosing Completed describes the work, not reviewer approval.

Write, review and submit once


Review the project, date, category, status and text. Select **Submit highlight** once. The app freezes the payload and receipt ID while it waits for confirmation.

Check	Before you send
Project	For a project highlight, load and choose the correct project. Report-wide updates disable these controls. Never substitute an unrelated project.
Summary and details	Describe the result and why it matters. Use only non-sensitive content: the pending draft is stored locally in your browser.
Placement	Project highlight is the default. Use Report-wide update (no associated project) only for program- or organization-wide work. It does not publish; standalone general reporting is pending.
After Submit	Wait for the result panel. Keep the same receipt if the result is uncertain; do not start another highlight for the same work.

A confirmed submission is ready for operator review. The next page shows the published SharePoint confirmation and the distinction between an individual receipt and the collected logbook.

Read the SharePoint confirmation

Highlight saved · JSONL ready means the list receipt exists and the exported file passed exact readback. Keep the receipt ID. Saving is separate from content approval and publication.



October 27 deployed app: receipt 807ecb08-3f88-4aa8-a076-f623680b56db. Individual download matched the eighth collected row exactly; the prior seven rows were unchanged. Teams action succeeded.


Recover without creating a duplicate


Result	SharePoint action
Confirmed	Receipt plus verified export. Back to highlight preserves the locked entry; My Submissions starts a separate correction.
Received; export pending	Keep the same ID. Use Retry JSONL export; the list receipt alone is not an export confirmation.
Uncertain save	Keep the frozen content and retry the existing submission.
Rejected / conflict	Edit only after explicit rejection permits it. Conflicting ID/content needs owner review.
Browser recovery unavailable	A new send is stopped if pending storage cannot be prepared. Do not clear existing browser data while a result is unresolved.

Use one tab and the same browser profile/account. New highlight clears only this app's recovery slot; it does not delete the stored receipt. Restart, denied-storage, pending-export and conflict acceptance passed in isolated copies. The deployed update preserves its recovery key and formulas.

Distinguish an uncertain result from a conflict

An unresolved save and a conflicting receipt require different actions. Read the result before retrying or editing.





Isolated SharePoint PA21 acceptance captures: unconfirmed outcome (left) and conflict (right). Preserve the same receipt and original content for retry or owner investigation; never clear an unresolved draft.

RESPONSIVE LAYOUT

Use the form on a small screen

The form stacks vertically. My Submissions occupies its own row between the banner and form; it no longer overlaps the header.



Report placement comes first. Project highlight is the default; load a project only for that choice.

For an existing confirmed receipt, use My Submissions to load your own history and start a linked correction. Pending submissions must reconcile before another edit.

October 27 phone-size Studio preview. This verifies spacing, not native-mobile storage acceptance. Keep one tab per pending browser slot.

ILLUSTRATIVE TEAMS MESSAGES

Recognize the saved-highlight notice

Fictional examples show the new message hierarchy. Teams clients may simplify colors and borders.

Teams // Sponsor Highlights

OWNER NOTICE

ACORN // SPONSOR HIGHLIGHTS

Highlight received

Project
Example Project

Status
Saved · JSONL verified · Awaiting review

Receipt ID
EXAMPLE-001

Open JSONL export

Saving does not approve or publish the highlight.

CONTRIBUTOR CONFIRMATION

ACORN // SPONSOR HIGHLIGHTS

Highlight received

Project
Example Project

Status
Saved · JSONL verified · Awaiting review

Receipt ID
EXAMPLE-001

Keep this receipt for support

Saving does not approve or publish the highlight.

Bold labels and indented details remain useful when a client omits styling. Owner notices link to stored JSONL; contributors receive their receipt without a private-storage link. Email stays reserved for milestones.

NOTIFICATIONS

Know when Teams and email are used

Milestone	Channel	When it happens today
Original or correction + export	Teams to owner + submitter	Automatic after a new receipt and verified export in the same run. History reads and exact replays send no notice. Skip duplicate owner self-notices.
Workspace created / no report changes	Teams to owner	Owner invokes the manual callback for an actual milestone.
Review requested / report ready / actionable failure	Email to owner	Owner invokes the manual callback with the real review or deliverable evidence.
Typing, validation or unconfirmed save	App feedback only	No routine intake email; no new notice for exact replays.

SharePoint notification limitation: an export that first succeeds on a later retry does not send the initial new-receipt notice. Delivery is best effort. Local CLI commands do not invoke these callbacks; Vergil automation remains separate work.

REVIEWER

Review before applying or publishing

The form collects submissions; it does not provide an approval screen. The owner supplies the proposed changes and review location.

1 // Check the evidence

Match the project and receipt. Review date, category, status, placement, summary and details against the underlying work.

2 // Inspect the local proposal

Stage the downloaded originals and corrections together. Inspect the latest content and linked history, then confirm apply. Conflicts require operator review.

3 // Confirm optional promotion

Graduation may add a contributor or other supported metadata. Use the interactive run --index mode for per-entry Yes / No selection and a separate final confirmation.

4 // Review the report

A local PDF is a preview, not publication. Follow the supplied review process before merging changes or releasing a report.

Use My Submissions to correct your own confirmed highlight. Operators review the new linked receipt. Never overwrite stored payloads or create duplicates just to retry reporting.

REFERENCE

Access, help and pilot boundaries

If access fails, keep the exact error and app link. A standard connector does not grant an account entitlement, app sharing, site access or environment permission.

Check	Current position
SharePoint participant access	Standard-license participant access passed October 27. Current approved audience: owner and participant. Wider group rollout remains separate.
Help request	Send the owner the app/branch, receipt ID, selected project, approximate time and visible result. Never send a token or API key.
Pending submission	Keep its original app, ID and content. Do not discard an unresolved receipt or resubmit it under a new ID.

Open SharePoint pilot | **ACORN intake reference**

Microsoft references: **SharePoint connector**; **Power Apps license designation**. Pilot acceptance is recorded in sharepoint-pilot.md and the active PA plan.

CONTRIBUTOR // EDITING

Correct a confirmed highlight

Use My Submissions between the banner and form to correct a confirmed highlight. You can see only your own receipt history.


Step	Action
1 // Choose	Open My Submissions, select the latest receipt and choose Edit selected.
2 // Correct	Update date, category, status, event type, summary or details. Project and report placement stay fixed. Cancel editing leaves the saved record unchanged.
3 // Save once	Select Save correction. Wait for confirmed JSONL feedback and keep the new receipt ID. If uncertain, retry the same frozen correction.
4 // Review	The new receipt links the original and previous version. Both stay in collected JSONL; operators stage, inspect and apply the latest version before reporting.

A correction sends Teams confirmation after a newly saved, verified export. It does not approve the highlight, reverse graduation or change an existing report. Email remains milestone-only.

Published and accepted October 27 for the owner and a standard-license contributor, including private history and Teams confirmation. If another correction won first, reload history before editing again.

From correction history to current content

An edit adds a linked receipt. It preserves the original and the complete correction history.



Example IDs A, B and C represent three saves of one highlight. The download keeps all three rows; reviewed apply keeps one current logbook entry with the latest accepted content.

Keep ancestry in the batch or previously applied workspace history. Missing parents, competing corrections or changed/graduated prior content stop apply for review. Existing PDFs stay unchanged; generate and review a new report.

The retained GitLab connector route


Use the SharePoint app for new highlights. The separate GitLab app is retained with both flows Off.

	SharePoint pilot	GitLab connector
Open	**Sponsor Highlights - SharePoint Pilot**	**Retained app - flows Off**
Storage	One shared list row per receipt. Combined logbook.jsonl refreshes every five minutes; individual receipt files remain available.	One appended line in the repository JSONL logbook; receipt identifies a commit.
Projects	13 seeded SharePoint catalog rows. Updates are maintained explicitly.	Repository configuration: .acorn.jsonc folders, or index.json / index.yaml discovery.
Current scope	Published with accepted recovery/export repairs. Standard-license participant access passed; approved audience remains owner and participant.	Paused October 27. Custom connector and credentials retained. Restoration requires premium use rights; intermittent denials remain.
After capture	Download combined logbook.jsonl for local ACORN review. Allow the next five-minute export run.	Stage the GitLab file URL or an exact local snapshot for ACORN review.

Keep pending GitLab receipts in the original app. Ask the owner to reconcile them; never resubmit the same uncertain highlight through SharePoint.

Submit through GitLab after restoration


After the owner restores the route, open the original app, load the repository project list and complete the same highlight fields. Select Submit highlight once; the app freezes the payload and UUID until the result is reconciled.



Historical GitLab form capture, October 24: a synthetic LandScan example. This paused route requires premium use rights. Keep a pending receipt in its original app; do not create a SharePoint duplicate.

Read a retained GitLab confirmation

Highlight saved confirms the exact submission in the GitLab logbook at the displayed commit. Keep both the receipt ID and commit reference; a catalog load alone is not a saved highlight.



Dated published acceptance, October 24: receipt 82a8dd58-8c60-4ec5-abf5-cb251ab9e033 at commit 03ff58362894. Later GitLab network denials remain a known limitation.

Handle an existing GitLab receipt

Both GitLab flows are Off. Keep any existing pending receipt in the original app and browser profile. Ask the owner to reconcile it before retrying; never copy an uncertain submission into SharePoint.

Result after restoration	What to do
Confirmed	Keep the receipt UUID and immutable commit reference. Back to highlight preserves the locked entry.
Uncertain or network error	Retry the same frozen ID and payload only after the owner restores and checks the route. Missing immutable proof remains unresolved.
Rejected / conflict	Explicit rejection may permit correction. A conflicting ID or payload needs owner review.
Notifications	Only a confirmed new save sends the owner a Teams notice. Replay, rejection and unresolved results do not resend it. Missing Teams does not undo a saved commit.

This custom connector requires appropriate premium use rights. Intermittent network-range 403/504 denials remain a known limitation. A successful catalog load does not prove a later write.

Retained original app (paused) | **Pilot repository**