START HERE

One workflow, two intake branches

Use the app link supplied by the owner. These are separate apps, not a branch selector within one form.


	SharePoint pilot	GitLab connector
Open	**Sponsor Highlights - SharePoint Pilot**	**Sponsor Highlights**
Storage	One shared list row per receipt. Combined logbook.jsonl refreshes every five minutes; individual receipt files remain available.	One appended line in the repository JSONL logbook; receipt identifies a commit.
Projects	13 seeded SharePoint catalog rows. Updates are maintained explicitly.	Repository configuration: .acorn.jsonc folders, or index.json / index.yaml discovery.
Current scope	Owner tests passed. Standard-license participant access is still awaiting validation.	Existing operational pilot. Custom connector requires appropriate premium use rights; intermittent GitLab denials remain.
After capture	Download combined logbook.jsonl for local ACORN review. Allow the next five-minute export run.	Stage the GitLab file URL or an exact local snapshot for ACORN review.

Do not send the same pending highlight through both apps. The original GitLab app remains enabled; the SharePoint app does not replace it yet.

WORKFLOW MAP

From highlight to reviewed report

Choose one intake route per highlight. Both preserve the original submission for later review.




Solid green: data handoff. Teams notices at save are automatic and best effort. Dashed: owner-triggered milestones; the local CLI sends no messages. A local PDF does not itself publish a report or send email.

CONTRIBUTOR // 01

Load the correct project list

Sign in with your approved ORNL account. Check Submitted by, then load the project catalog and select the correct project.

The catalog may load automatically. The button reads **Load Project List** before its first successful load and **Refresh Project List** afterward. Loading alone does not submit anything.



October 26 capture: the shared SharePoint catalog contains 13 project IDs. It is a seeded snapshot, not an automatic GitLab synchronization. If a project is absent, ask the owner; do not choose an unrelated project.

CONTRIBUTOR // 02


Complete the shared form fields


Field	What to enter
Project / date	Select the research project and the date the highlight describes.
Category	administration, collaboration, data, engagement, funding, infrastructure, method, other, personnel, publication, research or software.
Status	completed, in-progress or upcoming.
Event type	Optional: conference, exhibition, meeting, other, presentation, tour, training or workshop.
Summary / details	Summary: required, up to 1,200 characters. Details: optional, one per line; up to 20 details, each up to 1,000 characters.
Report placement	Project highlight, or General update (report title page). This chooses later placement; it does not publish.

Both branches use the same form fields and envelope. Include a concrete result and why it matters. Use non-sensitive content because pending submissions are stored in the browser.

Choose the date and category

Set the date of the work, then choose the category that best describes it. These shared controls work the same way in both intake branches.







Dated form captures, October 24. Left: calendar picker; confirm with Ok or use Cancel to retain the prior date. Right: category menu; scroll for additional choices. Earlier project labels in the captures are not the current catalog inventory.

Choose status and optional event type

Status is required. Event type can remain Not specified if the highlight has no associated event. The same choices are used in both apps.






Dated form captures, October 24. Left: progress status. Right: optional event type. The form remains an intake surface; choosing Completed describes the work, not reviewer approval.

Write, review and submit once


Review the project, date, category, status and text. Select **Submit highlight** once. The app freezes the payload and receipt ID while it waits for confirmation.



Dated GitLab capture, October 24: a synthetic LandScan example. SharePoint uses the same entry fields with a SharePoint pilot subtitle and different save confirmation.

Read the SharePoint confirmation


Highlight saved · JSONL ready means the list receipt exists and the exported file passed exact readback. Keep the receipt ID. Saving is separate from content approval and publication.



October 26 published-app test: receipt 64b836e0-016f-4493-9894-a6fe79acc8de. Receipt, file verification and Teams action succeeded. Recipient reading of the message was not independently checked.

Read the GitLab confirmation

Highlight saved confirms the exact submission in the GitLab logbook at the displayed commit. Keep both the receipt ID and commit reference; a catalog load alone is not a saved highlight.



Dated published acceptance, October 24: receipt 82a8dd58-8c60-4ec5-abf5-cb251ab9e033 at commit 03ff58362894. Later GitLab network denials remain a known limitation.


Recover without creating a duplicate


Result	SharePoint pilot	GitLab connector
Confirmed	Receipt plus verified export. Back to highlight preserves the locked entry.	Receipt plus immutable commit. Back to highlight preserves the locked entry.
Received; export pending	Keep the same ID. Use Retry JSONL export; the list receipt alone is not an export confirmation.	Not used by this branch. Read its commit / unresolved result.
Uncertain save	Keep the frozen content and retry the existing submission. Do not change apps.	Retry the same ID and content so prior immutable history can be reconciled.
Rejected / conflict	Edit only after explicit rejection permits it. Conflicting ID/content needs owner review.	Same rule: rejection permits correction; conflict needs owner review.
Browser recovery unavailable	Read the message; a new send is stopped if pending storage cannot be prepared.	Same rule. Do not clear existing browser data while a result is unresolved.

Use one tab and the same browser profile/account. New highlight clears only that app's recovery slot; it does not delete the stored receipt. SharePoint reload passed; its full restart, denied-storage and pending-export recovery acceptance remain open.

Distinguish an uncertain result from a conflict

An unresolved save and a conflicting receipt require different actions. Read the result before retrying or editing.







Isolated PA-14 test app captures: unresolved outcome (left) and conflict (right). These simulated panels demonstrate the safety distinction; they are not proof of a new SharePoint retry or conflict. Preserve the same receipt for owner investigation.

RESPONSIVE LAYOUT

Use the form on a small screen

On a small screen the form stacks vertically. Scroll through the same fields, review the selected project and use one tab while a submission is pending.





Dated responsive previews of the original form. They illustrate the shared layout, not native-mobile or SharePoint mobile-storage acceptance. The lower section contains report placement, review guidance and Submit highlight.

ILLUSTRATIVE TEAMS MESSAGES

Recognize the saved-highlight notice

Fictional chats and receipts below illustrate both routes. No personal Teams screenshot is used.

Teams // Pilot owner (you) // Example workflow updates

SHAREPOINT PILOT

ACORN // Sponsor Highlights

Highlight saved

Project
Example Project

Status
Received and exported
Awaiting ACORN review

View JSONL export

Receipt ID: EXAMPLE-001

GITLAB CONNECTOR

ACORN // Sponsor Highlights

Highlight saved

Project
Example Project

Status
Saved to the logbook
Awaiting ACORN review

View saved record

Receipt ID: EXAMPLE-001

Link destination differs: the SharePoint JSONL file or the immutable GitLab commit. Real notices go to the pilot owner, not every contributor. A missing notice does not undo a confirmed save.

NOTIFICATIONS

Know when Teams and email are used

Milestone	Channel	When it happens today
SharePoint new receipt + export	Teams to owner	Automatic after response handling, only when this run created the receipt and verified its export.
GitLab confirmed new save	Teams to owner	Automatic after confirmed new-save response. Exact replay does not resend.
Workspace created / no report changes	Teams to owner	Owner invokes the manual callback for an actual milestone.
Review requested / report ready / actionable failure	Email to owner	Owner invokes the manual callback with the real review or deliverable evidence.
Typing, validation or unconfirmed save	App feedback only	No routine intake email; no new notice for exact replays.

SharePoint notification limitation: an export that first succeeds on a later retry does not send the initial new-receipt notice. Delivery is best effort. Local CLI commands do not invoke these callbacks; Vergil automation remains separate work.

REVIEWER

Review before applying or publishing

The form collects submissions; it does not provide an approval screen. The owner supplies the proposed changes and review location.

1 // Check the evidence

Match the project and receipt. Review date, category, status, placement, summary and details against the underlying work.

2 // Inspect the local proposal

Both routes feed the same ACORN stage / inspect / apply process. Confirm the proposed diff before allowing the destination index to change.

3 // Confirm optional promotion

Graduation may add a contributor or other supported metadata. Use the interactive run --index mode for per-entry Yes / No selection and a separate final confirmation.

4 // Review the report

A local PDF is a preview, not publication. Follow the supplied review process before merging changes or releasing a report.

Ask the owner to coordinate corrections to confirmed records. Do not edit stored receipt payloads or create duplicate submissions just to retry reporting.

REFERENCE

Access, help and pilot boundaries

If access fails, keep the exact error and app link. A standard connector does not grant an account entitlement, app sharing, site access or environment permission.

Check	Current position
SharePoint participant access	Owner-context tests passed. Another intended standard-license user still needs an end-to-end access test before wider sharing.
GitLab access	Custom connector use requires appropriate premium use rights. Intermittent network-range denials are recorded as a known limitation.
Help request	Send the owner the app/branch, receipt ID, selected project, approximate time and visible result. Never send a token or API key.
Pending submission	Keep its original app, ID and content. No automatic migration or duplicate submission across branches.

Open SharePoint pilot | **Open GitLab app** | **ACORN intake reference**

Microsoft references: **SharePoint connector**; **Power Apps license designation**. Pilot acceptance is recorded in sharepoint-pilot.md and the active PA plan.