

Projection onto a 1-dimensional subspace

Quiz, 3 questions

5/5 points (100%)



Congratulations! You passed!

Next Item



2 / 2
points

1.

Compute the projection matrix that allows us to project any vector $\mathbf{x} \in \mathbb{R}^3$ onto the subspace spanned by the

basis vector $\mathbf{b} = \begin{bmatrix} 1 \\ 2 \\ 2 \end{bmatrix}$.

Do the exercise using pen and paper. You can use the formula slide that comes with the corresponding lecture.



$$\begin{bmatrix} \frac{1}{9} \end{bmatrix}$$



$$\begin{bmatrix} 1 & 2 & 2 \\ 2 & 4 & 4 \\ 2 & 4 & 4 \end{bmatrix}$$



$$\frac{1}{9} \begin{bmatrix} 1 & 2 & 2 \\ 2 & 4 & 4 \\ 2 & 4 & 4 \end{bmatrix}$$



Correct

Well done!



2 / 2
points

2.

Given the projection matrix

Projection onto a 1-dimensional subspace

Quiz, 3 questions

5/5 points (100%)

$$\frac{1}{25} \begin{bmatrix} 9 & 0 & 12 \\ 0 & 0 & 0 \\ 12 & 0 & 16 \end{bmatrix}$$

project $\begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix}$ onto the corresponding subspace, which is spanned by $\mathbf{b} = \begin{bmatrix} 3 \\ 0 \\ 4 \end{bmatrix}$.

Do the exercise using pen and paper.



$$\begin{bmatrix} 3 \\ 0 \\ 4 \end{bmatrix}$$



$$\frac{1}{25} \begin{bmatrix} 5 \\ 10 \\ 10 \end{bmatrix}$$



$$\begin{bmatrix} 21 \\ 0 \\ 28 \end{bmatrix}$$



$$\frac{1}{25} \begin{bmatrix} 21 \\ 0 \\ 28 \end{bmatrix}$$



Correct

Good job!



1 / 1
point

3.

Now, we compute the **reconstruction error**, i.e., the distance between the original data point and its projection onto a lower-dimensional subspace.

Assume our original data point is $\begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix}$ and its projection $\frac{1}{9} \begin{bmatrix} 5 \\ 10 \\ 10 \end{bmatrix}$. What is the reconstruction error?

0.47



Correct Response

Well done!

Projection onto a 1-dimensional subspace

Quiz, 3 questions

5/5 points (100%)

