ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products

ICPSR Codebook for Wave 6: Youth / Parent - Wave 1 Cohort Special Collection All-Waves Weights Codbook

Inter-university Consortium for Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36498/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

NOTE

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at **nahdap@icpsr.umich.edu**. Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.

CODEBOOK DISPLAY NOTES

PATH STUDY

WEIGHTS FILE

ICPSR #36498-6712

1. ICPSR customized the display of variables in this codebook. There are no variables that contain a frequency table displaying value labels and unweighted counts. This is because all of the variables in this file are identification, sample design, or sampling weight variables for which univariate statistics are not meaningful.

2. Each variable contains the following statement:

   "This variable has XXXXX valid cases out of XXXXX total cases."

   This statement describes the number of valid cases for a variable that would be used in the calculation of percentages in the frequency tables.

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave 6: Youth / Parent - Wave 1 Cohort Special Collection All-Waves Weights

CASEID: Case Identification Number

Case Identification Number.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1-4 (width: 4; decimal: 0)
Variable Type: numeric

PERSONID: Participant ID

Participant ID Number.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 5-14 (width: 10; decimal: 0)
Variable Type: character

VARSTRAT: Stratum Indicator for Variance Estimation

Stratum indicator for variance estimation using the Taylor series approximation method.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 15-16 (width: 2; decimal: 0)
Variable Type: numeric

VARPSU: PSU Indicator for Variance Estimation

PSU indicator for variance estimation using the Taylor series approximation method.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 17-17 (width: 1; decimal: 0)
Variable Type: numeric

R06_Y_AX01WGT: Wave 6 Youth All-Waves Longitudinal Special Collection Weight for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection full-sample weight for the Wave 1 Cohort.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 18-32 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT1: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 1 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 1 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 33-47 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT2: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 2 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 2 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 48-62 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT3: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 3 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 3 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 63-77 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT4: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 4 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 4 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 78-92 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT5: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 5 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 5 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 93-107 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT6: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 6 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 6 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 108-122 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT7: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 7 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 7 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 123-137 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT8: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 8 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 8 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 138-152 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT9: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 9 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 9 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 153-167 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT10: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 10 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 10 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 168-182 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT11: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 11 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 11 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 183-197 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT12: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 12 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 12 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 198-212 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT13: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 13 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 13 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 213-227 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT14: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 14 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 14 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 228-242 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT15: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 15 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 15 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 243-257 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT16: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 16 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 16 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 258-272 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT17: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 17 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 17 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 273-287 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT18: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 18 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 18 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 288-302 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT19: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 19 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 19 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 303-317 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT20: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 20 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 20 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 318-332 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT21: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 21 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 21 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 333-347 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT22: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 22 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 22 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 348-362 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT23: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 23 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 23 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 363-377 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT24: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 24 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 24 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 378-392 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT25: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 25 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 25 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 393-407 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT26: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 26 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 26 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 408-422 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT27: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 27 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 27 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 423-437 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT28: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 28 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 28 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 438-452 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT29: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 29 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 29 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 453-467 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT30: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 30 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 30 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 468-482 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT31: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 31 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 31 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 483-497 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT32: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 32 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 32 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 498-512 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT33: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 33 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 33 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 513-527 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT34: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 34 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 34 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 528-542 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT35: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 35 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 35 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 543-557 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT36: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 36 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 36 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 558-572 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT37: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 37 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 37 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 573-587 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT38: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 38 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 38 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 588-602 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT39: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 39 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 39 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 603-617 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT40: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 40 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 40 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 618-632 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT41: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 41 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 41 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 633-647 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT42: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 42 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 42 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 648-662 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT43: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 43 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 43 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 663-677 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT44: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 44 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 44 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 678-692 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT45: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 45 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 45 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 693-707 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT46: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 46 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 46 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 708-722 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT47: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 47 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 47 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 723-737 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT48: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 48 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 48 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 738-752 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT49: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 49 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 49 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 753-767 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT50: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 50 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 50 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 768-782 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT51: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 51 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 51 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 783-797 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT52: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 52 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 52 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 798-812 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT53: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 53 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 53 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 813-827 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT54: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 54 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 54 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 828-842 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT55: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 55 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 55 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 843-857 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT56: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 56 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 56 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 858-872 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT57: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 57 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 57 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 873-887 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT58: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 58 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 58 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 888-902 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT59: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 59 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 59 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 903-917 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT60: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 60 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 60 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 918-932 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT61: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 61 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 61 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 933-947 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT62: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 62 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 62 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 948-962 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT63: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 63 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 63 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 963-977 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT64: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 64 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 64 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 978-992 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT65: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 65 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 65 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 993-1007 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT66: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 66 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 66 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1008-1022 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT67: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 67 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 67 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1023-1037 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT68: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 68 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 68 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1038-1052 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT69: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 69 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 69 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1053-1067 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT70: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 70 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 70 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1068-1082 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT71: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 71 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 71 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1083-1097 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT72: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 72 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 72 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1098-1112 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT73: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 73 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 73 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1113-1127 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT74: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 74 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 74 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1128-1142 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT75: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 75 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 75 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1143-1157 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT76: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 76 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 76 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1158-1172 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT77: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 77 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 77 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1173-1187 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT78: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 78 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 78 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1188-1202 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT79: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 79 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 79 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1203-1217 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT80: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 80 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 80 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1218-1232 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT81: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 81 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 81 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1233-1247 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT82: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 82 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 82 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1248-1262 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT83: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 83 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 83 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1263-1277 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT84: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 84 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 84 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1278-1292 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT85: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 85 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 85 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1293-1307 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT86: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 86 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 86 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1308-1322 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT87: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 87 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 87 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1323-1337 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT88: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 88 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 88 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1338-1352 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT89: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 89 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 89 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1353-1367 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT90: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 90 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 90 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1368-1382 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT91: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 91 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 91 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1383-1397 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT92: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 92 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 92 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1398-1412 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT93: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 93 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 93 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1413-1427 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT94: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 94 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 94 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1428-1442 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT95: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 95 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 95 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1443-1457 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT96: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 96 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 96 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1458-1472 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT97: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 97 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 97 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1473-1487 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT98: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 98 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 98 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1488-1502 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT99: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 99 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 99 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1503-1517 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_AX01WGT100: Wave 6 Youth All-Waves Longitudinal Special Collection Replicate Weight 100 for the Wave 1 Cohort

Wave 6 youth all-waves longitudinal special collection replicate weight 100 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,975 valid cases out of 1,975 total cases.

Location: 1518-1532 (width: 15; decimal: 9)
Variable Type: numeric