

FoodSense-MY · Dataset3 Interim v5 Results

Production-approved YOLO11n detector · Locked-test evaluation 23 Jul 2026

0.926

Test mAP50

0.678

Test mAP50-95

0.930

Test Precision

0.930

Test Recall

0.47 / 0.45

Conf / NMS-IoU


0.793

Best val mAP50-95




Headline checkpoints

Checkpoint	Precision	Recall	mAP50	mAP50-95
Best (epoch 1, selected)	0.894	0.899	0.945	0.793
Peak mAP50 (epoch 17)	0.907	0.920	0.957	0.790
Last (epoch 21)	0.876	0.868	0.935	0.771
Locked test (one-shot)	0.930	0.930	0.926	0.678

Training curves (validation metrics by epoch)




Per-class locked-test and validation metrics



Locked-test per-class table

Class	n	P	R	mAP50	mAP50-95
Nasi Lemak	5	0.828	0.967	0.962	0.691
Roti Canai	6	1.000	0.833	0.835	0.603
Char Kuey Teo	15	0.926	1.000	0.991	0.849
Chicken Rice	32	0.968	0.938	0.928	0.528
Laksa	15	1.000	0.933	0.935	0.728
Mee Goreng	11	0.858	0.909	0.905	0.669

Threshold calibration (validation) and split composition



Calibration summary

Recommended: confidence 0.47, NMS-IoU 0.45
Macro-F1 0.891 · Micro P 0.904 / R 0.896 / F1 0.900
Swept on 1,033-image validation split only
Locked test refused by calibrate_thresholds.py

Class-optimal conf (diagnostic only):

NL 0.57 · RC 0.34 · CKT 0.44

CR 0.47 · LK 0.60 · MG 0.36

Mee Goreng / Roti Canai favor lower cutoffs;
Laksa / Nasi Lemak tolerate higher ones.

