

# ChE Thermodynamics Problems

Jian Carlo Guevara

## Table of Contents

Chapter 10	1
Exercise 10.1* . . . . .	1
Example 10.2* . . . . .	3
Example 10.3* . . . . .	4

## Chapter 10

### Example 10.1\*

Binary system acetonitrile(1)/nitromethane(2) conforms closely to Raoult's law. Vapor pressures for the pure species are given by the following Antoine equations:

$$\ln P_1^{\text{sat}}/\text{kPa} = 14.2724 - \frac{2945.47}{T - 49.15}$$
$$\ln P_2^{\text{sat}}/\text{kPa} = 14.2043 - \frac{2972.64}{T - 64.15}$$

- (a) Prepare a graph showing  $P$  vs.  $x_1$  and  $P$  vs.  $y_1$  for a temperature of 75 °C.
- (b) Prepare graph showing  $t$  vs.  $x_1$  and  $t$  vs.  $y_2$  for a pressure of 70 kPa.

**Solution:**

- (a)

$$P_\alpha = x_\alpha P_\alpha^*$$

Substitute this to the Antoine equation:

$$\ln \frac{P_\alpha/\text{kPa}}{x_\alpha} = A_\alpha - \frac{B_\alpha}{t/^\circ\text{C} + C_\alpha}$$
$$P = P_1^{\text{sat}} x_1 + P_2^{\text{sat}} (1 - x_1)$$
$$y_\alpha = \frac{P_\alpha}{P} = \frac{P_\alpha^{\text{sat}} x_\alpha}{P}$$

The plot is shown in Figure (1)




Figure 1: Plot of pressure versus liquid and vapor mole fraction of component 1 as described in Example 10.1a\*

(b) This is another form of the Antoine equation:

$$T_{\alpha}^{\text{sat}} = \frac{B_{\alpha}}{A_{\alpha} - \ln P} + C_{\alpha}$$

Solve for  $T_1^{\text{sat}}$  and  $T_2^{\text{sat}}$  as these comprise of the range of the graph. Solve for:

$$\ln P_{\alpha}^{\text{sat}} = A_{\alpha} - \frac{B_{\alpha}}{T + C_{\alpha}}$$

To solve for:

$$x_1 = \frac{P - P_2^{\text{sat}}}{P_1^{\text{sat}} - P_2^{\text{sat}}}$$

Which is derived from:

$$P = P_1^{\text{sat}} x_1 + P_2^{\text{sat}} (1 - x_1)$$

The plot is shown in Figure (2)




Figure 2: Plot of temperature (in  $^\circ\text{C}$ ) versus liquid and vapor mole fraction of component 1 as described in Example 10.1b\*

### Example 10.2\*

Assuming that carbonated water contains only  $\text{CO}_2(1)$  and  $\text{H}_2\text{O}(2)$ , determine the compositions of the vapor and liquid phases in a sealed can of "soda" and the pressure exerted on the can at  $10^\circ\text{C}$  (283.15 K). Henry's constant for  $\text{CO}_2$  in water at  $10^\circ\text{C}$  (283.15 K) is about 990 bar **Solution:**

Applying the phase rule:

$$F = 2 - \pi + N$$

$$F = 2$$

Only the temperature of the system is given. We must give another intensive variable. And since we are given the Henry's constant it is good that we limit the amount of  $\text{C}_{02}$  in the liquid,  $x_1 = 0.01$ .

$$\begin{aligned} y_1 P &= x_1 \mathcal{H}_1 & y_2 P &= x_2 P_2^{\text{sat}} \\ P &= x_1 \mathcal{H}_1 + x_2 P_2^{\text{sat}} \end{aligned}$$

The value of  $P_2^{\text{sat}}$  can be found at the steam table, at 10 °C, which is 0.01227 bar

$$P = (0.01)(990) + (0.99)(0.01227) = \boxed{9.912 \text{ bar}}$$

$$y_2 = \frac{x_2 P_2^{\text{sat}}}{P} = \frac{(0.99)(0.01227)}{9.912} = \boxed{0.0012}$$

$$y_1 = \boxed{0.9988}$$

### Example 10.3\*

For the system methanol(1)/methyl acetate(2), the following equations provide a reasonable correlation for the activity coefficients”

$$\ln y_1 = Ax_2^2 \quad \ln y_2 = Ax_1^2$$

where  $A = 2.771 - 0.00523T$

In addition, the following Antoine equations provide vapor pressures:

$$\ln P_1^{\text{sat}} = 16.59158 - \frac{3643.31}{T - 33.424}$$

$$\ln P_2^{\text{sat}} = 14.25326 - \frac{2665.54}{T - 53.424}$$

where T is in kelvins and the vapor pressures are in kPa. Assuming the validity of Eq (), calculate

- $P$  and  $\{y_i\}$ , for  $t/T = 45$  °C/318.15 K and  $x_1 = 0.25$
- $P$  and  $\{x_i\}$ , for  $t/T = 45$  °C/318.15 K and  $y_1 = 0.60$
- $T$  and  $\{y_i\}$ , for  $P = 101.33$  kPa and  $x_1 = 0.85$
- $T$  and  $\{x_i\}$ , for  $P = 101.33$  kPa and  $y_1 = 0.40$
- The azeotropic pressure, and the azeotropic composition, for  $t/T = 45$  °C/318.15 K

$$y_i P = x_i \gamma_i P_i^{\text{sat}} \quad (i = 1, 2, \dots, N)$$

**Solution:**

- Solve for the activity coefficients:

$$A = 2.771 - (0.00523)(318.15) = 1.107$$

$$\gamma_1 = \exp(Ax_2^2) = 1.864$$

$$\gamma_2 = \exp(Ax_1^2) = 1.072$$

And then for pressure:

$$P = x_1 \gamma_1 P_1^{\text{sat}} + x_2 \gamma_2 P_2^{\text{sat}}$$

$$P = \boxed{73.50 \text{ kPa}}$$

And then for the vapor mole fractions:

$$y_i = x_i \gamma_i P_i^{\text{sat}} / P$$

$$y_1 = 0.281$$

$$y_2 = 0.719$$

(b) Figure (3) shows the diagram of the iteration solution to be used. The




Figure 3: A schematic diagram for the iteration method to be used for Example 10.3b.

initial guesses are  $\gamma_1 = 1$  and  $\gamma_2 = 1$ . After the 12th iteration, the error is less than  $1 \times 10^{-6}$ .

$$P = 62.63 \text{ kPa}$$

$$x_1 = 0.82$$

$$x_2 = 0.18$$

(c)

$$T_i^{\text{sat}} = \frac{B_i}{A_i - \ln P} - C_i$$

$$T_1^{\text{sat}} = 337.71 \text{ K}$$

$$T_2^{\text{sat}} = 330.08 \text{ K}$$

A mole-fraction-weighted average of these values then provides an initial  $T$  for the iteration:

$$T = x_1 T_1 + x_2 T_2$$

$$T = 336.57 \text{ K}$$

Solve for either  $P_1^{\text{sat}}$  or  $P_2^{\text{sat}}$  and then solve for a new value of  $T$ . Using this  $T$ , solve for  $A$ ,  $\gamma_1$ , and  $\gamma_2$ . The iteration method is shown as a schematic diagram in Figure (4)




Figure 4: A schematic diagram showing the iteration method used in 10.3c.