INTRODUCTION TO INTERNET PROGRAMMING (PRG4033)

SESSION: MAY-AUG 2025

Name	Lim Vei Thong Wong Jian Cheng
ID Number	SCSJ2300581 SCSJ2200858
Course Programme	Diploma in Information Technology
Subject Title	Internet Programming
Subject Code	PRG 4033
Name of Lecturer	Miss Umi
College	Segi College Subang Jaya

Table of content

Main report.....4

Requirement Analysis.....4

Objective.....4

Flowchart.....5

Initial Sketch of the prototype.....6

Coding.....20

New feature added or strengths of the code.....77

Details of any faults and failure 77

Conclusion.....77

Peer Review.....78

Reference list of Bibliography List.....78

Main report

This assignment involves developing a one-page landing website designed to showcase a student's personal profile, academic background, technical and soft skills, and project work in a professional and visually engaging manner. The website combines frontend technologies like HTML, CSS, and JavaScript with backend PHP functionality to create a responsive and interactive experience. It features a secure login and registration system with form validation, password reset capability, and dynamic alert messages to guide user actions. After logging in, users can view and edit their academic and personal information, add projects and certificates with file attachments, and navigate easily through clearly structured sections such as Home, About Me, Skills & Projects, Contact, and Logout. The contact section includes a PHP-powered form that allows visitors to send messages, further enhancing the site's interactivity. Overall, the project serves as a digital portfolio platform that not only demonstrates students' web development skills but also prepares them for creating real-world personal branding websites.

Requirement Analysis

The requirement analysis outlines the key features and performance expectations for a personal portfolio website. Functionally, the system includes a home page with a login form, a personalized welcome message, and a brief introduction after authentication. The "About Me" section presents background details, academic interests, and hobbies, while the "Skills and Projects" area showcases technical proficiencies like HTML, CSS, and PHP alongside soft skills such as teamwork, as well as a gallery of past work. A contact form enables visitors to submit inquiries, with server-side PHP validation ensuring proper email formatting and error handling. Non-functional requirements emphasize usability through intuitive navigation, responsiveness across devices, security measures to prevent spam, optimized performance for quick loading, and maintainability for easy content updates. Together, these specifications ensure a well-structured, secure, and user-friendly portfolio that effectively highlights the individual's qualifications and projects.

Objective

- To create a one-page website that shows a student's personal and academic information.
- To allow users to register, log in, and reset their password easily.
- To let users insert their projects and certificates for viewing and management.

Flowchart



The system starts at the Login page, where users enter their username and password. If the details are wrong, an alert shows “Username or password incorrect.” Users can also click Register or Reset Password. On the Register page, users must fill in details like username, password (at least 8 characters), email, student ID, and other info. If any of the info already exists, it shows an alert. If successful, it shows “Registration successful! Please login” and sends the user back to the login page.

On the Reset Password page, users enter their username and a new password (must be at least 8 characters, include a lowercase letter and a number). If the username exists, it resets and shows a success message. If not, it shows “Username not found.” Once logged in, the user goes to the Home page, where they can view their student information in a table. There is an Edit Information button. Pressing it shows a form to update details. Pressing again hides it. The user can save changes (updates the table and shows a message) or cancel to close the form.

The About Me page shows user info like background and skills. If not filled in, it shows “Not provided.” The user can edit the info using a form and save changes or cancel. The Skills and Projects page has two tables: one for projects and one for certificates. Users can add, edit, or delete items. Each action shows a

message like “Project added successfully.” Deleting asks for confirmation first. The Contact Us page lets users enter their name, email, phone, and message. The email must contain @gmail.com, and the phone must start with +60. If the info is wrong, it shows an error. If correct, it shows “Message sent successfully.”

Requirement Analysis

The website must include several important features to work properly. It should have login, registration, and reset password forms with proper validation to make sure users enter correct information example like valid phone number, email and student ID . After logging in, users will see a home page showing their personal and academic profile, which they can edit. The "About Me" section also allows users to update details like background, interests, goals, and skills. The "Skills & Projects" section includes two tables where users can add, view, edit, and delete their projects and certificates, with support for uploading images or PDFs. There is also a contact form that allows users to send messages. The website should have a logout function that brings the user back to the login page.

Initial Sketch of the prototype

Login form



Reset Password form



Register form



Home page



About Me page



Project and certificate page



Contact page



Suitable screenshots of the program in operation



This is a Login page, this page show a simple interface to let user to input their username and password. If the password or username is incorrect it will show Username or password incorrect in an alert box. There also have a Register button to let user directly go to register page to register and a Reset password button to let user to reset password



When press the Register word link it will go to this register page. In this register page user need to fill up the form that is requires which is username, password, email, status, student id, admission year, intake, level of study, department and college. The password require to have more than 8 words. if the username, email or student id already exists. It will show an alert box say that Username, email, or student ID already exists. When it sucessful register it will show an alert box say that Registration successful! Please login and it will directly go back to login page.



In this Reset page the user need to type their own user name and enter new password to change password. It will require for 8 or more characters and include at least one lowercase letter and one number. . When reset successful it will show Username: xxx. Password reset successfully. Please login. If user didn't have an account it will show Username not found.



After login the system will directly go to home page. When login everpage has a navigation bar, so user press the navigation bar button it an go to the page directly. This home page enable user to view student information example like status, admission year, student id, Degree, Department, College and Intake. This page uses a table to let user to view the information easily. There is also a button name edit information that can let user to edit their information.

Status:

Active

Admission Year:

1970

Degree:

Certificate

Department:

Information Technology

College:

SEGi College Subang Jaya

Intake:

202409

Save Changes Cancel

When user press the button it will show the form to let user to edit and update it, so that the user can view the newest information. If user double click the button it will hide the form. After user fill up the form it has 2 button which is save changes and cancel when press the save changes it will show an message above the table and the data is also update. When user press cancel it will hide the form and wont let user to edit anymore.



This is About Me page, in this page it show introduction of user, background, interests, academic goals, technical skills, soft skills. User can add these data during the registration, if user didn't register it will show Not provided text out. It also have a edit information button to let user to input information.



When user press the edit information button, it will show the form and enable user to update it. When user press the button 2 times it will hide the form. If user insert 1 data the remain data text will also be Not provided. There is also a 2 button which is save changes and cancel when user press the save cahnges it will show Information updated successfully text. And user press cancel it will hide the form.



This page is skill and project page, in this page there has 2 tabel which is project table and certificate tbale. The projects table enable them to view the picture in the table and enable to see the details. The project form enable them to add a new project edit and delete it. When user add it will require to add text on the project tittle and description and after user add then it will show Project added successfully above the table. During edit the user need to press the edit, then the form will show the text in the form and let user to update. After user edited and press update project it will show Project updated successfully. When user delete it will show confirm delete message in alerttbox and let user to choose confirm to delete yes or no. If yes it will show Project deleted successfully. If no then it will go back to the form.



In this certificates table it show the informationof the cerificate example like tittle, issuer, date and attachment. In this form it can upload picture, word and pdf. The form all field also required for input. When add a certificate, it will show Certificate added successfully, and for edit it will show Certificate updated successfully. When deleting it will show an alert box to confirm to delete if confirm it will show Certificate deleted successfully, if cancel it will go back to the page.



In this contact us page. it only have a form to let user to input example like name, email, phone number and message. It require name, email, phone number and text to submit. When the email don't have @gmail.com, it will show please include @ in the email and the phone number must be +60xxxxxx example to enable to submit. When the user send it sucessfully it will show Message sent successfully! If the phone number is not valid it will show Invalid phone number format! Use +60123456789.



This is a admin page to let user to see that what has user sent for the feedback response. In this page it can use admin password and username to login into this page. In this page the admin can only see and delete the data. It also has a logout page to logout to the login page.

Coding

Login.php

```
login.php
<?php
session_start();

$error = [
    'login' => $_SESSION['login_error'] ?? '',
    'register' => $_SESSION['register_error'] ?? '',
    'admin_register' => $_SESSION['register_error'] ?? '' // Shared error for admin registration
];
$activeForm = $_SESSION['active_form'] ?? 'login';

session_unset();

function showError($error) {
    return !empty($error) ? "<p class='error-message'>$error</p>" : '';
}

function isActiveForm($formName, $activeForm) {
    return $formName === $activeForm ? 'active' : '';
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1" />
  <title>Login Page</title>
  <link rel="stylesheet" href="style.css" />
  <style>
    .form-box { display: none; }
    .form-box.active { display: block; }
    .error-message { color: red; font-size: 14px; }
    .register-container, .form-box {
        max-height: 500px;
        overflow-y: auto;
        padding: 20px;
        border: 1px solid #ccc;
        border-radius: 5px;
    }
    .register-container label, .form-box label {
        display: block;
        margin-top: 10px;
    }
```

```
    .register-container input,
    .register-container select,
    .register-container textarea,
    .form-box input,
    .form-box select {
        width: 100%;
        padding: 8px;
        margin-top: 5px;
    }
    .form-box button {
        margin-top: 10px;
        padding: 8px;
        width: 100%;
    }
  </style>
</head>
<body>
  <div class="container">
    <!-- Login Form -->
    <form action="register.php" method="post" class="form-box <?= isActiveForm('login', $activeForm); ?>" id="loginBox">
      <h2>Login</h2>
      <?= showError($error['login']); ?>
      <input type="text" id="username" name="username" placeholder="Enter your username" required />
      <input type="password" id="password" name="password" placeholder="Enter your password" required />
      <br>
      <button type="submit" name="login">Login</button>
      <br><br>
      <p>Don't have an account? <a href="#" onclick="showForm('registerBox')">Register as User</a></p>
      <p>Register as Admin? <a href="#" onclick="showForm('adminRegisterBox')">Admin Register</a></p>
      <p>Forgot username or password? <a href="reset_password.php">Reset</a></p>
    </form>

    <!-- User Register Form -->
    <form action="register.php" method="post" class="form-box <?= isActiveForm('register', $activeForm); ?>" id="registerBox" enctype="multipart/form-data">
      <h2>User Register</h2>
      <div class="register-container">
        <?= showError($error['register']); ?>
        <label for="username">Username:</label>
        <input type="text" id="username" name="username" placeholder="Enter your username" required pattern="[a-zA-Z0-9_]{3,50}" title="3-50 characters, letters, numbers, or

        <label for="password">Password:</label>
```

```
        <label for="password">Password:</label>
        <input type="password" id="password" name="password" placeholder="Enter your password" required minlength="8" />

        <label for="email">Email:</label>
        <input type="email" id="email" name="email" placeholder="Enter your email" required />

        <label for="status">Status:</label>
        <select name="status" id="status" required>
            <option value="">Select Status</option>
            <option value="Active">Active</option>
            <option value="Inactive">Inactive</option>
            <option value="Graduated">Graduated</option>
        </select>

        <label for="student_id">Student ID:</label>
        <input type="text" name="student_id" id="student_id" required pattern="SCSJ[0-9]{7}" title="Format: SCSJ followed by 7 digits (e.g., SCSJ2200858)" />

        <label for="admission_year">Admission Year:</label>
        <input type="number" name="admission_year" id="admission_year" required min="1970" max="<?php echo date('Y'); ?>" />

        <label for="intake">Intake:</label>
        <input type="text" name="intake" id="intake" required pattern="[0-9]{6}" title="Format: YYYYMM (e.g., 202409)" />

        <label for="level_of_study">Level of Study:</label>
        <select name="level_of_study" id="level_of_study" required>
            <option value="">Select Level</option>
            <option value="Certificate">Certificate</option>
            <option value="Diploma">Diploma</option>
            <option value="Degree">Degree</option>
        </select>

        <label for="department">Department:</label>
        <select name="department" id="department" required>
            <option value="">Select Department</option>
            <option value="Information Technology">Information Technology</option>
            <option value="Computer Science">Computer Science</option>
            <option value="Engineering">Engineering</option>
            <option value="Business">Business</option>
```

```php
<br><br>
<p>Already have an account? <a href="#" onclick="showForm('loginBox')">Login</a></p>
<p>Register as Admin? <a href="#" onclick="showForm('adminRegisterBox')">Admin Register</a></p>
</div>
</form>

<script>
function showForm(formId) {
document.querySelectorAll('.form-box').forEach(form => {
form.classList.remove('active');
});
document.getElementById(formId).classList.add('active');
}

// Show alert for login error
<?php if (!empty($error['login'])): ?>
alert('Username or password incorrect');
<?php endif; ?>

// Show alert for register error
<?php if (!empty($error['register'])): ?>
alert("<?= strip_tags($error['register']) ?>");
<?php endif; ?>

// Show alert for admin register error
<?php if (!empty($error['admin_register'])): ?>
alert("<?= strip_tags($error['admin_register']) ?>");
<?php endif; ?>
</script>
</div>
</body>
</html>
```

Logout.php

logout.php

```php
<?php
session_start();

// Set success message
$_SESSION['logout_success'] = "Successfully logged out";
$_SESSION['active_form'] = 'login'; // Ensure login form is active

// Destroy the session
session_destroy();

// Redirect to login page
header("Location: login.php");
exit;
?>
```

Register.php

```php
<?php
session_start();

// Database connection configuration
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "assignment";

try {
    $pdo = new PDO("mysql:host=$servername;dbname=$dbname", $username, $password);
    $pdo->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
} catch (PDOException $e) {
    $_SESSION['register_error'] = "Database connection failed: " . $e->getMessage();
    $_SESSION['active_form'] = 'register';
    header("Location: login.php");
    exit;
}

// Function to sanitize input
function sanitize($data) {
    return htmlspecialchars(trim($data));
}

// Handle form submission
if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    if (isset($_POST['login'])) {
        // Handle Login
        $username = sanitize($_POST['username']);
        $password = $_POST['password'];

        if (empty($username) || empty($password)) {
            $_SESSION['login_error'] = "Username and password are required.";
            $_SESSION['active_form'] = 'login';
            header("Location: login.php");
            exit;
        }

        // Check users table
        $stmt = $pdo->prepare("SELECT * FROM users WHERE username = ?");
        $stmt->execute([$username]);
        $user = $stmt->fetch(PDO::FETCH_ASSOC);
```

```php
        // Check admins table
        $stmt = $pdo->prepare("SELECT * FROM admins WHERE username = ?");
        $stmt->execute([$username]);
        $admin = $stmt->fetch(PDO::FETCH_ASSOC);

        if ($user && password_verify($password, $user['password'])) {
            // Successful user login
            $_SESSION['user_id'] = $user['id'];
            $_SESSION['username'] = $user['username'];
            $_SESSION['role'] = 'user';
            header("Location: home.php");
            exit;
        } elseif ($admin && password_verify($password, $admin['password'])) {
            // Successful admin login
            $_SESSION['admin_id'] = $admin['id'];
            $_SESSION['username'] = $admin['username'];
            $_SESSION['role'] = 'admin';
            header("Location: viewcontact.php");
            exit;
        } else {
            $_SESSION['login_error'] = "Invalid username or password.";
            $_SESSION['active_form'] = 'login';
            header("Location: login.php");
            exit;
        }
    } elseif (isset($_POST['register'])) {
        // Handle Registration
        $username = sanitize($_POST['username']);
        $password = $_POST['password'];
        $email = sanitize($_POST['email']);
        $student_id = sanitize($_POST['student_id']);
        $status = sanitize($_POST['status']);
        $admission_year = sanitize($_POST['admission_year']);
        $intake = sanitize($_POST['intake']);
        $level_of_study = sanitize($_POST['level_of_study']);
        $department = sanitize($_POST['department']);
        $college = sanitize($_POST['college']);
        $introduction = sanitize($_POST['introduction']);
        $background = sanitize($_POST['background']);
        $interests = sanitize($_POST['interests']);
        $academic_goals = sanitize($_POST['academic_goals']);
```

```php
        $technical_skills = sanitize($_POST['technical_skills']);
        $soft_skills = sanitize($_POST['soft_skills']);

        // Validation
        $errors = [];

        // Username validation
        if (!preg_match("/^[a-zA-Z0-9_]{3,50}$/", $username)) {
            $errors[] = "Username must be 3-50 characters, letters, numbers, or underscores.";
        }

        // Password validation
        if (strlen($password) < 8) {
            $errors[] = "Password must be at least 8 characters long.";
        }

        // Email validation
        if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
            $errors[] = "Invalid email format.";
        }

        // Student ID validation
        if (!preg_match("/^SCSJ[0-9]{7}$/", $student_id)) {
            $errors[] = "Student ID must follow the format SCSJ followed by 7 digits.";
        }

        // Status validation
        if (!in_array($status, ['Active', 'Inactive', 'Graduated'])) {
            $errors[] = "Invalid status selected.";
        }

        // Admission year validation
        $current_year = date('Y');
        if ($admission_year < 1970 || $admission_year > $current_year) {
            $errors[] = "Admission year must be between 1970 and $current_year.";
        }

        // Intake validation
        if (!preg_match("/^[0-9]{6}$/", $intake)) {
            $errors[] = "Intake must be in the format YYYYMM (e.g., 202409).";
        }
```

```php
        // Level of study validation
        if (!in_array($level_of_study, ['Certificate', 'Diploma', 'Degree'])) {
            $errors[] = "Invalid level of study selected.";
        }

        // Department validation
        $valid_departments = ['Information Technology', 'Computer Science', 'Engineering', 'Business', 'Arts', 'Science'];
        if (!in_array($department, $valid_departments)) {
            $errors[] = "Invalid department selected.";
        }

        // College validation
        $valid_colleges = ['SEGi College Subang Jaya', 'SEGi College Kuala Lumpur', 'SEGi College Penang', 'SEGi College Sarawak', 'SEGi College Kota Damansara', 'SEGi Unive
        if (!in_array($college, $valid_colleges)) {
            $errors[] = "Invalid college selected.";
        }

        // Profile photo handling
        $profile_photo = null;
        if (!empty($_FILES['profile_photo']['name'])) {
            $allowed_types = ['image/jpeg', 'image/png', 'image/gif'];
            $max_size = 5 * 1024 * 1024; // 5MB
            $file_type = $_FILES['profile_photo']['type'];
            $file_size = $_FILES['profile_photo']['size'];
            $file_tmp = $_FILES['profile_photo']['tmp_name'];
            $file_ext = strtolower(pathinfo($_FILES['profile_photo']['name'], PATHINFO_EXTENSION));
            $file_name = uniqid() . '.' . $file_ext;
            $upload_dir = 'Uploads/';
            $upload_path = $upload_dir . $file_name;

            if (!in_array($file_type, $allowed_types)) {
                $errors[] = "Profile photo must be a JPEG, PNG, or GIF image.";
            } elseif ($file_size > $max_size) {
                $errors[] = "Profile photo must not exceed 5MB.";
            } else {
                if (!is_dir($upload_dir)) {
                    mkdir($upload_dir, 0755, true);
                }
                if (!move_uploaded_file($file_tmp, $upload_path)) {
                    $errors[] = "Failed to upload profile photo.";
                } else {
```

```php
                    $profile_photo = $upload_path;
                }
            }
        }

        // Text field length validations
        if (strlen($introduction) > 200) {
            $errors[] = "Introduction must not exceed 200 characters.";
        }
        if (strlen($background) > 300) {
            $errors[] = "Background must not exceed 300 characters.";
        }
        if (strlen($interests) > 300) {
            $errors[] = "Interests must not exceed 300 characters.";
        }
        if (strlen($academic_goals) > 300) {
            $errors[] = "Academic goals must not exceed 300 characters.";
        }

        // Check if username, email, or student ID already exists
        $stmt = $pdo->prepare("SELECT COUNT(*) FROM users WHERE username = ? OR email = ? OR student_id = ?");
        $stmt->execute([$username, $email, $student_id]);
        if ($stmt->fetchColumn() > 0) {
            $errors[] = "Username, email, or student ID already exists.";
        }

        if (!empty($errors)) {
            $_SESSION['register_error'] = implode("<br>", $errors);
            $_SESSION['active_form'] = 'register';
            header("Location: login.php");
            exit;
        }

        // Start transaction
        try {
            $pdo->beginTransaction();
```

```php
            // Insert into users table
            $hashed_password = password_hash($password, PASSWORD_DEFAULT);
            $stmt = $pdo->prepare("
                INSERT INTO users (username, password, email, student_id)
                VALUES (?, ?, ?, ?)
            ");
            $stmt->execute([$username, $hashed_password, $email, $student_id]);
            $user_id = $pdo->lastInsertId();

            // Insert into student_info table
            $stmt = $pdo->prepare("
                INSERT INTO student_info (student_id, status, admission_year, intake, level_of_study, department, college)
                VALUES (?, ?, ?, ?, ?, ?, ?)
            ");
            $stmt->execute([$student_id, $status, $admission_year, $intake, $level_of_study, $department, $college]);

            // Insert into skills table
            $stmt = $pdo->prepare("
                INSERT INTO skills (student_id, profile_photo, introduction, background, interests, academic_goals, technical_skills, soft_skills)
                VALUES (?, ?, ?, ?, ?, ?, ?, ?)
            ");
            $stmt->execute([$student_id, $profile_photo, $introduction, $background, $interests, $academic_goals, $technical_skills, $soft_skills]);

            // Commit transaction
            $pdo->commit();

            // Successful registration
            $_SESSION['register_error'] = "Registration successful! Please login.";
            $_SESSION['active_form'] = 'login';
            header("Location: login.php");
            exit;
        } catch (PDOException $e) {
            $pdo->rollBack();
            $_SESSION['register_error'] = "Registration failed: " . $e->getMessage();
            $_SESSION['active_form'] = 'register';
            header("Location: login.php");
            exit;
        }
    } elseif (isset($_POST['admin_register'])) {
```

```php
        // Handle Admin Registration
        $admin_username = sanitize($_POST['admin_username']);
        $admin_password = $_POST['admin_password'];

        // Validation
        $errors = [];

        // Username validation
        if (!preg_match("/^[a-zA-Z0-9_]{3,50}$/", $admin_username)) {
            $errors[] = "Admin username must be 3-50 characters, letters, numbers, or underscores.";
        }

        // Password validation
        if (strlen($admin_password) < 8) {
            $errors[] = "Admin password must be at least 8 characters long.";
        }

        // Check if admin username already exists
        $stmt = $pdo->prepare("SELECT COUNT(*) FROM admins WHERE username = ?");
        $stmt->execute([$admin_username]);
        if ($stmt->fetchColumn() > 0) {
            $errors[] = "Admin username already exists.";
        }

        if (!empty($errors)) {
            $_SESSION['register_error'] = implode("<br>", $errors);
            $_SESSION['active_form'] = 'admin_register';
            header("Location: login.php");
            exit;
        }

        // Insert admin into admins table
        try {
            $hashed_password = password_hash($admin_password, PASSWORD_DEFAULT);
            $stmt = $pdo->prepare("INSERT INTO admins (username, password) VALUES (?, ?)");
            $stmt->execute([$admin_username, $hashed_password]);

            // Successful admin registration
            $_SESSION['register_error'] = "Admin registration successful! Please login.";
            $_SESSION['active_form'] = 'login';
            header("Location: login.php");
```

```php
            exit;
        } catch (PDOException $e) {
            $_SESSION['register_error'] = "Admin registration failed: " . $e->getMessage();
            $_SESSION['active_form'] = 'admin_register';
            header("Location: login.php");
            exit;
        }
    }
}
?>
```

Reset_password.php

```php
<?php
session_start();
require_once 'connect.php';

// Database connection
function connectDB() {
    $conn = new mysqli('localhost', 'root', '', 'assignment');
    if ($conn->connect_error) {
        die("Connection failed: " . $conn->connect_error);
    }
    return $conn;
}

$conn = connectDB();
$error = '';
$message = '';
$username = '';

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    $username = $conn->real_escape_string($_POST['username']);
    $new_password = $_POST['new_password'] ?? '';

    $sql = "SELECT username FROM users WHERE username = ?";
    $stmt = $conn->prepare($sql);
    $stmt->bind_param('s', $username);
    $stmt->execute();
    $result = $stmt->get_result();

    if ($result->num_rows > 0) {
        $user = $result->fetch_assoc();
        $username = $user['username'];

        if (empty($new_password)) {
            $message = "Your username is: {$username}. Please enter a new password to reset.";
        } elseif (strlen($new_password) < 8 || !preg_match('/^(?=.*[a-z])(?=.*\d)[A-Za-z\d]{8,}$/', $new_password)) {
            $error = 'Password must be at least 8 characters long and include at least one lowercase letter and one number.';
        } else {
            $hashed_password = password_hash($new_password, PASSWORD_DEFAULT);
            $sql = "UPDATE users SET password = ? WHERE username = ?";
            $stmt = $conn->prepare($sql);
            $stmt->bind_param('ss', $hashed_password, $username);
            if ($stmt->execute()) {
                $message = "Username: {$username}. Password reset successfully. Please <a href='login.php'>login</a>.";
            } else {
                $error = 'Error resetting password: ' . $conn->error;
            }
        }
    } else {
        $error = 'Username not found.';
    }
    $stmt->close();
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Reset Username or Password</title>
    <link rel="stylesheet" href="style.css">
    <style>
        .form-box {
            display: block;
            max-width: 400px;
            margin: 50px auto;
            padding: 20px;
            border: 1px solid #ccc;
            border-radius: 5px;
        }
        .error-message { color: red; font-size: 14px; }
        .success-message { color: green; font-size: 14px; }
        .form-box input {
            width: 100%;
            padding: 8px;
            margin-top: 5px;
            box-sizing: border-box;
        }
        .form-box button {
            margin-top: 10px;
            padding: 8px;
```

```
            width: 100%;
        }
        .form-box p {
            margin-top: 10px;
        }
    </style>
</head>
<body>
    <div class="container">
        <form action="reset_password.php" method="post" class="form-box" id="resetBox">
            <h2>Reset Username or Password</h2>
            <?php if ($error): ?>
                <p class="error-message"><?php echo htmlspecialchars($error); ?></p>
            <?php elseif ($message): ?>
                <p class="success-message"><?php echo $message; ?></p>
            <?php endif; ?>
            <input type="text" id="username" name="username" placeholder="Enter your username" required />
            <input type="password" id="new_password" name="new_password" placeholder="Enter new password (optional for username recovery)" />
            <br>
            <button type="submit" name="reset">Reset</button>
            <br><br>
            <p>Remember your account details? <a href="login.php">Login</a></p>
        </form>
    </div>
</body>
</html>
<?php $conn->close(); ?>
```

Home.php

```
<?php
session_start();

// Check if user is logged in
if (!isset($_SESSION['user_id']) || !isset($_SESSION['username'])) {
    $_SESSION['login_error'] = "Please log in to access the Home.";
    $_SESSION['active_form'] = 'login';
    header("Location: login.php");
    exit;
}

// Database connection configuration
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "assignment";

try {
    $pdo = new PDO("mysql:host=$servername;dbname=$dbname", $username, $password);
    $pdo->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
} catch (PDOException $e) {
    $_SESSION['login_error'] = "Database connection failed: " . $e->getMessage();
    $_SESSION['active_form'] = 'login';
    header("Location: login.php");
    exit;
}

// Handle form submission
if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['update_info'])) {
    $status = $_POST['status'] ?? '';
    $admission_year = $_POST['admission_year'] ?? '';
    $level_of_study = $_POST['level_of_study'] ?? '';
    $department = $_POST['department'] ?? '';
    $college = $_POST['college'] ?? '';
    $intake = $_POST['intake'] ?? '';

    try {
        $stmt = $pdo->prepare("
            UPDATE student_info
            SET status = ?, admission_year = ?, level_of_study = ?, department = ?, college = ?, intake = ?
            WHERE student_id = (SELECT student_id FROM users WHERE id = ?)
        ");
        $stmt->execute([$status, $admission_year, $level_of_study, $department, $college, $intake, $_SESSION['user_id']]);
```

```php
            $_SESSION['success_message'] = "Information updated successfully!";
            header("Location: home.php");
            exit;
        } catch (PDOException $e) {
            $_SESSION['error_message'] = "Failed to update information: " . $e->getMessage();
        }
    }

    // Fetch user data
    $user_id = $_SESSION['user_id'];
    $stmt = $pdo->prepare("
        SELECT u.username, s.profile_photo, si.status, si.admission_year, si.student_id,
               si.level_of_study, si.department, si.college, si.intake
        FROM users u
        LEFT JOIN student_info si ON u.student_id = si.student_id
        LEFT JOIN skills s ON u.student_id = s.student_id
        WHERE u.id = ?
    ");
    $stmt->execute([$user_id]);
    $user = $stmt->fetch(PDO::FETCH_ASSOC);

    if (!$user) {
        $_SESSION['login_error'] = "User not found.";
        $_SESSION['active_form'] = 'login';
        header("Location: login.php");
        exit;
    }

    // Sanitize output
    function sanitize($data) {
        return htmlspecialchars(trim($data));
    }
    ?>

    <!DOCTYPE html>
    <html lang="en">
    <head>
        <meta charset="UTF-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>Student Landing Page</title>
        <link rel="stylesheet" href="style.css">
```

```
<style>
    /* Home Section */
    #home, #about {
        max-width: 600px;
        margin: 100px auto 20px;
        padding: 20px;
        background: #fff;
        box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
        border-radius: 8px;
    }

    #home h2, #about h2 {
        text-align: center;
        margin-bottom: 20px;
    }

    /* Student Photo Section */
    .student-photo {
        text-align: center;
        margin-bottom: 20px;
    }

    .student-photo img {
        max-width: 150px;
        height: auto;
        border-radius: 8px;
        margin-bottom: 10px;
    }

    .student-photo p {
        font-size: 18px;
        font-weight: bold;
        margin: 0;
    }

    /* Status Table */
    .status-table {
        width: 100%;
        border-collapse: collapse;
        margin-top: 20px;
    }

```

```
.status-table th, .status-table td {
    border: 1px solid #ccc;
    padding: 10px;
    text-align: left;
}

.status-table th {
    background-color: #f8f8f8;
    width: 30%;
}

.status-table td {
    background-color: #fff;
}

/* Edit Form Styles */
.edit-button {
    display: block;
    margin: 20px auto;
    padding: 10px 20px;
    background-color: #4CAF50;
    color: white;
    border: none;
    border-radius: 4px;
    cursor: pointer;
    font-size: 16px;
}

.edit-button:hover {
    background-color: #45a049;
}

.edit-form {
    display: none;
    margin-top: 20px;
}

.edit-form.active {
    display: block;
```

```
.edit-form input, .edit-form select {
    width: 100%;
    padding: 8px;
    margin: 5px 0;
    border: 1px solid #ccc;
    border-radius: 4px;
}

.edit-form .form-buttons {
    text-align: center;
    margin-top: 20px;
}

.edit-form .form-buttons button {
    padding: 10px 20px;
    margin: 0 10px;
    border: none;
    border-radius: 4px;
    cursor: pointer;
    font-size: 16px;
}

.edit-form .save-button {
    background-color: #4CAF50;
    color: white;
}

.edit-form .save-button:hover {
    background-color: #45a049;
}

.edit-form .cancel-button {
    background-color: #f44336;
    color: white;
}

.edit-form .cancel-button:hover {
    background-color: #da190b;
}
```

```
        .message {
            text-align: center;
            margin: 10px 0;
            padding: 10px;
            border-radius: 4px;
        }

        .success-message {
            background-color: #dff0d8;
            color: #3c763d;
        }

        .error-message {
            background-color: #f2dede;
            color: #a94442;
        }
    </style>
</head>
<body>
    <nav>
        <div class="Navigation-bar">
            <ul>
                <li><a href="home.php">Home</a></li>
                <li><a href="Aboutme.php">About Me</a></li>
                <li><a href="Skills.php">Skills & Projects</a></li>
                <li><a href="contact.php">Contact</a></li>
                <li>
                    <form action="logout.php" method="post" class="logout-form">
                        <button type="submit" class="logout-button">Logout</button>
                    </form>
                </li>
            </ul>
        </div>
    </nav>

    <section id="home">
        <h2>Student Status</h2>
        <?php if (isset($_SESSION['success_message'])): ?>
            <div class="message success-message"><?php echo sanitize($_SESSION['success_message']); unset($_SESSION['success_message']); ?></div>
        <?php endif; ?>
```

```
        <?php if (isset($_SESSION['error_message'])): ?>
            <div class="message error-message"><?php echo sanitize($_SESSION['error_message']); unset($_SESSION['error_message']); ?></div>
        <?php endif; ?>
        <div class="student-photo">
            <?php if ($user['profile_photo'] && file_exists($user['profile_photo'])): ?>
                <img src="<?php echo sanitize($user['profile_photo']); ?>" alt="Student Photo">
            <?php else: ?>
                <p>No profile photo uploaded.</p>
            <?php endif; ?>
            <p><?php echo sanitize($user['username']); ?></p>
        </div>

        <table class="status-table">
            <tr><th>Status</th><td><?php echo sanitize($user['status'] ?: 'Not provided'); ?></td></tr>
            <tr><th>Admission Year</th><td><?php echo sanitize($user['admission_year'] ?: 'Not provided'); ?></td></tr>
            <tr><th>Student ID</th><td><?php echo sanitize($user['student_id'] ?: 'Not provided'); ?></td></tr>
            <tr><th>Degree</th><td><?php echo sanitize($user['level_of_study'] ?: 'Not provided'); ?></td></tr>
            <tr><th>Department</th><td><?php echo sanitize($user['department'] ?: 'Not provided'); ?></td></tr>
            <tr><th>College</th><td><?php echo sanitize($user['college'] ?: 'Not provided'); ?></td></tr>
            <tr><th>Intake</th><td><?php echo sanitize($user['intake'] ?: 'Not provided'); ?></td></tr>
        </table>

        <button class="edit-button" onclick="toggleEditForm()">Edit Information</button>

        <form class="edit-form" id="editForm" method="post" action="home.php">
            <input type="hidden" name="update_info" value="1">
            <label for="status">Status:</label>
            <select name="status" id="status">
                <option value="Active" <?php echo $user['status'] === 'Active' ? 'selected' : ''; ?>>Active</option>
                <option value="Inactive" <?php echo $user['status'] === 'Inactive' ? 'selected' : ''; ?>>Inactive</option>
                <option value="Graduated" <?php echo $user['status'] === 'Graduated' ? 'selected' : ''; ?>>Graduated</option>
            </select>

            <label for="admission_year">Admission Year:</label>
            <input type="number" name="admission_year" id="admission_year" value="<?php echo sanitize($user['admission_year'] ?: ''); ?>" placeholder="e.g., 2020">

            <label for="level_of_study">Degree:</label>
            <input type="text" name="level_of_study" id="level_of_study" value="<?php echo sanitize($user['level_of_study'] ?: ''); ?>" placeholder="e.g., Bachelor's">

            <label for="department">Department:</label>
            <input type="text" name="department" id="department" value="<?php echo sanitize($user['department'] ?: ''); ?>" placeholder="e.g., Computer Science">
```

```
            <label for="college">College:</label>
            <input type="text" name="college" id="college" value="<?php echo sanitize($user['college'] ?: ''); ?>" placeholder="e.g., College of Engineering">

            <label for="intake">Intake:</label>
            <input type="text" name="intake" id="intake" value="<?php echo sanitize($user['intake'] ?: ''); ?>" placeholder="e.g., Fall 2020">

            <div class="form-buttons">
                <button type="submit" class="save-button">Save Changes</button>
                <button type="button" class="cancel-button" onclick="toggleEditForm()">Cancel</button>
            </div>
        </form>
    </section>

    <script>
        function toggleEditForm() {
            const form = document.getElementById('editForm');
            form.classList.toggle('active');
        }
    </script>
</body>
</html>
```

Aboutme.php

```php
<?php
session_start();

// Check if user is logged in
if (!isset($_SESSION['user_id']) || !isset($_SESSION['username'])) {
    $_SESSION['login_error'] = "Please log in to access About Me.";
    $_SESSION['active_form'] = 'login';
    header("Location: login.php");
    exit;
}

// Database connection configuration
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "assignment";

try {
    $pdo = new PDO("mysql:host=$servername;dbname=$dbname", $username, $password);
    $pdo->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
} catch (PDOException $e) {
    $_SESSION['login_error'] = "Database connection failed: " . $e->getMessage();
    $_SESSION['active_form'] = 'login';
    header("Location: login.php");
    exit;
}

// Handle form submission
if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['update_info'])) {
    $introduction = $_POST['introduction'] ?? '';
    $background = $_POST['background'] ?? '';
    $interests = $_POST['interests'] ?? '';
    $academic_goals = $_POST['academic_goals'] ?? '';
    $technical_skills = $_POST['technical_skills'] ?? '';
    $soft_skills = $_POST['soft_skills'] ?? '';

    try {
        $stmt = $pdo->prepare("
            UPDATE skills
            SET introduction = ?, background = ?, interests = ?, academic_goals = ?, technical_skills = ?, soft_skills = ?
            WHERE student_id = (SELECT student_id FROM users WHERE id = ?)
        ");
        $stmt->execute([$introduction, $background, $interests, $academic_goals, $technical_skills, $soft_skills, $_SESSION['user_id']]);
```

```php
            $_SESSION['success_message'] = "Information updated successfully!";
            header("Location: Aboutme.php");
            exit;
        } catch (PDOException $e) {
            $_SESSION['error_message'] = "Failed to update information: " . $e->getMessage();
        }
    }

    // Fetch user data
    $user_id = $_SESSION['user_id'];
    $stmt = $pdo->prepare("
        SELECT u.username, s.profile_photo, s.introduction, s.background, s.interests,
               s.academic_goals, s.technical_skills, s.soft_skills
        FROM users u
        LEFT JOIN skills s ON u.student_id = s.student_id
        WHERE u.id = ?
    ");
    $stmt->execute([$user_id]);
    $user = $stmt->fetch(PDO::FETCH_ASSOC);

    if (!$user) {
        $_SESSION['login_error'] = "User not found.";
        $_SESSION['active_form'] = 'login';
        header("Location: login.php");
        exit;
    }

    // Sanitize output
    function sanitize($data) {
        return htmlspecialchars(trim($data));
    }
    ?>

    <!DOCTYPE html>
    <html lang="en">
    <head>
        <meta charset="UTF-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>About Me</title>
        <link rel="stylesheet" href="style.css">
        <style>
```

```
.Navigation-bar ul {
  list-style: none;
  margin: 0;
  padding: 0;
  background-color: #333;
  display: flex;
  justify-content: center;
  align-items: center;
  padding: 15px 0;
}

.Navigation-bar li {
  margin: 0 20px;
}

.Navigation-bar a {
  color: white;
  text-decoration: none;
  font-size: 1rem;
  font-weight: 500;
}

.Navigation-bar a:hover {
  color: #4a90e2;
}

.logout-form {
  display: inline;
}

.logout-button {
  background-color: #d32f2f;
  color: white;
  border: none;
  padding: 8px 16px;
  border-radius: 4px;
  cursor: pointer;
  font-size: 1rem;
}
    /* About Me Section */
    #home, #about {
        max-width: 600px;
```

```
        max-width: 600px;
        margin: 100px auto 20px;
        padding: 20px;
        background: #fff;
        box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
        border-radius: 8px;
    }

    #home h2, #about h2 {
        text-align: center;
        margin-bottom: 20px;
    }

    /* Student Photo Section */
    .student-photo {
        text-align: center;
        margin-bottom: 20px;
    }

    .student-photo img {
        max-width: 150px;
        height: auto;
        border-radius: 8px;
        margin-bottom: 10px;
    }

    .student-photo p {
        font-size: 18px;
        font-weight: bold;
        margin: 0;
    }

    /* Status Table */
    .status-table {
        width: 100%;
        border-collapse: collapse;
        margin-top: 20px;
    }

    .status-table th, .status-table td {
```

```
        border: 1px solid #ccc;
        padding: 10px;
        text-align: left;
    }

    .status-table th {
        background-color: #f8f8f8;
        width: 30%;
    }

    .status-table td {
        background-color: #fff;
    }

    /* Edit Form Styles */
    .edit-button {
        display: block;
        margin: 20px auto;
        padding: 10px 20px;
        background-color: #4CAF50;
        color: white;
        border: none;
        border-radius: 4px;
        cursor: pointer;
        font-size: 16px;
    }

    .edit-button:hover {
        background-color: #45a049;
    }

    .edit-form {
        display: none;
        margin-top: 20px;
    }

    .edit-form.active {
        display: block;
    }
```

```
.edit-form label {
    display: block;
    margin-top: 10px;
    font-weight: bold;
}

.edit-form textarea, .edit-form input {
    width: 100%;
    padding: 8px;
    margin: 5px 0;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
}

.edit-form textarea {
    min-height: 100px;
    resize: vertical;
}

.edit-form .form-buttons {
    text-align: center;
    margin-top: 20px;
}

.edit-form .form-buttons button {
    padding: 10px 20px;
    margin: 0 10px;
    border: none;
    border-radius: 4px;
    cursor: pointer;
    font-size: 16px;
}

.edit-form .save-button {
    background-color: #4CAF50;
    color: white;
}

.edit-form .save-button:hover {
```

```
            background-color: #45a049;
        }

        .edit-form .cancel-button {
            background-color: #f44336;
            color: white;
        }

        .edit-form .cancel-button:hover {
            background-color: #da190b;
        }

        .message {
            text-align: center;
            margin: 10px 0;
            padding: 10px;
            border-radius: 4px;
        }

        .success-message {
            background-color: #dff0d8;
            color: #3c763d;
        }

        .error-message {
            background-color: #f2dede;
            color: #a94442;
        }
    </style>
</head>
<body>
    <!-- Navigation Bar -->
    <nav>
        <div class="Navigation-bar">
            <ul>
                <li><a href="home.php">Home</a></li>
                <li><a href="Aboutme.php">About Me</a></li>
                <li><a href="Skills.php">Skills & Projects</a></li>
                <li><a href="contact.php">Contact</a></li>
```

```
                <li>
                    <form action="logout.php" method="post" class="logout-form">
                        <button type="submit" class="logout-button">Logout</button>
                    </form>
                </li>
            </ul>
        </div>
    </nav>

    <!-- About Me Section -->
    <section id="about">
        <h2>About Me</h2>
        <?php if (isset($_SESSION['success_message])): ?>
            <div class="message success-message"><?php echo sanitize($_SESSION['success_message']); unset($_SESSION['success_message']); ?></div>
        <?php endif; ?>
        <?php if (isset($_SESSION['error_message])): ?>
            <div class="message error-message"><?php echo sanitize($_SESSION['error_message']); unset($_SESSION['error_message']); ?></div>
        <?php endif; ?>
        <div class="student-photo">
            <?php if ($user['profile_photo'] && file_exists($user['profile_photo'])): ?>
                <img src="<?php echo sanitize($user['profile_photo']); ?>" alt="Profile Photo">
            <?php else: ?>
                <p>No profile photo uploaded.</p>
            <?php endif; ?>
            <p><?php echo sanitize($user['username']); ?></p>
        </div>
        <table class="status-table">
            <tr>
                <th>Introduction</th>
                <td><?php echo sanitize($user['introduction'] ?: 'Not provided'); ?></td>
            </tr>
            <tr>
                <th>Background</th>
                <td><?php echo sanitize($user['background'] ?: 'Not provided'); ?></td>
            </tr>
            <tr>
                <th>Interests</th>
                <td><?php echo sanitize($user['interests'] ?: 'Not provided'); ?></td>
```

```
            </tr>
            <tr>
                <th>Academic Goals</th>
                <td><?php echo sanitize($user['academic_goals'] ?: 'Not provided'); ?></td>
            </tr>
            <tr>
                <th>Technical Skills</th>
                <td><?php echo sanitize($user['technical_skills'] ?: 'Not provided'); ?></td>
            </tr>
            <tr>
                <th>Soft Skills</th>
                <td><?php echo sanitize($user['soft_skills'] ?: 'Not provided'); ?></td>
            </tr>
        </table>

        <button class="edit-button" onclick="toggleEditForm()">Edit Information</button>

        <form class="edit-form" id="editForm" method="post" action="Aboutme.php">
            <input type="hidden" name="update_info" value="1">
            <label for="introduction">Introduction:</label>
            <textarea name="introduction" id="introduction" placeholder="Write a brief introduction about yourself"><?php echo sanitize($user['introduction'] ?: ''); ?></tex

            <label for="background">Background:</label>
            <textarea name="background" id="background" placeholder="Describe your background"><?php echo sanitize($user['background'] ?: ''); ?></textarea>

            <label for="interests">Interests:</label>
            <textarea name="interests" id="interests" placeholder="List your interests"><?php echo sanitize($user['interests'] ?: ''); ?></textarea>

            <label for="academic_goals">Academic Goals:</label>
            <textarea name="academic_goals" id="academic_goals" placeholder="Describe your academic goals"><?php echo sanitize($user['academic_goals'] ?: ''); ?></textarea>

            <label for="technical_skills">Technical Skills:</label>
            <textarea name="technical_skills" id="technical_skills" placeholder="List your technical skills"><?php echo sanitize($user['technical_skills'] ?: ''); ?></textar

            <label for="soft_skills">Soft Skills:</label>
            <textarea name="soft_skills" id="soft_skills" placeholder="List your soft skills"><?php echo sanitize($user['soft_skills'] ?: ''); ?></textarea>

            <div class="form-buttons">
                <button type="submit" class="save-button">Save Changes</button>
```

```
                <button type="button" class="cancel-button" onclick="toggleEditForm()">Cancel</button>
            </div>
        </form>
    </section>

    <script>
        function toggleEditForm() {
            const form = document.getElementById('editForm');
            form.classList.toggle('active');
        }
    </script>
</body>
</html>
```

Skills.php

```php
<?php
session_start();

// Check if user is logged in
if (!isset($_SESSION['username']) || !isset($_SESSION['user_id'])) {
    header("Location: login.php");
    exit();
}

// Database connection
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "assignment";

try {
    $pdo = new PDO("mysql:host=$servername;dbname=$dbname", $username, $password);
    $pdo->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
} catch (PDOException $e) {
    $error = "Database connection failed: " . $e->getMessage();
}

// Initialize messages
$success = "";
$error = "";

// Fetch projects
$projects = [];
try {
    $stmt = $pdo->prepare("SELECT id, title, description, image_path FROM projects WHERE user_id = ?");
    $stmt->execute([$_SESSION['user_id']]);
    $projects = $stmt->fetchAll(PDO::FETCH_ASSOC);
} catch (PDOException $e) {
    $error = "Failed to fetch projects: " . $e->getMessage();
}

// Handle project submission (Add or Update)
if ($_SERVER["REQUEST_METHOD"] === "POST" && isset($_POST['projectButton'])) {
    $user_id = $_SESSION['user_id'];
    $title = htmlspecialchars(trim($_POST['projectTitle']));
    $description = htmlspecialchars(trim($_POST['projectDescription']));
    $edit_id = $_POST['editId'] ?? -1;
```

```php
    if (empty($title) || empty($description)) {
        $error = "Please fill in all required project fields.";
    } else {
        $image_path = null;
        if (isset($_FILES['projectImage']) && $_FILES['projectImage']['error'] === UPLOAD_ERR_OK) {
            $upload_dir = "Uploads/projects/";
            if (!is_dir($upload_dir)) mkdir($upload_dir, 0755, true);

            $allowed_types = ['image/jpeg', 'image/png', 'image/gif', 'application/pdf', 'application/msword', 'application/vnd.openxmlformats-officedocument.wordprocessingm
            $ext = strtolower(pathinfo($_FILES['projectImage']['name'], PATHINFO_EXTENSION));
            $file_type = $_FILES['projectImage']['type'];

            if (!in_array($file_type, $allowed_types)) {
                $error = "Invalid project image type. Allowed: jpg, png, gif, pdf, doc, docx, zip.";
            } else {
                $new_name = uniqid("proj_", true) . "." . $ext;
                $target = $upload_dir . $new_name;

                if (move_uploaded_file($_FILES['projectImage']['tmp_name'], $target)) {
                    $image_path = $target;
                } else {
                    $error = "Failed to upload project image.";
                }
            }
        }

        if (!$error) {
            try {
                if ($edit_id >= 0) {
                    // Update existing project
                    if ($image_path) {
                        // Delete old image if exists
                        $stmt = $pdo->prepare("SELECT image_path FROM projects WHERE id = ? AND user_id = ?");
                        $stmt->execute([$edit_id, $user_id]);
                        $old_project = $stmt->fetch(PDO::FETCH_ASSOC);
                        if ($old_project && $old_project['image_path'] && file_exists($old_project['image_path'])) {
                            unlink($old_project['image_path']);
                        }
                        // Update with new image
                        $stmt = $pdo->prepare("UPDATE projects SET title = ?, description = ?, image_path = ? WHERE id = ? AND user_id = ?");
                        $stmt->execute([$title, $description, $image_path, $edit_id, $user_id]);
```

```php
                    } else {
                        // Update without changing image
                        $stmt = $pdo->prepare("UPDATE projects SET title = ?, description = ? WHERE id = ? AND user_id = ?");
                        $stmt->execute([$title, $description, $edit_id, $user_id]);
                    }
                    $success = "Project updated successfully.";
                } else {
                    // Insert new project
                    $stmt = $pdo->prepare("INSERT INTO projects (user_id, title, description, image_path) VALUES (?, ?, ?, ?)");
                    $stmt->execute([$user_id, $title, $description, $image_path]);
                    $success = "Project added successfully.";
                }
                // Refresh projects list
                $stmt = $pdo->prepare("SELECT id, title, description, image_path FROM projects WHERE user_id = ?");
                $stmt->execute([$_SESSION['user_id']]);
                $projects = $stmt->fetchAll(PDO::FETCH_ASSOC);
            } catch (PDOException $e) {
                $error = "Project database error: " . $e->getMessage();
            }
        }
    }
}

// Handle project deletion
if ($_SERVER["REQUEST_METHOD"] === "POST" && isset($_POST['deleteProjectId'])) {
    $delete_id = $_POST['deleteProjectId'];
    try {
        // Fetch image path to delete the file
        $stmt = $pdo->prepare("SELECT image_path FROM projects WHERE id = ? AND user_id = ?");
        $stmt->execute([$delete_id, $_SESSION['user_id']]);
        $project = $stmt->fetch(PDO::FETCH_ASSOC);

        if ($project && $project['image_path'] && file_exists($project['image_path'])) {
            unlink($project['image_path']);
        }

        // Delete from database
```

```php
        $stmt = $pdo->prepare("DELETE FROM projects WHERE id = ? AND user_id = ?");
        $stmt->execute([$delete_id, $_SESSION['user_id']]);
        $success = "Project deleted successfully.";
        // Refresh projects list
        $stmt = $pdo->prepare("SELECT id, title, description, image_path FROM projects WHERE user_id = ?");
        $stmt->execute([$_SESSION['user_id']]);
        $projects = $stmt->fetchAll(PDO::FETCH_ASSOC);
    } catch (PDOException $e) {
        $error = "Failed to delete project: " . $e->getMessage();
    }
}

// Handle certificate submission
if ($_SERVER["REQUEST_METHOD"] === "POST" && isset($_POST['certButton'])) {
    $user_id = $_SESSION['user_id'];
    $title = htmlspecialchars(trim($_POST['certTitle']));
    $issuer = htmlspecialchars(trim($_POST['certIssuer']));
    $cert_date = $_POST['certDate'];
    $edit_id = $_POST['editId'] ?? -1;

    if (empty($title) || empty($issuer) || empty($cert_date)) {
        $error = "Please fill in all required certificate fields.";
    } else {
        $file_path = null;
        if (isset($_FILES['certFile']) && $_FILES['certFile']['error'] === UPLOAD_ERR_OK) {
            $upload_dir = "Uploads/certificates/";
            if (!is_dir($upload_dir)) mkdir($upload_dir, 0755, true);

            $allowed_types = ['image/jpeg', 'image/png', 'image/gif', 'application/pdf', 'application/msword', 'application/vnd.openxmlformats-officedocument.wordprocessingm
            $ext = strtolower(pathinfo($_FILES['certFile']['name'], PATHINFO_EXTENSION));
            $file_type = $_FILES['certFile']['type'];

            if (!in_array($file_type, $allowed_types)) {
                $error = "Invalid certificate file type. Allowed: jpg, png, gif, pdf, doc, docx.";
            } else {
                $new_name = uniqid("cert_", true) . "." . $ext;
                $target = $upload_dir . $new_name;

                if (move_uploaded_file($_FILES['certFile']['tmp_name'], $target)) {
                    $file_path = $target;
```

```php
                    $file_path = $target;
                } else {
                    $error = "Failed to upload certificate file.";
                }
            }
        }

        if (!$error) {
            try {
                if ($edit_id >= 0) {
                    if ($file_path) {
                        $stmt = $pdo->prepare("SELECT file_path FROM certificates WHERE id = ? AND user_id = ?");
                        $stmt->execute([$edit_id, $user_id]);
                        $old_cert = $stmt->fetch(PDO::FETCH_ASSOC);
                        if ($old_cert && $old_cert['file_path'] && file_exists($old_cert['file_path'])) {
                            unlink($old_cert['file_path']);
                        }
                        $stmt = $pdo->prepare("UPDATE certificates SET title = ?, issuer = ?, cert_date = ?, file_path = ? WHERE id = ? AND user_id = ?");
                        $stmt->execute([$title, $issuer, $cert_date, $file_path, $edit_id, $user_id]);
                    } else {
                        $stmt = $pdo->prepare("UPDATE certificates SET title = ?, issuer = ?, cert_date = ? WHERE id = ? AND user_id = ?");
                        $stmt->execute([$title, $issuer, $cert_date, $edit_id, $user_id]);
                    }
                    $success = "Certificate updated successfully.";
                } else {
                    $stmt = $pdo->prepare("INSERT INTO certificates (user_id, title, issuer, cert_date, file_path) VALUES (?, ?, ?, ?, ?)");
                    $stmt->execute([$user_id, $title, $issuer, $cert_date, $file_path]);
                    $success = "Certificate added successfully.";
                }
                // Refresh certificates list
                $stmt = $pdo->prepare("SELECT id, title, issuer, cert_date, file_path FROM certificates WHERE user_id = ?");
                $stmt->execute([$_SESSION['user_id']]);
                $certificates = $stmt->fetchAll(PDO::FETCH_ASSOC);
            } catch (PDOException $e) {
                $error = "Certificate database error: " . $e->getMessage();
            }
        }
    }
```

```
<title>Projects & Certificates</title>
<link rel="stylesheet" href="style.css" />
<style>
  body {
    font-family: Arial, sans-serif;
    margin: 0;
    padding: 0;
    background-color: #f9f9f9;
  }

  .Navigation-bar ul {
    list-style: none;
    margin: 0;
    padding: 0;
    background-color: #333;
    display: flex;
    justify-content: center;
    align-items: center;
    padding: 15px 0;
  }

  .Navigation-bar li {
    margin: 0 20px;
  }

  .Navigation-bar a {
    color: white;
    text-decoration: none;
    font-size: 1rem;
    font-weight: 500;
  }

  .Navigation-bar a:hover {
    color: #4a90e2;
  }

  .logout-form {
    display: inline;
  }

  .logout-button {
    background-color: #d32f2f;
```

```
    color: white;
    border: none;
    padding: 8px 16px;
    border-radius: 4px;
    cursor: pointer;
    font-size: 1rem;
  }

  .logout-button:hover {
    background-color: #b71c1c;
  }

  .projects-section, .cert-section {
    max-width: 900px;
    margin: 100px auto 40px;
    background-color: #ffffff;
    padding: 30px;
    border-radius: 16px;
    box-shadow: 0 6px 20px rgba(0, 0, 0, 0.15);
    display: flex;
    flex-direction: column;
    gap: 20px;
  }

  h2 {
    text-align: center;
    font-size: 26px;
    color: #2c3e50;
    margin-bottom: 10px;
  }

  .projects-gallery {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));
    gap: 20px;
  }

  .project-card {
    background-color: #fdfdfd;
    border: 1px solid #ddd;
```

```
    border-radius: 10px;
    padding: 15px;
    text-align: center;
    transition: transform 0.3s ease;
  }

  .project-card:hover {
    transform: translateY(-5px);
  }

  .project-card img {
    max-width: 100%;
    height: auto;
    border-radius: 8px;
    margin-bottom: 10px;
  }

  .project-card h3 {
    font-size: 18px;
    color: #2c3e50;
    margin: 10px 0;
  }

  .project-card p {
    font-size: 14px;
    color: #666;
    margin-bottom: 10px;
  }

  .project-form-grid {
    display: flex;
    flex-wrap: wrap;
    gap: 20px;
  }

  .project-form-grid input[type="text"],
  .project-form-grid textarea,
  .project-form-grid input[type="file"] {
    flex: 1 1 calc(50% - 10px);
    padding: 10px 12px;
```

```
  border: 1px solid #ccc;
  border-radius: 10px;
  font-size: 16px;
}

.project-form-grid textarea {
  min-height: 100px;
  resize: vertical;
}

.cert-form-grid {
  display: flex;
  flex-wrap: wrap;
  gap: 20px;
  justify-content: flex-end; /* Align form to the right */
}

.cert-form-grid input[type="text"],
.cert-form-grid input[type="date"],
.cert-form-grid input[type="file"] {
  flex: 1 1 calc(50% - 10px);
  padding: 10px 12px;
  border: 1px solid #ccc;
  border-radius: 10px;
  font-size: 16px;
}

.btn {
  background-color: #2575fc;
  color: white;
  padding: 12px 24px;
  border: none;
  border-radius: 10px;
  cursor: pointer;
  font-size: 16px;
  transition: background-color 0.3s ease;
}

.btn:hover {
  background-color: #1e63d7;
```

```
403     }
404
405     #certTable {
406       width: 100%;
407       margin-top: 20px;
408       border-collapse: collapse;
409       font-size: 15px;
410       background-color: #fdfdfd;
411       border-radius: 10px;
412       overflow: hidden;
413     }
414
415     #certTable th, #certTable td {
416       padding: 12px 15px;
417       border: 1px solid #ddd;
418       text-align: center;
419     }
420
421     #certTable th {
422       background-color: #f0f0f0;
423       color: #333;
424       font-weight: 600;
425     }
426
427     .action-btns {
428       display: flex;
429       justify-content: center;
430       gap: 5px;
431       margin-top: 10px; /* Space above buttons in project cards */
432     }
433
434     .action-btns button {
435       margin: 0;
436       padding: 6px 10px;
437       font-size: 14px;
438       border: none;
439       border-radius: 6px;
440       cursor: pointer;
441     }
442
443     .action-btns button.edit-btn {
```

```
435         margin: 0;
436         padding: 6px 10px;
437         font-size: 14px;
438         border: none;
439         border-radius: 6px;
440         cursor: pointer;
441       }
442
443       .action-btns button.edit-btn {
444         background-color: #f0ad4e;
445         color: white;
446       }
447
448       .action-btns button.delete-btn {
449         background-color: #d9534f;
450         color: white;
451       }
452
453       .message {
454         padding: 10px;
455         margin-bottom: 20px;
456         border-radius: 5px;
457       }
458
459       .success {
460         background-color: #dff0d8;
461         color: #3c763d;
462       }
463
464       .error {
465         background-color: #f2dede;
466         color: #a94442;
467       }
468     </style>
469   </head>
470   <body>
471     <!-- Navigation -->
472     <nav>
473       <div class="Navigation-bar">
474         <ul>
```

```php
            <li><a href="home.php">Home</a></li>
            <li><a href="Aboutme.php">About Me</a></li>
            <li><a href="Skills.php">Skills & Projects</a></li>
            <li><a href="Contact.php">Contact</a></li>
            <li>
              <form action="logout.php" method="post" class="logout-form">
                <button type="submit" class="logout-button">Logout</button>
              </form>
            </li>
          </ul>
        </div>
      </nav>

      <!-- Projects Section -->
      <section class="projects-section">
        <h2>Projects</h2>
        <?php if ($success): ?>
          <div class="message success"><?php echo htmlspecialchars($success); ?></div>
        <?php endif; ?>
        <?php if ($error): ?>
          <div class="message error"><?php echo htmlspecialchars($error); ?></div>
        <?php endif; ?>
        <!-- Project Form -->
        <form action="Skills.php" method="post" enctype="multipart/form-data" class="project-form-grid">
          <input type="text" id="projectTitle" name="projectTitle" placeholder="Project Title" required />
          <textarea id="projectDescription" name="projectDescription" placeholder="Project Description" required></textarea>
          <input type="file" id="projectImage" name="projectImage" accept="image/jpeg,image/png,image/gif"/>
          <input type="hidden" id="projectEditId" name="editId" value="-1" />
          <button type="submit" class="btn" name="projectButton" id="projectButton">Add Project</button>
        </form>

        <!-- Projects Gallery -->
        <?php if (empty($projects)): ?>
          <p>No projects available</p>
        <?php else: ?>
          <div class="projects-gallery">
            <?php foreach ($projects as $project): ?>
              <div class="project-card">
                <?php if ($project['image_path']): ?>
```

```php
                <?php if ($project['image_path']): ?>
                  <img src="<?php echo htmlspecialchars($project['image_path']); ?>" alt="<?php echo htmlspecialchars($project['title']); ?>" />
                <?php endif; ?>
                <h3><?php echo htmlspecialchars($project['title']); ?></h3>
                <p><?php echo htmlspecialchars($project['description']); ?></p>
                <div class="action-btns">
                  <button class="edit-btn" onclick="editProject(<?php echo $project['id']; ?>, '<?php echo addslashes($project['title']); ?>', '<?php echo addslashes($project['d
                  <form action="Skills.php" method="post" style="display:inline;">
                    <input type="hidden" name="deleteProjectId" value="<?php echo $project['id']; ?>">
                    <button type="submit" class="delete-btn" onclick="return confirm('Are you sure you want to delete this project?')">Delete</button>
                  </form>
                </div>
              </div>
            <?php endforeach; ?>
          </div>
        <?php endif; ?>
      </section>

      <!-- Certificate Section -->
      <section class="cert-section">
        <h2>Certificates</h2>
        <form action="Skills.php" method="post" enctype="multipart/form-data" class="cert-form-grid">
          <input type="text" id="certTitle" name="certTitle" placeholder="Certificate Title" value="<?php echo isset($_POST['certTitle']) ? htmlspecialchars($_POST['certTitle'])
          <input type="text" id="certIssuer" name="certIssuer" placeholder="Issuer" value="<?php echo isset($_POST['certIssuer']) ? htmlspecialchars($_POST['certIssuer']) : '';
          <input type="date" id="certDate" name="certDate" value="<?php echo isset($_POST['certDate']) ? htmlspecialchars($_POST['certDate']) : ''; ?>" />
          <input type="file" id="certFile" name="certFile" accept="image/*,.pdf,.doc,.docx" />
          <input type="hidden" id="editId" name="editId" value="-1" />
          <button type="submit" class="btn" name="certButton" id="certButton">Add Certificate</button>
        </form>

        <table id="certTable">
          <thead>
            <tr>
              <th>Title</th>
              <th>Issuer</th>
              <th>Date</th>
              <th>Attachment</th>
              <th>Actions</th>
```

```
551            </tr>
552          </thead>
553          <tbody>
554            <?php foreach ($certificates as $cert): ?>
555              <tr>
556                <td><?php echo htmlspecialchars($cert['title']); ?></td>
557                <td><?php echo htmlspecialchars($cert['issuer']); ?></td>
558                <td><?php echo htmlspecialchars($cert['cert_date']); ?></td>
559                <td>
560                  <?php if ($cert['file_path']): ?>
561                    <a href="<?php echo htmlspecialchars($cert['file_path']); ?>" target="_blank">
562                      <?php
563                      $ext = strtolower(pathinfo($cert['file_path'], PATHINFO_EXTENSION));
564                      if (in_array($ext, ['jpg', 'jpeg', 'png', 'gif'])) {
565                        echo '<img src="' . htmlspecialchars($cert['file_path']) . '" width="80" />';
566                      } else {
567                        echo 'Download';
568                      }
569                      ?>
570                    </a>
571                  <?php else: ?>
572                    No File
573                  <?php endif; ?>
574                </td>
575                <td class="action-btns">
576                  <button class="edit-btn" onclick="editCertificate(<?php echo $cert['id']; ?>, '<?php echo addslashes($cert['title']); ?>', '<?php echo addslashes($cert['issuer
577                  <form action="Skills.php" method="post" style="display:inline;">
578                    <input type="hidden" name="deleteId" value="<?php echo $cert['id']; ?>">
579                    <button type="submit" class="delete-btn" onclick="return confirm('Are you sure you want to delete this certificate?')">Delete</button>
580                  </form>
581                </td>
582              </tr>
583            <?php endforeach; ?>
584          </tbody>
585        </table>
586      </section>
```

```
588      <script>
589        function editCertificate(id, title, issuer, date) {
590          document.getElementById('certTitle').value = title;
591          document.getElementById('certIssuer').value = issuer;
592          document.getElementById('certDate').value = date;
593          document.getElementById('editId').value = id;
594          document.getElementById('certButton').textContent = 'Update Certificate';
595        }
596
597        function editProject(id, title, description) {
598          document.getElementById('projectTitle').value = title;
599          document.getElementById('projectDescription').value = description;
600          document.getElementById('projectEditId').value = id;
601          document.getElementById('projectButton').textContent = 'Update Project';
602        }
603      </script>
604    </body>
605    </html>
```

Contact.php

```php
<?php
session_start();

// Database connection configuration
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "assignment";

try {
    $pdo = new PDO("mysql:host=$servername;dbname=$dbname", $username, $password);
    $pdo->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
} catch (PDOException $e) {
    $_SESSION['contact_error'] = "Database connection failed: " . $e->getMessage();
    header("Location: contact.php");
    exit;
}

// Handle contact form submission
if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['send_message'])) {
    $name = trim($_POST['name']);
    $email = trim($_POST['email']);
    $phone = trim($_POST['phone_number'] ?? '');
    $message = trim($_POST['message']);
    $user_id = isset($_SESSION['user_id']) ? $_SESSION['user_id'] : null;

// Input validation
if (empty($name)) {
    $_SESSION['contact_error'] = 'Name is required!';
    header("Location: contact.php");
    exit;
}

if (empty($email)) {
    $_SESSION['contact_error'] = 'Email is required!';
    header("Location: contact.php");
    exit;
} elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
    $_SESSION['contact_error'] = 'Invalid email format! Use something like name@hotmail.com';
    header("Location: contact.php");
    exit;
}
```

```php
if (empty($phone)) {
    $_SESSION['contact_error'] = 'Phone number is required!';
    header("Location: contact.php");
    exit;
} elseif (!preg_match('/^\+60\d{8,9}$/', $phone)) {
    $_SESSION['contact_error'] = 'Invalid phone number format! Use +60123456789';
    header("Location: contact.php");
    exit;
}

if (empty($message)) {
    $_SESSION['contact_error'] = 'Message is required!';
    header("Location: contact.php");
    exit;
}

    if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $_SESSION['contact_error'] = 'Invalid email format!';
        header("Location: contact.php");
        exit;
    }

    if (!preg_match('/^\+60[0-9]{8,9}$/', $phone)) {
        $_SESSION['contact_error'] = 'Phone number must follow format +60123456789!';
        header("Location: contact.php");
        exit;
    }

    if (strlen($message) > 500) {
        $_SESSION['contact_error'] = 'Message must be 500 characters or less!';
        header("Location: contact.php");
        exit;
    }

    if (!preg_match('/^[a-zA-Z\s]{1,50}$/', $name)) {
        $_SESSION['contact_error'] = 'Name must be 1-50 characters and contain only letters and spaces!';
        header("Location: contact.php");
        exit;
    }

    // Store message in database
    try {
```

```php
        $stmt = $pdo->prepare("
            INSERT INTO contact_messages (user_id, name, email, phone_number, message)
            VALUES (?, ?, ?, ?, ?)
        ");
        $stmt->execute([$user_id, $name, $email, $phone, $message]);
        $_SESSION['contact_success'] = 'Message sent successfully!';
    } catch (PDOException $e) {
        $_SESSION['contact_error'] = 'Failed to send message. Please try again later.';
    }

    header("Location: contact.php");
    exit;
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Contact</title>
    <link rel="stylesheet" href="style.css">
</head>
<style>
        .Navigation-bar ul {
      list-style: none;
      margin: 0;
      padding: 0;
      background-color: #333;
      display: flex;
      justify-content: center;
      align-items: center;
      padding: 15px 0;
    }

    .Navigation-bar li {
      margin: 0 20px;
    }

    .Navigation-bar a {
      color: white;
```

```
        text-decoration: none;
        font-size: 1rem;
        font-weight: 500;
      }

      .Navigation-bar a:hover {
        color: #4a90e2;
      }

      .logout-form {
        display: inline;
      }

      .logout-button {
        background-color: #d32f2f;
        color: white;
        border: none;
        padding: 8px 16px;
        border-radius: 4px;
        cursor: pointer;
        font-size: 1rem;
      }
  </style>
  <body>
      <!-- Navigation Bar -->
      <nav>
          <div class="Navigation-bar">
              <ul>
                  <li><a href="home.php">Home</a></li>
                  <li><a href="Aboutme.php">About Me</a></li>
                  <li><a href="Skills.php">Skills & Projects</a></li>
                  <li><a href="contact.php">Contact</a></li>
                  <li>
                  <?php if (isset($_SESSION['user_id'])): ?>
                      <li>
                          <form action="logout.php" method="post" class="logout-form">
                              <button type="submit" class="logout-button">Logout</button>
                          </form>
                      </li>
                  <?php endif; ?>
              </ul>
```

```
          </div>
      </nav>

      <!-- Contact Form -->
      <div class="container">
          <form action="contact.php" method="post" class="form-box active" id="contactBox">
              <h2>Contact Us</h2>
              <?php if (isset($_SESSION['contact_error'])): ?>
                  <p class="error-message"><?php echo htmlspecialchars($_SESSION['contact_error']); unset($_SESSION['contact_error']); ?></p>
              <?php endif; ?>
              <?php if (isset($_SESSION['contact_success'])): ?>
                  <p style="color: green;"><?php echo htmlspecialchars($_SESSION['contact_success']); unset($_SESSION['contact_success']); ?></p>
              <?php endif; ?>
              <input type="text" id="name" name="name" placeholder="Enter your name" required />
              <input type="email" id="email" name="email" placeholder="Enter your email" required />
              <input type="text" id="phone_number" name="phone_number" placeholder="Ex: +60123456789" required />
              <textarea id="message" name="message" placeholder="Enter your message (max 500 characters)" maxlength="500" rows="5" style="width: 100%;" required></textarea>
              <button type="submit" name="send_message">Send Message</button>
          </form>
      </div>
      <script src="script.js"></script>
  </body>
  </html>
```

Deletecontact.php

```php
<?php
session_start();

// Database connection configuration
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "assignment";

try {
    $pdo = new PDO("mysql:host=$servername;dbname=$dbname", $username, $password);
    $pdo->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
} catch (PDOException $e) {
    $_SESSION['error'] = "Database connection failed: " . $e->getMessage();
    header("Location: viewcontact.php");
    exit;
}

// Check if ID is provided and is numeric
if (!isset($_POST['id']) || !is_numeric($_POST['id'])) {
    $_SESSION['error'] = "Invalid message ID";
    header("Location: viewcontact.php");
    exit;
}

$message_id = (int)$_POST['id'];

try {
    // Verify message exists before deletion
    $stmt = $pdo->prepare("SELECT id FROM contact_messages WHERE id = ?");
    $stmt->execute([$message_id]);
    if ($stmt->rowCount() === 0) {
        $_SESSION['error'] = "Message not found";
        header("Location: viewcontact.php");
        exit;
    }

    // Delete the message
    $stmt = $pdo->prepare("DELETE FROM contact_messages WHERE id = ?");
    $stmt->execute([$message_id]);
    $_SESSION['success'] = "Message deleted successfully";
} catch (PDOException $e) {
    $_SESSION['error'] = "Failed to delete message: " . $e->getMessage();
```

```php
}

header("Location: viewcontact.php");
exit;
?>
```

Viewcontact.php

```php
<?php
session_start();

// Check if the user is logged in as an admin
if (!isset($_SESSION['admin_id']) || $_SESSION['role'] !== 'admin') {
    $_SESSION['error'] = "Access denied. Admin login required.";
    header("Location: login.php");
    exit;
}

// Database connection configuration
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "assignment";

try {
    $pdo = new PDO("mysql:host=$servername;dbname=$dbname", $username, $password);
    $pdo->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
} catch (PDOException $e) {
    $_SESSION['error'] = "Database connection failed: " . $e->getMessage();
    header("Location: contact.php");
    exit;
}

// Fetch all contact messages
try {
    $stmt = $pdo->query("SELECT id, user_id, name, email, phone_number, message, created_at FROM contact_messages ORDER BY created_at DESC");
    $messages = $stmt->fetchAll(PDO::FETCH_ASSOC);
} catch (PDOException $e) {
    $_SESSION['error'] = "Failed to fetch messages: " . $e->getMessage();
    header("Location: contact.php");
    exit;
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Admin Dashboard - View Contact Messages</title>
    <link rel="stylesheet" href="style.css">
```

```
<style>
    body {
        margin: 0;
        padding: 0;
        min-height: 100vh;
        display: flex;
        flex-direction: column;
        align-items: center;
        font-family: Arial, sans-serif;
    }
    nav {
        width: 100%;
        background-color: #333;
        padding: 15px 0;
        position: sticky;
        top: 0;
        z-index: 100;
    }
    .Navigation-bar ul {
        list-style-type: none;
        margin: 0;
        padding: 0;
        display: flex;
        justify-content: center;
        align-items: center;
    }
    .Navigation-bar li {
        margin: 0 20px;
    }
    .Navigation-bar a {
        color: white;
        text-decoration: none;
        font-size: 1rem;
        font-weight: 500;
    }
    .Navigation-bar a:hover {
        color: #4a90e2;
    }
    .logout-form {
        display: inline;
    }
    .logout-button {
```

```
            background-color: #d32f2f;
            color: white;
            border: none;
            padding: 8px 16px;
            border-radius: 4px;
            cursor: pointer;
            font-size: 1rem;
        }
        .container2 {
            max-width: 1200px;
            margin: 40px 20px 20px 20px;
            padding: 20px;
            background-color: #ffffff;
            border-radius: 12px;
            box-shadow: 0 4px 20px rgba(0, 0, 0, 0.1);
            width: 100%;
            box-sizing: border-box;
        }
        h2 {
            text-align: center;
            color: #333;
            font-size: 2rem;
            margin-bottom: 20px;
            font-weight: 600;
        }
        .message-table {
            width: 100%;
            border-collapse: separate;
            border-spacing: 0;
            background-color: #fff;
            border-radius: 8px;
            overflow: hidden;
        }
        .message-table th, .message-table td {
            padding: 16px;
            text-align: left;
            border-bottom: 1px solid #e0e0e0;
            font-size: 0.95rem;
            color: #333;
            vertical-align: top;
```

```
126         }
127         .message-table th {
128             background-color: #4a90e2;
129             color: white;
130             font-weight: 600;
131             text-transform: uppercase;
132             letter-spacing: 0.05em;
133         }
134         .message-table tr {
135             transition: background-color 0.3s ease;
136         }
137         .message-table tr:hover {
138             background-color: #f5faff;
139         }
140         .error-message {
141             color: #d32f2f;
142             text-align: center;
143             margin-bottom: 20px;
144             font-size: 1rem;
145             font-weight: 500;
146             background-color: #ffebee;
147             padding: 10px;
148             border-radius: 6px;
149         }
150         .success-message {
151             color: #2e7d32;
152             text-align: center;
153             margin-bottom: 20px;
154             font-size: 1rem;
155             font-weight: 500;
156             background-color: #e8f5e9;
157             padding: 10px;
158             border-radius: 6px;
159         }
160         .no-messages {
161             text-align: center;
162             color: #666;
163             font-size: 1.1rem;
164             padding: 20px;
165         }
```

```
.delete-button {
    padding: 8px 16px;
    border: none;
    border-radius: 4px;
    cursor: pointer;
    font-size: 0.9rem;
    background-color: #d32f2f;
    color: white;
    transition: background-color 0.3s ease;
}
.delete-button:hover {
    background-color: #b71c1c;
}
.welcome-message .h2 {
    text-align: center;
    margin: 20px 0;
    font-size: 1.5rem;
    color: #333;
}
@media (max-width: 768px) {
    .container {
        margin: 20px 10px;
        padding: 15px;
    }
    .message-table {
        font-size: 0.85rem;
    }
    .message-table th, .message-table td {
        padding: 10px;
    }
    h2 {
        font-size: 1.5rem;
    }
    .Navigation-bar li {
        margin: 0 10px;
    }
}
@media (max-width: 600px) {
    .message-table {
```

```
                display: block;
                overflow-x: auto;
                white-space: nowrap;
            }
            .Navigation-bar ul {
                flex-direction: column;
                gap: 10px;
            }
        }
    </style>
</head>
<body>
    <!-- Navigation Bar -->
    <nav>
        <div class="Navigation-bar">
            <ul>
                <li><a href="viewcontact.php">Admin Dashboard</a></li>
                <li>
                    <form action="logout.php" method="post" class="logout-form">
                        <button type="submit" class="logout-button">Logout</button>
                    </form>
                </li>
            </ul>
        </div>
    </nav>

    <!-- Admin Dashboard Content -->
    <div class="container2">
        <!-- Welcome Message -->
        <div class="welcome-message">
            <h2>Welcome, Admin <?php echo htmlspecialchars($_SESSION['username']); ?>!</h2><br>
        </div>

        <!-- Error and Success Messages -->
        <?php if (isset($_SESSION['error'])): ?>
            <p class="error-message"><?php echo htmlspecialchars($_SESSION['error']); unset($_SESSION['error']); ?></p>
        <?php endif; ?>
        <?php if (isset($_SESSION['success'])): ?>
```

```
        <p class="success-message"><?php echo htmlspecialchars($_SESSION['success']); unset($_SESSION['success']); ?></p>
    <?php endif; ?>

    <!-- Contact Messages Table -->
    <?php if (empty($messages)): ?>
        <p class="no-messages">No contact messages found.</p><br><br>
    <?php else: ?>
        <table class="message-table">
            <thead>
                <tr>
                    <th colspan="7" style="text-align: center; font-size: 1.5rem; background-color: #e3f2fd; color: #333;">
                        Contact Messages
                    </th>
                </tr>
                <tr>
                    <th>User ID</th>
                    <th>Name</th>
                    <th>Email</th>
                    <th>Phone Number</th>
                    <th>Message</th>
                    <th>Submitted At</th>
                    <th>Actions</th>
                </tr>
            </thead>
            <tbody>
                <?php foreach ($messages as $message): ?>
                    <tr>
                        <td><?php echo htmlspecialchars($message['user_id'] ?? 'N/A'); ?></td>
                        <td><?php echo htmlspecialchars($message['name']); ?></td>
                        <td><?php echo htmlspecialchars($message['email']); ?></td>
                        <td><?php echo htmlspecialchars($message['phone_number']); ?></td>
                        <td><?php echo htmlspecialchars($message['message']); ?></td>
                        <td><?php echo htmlspecialchars($message['created_at']); ?></td>
                        <td>
                            <form action="deletecontact.php" method="post" style="display: inline;" onsubmit="return confirm('Are you sure you want to delete this messag
                                <input type="hidden" name="id" value="<?php echo htmlspecialchars($message['id']); ?>">
                                <button type="submit" class="delete-button">Delete</button>
                            </form>
                        </td>
                    </tr>
```

```
                <?php endforeach; ?>
            </tbody>
        </table>
    <?php endif; ?>
</div>
<script src="script.js"></script>
</body>
</html>
```

Connect.php

connect.php

```php
<?php
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "assignment";

//create connection
$conn = new mysqli('localhost', 'root', '', 'assignment');
?>
```

Style.css

```css
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

body {
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
  background: linear-gradient(to right, #6a11cb, #2575fC);
  color: #333;
  scroll-behavior: smooth;
}

.container {
  display: flex;
  justify-content: center;
  align-items: center;
  height: 100vh;
}

/* Forms */
.form-box {
  max-width: 400px;
  padding: 20px;
  background: #fff;
  border-radius: 10px;
  box-shadow: 0 10px 25px rgba(0, 0, 0, 0.2);
  text-align: center;
  display: none;
}

.form-box.active {
  display: block;
}

.form-box h2 {
  margin-bottom: 20px;
}

.form-box input,
.form-box select,
.form-box textarea {
  width: 100%;
```

```
  padding: 10px;
  margin-top: 10px;
  border: 1px solid #ccc;
  border-radius: 5px;
  font-size: 16px;
  background: #eee;
}

.form-box button {
  margin-top: 15px;
  padding: 10px;
  width: 100%;
  background-color: #2575fc;
  color: #fff;
  border: none;
  border-radius: 5px;
  font-size: 16px;
  cursor: pointer;
  transition: background-color 0.3s ease;
}

.form-box button:hover {
  background-color: #1a5ed9;
}

/* Error Message */
.error-message,
.error-msg {
  background: #f8d7da;
  border-radius: 6px;
  color: #a42834;
  font-size: 14px;
  padding: 12px;
  margin-bottom: 15px;
  text-align: center;
}

/* Text */
p {
  font-size: 14.5px;
  text-align: center;
  margin-bottom: 10px;
```

```
}

p a {
  color: #0022ff;
  text-decoration: none;
  margin-left: 5px;
}

p a:hover {
  text-decoration: underline;
}

/* Welcome / Register Message */
.welcome-msg,
.register-msg {
  background: #fff;
  padding: 20px;
  border-radius: 10px;
  box-shadow: 0 10px 25px rgba(0, 0, 0, 0.2);
  width: 320px;
  text-align: center;
  margin: auto;
  font-size: 18px;
}

.welcome-msg p,
.register-msg p {
  color: #444;
  margin-top: 10px;
}

/* Navigation */
nav {
  background-color: #333;
  padding: 10px 0;
  position: fixed;
  top: 0;
  left: 0;
  width: 100%;
  box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1);
  z-index: 999;
}
```

```
.Navigation-bar ul {
  list-style: none;
  display: flex;
  justify-content: center;
  align-items: center;
  gap: 20px;
  padding: 0;
}

.Navigation-bar li {
  margin: 0 15px;
}

.Navigation-bar a {
  color: white;
  text-decoration: none;
  font-size: 16px;
  padding: 10px 15px;
  transition: background-color 0.3s;
}

.Navigation-bar a:hover {
  background-color: #575757;
  border-radius: 5px;
}

/* Logout Button */
.logout-form {
  margin: 0;
}

.logout-button {
  background-color: #dc3545;
  color: white;
  border: none;
  padding: 8px 16px;
  border-radius: 4px;
  cursor: pointer;
  font-size: 16px;
}

.logout-button:hover {
  background-color: #c82333;
```

```
  background-color: #c82333;
}

/* Sections */
section {
  max-width: 900px;
  margin: 60px auto;
  background: white;
  padding: 40px;
  border-radius: 10px;
  box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1);
}

h2 {
  color: #333;
  margin-bottom: 20px;
}

/* Profile Picture */
.profile-img,
.student-photo img {
  width: 150px;
  height: 150px;
  border-radius: 50%;
  object-fit: cover;
  margin-bottom: 20px;
  box-shadow: 0 0 5px rgba(0,0,0,0.2);
}

/* About List */
ul.about-list,
ul.skills-list {
  text-align: left;
  font-size: 18px;
  color: #555;
  line-height: 1.8;
  padding-left: 20px;
}

/* Project Cards */
.projects {
  display: flex;
```

```
  flex-wrap: wrap;
  gap: 20px;
  margin-top: 20px;
}

.project-card {
  flex: 1 1 40%;
  background: #f9f9f9;
  border: 1px solid #ddd;
  padding: 20px;
  border-radius: 10px;
}

/* Upload and Certificate Section */
.upload-section,
.cert-section {
  margin-top: 40px;
}

/* Tables */
table,
.status-table {
  width: 100%;
  border-collapse: collapse;
  margin-top: 20px;
}

table, th, td {
  border: 1px solid #ccc;
}

th, td {
  padding: 10px;
  text-align: left;
}

.status-table th {
  background-color: #f8f8f8;
  width: 30%;
}

.status-table td {
```

```
  background-color: #fff;
}

/* Uploaded Files */
#uploadedFiles {
  display: flex;
  flex-wrap: wrap;
  gap: 10px;
}

.uploaded-item {
  width: 120px;
  text-align: center;
}

.uploaded-item img {
  max-width: 100%;
  border-radius: 5px;
}
```

Script.js

```javascript
function showForm(formId) {
        document.getElementById('loginBox').classList.remove('active');
        document.getElementById('registerBox').classList.remove('active');
        document.getElementById(formId).classList.add('active');
    }

function showForm(formId) {
    document.querySelectorAll('.form-box').forEach(form => {
        form.classList.remove('active');
    });
    document.getElementById(formId).classList.add('active');
}

// Handle Contact Form Validation
function validateForm() {
  const name = document.getElementById('name').value.trim();
  const email = document.getElementById('email').value.trim();
  const message = document.getElementById('message').value.trim();
  const error = document.getElementById('formError');

  // Reset previous error
  error.textContent = "";

  // Check for empty fields
  if (!name || !email || !message) {
    error.textContent = "Please fill in all fields.";
    return false;
  }

  // Validate email format
  const emailPattern = /^[^ ]+@[^ ]+\.[a-z]{2,3}$/;
  if (!emailPattern.test(email)) {
    error.textContent = "Please enter a valid email.";
    return false;
  }

  return true;
}
```

New features added or strengths of code

The website includes several useful features that improve the user experience and make the system more interactive. Alert boxes are used to give friendly feedback, such as successful registration or login errors example like invalid phone number then it will show an error message. Many sections are editable using toggleable forms that appear only when needed. The layout is responsive and works well. The navigation bar supports smooth scrolling between sections. For project and certificate uploads, users can preview image files or download PDFs. PHP is used to handle form submissions, and input is sanitized for security. During registration, the system checks for duplicate usernames, emails, or student IDs. JavaScript is also

used to validate form inputs in the login, contact, and about sections before the forms are submitted. However, the reset password feature does not yet include OTP (One-Time Password) verification, which could be added in the future to improve security.

Details of any faults and failure

There are a few limitations in the current version of the website. File size limits for uploads do not support large files like ZIP archives, which could lead to performance issues. The profile photo upload feature is currently not included, as it is not essential for student use.Although the system uses a database to store user data, the reset password feature currently allows users to reset their password directly through the website without additional verification, which may not be secure. This can be improved in future updates to enhance system security and user protection.

Conclusion

This project gave us hands-on experience in web development by combining frontend and backend technologies. We used HTML, CSS, JavaScript, and PHP to create a responsive one-page portfolio website for students to showcase their academic background, skills, and personal projects. The system includes user login, form validation, file uploads, and a contact form. It also supports real-time editing and interactive features, making the website functional and user-friendly. Overall, the project helped us understand how to develop and improve a working web application.

Peer review

Lim Vei Thong	Do coding and report together,
Wong Jian Cheng	Do coding and report together, a great teammate who will arrange time to do it well. Wont rushing in last minutes.

Reference list of Bibliography List

https://www.w3schools.com/js/js_sets.asp

https://elearn.sunway.edu.my/

https://bme-o.blackboard.com/

https://www.unrulr.com/post/the-ultimate-guide-to-student-portfolios

https://portfolio.uark.edu/

https://colorlib.com/wp/student-portfolios/

https://dorik.com/blog/how-to-create-a-portfolio-website-for-students

https://www.geeksforgeeks.org/javascript/how-to-create-a-portfolio-website-using-html-css-and-javascript/

https://www.wix.com/website/templates/html/portfolio-cv/portfolios

https://www.pinterest.com/ideas/student-portfolio-website-design/922723173457/