# Five endothelial types · primary classification

Capillary-like · Endocardial-like · Arterial-like · Venous-like · Lymphatic-like

The five vascular identity categories are the primary labels in this report and its tables.

Venous-like and lymphatic-like interpretations remain provisional; confidence is a separate field.

Cycling is a separate RNA annotation, not a sixth vascular type.

Unresolved means insufficient evidence for a vascular subtype; it is not a sixth biological type.


Prior QC, reference mapping, expression counts, UMAP coordinates and physical positions are preserved.


RNA: 4,597 primary endothelial nuclei across P0, P7, P14 and P21; 976 QC-review nuclei retained.


Xenium: 69,617 previously labeled EC profiles plus uncertain EC proposals; 95,316 candidates total.

Spatial panels separate strict cell+nuclear agreement from nuclear-only evidence.


Zero supported calls at a stage do not establish biological absence.



Endothelial nuclei · five vascular identity categories
Existing all-stage UMAP; no age/batch integration; candidate status retained separately
Five EC types
Capillary-like (n=2,017)
Endocardial-like (n=1,299)
Arterial-like (n=125)
Venous-like (n=260)
Lymphatic-like (n=45)
Unresolved (n=851)
UMAP 2
UMAP 1
Developmental stage · same UMAP
P0
P7
P14
P21
UMAP 2
UMAP 1


P0 · 1,249 primary endothelial nuclei
Within-stage library adjustment; original UMAP preserved
Five EC types
Capillary-like (n=480)
Endocardial-like (n=617)
Arterial-like (n=47)
Venous-like (n=0)
Lymphatic-like (n=0)
Unresolved (n=105)
UMAP 2
UMAP 1
RNA libraries · same coordinates
GSM8827071_P0_1
GSM8827072_P0_2
UMAP 2
UMAP 1



P7 · 833 primary endothelial nuclei
Within-stage library adjustment; original UMAP preserved
Five EC types
Capillary-like (n=277)
Endocardial-like (n=128)
Arterial-like (n=0)
Venous-like (n=0)
Lymphatic-like (n=0)
Unresolved (n=428)
UMAP 2
UMAP 1
RNA libraries · same coordinates
GSM8827073_P7_1
GSM8827074_P7_2
UMAP 2
UMAP 1

P14 · 1,242 primary endothelial nuclei
Within-stage library adjustment; original UMAP preserved






P21 · 1,273 primary endothelial nuclei
Within-stage library adjustment; original UMAP preserved
Five EC types
Capillary-like (n=570)
Endocardial-like (n=310)
Arterial-like (n=53)
Venous-like (n=0)
Lymphatic-like (n=22)
Unresolved (n=318)
UMAP 2
UMAP 1
RNA libraries · same coordinates
GSM8827077_P21_1
GSM8827078_P21_2
UMAP 2
UMAP 1

P0 Xenium · five EC types
Gray: subtype unresolved under the displayed evidence criteria; source coordinates preserved




P7 Xenium · five EC types
Gray: subtype unresolved under the displayed evidence criteria; source coordinates preserved




P14 Xenium · five EC types
Gray: subtype unresolved under the displayed evidence criteria; source coordinates preserved
Strict cell+nuclear agreement
Capillary-like (n=229)
Endocardial-like (n=349)
Arterial-like (n=96)
Venous-like (n=48)
Lymphatic-like (n=19)
Unresolved (n=29,499)
Nuclear-supported identities · separate evidence
Capillary-like (n=3,938)
Endocardial-like (n=707)
Arterial-like (n=151)
Venous-like (n=261)
Lymphatic-like (n=33)
Unresolved (n=25,150)
Y (µm)
X (µm)
0
1000
2000
3000
4000
5000
6000
7000

P21 Xenium · five EC types
Gray: subtype unresolved under the displayed evidence criteria; source coordinates preserved



# Primary snRNA-seq counts · five EC types

| | P0 | P7 | P14 | P21 |
|---|---|---|---|---|
| Capillary-like | 480 | 277 | 690 | 570 |
| Endocardial-like | 617 | 128 | 244 | 310 |
| Arterial-like | 47 | 0 | 25 | 53 |
| Venous-like | 0 | 0 | 260 | 0 |
| Lymphatic-like | 0 | 0 | 23 | 22 |
| Unresolved | 105 | 428 | 0 | 318 |

Unresolved profiles remain in the dataset. Capture/QC selection and limited replication prevent biological abundance claims.