
Postnatal heart — broad cell identities


Color: reviewed broad cell identity



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
Unresolved/mixed assignments hidden from figures only · [review] = additional uncertainty · Candidate labels retained


Postnatal heart — cell identities and stage

Color: postnatal stage (P0, P7, P14, P21)



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
Unresolved/mixed assignments hidden from figures only · [review] = additional uncertainty · Candidate labels retained


Postnatal heart — stage comparison



Identical coordinates and axes across stages · Gray: other stages · Unresolved/mixed assignments hidden from figures only
Cluster IDs refer to the accompanying labeled subtype views; stage plots show representation, not differential abundance tests.

Cardiomyocyte — subclusters and proposed identities


Color: computational subcluster



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
Unresolved/mixed assignments hidden from figures only · [review] = additional uncertainty · Candidate labels retained

Cardiomyocyte — subclusters and proposed identities


Color: proposed subtype



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
Unresolved/mixed assignments hidden from figures only · [review] = additional uncertainty · Candidate labels retained


Cardiomyocyte — identities and stage

Color: postnatal stage (P0, P7, P14, P21)



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
Unresolved/mixed assignments hidden from figures only · [review] = additional uncertainty · Candidate labels retained


Cardiomyocyte — stage comparison



Identical coordinates and axes across stages · Gray: other stages · Unresolved/mixed assignments hidden from figures only
Cluster IDs refer to the accompanying labeled subtype views; stage plots show representation, not differential abundance tests.

Fibroblast — subclusters and proposed identities


Color: computational subcluster



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
Unresolved/mixed assignments hidden from figures only · [review] = additional uncertainty · Candidate labels retained

Fibroblast — subclusters and proposed identities


Color: proposed subtype



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
Unresolved/mixed assignments hidden from figures only · [review] = additional uncertainty · Candidate labels retained


Fibroblast — identities and stage

Color: postnatal stage (P0, P7, P14, P21)



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
Unresolved/mixed assignments hidden from figures only · [review] = additional uncertainty · Candidate labels retained


Fibroblast — stage comparison



Identical coordinates and axes across stages · Gray: other stages · Unresolved/mixed assignments hidden from figures only
Cluster IDs refer to the accompanying labeled subtype views; stage plots show representation, not differential abundance tests.

Endothelial — subclusters and proposed identities


Color: computational subcluster



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
Unresolved/mixed assignments hidden from figures only · [review] = additional uncertainty · Candidate labels retained

Endothelial — subclusters and proposed identities


Color: proposed subtype



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
Unresolved/mixed assignments hidden from figures only · [review] = additional uncertainty · Candidate labels retained


Endothelial — identities and stage

Color: postnatal stage (P0, P7, P14, P21)



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
Unresolved/mixed assignments hidden from figures only · [review] = additional uncertainty · Candidate labels retained


Endothelial — stage comparison



Identical coordinates and axes across stages · Gray: other stages · Unresolved/mixed assignments hidden from figures only
Cluster IDs refer to the accompanying labeled subtype views; stage plots show representation, not differential abundance tests.

Mural — subclusters and proposed identities


Color: computational subcluster



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
Unresolved/mixed assignments hidden from figures only · [review] = additional uncertainty · Candidate labels retained

Mural — subclusters and proposed identities


Color: proposed subtype



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
Unresolved/mixed assignments hidden from figures only · [review] = additional uncertainty · Candidate labels retained


Mural — identities and stage

Color: postnatal stage (P0, P7, P14, P21)



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
Unresolved/mixed assignments hidden from figures only · [review] = additional uncertainty · Candidate labels retained


Mural — stage comparison



Identical coordinates and axes across stages · Gray: other stages · Unresolved/mixed assignments hidden from figures only
Cluster IDs refer to the accompanying labeled subtype views; stage plots show representation, not differential abundance tests.

Immune — subclusters and proposed identities


Color: computational subcluster



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
Unresolved/mixed assignments hidden from figures only · [review] = additional uncertainty · Candidate labels retained

Immune — subclusters and proposed identities


Color: proposed subtype



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
Unresolved/mixed assignments hidden from figures only · [review] = additional uncertainty · Candidate labels retained


Immune — identities and stage

Color: postnatal stage (P0, P7, P14, P21)



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
Unresolved/mixed assignments hidden from figures only · [review] = additional uncertainty · Candidate labels retained

Immune — stage comparison



Identical coordinates and axes across stages · Gray: other stages · Unresolved/mixed assignments hidden from figures only
Cluster IDs refer to the accompanying labeled subtype views; stage plots show representation, not differential abundance tests.