
Postnatal heart — broad cell identities


Color: reviewed broad cell identity



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
[review] = additional uncertainty; candidate/unresolved labels retained · Separate lineage UMAPs have independent coordinate spaces

Cardiomyocyte — subclusters and proposed identities


Color: computational subcluster



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
[review] = additional uncertainty; candidate/unresolved labels retained · Separate lineage UMAPs have independent coordinate spaces

Cardiomyocyte — subclusters and proposed identities


Color: proposed subtype



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
[review] = additional uncertainty; candidate/unresolved labels retained · Separate lineage UMAPs have independent coordinate spaces

Fibroblast — subclusters and proposed identities


Color: computational subcluster



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
[review] = additional uncertainty; candidate/unresolved labels retained · Separate lineage UMAPs have independent coordinate spaces

Fibroblast — subclusters and proposed identities


Color: proposed subtype



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
[review] = additional uncertainty; candidate/unresolved labels retained · Separate lineage UMAPs have independent coordinate spaces

Endothelial — subclusters and proposed identities


Color: computational subcluster



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
[review] = additional uncertainty; candidate/unresolved labels retained · Separate lineage UMAPs have independent coordinate spaces

Endothelial — subclusters and proposed identities


Color: proposed subtype



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
[review] = additional uncertainty; candidate/unresolved labels retained · Separate lineage UMAPs have independent coordinate spaces

Mural — subclusters and proposed identities


Color: computational subcluster



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
[review] = additional uncertainty; candidate/unresolved labels retained · Separate lineage UMAPs have independent coordinate spaces

Mural — subclusters and proposed identities


Color: proposed subtype



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
[review] = additional uncertainty; candidate/unresolved labels retained · Separate lineage UMAPs have independent coordinate spaces

Immune — subclusters and proposed identities


Color: computational subcluster



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
[review] = additional uncertainty; candidate/unresolved labels retained · Separate lineage UMAPs have independent coordinate spaces

Immune — subclusters and proposed identities

Color: proposed subtype



Existing UMAP coordinates preserved · Labels are provisional RNA-based identities
[review] = additional uncertainty; candidate/unresolved labels retained · Separate lineage UMAPs have independent coordinate spaces