

Volume 06 — Demo Dataset Specification

1. Purpose and safety boundary

The demo dataset proves the Pathfinder flow without requiring patient data or production partner systems. It is synthetic, deterministic, versioned, and clearly labeled as non-authoritative. It must not contain names, contact details, dates of birth, health records, patient IDs, or re-identification keys.

2. Dataset packages

Package	Contents	Source role
WP2	Stakeholder types, descriptions, capabilities, pain points	Questionnaire/profile inputs
WP3	Roadmap nodes, dimensions, maturity, prerequisites, applicability	Graph/path inputs
WP8	Rules, conditions, actions, regulatory references, rule tests	Compliance/path constraints
Series	Curated answer sets and expected outcomes	Repeatable acceptance

P
a
c
k
a
g
e

Contents

Source
role

S
i
o
n

c
a
s
e
s

e
scenarios

The repository's current mock fixtures use generated WP2/WP3/WP8 records and a secondary - use - readiness scenario. Generated rules carry a warning and must be distinguished from an official WP8 bundle.

3. Required demo coverage

The release fixture shall contain at least:

- five stakeholder types, including biotech SME, AI Factory operator, health data access body, health data infrastructure, and research infrastructure;
- one complete questionnaire template applicable to every supported demo type;
- three cases with an ok path;
- one case with a blocking rule;
- one case with an incomplete-data degraded result;
- roadmap nodes across governance, data, and compliance dimensions;
- rules covering eligibility, exclusion, preference, and override behavior;
- paired expected outcomes for every curated rule.

4. Example curated cases

Cases	Profile	Expected results	Evidence
DEMOCO-01	biotech-sme	ok	data catalog organization and legal - basis - scientific capabilities

C
a
s
e

Profile

E
x
p
e
c
t
e
d

r
e
s
u
l
t

E
v
i
d
e
n
c
e

lit
ie
s
s
at
is
fy
in
iti
al
p
at
h.

D
E
M
O
-
0
2

health-data-
access-body

o
k

o
r

d
e
g
r
a
d

g
o
v
e
r
n
a
n
c
e
a
n

C
a
s
e

Profile

E
x
p
e
c
t
e
d

r
e
s
u
l
t

e
d

E
v
i
d
e
n
c
e

d
r
e
g
u
l
a
t
o
r
y
e
v
i
d
e
n
c
e
p
r
e
s
e
n
t
;
w
a
r
n
i

C
a
s
e

Profile

E
x
p
e
c
t
e
d

r
e
s
u
l
t

E
v
i
d
e
n
c
e

n
g
s
vi
si
bl
e
if
la
b
el
s
a
r
e
in
c
o
m
pl
et
e.

D
E
M

research-
infrastructure

b
l
o

m
is
si

C
a
s
e

Profile

E
x
p
e
c
t
e
d

r
e
s
u
l
t

E
v
i
d
e
n
c
e

n
g
a
u
d
i
t-
lo
g
o
r
ot
h
e
r
el
ig
ib
ili
ty
p
r
e
r
e
q
ui

O
-
0
3

c
k
e
d

C
a
s
e

Profile

E
x
p
e
c
t
e
d

r
e
s
u
l
t

E
v
i
d
e
n
c
e

si
te
tri
g
g
e
rs
a
bl
o
c
k
e
r.

D
E
M
O
-
0
4

AI Factory
operator

d
e
g
r
a
d
e
d

m
is
si
n
g
u
p
st
r
e
a

C
a
s
e

Profile

E
x
p
e
c
t
e
d

r
e
s
u
l
t

E
v
i
d
e
n
c
e

m
r
ul
e
o
r
r
o
a
d
m
a
p
v
al
u
e
p
r
o
d
u
c
e
s
e

C
a
s
e

Profile

E
x
p
e
c
t
e
d

r
e
s
u
l
t

E
vi
d
e
n
c
e

x
pl
ic
it
u
n
v
e
rif
ie
d
w
a
r
ni
n
g.

5. Generation and reproducibility

Dataset generation shall use a pinned seed and write snapshot metadata containing schema version, generator version, creation date, record counts, and checksum. A fixture reload must yield identical IDs and equivalent recommendation outputs. Any generated value must be recognizable as generated and must not resemble a real person or organization in a way that creates confusion.

6. Quality checks

1. Validate each JSON file against its schema.
2. Check uniqueness of IDs and referential integrity of edges/rules.
3. Check that every rule test references a rule and expected result.
4. Check that no forbidden identifier fields occur.
5. Check that all accepted stakeholder types have a questionnaire path.
6. Run the curated cases and compare normalized results.
7. Record checksums in the import report.

7. Data lifecycle

Demo snapshots are disposable and may be regenerated. They are not a source of truth for legal or operational policy. When partner data becomes available, import it as a new immutable snapshot, compare counts and semantics, run the rule/roadmap acceptance suite, and retain the demo snapshot for regression testing.

8. Regulatory and clinical coding note

The demo does not require patient-level clinical coding. If future use cases add clinical concepts, preserve original source codes and provenance, use an appropriate canonical terminology strategy, and do not treat ICD-10, SNOMED CT, LOINC, and ATC as interchangeable mappings. This is a future integration concern, not a V1 demo dependency.