# Spring

## JDBC

, Hikari,

```
ı # Hikari pool , , : false
```

 $_{2}$  spring.datasource.allow-pool-suspension

c3p0,c3p0

1	c3p0	LGPL v.2.1	C3P0 ,Hibernate3.0 ,		
2	Hikari	Apache 2.0	Fast, simple, reliable. HikariCP is a "zero-overhead"		
			production ready JDBC connection pool. At roughly		
			130Kb, the library is very light.		

:

/opt/dmdbms/bin/dmserver /opt/dmdbms/data/DAMENG/dm.ini — noconsole

http://www.cnblogs.com/xingzc/p/6073730.html

## 0.0.1 jps

java –jar –Xmx2g credit–system–web–boot–1.0.0.jar ––spring.config. location=application–jenkins.properties

# Groovy

#### Gradle

#### 0.0.2

There is a one-to-one relationship between a Project and a "build gradle" file. During build initialisation, Gradle assembles a Project object for each project which is to participate in the build, as follows:

Create a Settings instance for the build. Evaluate the "settings.gradle" script, if present, against the Settings object to configure it. Use the configured Settings object to create the hierarchy of Project instances. Finally, evaluate each Project by executing its "build.gradle" file, if present, against the project. The projects are evaluated in breadth-wise order, such that a project is evaluated before its child projects. This order can be overridden by calling evaluationDependsOnChildren() or by adding an explicit evaluation dependency using evaluationDependsOn(String).

#### 0.0.3 repositories

Gradle build.gradle, :

```
repositories {
    maven {
        url 'http://www.eveoh.nl/files/maven2'
    }
    maven {
        url 'http://repox.gtan.com:8078'
    }
    mavenCentral()
    jcenter()
    maven { url 'http://repo.spring.io/plugins-release' }
}
```

, Android library :Jcenter Maven Central ,Android Studio
Maven Central Android Studio ,mavenCentral()
build.gradle Maven Central library

```
,Android Studio jcenter , Android Studio jcenter() , mavenCentral() mavenCentral() Central Maven 2 , https://repo1.maven.org/maven2 jcenter Bintary's JCenter Maven https://jcenter.bintray.com,bintray
```

#### 0.0.4 (Properties)

#### **Extra Properties**

extra "All extra properties<sup>1</sup> must be defined through the "ext" namespace. Once an extra property has been defined, it is available directly on the owning object (in the below case the Project, Task, and sub-projects respectively) and can be read and updated. Only the initial declaration that needs to be done via the namespace.

Reading extra properties is done through the "ext" or through the owning object. ext.isSnapshot = version.endsWith("-SNAPSHOT") if (isSnapshot) // do snapshot stuff

 $<sup>^{1}</sup> https://docs.gradle.org/current/javadoc/org/gradle/api/Project.html \# extraproperties$ 

Part I

Tool

0.1. CURL 7

' -H 'Connection: keep-alive' --compressed

#### 0.1 Curl

```
curl 'http://59.214.215.6:3800/inapi/united/detail?param=%E8%B0%8A
      \%E5\%BE\%B7\%E5\%AE\%9E\%E4\%B8\%9A\&reds=\&blacks=
      TS\_F\_HEIMINGDAN\_C500033, TS\_F\_HEIMINGDAN'-H'
      Pragma: no-cache' -H 'HL-APP-KEY:
      CreditChongqingSharePortal' -H 'DNT: 1' -H 'Accept-
      Encoding: gzip, deflate, sdch' -H 'Accept-Language: zh-CN,zh;q
      =0.8,en;q=0.6,zh-TW;q=0.4' -H 'User-Agent: Mozilla/5.0 (X11
      ; Fedora; Linux x86_64) AppleWebKit/537.36 (KHTML, like
      Gecko) Chrome/55.0.2883.87 Safari/537.36' -H 'Accept:
      application/json, text/plain, */*' -H 'Cache-Control: no-cache'
       -H 'HL-CURRENT-URL: http://59.214.215.6:3800/main/
      search/unitedListQuery' -H 'Referer: http://59.214.215.6:3800/
      main/search/unitedListQuery'-H 'Cookie: UM\_distinctid=15
      b667c97f65a-0afddd1bed9cb8-1421150f-15f900-15b667c97f737f;
       CNZZDATA1257579122 = 576897936 - 1492070602 - http\%253A
      \%252F\%252F59.214.215.6\%253A8081\%252F\%7C1492393083;\ cc-o
```

### 0.2 Git

#### 0.2.1 merge

Meld

git config --global merge.tool meld

# 0.3 LaTex

## 0.3.1

,