Supporting information for Dynamical Correlation Effects on Photoisomerization: Ab Initio Multiple Spawning Dynamics with MS-CASPT2 for a Model *trans*-Pronated Schiff Base

Lihong Liu $^{1,\,2,\,3}$, Jian Liu $^{1,\,3,4}$ and Todd J. Martinez $^{1,\,3,\,\dagger}$

- 1. Department of Chemistry and PULSE Institute, Stanford University, Stanford, California 94305, USA
- Key Laboratory of Theoretical and Computational Photochemistry, Ministry of Education, College of Chemistry, Beijing Normal University, Beijing 100875, China
- 3. SLAC National Accelerator Laboratory, Menlo Park, California 94309, USA.
- 4. Beijing National Laboratory for Molecular Sciences, Institute of Theoretical and Computational Chemistry, College of Chemistry and Molecular Engineering, Peking University, Beijing 100871, China

This document contains geometries in Cartesian coordinates and energies (in Angstrom and Hartree, respectively), optimized using state-averaged complete active space self-consistent-field theory¹⁻² (SA-CASSCF) and multi-reference complete active space self-consistent-field second order perturbation theory³ (MS-CASPT2). State averaging is performed over the lowest three singlet states with equal weighting, the active space contains six electrons in six orbitals, and the 6-31 and 6-31G* basis sets⁴⁻⁵ have been used. All of the calculations are performed using Molpro2006.2,⁶ including local modifications to calculate analytic nonadiabatic coupling vectors for MSPT2 wavefunctions. The package HDF_free (which is based on Molpro2006.2 and FMS90) is used for the dynamic simulation. Finally, we give a brief summary of seam space nudged elastic band method (SS-NEB).⁷

Summary of Contents:

Tables S1-S3	Geometries of optimized S ₀ minima for <i>trans</i> -PSB3
Tables S4-S6	Geometries of optimized S ₀ minima for <i>cis</i> -PSB3
Tables S7-S11	Geometries of optimized S ₁ minima for PSB3
Tables S12-S22	Optimized MECI(S ₁ /S ₀) geometries for PSB3
Table S23	Relative energies for PSB3 with CASSCF and MSPT2
Table S24-S25	Detailed Topography Parameters for CI Seams in Figs 4/5
Figure S1	$S_0/S_1/S_2$ charge distributions for <i>trans</i> -PSB3 at S_0 minimum
Figure S2	Twist angle and BLA trace along time at different levels
Section S1	Brief summary of SS-NEB

[†] Author to whom correspondence should be addressed. Electronic mail:

Table S1. *trans*-PSB3 S_0 state, SA3-CASSCF(6,6)/6-31G $E(S_0)$ = -248.16906212; $E(S_1)$ = -247.98872740; $E(S_2)$ = -247.96080158

С	-6.0192702	-0.7185904	-0.0592481	8 8 4
C	-4.6640071	-0.7396361	0.0078880	C1 144 C3 141 C5
H	-6.5730076	0.2006016	-0.0945302	1.36 C2 1.37 C4 1.30
H	-6.5892532	-1.6249176	-0.0800091	8 8
H	-4.1437760	-1.6787369	0.0415145	•
C	-3.8766723	0.4637196	0.0366550	
C	-2.5085577	0.4890888	0.1041349	
H	-4.4128900	1.3972191	0.0022517	
H	-1.9471799	-0.4260184	0.1396261	
C	-1.8152353	1.7206859	0.1280460	
H	-2.3706433	2.6387237	0.0928148	
N	-0.5231805	1.8349417	0.1910250	
H	-0.0734009	2.7271963	0.2057473	
H	0.0789281	1.0364048	0.2275579	

Table S2. trans-PSB3 S₀ state, SA3-MS-CASPT2(6,6)/6-31G $E(S_0)$ = -248.659212029; $E(S_1)$ = -248.505173325; $E(S_2)$ = -248.461213538

С	-6.0483538	-0.7287346	-0.0607687
C	-4.6768375	-0.7604095	0.0073764
H	-6.6013608	0.2110914	-0.0959540
H	-6.6407138	-1.6406081	-0.0824934
H	-4.1501190	-1. 7161053	0.0413955
C	-3.8880122	0.4564575	0.0362771
С	-2.4969358	0.4847292	0.1048613
H	-4.4338968	1.4063407	0.0013577
H	-1.9244671	-0.4455431	0.1410750
C	-1.8117133	1.7294880	0.1281360
H	-2.3758782	2.6632237	0.0922391
N	-0.4852844	1.8541456	0.1926488
H	-0.0334313	2.7676254	0.2071861
H	0.1288584	1.0389814	0.2301368





Table S3. trans-PSB3 S₀ state, SA3-MS-CASPT2(6,6)/6-31G* $E(S_0)$ = -248.982323697; $E(S_1)$ = -248.825737690; $E(S_2)$ = -248.783168790

С	-6.0198267	-0.7048615	-0.0595385
С	-4.6586598	-0.7570852	0.0082853
Н	-6.5525669	0.2418611	-0.0938575
H	-6.6227442	-1.6063074	-0.0818053
Н	-4.1420690	-1. 7137199	0.0418953
С	-3.8768935	0.4467655	0.0368417
С	-2.4949466	0.4714456	0.1050268
H	-4.4173308	1.3940486	0.0021107
H	-1.9191899	-0.4518432	0.1412697
C	-1.8315843	1.7097193	0.1273575
H	-2.3980256	2.6381704	0.0914643
N	-0.5218776	1.8477007	0.1909060
H	-0.0813215	2.7667388	0.2049976
H	0.0988889	1.0380496	0.2285203



-6.1682167	0.4316199	1.0013900
-4.8300110	0.4575223	1.2240710
-6.5770779	0.4147964	0.0091602
-6.8683912	0.4261405	1.8116627
-4.4771205	0.4731887	2.2377686
-3.8848267	0.4643892	0.1335775
-2.5132622	0.4897199	0.1899502
-4. 3137719	0.4474700	-0.8515460
-1.9600519	0.4911726	-0.7303931
-1.7765244	0.5143264	1.3983976
-2.2794970	0.5139269	2.3443082
-0.4792096	0.5384294	1.4475835
0.0153155	0.5554829	2.3160784
0.0827915	0.5410102	0.6190916
	-6.5770779 -6.8683912 -4.4771205 -3.8848267 -2.5132622 -4.3137719 -1.9600519 -1.7765244 -2.2794970 -0.4792096 0.0153155	-4.8300110



Table S5. *cis*-PSB3 S₀ state, SA3-MS-CASPT2(6,6)/6-31G $E(S_0)$ = -248.648214403; $E(S_1)$ = -248.501656501; $E(S_2)$ = -248.444383957

				\sim
С	-6.1892827	0.4309869	1.0044910	1.39
С	-4.8405782	0.4573800	1.2323606	
H	-6.6006987	0.4141857	-0.0050795	
H	-6.9075135	0.4256286	1.8207048	1.37
H	-4.4766677	0.4734802	2.2609528	
С	-3.8949384	0.4641574	0.1225517	
С	-2.5078641	0.4897384	0.1751276	
H	-4.3401542	0.4468485	-0.8754075	
H	-1.9430858	0.4912891	-0.7591798	
С	-1. 7697133	0.5145330	1.4015067	
H	-2.2827287	0.5141902	2.3630264	
N	-0.4492948	0.5389933	1.4558437	
H	0.0497498	0.5562861	2.3423824	
H	0.1229163	0.5414978	0.6118196	

Table S6. *cis*-PSB3 S₀ state, SA3-MS-CASPT2(6,6)/6-31G* $E(S_0) = -248.977519226$; $E(S_1) = -248.827447712$; $E(S_2) = -248.777577666$

С	-6.1650511	0.4313949	0.9983582
С	-4.8228633	0.4578858	1.2409080
H	-6.5585865	0.4146849	-0.0142779
H	-6.8892437	0.4255951	1.8058958
H	-4.4679357	0.4738487	2.2684156
C	-3.8962101	0.4644028	0.1405366
С	-2.5086293	0.4898431	0.1838931
H	-4.3426798	0.4471353	-0.8527732
H	-1.9497866	0.4912436	-0.7499649
C	-1.7887310	0.5141097	1.3915500
H	-2.2903159	0.5140986	2.3550735
N	-0.4724740	0.5384284	1.4474840
H	0.0260136	0.5557491	2.3366903
H	0.0966394	0.5407755	0.5993112



Table S7. PSB3 S_1 minima, S_{1min_CenL} , SA3-MS-CASPT2(6,6)/6-31G $E(S_0)$ = -248.584107398; $E(S_1)$ = -248.519711531; $E(S_2)$ = -248.407421010

С	-5.7953118	-0.8975788	-0.6881912
С	-4.7775764	-0.7324751	0.3478370
H	-5.5449356	-0.7261650	-1.7395249
H	-6.8401915	-1.0999763	-0.4332757
H	-4. 6823802	-1.4545927	1.1687308
С	-4.0012381	0.5522565	0.3301200
С	-2.5974924	0.5829203	0.1039052
H	-4. 5786028	1.4804557	0.4176624
H	-2.0616836	-0.3772406	0.0638187
C	-1.8368607	1.7750539	-0.0808974
H	-2.3263582	2.7504886	-0.0758246
N	-0.4833142	1.7708711	-0.2140599
H	0.0343107	2.6411376	-0.3007828
H	0.0615652	0.9114271	-0.2352388

Table S8. PSB3 S_1 minima, S_{1min_CenL} , SA3-MS-CASPT2(6,6)/6-31G* $E(S_0)$ = -248.900991047; $E(S_1)$ = -248.846742028; $E(S_2)$ = -248.724991910

С	-5.7082028	-0.8791328	-0.6929537
С	-4.7736516	-0.7075832	0.3989937
H	-5.3876024	-0.6914809	-1.7177422
H	-6.7695850	-1.0487327	-0.5051512
H	-4.7029368	-1.4411523	1.2080763
С	-4.0205794	0.5433499	0.3605115
С	-2.6245047	0.5848623	0.1099269
H	-4.5823206	1.4788433	0.4316992
H	-2.0980609	-0.3728414	0.0370337
С	-1.8681103	1.7608428	-0.0577283
H	-2.3388217	2.7415149	-0.0114289
N	-0.5377840	1.7378183	-0.2516741
H	-0.0078350	2.6002723	-0.3395668
H	-0.0100763	0.8700019	-0.3057173




Table S9. PSB3 S_1 minima, S_{1min_Cen} , SA3-CASSCF(6,6)/6-31G $E(S_0)$ = -248.07466091; $E(S_1)$ = -248.05548533; $E(S_2)$ = -247.94967633

С	-5.9683172	-0.8170926	0.1587440
С	-4.6206511	-0.7989651	0.4175494
H	-6.5065419	0.0771922	-0.0919678
H	-6.5335654	-1. 7266919	0.1993194
H	-4. 0961545	-1.6996155	0.6648920
С	-3.9175804	0.4117208	0.3737761
С	-2.4973737	0.5425187	0.6098950
H	-4.4900096	1.2891157	0.1071402
H	-1.8820182	0.4446500	-0.2704262
С	-1.9511824	0.8043168	1.8219394
H	-2.5824684	0.9144472	2.6826157
N	-0.6338300	0.9472079	2.0815276
H	-0.3146481	1.1397811	2.9980481
H	0.0549975	0.8786039	1.3719293



Table S10. PSB3 S_1 minima, S_{1min_CN} , SA3-CASSCF(6,6)/6-31G $E(S_0)$ = -248.05702406; $E(S_1)$ = -248.04530311; $E(S_2)$ = -247.94422315

С	-6.0428051	-0.8524165	-0.1053429
С	-4.6811225	-0.7452428	0.0435135
H	-6.6596385	0.0071667	-0.2855657
H	-6.5347886	-1.8014804	-0.0463563
H	-4. 1125685	-1.6414732	0.2217976
С	-3.9747240	0.4803695	-0.0248182
С	-2.5672867	0.5621904	0.1321967
H	-4.5258332	1.3858961	-0.2026619
H	-2.0289352	-0.3526330	0.3100649
С	-1.8751319	1.7381431	0.0686079
H	-2.2925668	2.7116125	-0.1019328
N	-0.4477625	1.7561541	0.2361073
H	-0.0222180	1.8877572	1.1411691
H	0.1789576	1.6777673	-0.5504102




Table S11. PSB3 S_1 minima, S_{1min_Ter} , SA3-CASSCF(6,6)/6-31G $E(S_0)$ = -248.06994659; $E(S_1)$ = -248.00329540; $E(S_2)$ = -247.96251308

С	-6.0783807	-0.7508888	-0.0669780
С	-4.6740550	-0.6473391	0.0829874
H	-6.6208752	-0.1818002	-0.8065891
H	-6.6653202	-1.4623695	0.4938144
H	-4. 1816747	-1.3505029	-0.5926574
С	-3.9515680	0.1552977	0.8981738
С	-2.5167458	0.1757815	0.9674425
H	-4.4762055	0.8336654	1.5483216
H	-1.9618776	-0.4887468	0.3320328
С	-1.8644863	1.0138306	1.8151650
H	-2.4294249	1.6740795	2.4460657
N	-0.5243608	1.1149636	1.9606630
H	-0.1270610	1.7529233	2.6027997
Н	0.1034495	0.5586760	1.4344663




Table S12. PSB3 MECI(S_1/S_0), MECI_{Cen}, SA3-CASSCF(6,6)/6-31G E(S_0)= -248.06368383; E(S_1)= -248.06368042 ; E(S_2)= -247.93594718

С	-5.9308358	-0.7534527	-0.2256255	
C	-4.5797885	-0.5728905	-0.2809921	
H	-6.5475958	-0.2579574	0.5002206	
H	-6.4333116	-1.4024588	-0.9160321	
H	-3.9754358	-1.0719608	-1.0081494	
C	-3.9663501	0.3040226	0.6270435	
C	-2.5045770	0.5601850	0.6806167	
H	-4.6184607	0.7734804	1.3519217	
H	-1.9974260	-0.1255279	1.3372023	
C	-1.8915222	1.5369478	0.0354533	
H	-2.4491126	2.2080226	-0.5915074	
N	-0.5534665	1.8191849	0.0613070	
H	-0.1836469	2.5740732	-0.4556856	
H	0.0754099	1.2877775	0.6088739	

Table S13. PSB3 MECI(S_1/S_0), MECI_{Cen}, SA3-MS-CASPT2(6,6)/6-31G E(S_0)= -248.568534227; E(S_1)= -248.568519529; E(S_2)= -248.443990302

С	-6.2017318	1.3030090	0.7044865
С	-4. 7990738	1.2677862	0.8065648
H	-6.7375750	0.6614653	0.0076054
H	-6.7918382	1.9778734	1.3159934
H	-4. 3331735	1.9510542	1.5234105
С	-3.9601737	0.4199990	0.0594525
С	-2.4861023	0.4525999	0.1583692
H	-4.3652206	-0.2453684	-0.7105010
H	-1.8859341	1.1317047	-0.4632746
С	-1.7601999	-0.4123705	1.0527726
H	-2.2927394	-1.1085124	1.6996609
N	-0.4360803	-0.3873279	1.1232681
H	0.0812187	-0.9967794	1.7602697
Н	0.1240926	0.2439689	0.5436891




Table S14. PSB3 MECI(S_1/S_0), MECI_{Cen}, SA3-MS-CASPT2(6,6)/6-31G* $E(S_0)$ = -248.886166854; $E(S_1)$ = -248.886162595; $E(S_2)$ = -248.762916078

С	-6.1740640	1.3194131	0.6940317	
С	-4.7840222	1.2440841	0.8037816	
H	-6.7185281	0.6974427	-0.0072733	
H	-6.7428956	2.0003056	1.3123605	
H	-4.3097311	1.9095379	1.5265665	
С	-3.9687421	0.3760170	0.0852248	
С	-2.5106692	0.4338684	0.1700952	
H	-4.3523158	-0.2524634	-0.7212988	
H	-1.9038195	1.1155284	-0.4365974	
С	-1.7700471	-0.4244107	1.0560275	
H	-2.2801878	-1.1381995	1.6967220	
N	-0.4679749	-0.3597006	1.1172563	
H	0.0734225	-0.9581200	1.7469314	
H	0.0650436	0.2957988	0.5379394	

Table S15. PSB3 MECI(S_1/S_0), MECI_{BP}, SA3-CASSCF(6,6)/6-31G E(S_0)= -248.04499946; E(S_1)= -248.04496487; E(S_2)= -247.92928735

-5.9374459	-0.7865377	-0.1627175
-4. 6160739	-0.5090833	-0.3739797
-6.4879212	-0.3560892	0.6525023
-6.4769047	-1.4545324	-0.8053310
-4.0780353	-0.9308228	-1.1961115
-3.9414856	0.2956889	0.5546342
-2.5260936	0.5452026	0.5316316
-4. 5381705	0.6705212	1.3744069
-1.9956360	-0.1691280	1.1464587
-1.8926004	1.5974295	0.0123731
-2.4506118	2.3375985	-0.5355591
-0.5591643	1.9076070	0.1818501
-0.0244224	2.1827073	-0.5998392
-0.0515597	1.5412592	0.9442978
0.0010077	1.0112072	0.0112070
	-6.4879212 -6.4769047 -4.0780353 -3.9414856 -2.5260936 -4.5381705 -1.9956360 -1.8926004 -2.4506118 -0.5591643 -0.0244224	-4.6160739-0.5090833-6.4879212-0.3560892-6.4769047-1.4545324-4.0780353-0.9308228-3.94148560.2956889-2.52609360.5452026-4.53817050.6705212-1.9956360-0.1691280-1.89260041.5974295-2.45061182.3375985-0.55916431.9076070-0.02442242.1827073

Table S16. PSB3 MECI(S_1/S_0), MECI_{CN}, SA3-CASSCF(6,6)/6-31G E(S_0)= -248.04293341; E(S_1)= -248.04292951; E(S_2)= -247.94135899

C	-6.0501979	-0.8957287	-0.1034359
C	-4.6882344	-0.7266700	0.0381160
H	-6.7042026	-0.0642446	-0.2835391
H	-6.4983765	-1.8655578	-0.0376984
H	-4.0904511	-1.6054797	0.2173617
С	-4.0145920	0.5149350	-0.0341563
C	-2.5964555	0.6176405	0.1223579
H	-4.5781142	1.4115687	-0.2115743
H	-2.0627468	-0.3026150	0.2991462
С	-1.9015115	1.7822897	0.0620924
H	-2.2180944	2.7901676	-0.0995824
N	-0.4164562	1.7266523	0.2458441
H	0.0153379	1.8198051	1.1599323
H	0.2176749	1.6110475	-0.5384950




Table S17. PSB3 MECI(S_1/S_0), MECI_{CN}, SA3-MS-CASPT2(6,6)/6-31G $E(S_0)$ = -248.521729381; $E(S_1)$ = -248.521723580; $E(S_2)$ = -248.465958313

С	-5.8565787	-0.8909517	-0.4530764
С	-4.6332557	-0.7558471	0.1504180
H	-6.2978709	-0.0905607	-1.0480960
H	-6.4370024	-1.8063664	-0.3651591
H	-4.2251825	-1.5715878	0.7513605
С	-3.8402252	0.4572561	0.0284562
С	-2.6457518	0.6476640	0.7002589
H	-4.2400328	1.2629935	-0.5956185
H	-2.2226374	-0.1596152	1.3103535
С	-1.8664716	1.9032362	0.6098424
H	-2.1548900	2.9027380	0.9322602
N	-0.6687539	1.7274018	-0.1902620
H	0.1915819	1.3425438	0.2162527
H	-0.6893546	1.8449069	-1.2106212



Table S18. PSB3 MECI(S_1/S_0), MECI_{CN}, SA3-MS-CASPT2(6,6)/6-31G* $E(S_0)$ = -248.842452213; $E(S_1)$ = -248.842428925; $E(S_2)$ = -248.781827882

C	-5.7816282	-0.8735991	-0.4766806
C	-4.5745161	-0.7319605	0.1444457
H	-6.2188437	-0.0689377	-1.0613607
H	-6.3459209	-1. 7975611	-0.4105786
H	-4. 1630135	-1. 5463251	0.7378622
C	-3.8267412	0.4858736	0.0476167
C	-2.6495669	0.6899018	0.7426217
H	-4.2302524	1.2905457	-0.5673102
H	-2.2356256	-0.1210764	1.3498401
C	-1.8728293	1.9208860	0.6329111
H	-2.1485941	2.9185481	0.9688253
N	-0.7395164	1.7295289	-0.1965309
H	0.0485595	1.1688337	0.1406895
H	-0.8479367	1.7491535	-1.2159821



Table S19. PSB3 MECI(S_1/S_0), MECI_{Ter}, SA3-CASSCF(6,6)/6-31G E(S_0)= -247.99555591; E(S_1)= -247.99552900; E(S_2)= -247.885170030

С	-6.0414254	-0.8434804	-0.1566651
С	-4.8223362	-0.4366207	0.2857368
H	-6.4860946	-0.4199958	-1.0435055
H	-6.5299462	-1.7089433	0.2626976
H	-4.5067949	-1.2522495	-0.5086122
С	-3.9812652	0.2855024	1.0264975
С	-2.5480765	0.2308412	1.0205360
H	-4. 4583112	0.9807139	1.6965015
H	-2.0554596	-0.4563124	0.3593642
С	-1.8197519	1.0359404	1.8388286
H	-2.3259337	1.7186086	2.4951015
N	-0.4756059	1.0759145	1.9231188
H	-0.0209364	1.6937472	2.5475789
Н	0.1033516	0.4939042	1.3685292




Table S20. PSB3 MECI(S_1/S_0), MECI_{Ter}, SA3-MS-CASPT2(6,6)/6-31G E(S_0)= -248.523119656; E(S_1)= -248.523113625; E(S_2)= -248.419930148

С	-6.1062362	-0.8369169	-0.1573931
С	-4.8166891	-0.4655673	0.2417741
H	-6.5781817	-0.4022794	-1.0491394
H	-6.6114819	-1.7105494	0.2766190
H	-4.4604597	-1.2772078	-0.5394009
С	-3.9662131	0.2710590	1.0109074
С	-2.5325330	0.2215771	1.0105311
H	-4. 4570673	0.9707561	1.6948927
H	-2.0168189	-0.4709942	0.3407180
С	-1.8071572	1.0482788	1.8547568
H	-2.3308734	1.7387115	2.5189411
N	-0.4465126	1.0916457	1.9463505
H	0.0158872	1.7223658	2.5884879
H	0.1457489	0.4966914	1.3776632




Table S21. PSB3 MECI(S_1/S_0), MECI_{Ter}, SA3-MS-CASPT2(6,6)/6-31G* $E(S_0)$ = -248.851051190; $E(S_1)$ = -248.850489075; $E(S_2)$ = -248.747610470

С	-6.0741616	-0.8328939	-0.1501115
С	-4.7921734	-0.4203467	0.1947553
H	-6.5742026	-0.4621276	-1.0541529
H	-6.5450630	-1. 6934932	0.3467278
H	-4.4192834	-1.2798499	-0.4878973
С	-3.9589639	0.3026561	0.9834956
С	-2.5438128	0.2313091	0.9970494
H	-4.4489646	1.0174548	1.6420223
H	-2.0322336	-0.4625198	0.3352372
С	-1.8257733	1.0412326	1.8495128
H	-2.3457200	1.7322508	2.5076967
N	-0.4873621	1.0669793	1.9554709
H	-0.0244646	1.6842326	2.6096703
H	0.1035927	0.4726861	1.3862312




Table S22. PSB3 MECI(S_1/S_0), MECI_{CenR}, SA3-CASSCF(6,6)/6-31G E(S_0)= -248.01073766; E(S_1)= -248.01072922; E(S_2)= -247.91423427

С	-5.8660014	-0.7202977	0.5423698
С	-4.6130607	-0.6185937	-0.0485497
H	-6.2618762	0.0664177	1.1546463
H	-6.4735318	-1.5915063	0.4050046
H	-4.2566064	-1.4306441	-0.6550406
С	-3.8014966	0.5054177	0.1207133
С	-2.5485963	0.6082310	-0.4972044
H	-4.1460547	1.3182091	0.7330672
H	-2.2186365	-0.2275911	-1.0936354
С	-1.6207198	1.7447037	-0.3162129
H	-1.8621002	2.7065206	-0.7263358
N	-0.8116489	1.5892769	0.8309859
H	-0.8965375	2.2523503	1.5669505
H	0.1093008	1.2336921	0.7042954



Table S23. Energies (kcal/mol) of equilibrium geometries of PSB3 using SA3-CASSCF(6,6)/6-31G and SA3-MS-CASPT2(6,6)/6-31G with varying numbers of uncorrelated (core) occupied orbitals. The zero of energy is defined by the S₀ trans minimum.

Core	MECI _{Cen}	MECI _{Ter}	$MECI_{CN}$	S ₀ -trans
Orbitals				
6 (default)	56.9	85.4	86.3	$0.0/96.7^{a}/124.2^{b}$
13	57.3	91.4	95.2	$0.0/101.2^{a}/127.2^{b}$
14	55.7	93.3	93.7	$0.0/102.1^{a}/127.9^{b}$
15	57.8	92.1	93.1	$0.0/103.7^{a}/128.6^{b}$
CASSCF	66.1	108.9	79.1	$0.0/113.2^{a}/130.7^{b}$

^aVertical excitation energy of 1st excited state relative to S_{θ} -trans. ^bVertical excitation energy of 2nd excited state relative to S_{θ} -trans.

Table S24. Intersection topography characterization for CI seam beads connecting $MECI_{Cen}$ and $MECI_{CN}$ at the SA3-CASSCF(6,6)/6-31G level.

Bead	C=C _{cen}	C=N	Energy	s^x	s^{ν}	Δ_{gh}	d_{gh}	S_X	$S_{\mathcal{Y}}$
	twist	twist	(kcal/mol)						
	(degrees)	(degrees)							
1	90.1	0.4	66.1	-0.43	-1.65	0.32	0.13	-0.04	-0.12
2	90.2	4.1	66.2	0.70	1.48	0.45	0.13	0.08	0.10
3	90.2	7.7	66.3	0.59	1.48	0.40	0.13	0.06	0.10
4	90.1	10.9	66.5	-0.01	-1.56	0.29	0.13	0.00	-0.12
5	90.0	12.7	66.6	-0.57	1.37	0.42	0.13	-0.06	0.10
6	89.9	15.1	66.9	0.71	0.72	0.75	0.15	0.10	0.04
7	89.9	18.7	67.3	-0.68	-0.59	0.69	0.14	-0.09	-0.03
8	90.1	22.5	68.0	-0.51	0.22	0.80	0.16	-0.08	0.01
9	90.3	26.4	69.6	-0.27	0.06	0.80	0.16	-0.04	0.00
10	90.9	29.2	77.1	-1.07	-0.07	0.66	0.11	-0.11	0.00
11	91.3	35.9	78.0	-0.57	-1.25	0.33	0.11	-0.05	-0.08
12	91.2	37.5	79.1	-0.01	-1.82	0.44	0.10	0.00	-0.10
14	91.0	40.1	79.0	-0.70	0.97	0.73	0.12	-0.08	0.04
15	91.1	41.8	80.0	0.77	-0.15	0.69	0.11	0.08	-0.01
16	91.3	44.6	81.1	0.61	-0.20	0.81	0.11	0.06	-0.01
17	91.6	47.6	83.0	-0.38	0.58	0.68	0.11	-0.04	0.03
18	91.9	51.3	85.9	-0.15	-0.47	0.56	0.11	-0.01	-0.02
19	92.2	55.7	90.5	0.27	0.24	0.41	0.10	0.02	0.01
20	92.0	60.5	96.9	-0.02	-1.18	0.74	0.12	0.00	-0.05
21	90.8	65.2	104.8	0.09	-2.11	0.75	0.12	0.01	-0.09
22	88.4	69.9	112.8	1.49	0.24	0.49	0.10	0.13	0.01
23	85.2	74.3	119.5	0.47	-3.21	0.59	0.10	0.04	-0.15
24	82.0	78.4	124.3	1.42	-2.43	0.61	0.10	0.13	-0.11
25	78.9	82.2	127.9	-1.54	-2.70	0.44	0.09	-0.12	-0.13
26	76.0	85.9	130.1	1.79	-2.61	0.45	0.10	0.14	-0.13
27	72.7	88.6	131.3	-2.04	-2.55	0.07	0.09	-0.14	-0.16
28	69.5	89.1	132.6	-2.00	-2.56	-0.25	0.09	-0.11	-0.19
29	66.3	89.2	133.9	-1.61	2.96	-0.16	0.09	-0.10	0.21
30	62.9	89.2	135.2	1.77	-1.11	0.90	0.14	0.24	-0.04
31	59.4	89.3	136.6	2.60	-2.22	0.52	0.10	0.23	-0.11
32	55.7	89.4	138.0	-1.78	-3.14	-0.35	0.10	-0.10	-0.26
33	51.7	89.6	139.4	-2.06	-1.82	0.89	0.14	-0.29	-0.06
34	47.7	90.0	141.3	-1.59	3.66	-0.38	0.10	-0.09	0.31
39	36.4	91.4	83.8	0.57	0.90	0.36	0.10	0.05	0.05
40	32.5	91.2	82.9	0.68	-0.39	0.78	0.13	0.08	-0.02
41	28.2	91.1	82.1	-0.71	-0.60	0.77	0.13	-0.08	-0.03
42	24.7	91.0	81.5	0.82	0.19	0.71	0.12	0.09	0.01
43	21.5	90.9	81.0	0.68	1.26	0.46	0.11	0.06	0.07
44	18.6	90.8	80.6	0.83	0.88	0.59	0.11	0.08	0.05
45	15.8	90.7	80.2	0.74	1.21	0.52	0.11	0.07	0.06
46	13.1	90.6	79.9	0.42	1.58	0.46	0.11	0.04	0.09
47	10.4	90.5	79.6	0.27	1.67	0.46	0.11	0.03	0.09
48	7.8	90.3	79.4	0.14	1.73	0.46	0.11	0.01	0.10
49	5.3	90.2	79.3	0.10	1.75	0.47	0.11	0.01	0.10
50	2.7	90.0	79.1	-0.06	-1.76	0.47	0.11	-0.01	-0.10
51	0.0	90.0	79.1	-0.85	-0.64	0.68	0.12	-0.09	-0.03

Table S25. Intersection topography characterization for CI seam beads connecting $MECI_{Ter}$ and $MECI_{Cen}$ at the SA3-MS-CASPT2(6,6)/6-31G level with 14 core orbitals.

Beads	C=C _{Ter} twist (degrees)	C=C _{Cen} twist (degrees)	Energy (kcal/mol)	s ^x	s.v	$arDelta_{gh}$	d_{gh}	S_X	S_{y}
	(degrees)	(degrees)							
1	0.3	90.1	55.7	0.01	0.01	0.41	0.12	0.00	0.00
2	2.6	89.3	56.6	0.04	0.04	0.54	0.13	0.00	0.00
3	14.3	89.2	60.3	0.06	0.27	0.63	0.13	0.01	0.02
4	33.1	88.7	71.2	0.22	0.39	0.45	0.12	0.02	0.02
5	55.6	84.9	93.4	-1.03	0.65	0.30	0.13	-0.10	0.05
6	77.6	70.2	110.0	-0.95	-1.26	-0.86	0.12	-0.03	-0.14
7	91.5	54.3	103.9	0.18	-1.00	0.69	0.26	0.04	-0.10
8	91.0	33.9	99.0	0.18	0.97	0.59	0.21	0.03	0.09
9	91.1	22.8	96.3	-0.03	1.07	0.61	0.21	-0.01	0.10
10	90.8	11.9	94.5	0.52	-0.25	0.59	0.21	0.10	-0.02
11	90.1	0.2	93.6	-0.53	-0.05	0.60	0.21	-0.10	0.00

Charge distribution





Figure S1. Charge distributions of *trans*-PSB3 (S_0 minimum) in different electronic states at the SA3-CAS(6,6)/6-31G and MS-SA3-CASPT2(6,6)/6-31G levels. Charges on hydrogens are summed into heavy atoms. Terminal C=C group consists of C1 and C2, central C=C group consists of C3 and C4, and C=N group consists of C5 and N (numbering follows Figure 1 in the main text).

Figure S2. Time evolution of twist angles and bond length alternation from AIMS-CASSCF and AIMS-MSPT2 dynamics. Averages are calculated over all TBFs which twist around the C=N or terminal C=C bond for AIMS-CASSCF and AIMS-MSPT2, respectively. Note that in both cases, these are the minor channels (23% and 9% of the initial conditions for CASSCF/MSPT2, respectively). For both CASSCF and MSPT2 dynamics, the dominant outcome is torsion about the central C=C bond.



Section S1. Brief summary of seam space nudged elastic band (SS-NEB) method

We first define the energy difference gradient vector ${\bf g}$ and the non-adiabatic derivative coupling vector ${\bf h}$ as

$$\mathbf{g}_{IJ} = \frac{\partial E_I}{\partial \mathbf{R}} - \frac{\partial E_J}{\partial \mathbf{R}}$$

$$\mathbf{h}_{IJ} = \left(E_J - E_I \right) \left\langle \boldsymbol{\psi}_I \middle| \frac{\partial}{\partial \mathbf{R}} \middle| \boldsymbol{\psi}_J \right\rangle$$

Here, I and J label the degenerate adiabatic electronic states. For the beads of the seam path, they should satisfy the two conditions

$$\mathbf{g}_{II} \cdot \delta \mathbf{R} = 0$$

$$\mathbf{h}_{u} \cdot \delta \mathbf{R} = 0$$

where $\delta \mathbf{R}$ is an infinitesimal geometry displacement away from the CI.

The total force that we minimize on the *i*th bead with the SS-NEB method is

$$\mathbf{f}_{i}(\mathbf{R}_{i}) = \mathbf{f}_{i,\parallel\tau}^{spring}(\mathbf{R}_{i}) + \mathbf{f}_{i,\perp g,h,\tau'}(\mathbf{R}_{i}) + \mathbf{f}_{i,\parallel g,h}^{Egap}(\mathbf{R}_{i})$$

Here τ ' is the tangent direction within the CI seam for the *i*th molecular configuration (bead):

$$\tau' = \hat{\mathbf{P}}_{\perp g,h} \tau$$

where τ represents the tangent direction of the path at the *i*th point and $\hat{\mathbf{P}}_{\perp g,h}$ is the projection operator:

$$\hat{\mathbf{P}}_{\perp g,h} \equiv \hat{I} - \mathbf{g}\mathbf{g}^T - \mathbf{h}\mathbf{h}^T$$

 $\mathbf{f}_{i,\parallel\tau}^{spring}$ is the harmonic spring force within the CI seam and $\mathbf{f}_{i,\perp g,h,\tau'}$ is the component of the averaged potential energy surface gradient that is perpendicular to \mathbf{g} , \mathbf{h} , and τ' :

$$\mathbf{f}_{i,\parallel\tau}^{spring} = \hat{\mathbf{P}}_{\perp g,h} \mathbf{F}_{i,\parallel\tau}^{spring}$$

$$\mathbf{f}_{i,\perp g,h,\tau'} = \frac{1}{2} \nabla_{\perp g,h,\tau'} \left(E_J + E_I \right)$$

and

$$\mathbf{f}_{i,\parallel g,h}^{Egap} = 2(E_J - E_I)\mathbf{g}$$

Reference

- 1. Werner, H.-J.; Knowles, P. J., A Second-Order Multiconfiguration SCF Procedure with Optimum Convergence. *J. Chem. Phys.* **1985**, *82*, 5053-5063.
- 2. Knowles, P. J.; Werner, H.-J., An Efficient Second-Order MCSCF Method for Long Configuration Expansions. *Chem. Phys. Lett.* **1985**, *115*, 259-267.
- 3. Finley, J.; Malmqvist, P.-A.; Roos, B. O.; Serrano-Andres, L., The Multi-State CASPT2 Method. *Chem. Phys. Lett.* **1998**, *288*, 299-306.
- 4. Hehre, W. J.; Ditchfield, R.; Pople, J. A., Self-Consistent Molecular Orbital Methods. Xii. Further Extensions of Gaussian-Type Basis Sets for Use in Molecular Orbital Studies of Organic Molecules. *J. Chem. Phys.* **1972**, *56*, 2257-2261.
- 5. Frisch, M. J.; Pople, J. A.; Binkley, J. S., Self-Consistent Molecular Orbital Methods. 25. Supplementary Functions for Gaussian Basis Sets. *J. Chem. Phys.* **1984**, *80*, 3265-3269.
- 6. Werner, H.-J.; Knowles, P. J.; Lindh, R.; Manby, F.; Schuetz, M. Molpro, V2006.2.
- 7. Mori, T.; Martinez, T. J., Exploring the Conical Intersection Seam: The Seam Space Nudged Elastic Band Method. *J. Chem. Theo. Comp.* **2013**, *9*, 1155-1163.