Formatting Submissions for a USENIX Conference: An (Incomplete) Example

X₃TatEX

Ruohong Jiao
First Institution

Second Name
Second Institution

Third Name
Third Institution

Fourth Name
Fourth Institution

Fifth Name
Fifth Institution

摘要

Your abstract text goes here. Just a few facts. Whet our appetites. Not more than 200 words, if possible, and preferably closer to 150.

1 引言

Some of the greatest 排版引擎

discoveries in science 排版引擎

were made by accident 排版引擎.

X_HT_EX 是一种使用 Unicode 的 T_EX 排版引擎, 并支持一些现代字体技术, 例如 OpenType、Graphite 和 Apple Advanced Typography(AAT), 可以直接利用其高级特性, 例如额外的字形, 花体, 合字, 可变的文本粗细等等。

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

2 关于数学部分

数学、中英文皆可以混排。You can intersperse math, Chinese and English (Latin script) without adding extra environments.

3 Footnotes, Verbatim, and Citations

Footnotes should be places after punctuation characters, without any spaces between said characters and footnotes, like so.¹ And some embedded literal code may look as follows.

```
int main(int argc, char *argv[])
{
    return 0;
```

¹Remember that USENIX format stopped using endnotes and is now using regular footnotes.




图 1: Text size inside figure should be as big as caption's text. Text size inside figure should be as big as caption's text. Text size inside figure should be as big as caption's text. Text size inside figure should be as big as caption's text. Text size inside figure should be as big as caption's text.

}

Now we're going to cite somebody. Watch for the cite tag. Here it comes. Arpachi-Dusseau and Arpachi-Dusseau co-authored an excellent OS book, which is also really funny [1], and Waldspurger got into the SIGOPS hall-of-fame due to his seminal paper about resource management in the ESX hypervisor [2].

The tilde character (~) in the tex source means a non-breaking space. This way, your reference will always be attached to the word that preceded it, instead of going to the next line.

And the 'cite' package sorts your citations by their numerical order of the corresponding references at the end of the paper, ridding you from the need to notice that, e.g, "Waldspurger" appears after "Arpachi-Dusseau" when sorting references alphabetically [1, 2].

It'd be nice and thoughtful of you to include a suitable link in each and every bibtex entry that you use in your submission, to allow reviewers (and other readers) to easily get to the cited work, as is done in all entries found in the References section of this document.

Now we're going take a look at Section 4, but not before observing that refs to sections and citations and such are colored and clickable in the PDF because of the packages we've included.

4 Floating Figures and Lists

Here's a typical reference to a floating figure: Figure 1. Floats should usually be placed where latex wants then. Figure1 is centered, and has a caption that instructs you to make sure that the size of the text within the figures that you use is as big as (or bigger than) the size of the text in the caption of the figures. Please do. Really.


In our case, we've explicitly drawn the figure inlined in latex, to allow this tex file to cleanly compile. But usually, your figures will reside in some file.pdf, and you'd include them in your document with, say, \includegraphics.

Lists are sometimes quite handy. If you want to itemize things, feel free:

fread a function that reads from a stream into the array ptr at most nobj objects of size size, returning returns the number of objects read.

Fred a person's name, e.g., there once was a dude named Fred who separated usenix.sty from this file to allow for easy inclusion.

The noindent at the start of this paragraph in its tex version makes it clear that it's a continuation of the preceding paragraph, as opposed to a new paragraph in its own right.






图 2: GMM

4.1 LaTeX-ing Your TeX File

People often use pdflatex these days for creating pdf-s from tex files via the shell. And bibtex, of course. Works for us.

Acknowledgments

The USENIX latex style is old and very tired, which is why there's no \acks command for you to use when acknowledging. Sorry.

Availability

USENIX program committees give extra points to submissions that are backed by artifacts that are publicly available. If you made your code or data available, it's worth mentioning this fact in a dedicated section.

附录 A Some Codes

some text

附录 B Codes

```
1 #%%
2 import numpy as np
3 import scipy.stats as st
4
5 import matplotlib.pyplot as plt
6 import seaborn as sns
7
8 sns.set_palette("Paired")
```


```
import numpy as np
3
   def incmatrix(genl1,genl2):
4
       m = len(genl1)
       n = len(genl2)
5
       M = None #to become the incidence matrix
6
7
       VT = np.zeros((n*m,1), int) #dummy variable
8
9
       #compute the bitwise xor matrix
       M1 = bitxormatrix(genl1)
       M2 = np.triu(bitxormatrix(genl2),1)
       for i in range(m-1):
            for j in range(i+1, m):
14
                [r,c] = np.where(M2 == M1[i,j])
                for k in range(len(r)):
16
                    VT[(i)*n + r[k]] = 1;
18
                    VT[(i)*n + c[k]] = 1;
                    VT[(j)*n + r[k]] = 1;
19
                    VT[(j)*n + c[k]] = 1;
21
                    if M is None:
                       M = np.copy(VT)
24
                    else:
                        M = np.concatenate((M, VT), 1)
26
                    VT = np.zeros((n*m,1), int)
27
28
29
       return M
```

附录 C Color Palettes

C.1 Single Color

3b0084 7474e0 191035

C.2 Multi-Color






1. **3** 090002 **4** 2c0403 **8** 841b13 **4** b5271c **6** e33426 **6** e85e59 **6** eea4a3 2. 62d5c4 eeb0bc 3. 040653 ea3624 4. f96167 fce77d 5. f9d342 292826 6. df678c 3d155f 7. ccf381 4831d4 8. 4a274f f0a07c 9. 2b3252 ef5455 fad744 10. fff748 3c1a5b 11. 2f3c7e fbeaeb 12. ec4d37 ld1b1b 13. 8bd8bd 243665 14. 141a46 ec8b5e ffffff 8aaae5 15. 16. 295f2d ffe67c 17. f4a950 161b21 18. eb2188 080a52 19. 4a171e e2a144 20. d2302c f7f7f9 21. 358597 f4a896 22. e7d045 a04ef6 23. 262223 ddc6b6 24. f4efea 7d141d ff1e27 25. aa96da c5fad5 ffffd2 26. f7f7f7 006838 96cf24 27. 234e70 fbf8be 28. ffe8f5 8000ff de00ff 29. **1**91919 **b**88746 fdf5a6 30. cc313d f7c5cc 31. e2d3f4 013dc4

Institution Author *et al.*: Title

32. 533549 f6b042

f9ed4e





- 6. 060d4d f49f1c
- 7. 0e387a 9fafca
- 8. a9dce3 7689de
- 9. fcc729 337def
- 10. efc8b1 514644
- 11. 5e057e c299d0
- 12. 551fbd a2eacb
- 13. ffb8b1 993441
- 14. bdfff6 e23c52
- 15. 390879 b8df10
- 16. a3842c 575200
- 17. 008970 99eedf
- 18. efc8b1 8a6626
- 19. **1** 0f4d19 **6** 6fc27c
- 20. e54b22 abd1ff
- 21. 0f149a fd9b4d
- 22. bfbf14 0029a5
- 23. f6b60d 372800
- 24. 4955fd a5e300
- 25. f2bc94 30110d 722620
- 26. 6dd47e ffd55a f4af1b
- 27. 104c91 efc9af 1f8ac0
- 28. 283350 f93800 ffb500
- 29. f9858b ed335f 761137
- 30. f2bc94 00154f f4af1b
- 31. 4b3d8f 37a987 b7b1d2
- 32. 455073 c0904d 6077c0
- 33. 4d3227 ebc999 cd7700


999999

e6e6e6

34. 3d4c41

- 35. cedef0 9d9ad9 6b9bd1
- 36. 7b3433 c86797 e9bbba
- 37. ebebde 777764 4f4747





参考文献

- [1] Remzi H. Arpaci-Dusseau and Arpaci-Dusseau Andrea C. *Operating Systems: Three Easy Pieces*. Arpaci-Dusseau Books, LLC, 1.00 edition, 2015. http://pages.cs.wisc.edu/~remzi/OSTEP/.
- [2] Carl A. Waldspurger. Memory resource management in VMware ESX server. In *USENIX Symposium on Operating System Design and Implementation (OSDI)*, pages 181–194, 2002. https://www.usenix.org/legacy/event/osdi02/tech/waldspurger/waldspurger.pdf.