Rethinking Efficient Decoder Design: A Systematic Characterization of Where Decoder Computation Helps

Anonymous WACV Datasets Track submission

Paper ID *****

Abstract

The ABSTRACT is to be in fully justified italicized text, at the top of the left-hand column, below the author and affiliation information. Use the word "Abstract" as the title, in 12-point Times, boldface type, centered relative to the column, initially capitalized. The abstract is to be in 10-point, single-spaced type. Leave two blank lines after the Abstract, then begin the main text. Look at previous WACV abstracts to get a feel for style and length.

1. Experimental Setup

Experiment plan. Our study reproduces EffiDec3D [14] and evaluates it on a full backbone × dataset grid (Table 1). For each backbone that EffiDec3D actually equips with an efficient decoder—3D UX-Net [11], Swin UNETR [16], and optionally SwinUNETR-V2 [8] and MedNeXt [15]—we pair a full and an EffiDec3D decoder and run that matched pair on each of three to four representative datasets from the EffiDec3D evaluation: BTCV abdominal CT, FeTA [13] fetal-brain MRI, and predeclared MSD tasks [1] (Task01 BrainTumour, and Task06 Lung or Task08 HepaticVessel). Every grid cell is therefore a matched full/efficient pair on which the full metric suite is computed; cross-dataset consistency is read across each row and cross-backbone consistency down each column. UNETR [7] and nnU-Net [10] are excluded because EffiDec3D builds no decoder pair for them, so a matched flip comparison is undefined.

Dataset and split. The primary task is the 13-organ BTCV/Synapse abdominal CT benchmark with 18 training and 12 validation volumes: spleen, right and left kidney, gallbladder, esophagus, liver, stomach, aorta, inferior vena cava, portal and splenic veins, pancreas, and right and left adrenal glands. Images are intensity-windowed and resampled following the public EffiDec3D pipeline; the same validation subjects are paired across all model comparisons on a given dataset.

Table 1. Predeclared backbone × dataset grid. Each cell is a matched full/EffiDec3D decoder pair sharing one encoder, run through the full metric suite. $*$: completed; remaining cells in progress.

Backbone	BTCV (CT)	FeTA (MRI)	MSD-BrTu (MRI)	MSD-Lung/HV (CT)
3D UX-Net (CNN)	✓*	✓	✓	✓
Swin UNETR (Trans.)	✓	✓	✓	✓
SwinUNETR-V2 (opt.)	✓	✓	✓	✓
MedNeXt-M-K3 (opt.)	✓	✓	✓	✓

Two comparison regimes. Within each cell the full and EffiDec3D models share the same encoder *architecture* and differ in the decoder (channels reduced to the minimum encoder width, additive skip aggregation, resolution factor two). We analyze them under two regimes. (i) **End-to-end (ecological).** Both models are trained independently, so they share the encoder architecture but not its weights; their flips reflect the deployed full-vs-efficient difference but conflate decoder capacity with encoder-weight and optimization differences. (ii) **Frozen shared encoder (causal).** We take one trained encoder, freeze it, and train the decoder variants on *identical* features, so prediction differences are attributable to the decoder alone. Both regimes hold the encoder architecture fixed, so the study characterizes the decoder and draws no conclusions about the encoder itself.

Frozen-encoder factor decomposition. EffiDec3D removes decoder computation in two ways at once—narrower channels and a dropped high-resolution stage. To attribute effects, we decompose them with a 2 × 2 factorial on the frozen encoder, all within the EffiDec3D decoder family so only the two knobs vary: full (highest-resolution stage, wide channels), channel-only (wide → 48 channels), resolution-only (drop the high-resolution stage), and the combined EffiDec3D decoder.

WACV #*****

Pairwise flips (Full→channel-only, Full→resolution-only, Full→combined) isolate which factor changes which regions. The frozen encoder is optimized for the full decoder, so "efficient still matches on frozen features" is a *conservative* redundancy result.

Null-pair seed control. Because the net flip is tiny, we bound seed noise with a same-architecture null pair: two Full models trained with different (predeclared) seeds. The claim is that Full-vs-EffiDec3D net flips and their concentration exceed this Full-vs-Full null.

Implementation. We reproduce the EffiDec3D training protocol on a single NVIDIA RTX 5090 (32 GB, Blackwell) under PyTorch 2.6 / CUDA 12.8 with MONAI, using BF16 mixed precision (no loss scaling). Each model is trained for 45,000 optimizer steps (validation every 250) with AdamW at learning rate 10^{-3}, a Dice–cross-entropy loss, four 96^3 random-crop samples per volume, and full in-memory caching. Sliding-window inference uses a 96^3 window, batch size four, overlap 0.7, and constant blending. We evaluate one full run and two independently initialized EffiDec3D runs per cell to expose seed sensitivity. Segmentation quality is reported with Dice and 95th-percentile Hausdorff distance (HD95), and efficiency with parameters, multiply–accumulate operations (MACs), latency, and peak memory.

Core quantities. Let $\hat{y}_{\mathrm{E}}(v)$, $\hat{y}_{\mathrm{F}}(v)$, and $y(v)$ be the efficient prediction, full prediction, and ground-truth label at voxel v. We measure where the full decoder changes predictions with *prediction flips*, the standard tool for comparing two classifiers on paired data [2, 17]:

$$P(v) = \mathbb{1}[\hat{y}_{\mathrm{E}}(v) \neq y(v) \ \wedge \ \hat{y}_{\mathrm{F}}(v) = y(v)], \tag{1}$$

$$N(v) = \mathbb{1}[\hat{y}_{\mathrm{E}}(v) = y(v) \ \wedge \ \hat{y}_{\mathrm{F}}(v) \neq y(v)], \tag{2}$$

$$U(v) = P(v) - N(v), \tag{3}$$

a *positive* flip (full corrects efficient), a *negative* flip (full degrades efficient), and the *net* flip. P and N are exactly the discordant cells of the paired-agreement table behind McNemar's classifier-comparison test [3, 12]; volume rates are $R_{\mathrm{pos}} = \mathrm{mean}_v P(v)$, $R_{\mathrm{neg}} = \mathrm{mean}_v N(v)$, and $R_{\mathrm{net}} = R_{\mathrm{pos}} - R_{\mathrm{neg}}$. As test-time signals computable from the efficient model alone we use predictive entropy $H(v) = -\sum_c p_c(v) \log p_c(v)$, confidence $\max_c p_c(v)$, and Monte-Carlo dropout variance [4].

Characterization metrics. We group the analysis into three questions; each metric is computed per grid cell and aggregated over subjects with a bootstrap, since the twelve validation volumes—not the correlated voxels—are the independent units.

(1) Heterogeneity: is the benefit evenly distributed?

- **O1, boundary error ratio.** Mean voxel error on the eroded boundary band divided by the eroded-interior error; >1 indicates boundary-concentrated error.
- **O4, per-organ difficulty.** Per-class Dice and mean entropy H, ranking the structures the decoder struggles on.
- **O10, size–difficulty relation.** Spearman ρ between organ volume and difficulty, and the partial correlation of H and error given $\log$-volume.
- **Boundary-resolved flips.** Positive/negative/net flip rate binned by Euclidean distance to the nearest GT boundary—testing whether the decoder *benefit* (not just error) concentrates near boundaries. Complemented by Normalized Surface Dice (NSD) at 1–2 voxel tolerance for a surface-level view.

(2) Concentration: does a small subset carry most net benefit?

- **O2, entropy sparsity.** $\Pr[H(v) > \tau]$, the fraction of high-entropy voxels.
- **O5, uncertainty–benefit correlation.** Subject-level Pearson $r(H, U)$ between binned entropy and net flips.
- **O9$^{\mathrm{orc}}$, voxel recovery.** $\sum_{\text{top-}k\%} P(v) \,/\, \sum P(v)$, the share of positive flips in the highest-entropy $k\%$ of voxels—a non-deployable upper bound.
- **O6, training persistence.** Mean entropy across checkpoints, testing whether concentration is a training transient.

(3) Predictability: can a test-time signal find the regions?

- **O3, flip discrimination and calibration.** AUROC and AUPRC of entropy predicting flips [9], and expected calibration error (ECE) [6].
- **O9, opportunity curve.** A risk–coverage curve [5] over contiguous 16^3 blocks (plus a 4-voxel halo) ranked by entropy, reporting net-flip utility recovered versus a matched-random selector.
- **O11, routing-signal comparison.** Subject-level correlation of entropy, confidence, and MC-dropout with net flips.

Cross-dataset (**O7**) and cross-backbone (**O8**) consistency re-evaluate these metrics across the rows and columns of Table 1.

[TODO: Completed results below are the 3D UX-Net/BTCV grid cell. Remaining cells (other backbones and datasets) are in progress; cross-backbone (columns) and cross-dataset (rows) consistency are reported once enough cells are filled.]

2. Results

2.1. Controlled Reimplementation

We reproduce the matched Full-UX/Effi-UX pair and report its fidelity per dataset (Table 2). On BTCV our Effi-UX

WACV
#*****

Table 2. Reproduction fidelity of the matched 3D UX-Net pair, per dataset. We report mean Dice of our runs against the published EffiDec3D value; Δ is our Effi-UX minus the published Effi-UX. Data were reconstructed with identity affine metadata, so this is a controlled reimplementation, not an exact reproduction.

Dataset	Full-UX	Effi-UX	pub. Effi-U.	
BTCV (CT, 13-organ)	.792	.773	.793	−.020
FeTA (MRI)	–	–	–	–
MSD BrainTumour	–	–	–	–
MSD Lung / HepaticVessel	–	–	–	–

[TODO: Fill FeTA/MSD rows as cells complete.]

Table 3. Prediction-flip rates across efficient-decoder seeds (fractions of evaluated voxels). Positive/negative flips are the discordant cells of the paired comparison [12, 17].

Metric	seed 0	seed 1
Positive flip rate R_{pos}	.00339	.00290
Negative flip rate R_{neg}	.00209	.00225
Net flip rate R_{net}	.00130	.0006
Net flip rate, subject 95% CI	[TODO: re-run]	[TODO: re-ru



Figure 1. Per-organ error rate for Effi-UX (seed 1). Difficulty is strongly uneven across anatomy.



(a) Voxel entropy (log-count).



(b) Net flips vs. entropy.

Figure 2. Concentration of difficulty and net flips (seed 1). Uncertainty is spatially sparse (a), and net flips rise with it (b).

reaches 0.773 mean Dice over two seeds, 1.7–2.2 points below the published 0.793, while Full-UX is within 0.6 points of its published value; the residual gap reflects our reconstructed identity-affine data rather than the paper's processed set, and a FP32-versus-BF16 check ruled out a numerical cause. Efficiency reproduces the published reductions: Effi-UX uses $14.1\times$ fewer MACs, $17.9\times$ fewer parameters, $\sim 5\times$ lower latency, and $\sim 7.7\times$ lower peak memory. Treating these matched models as fixed, the rest of the paper characterizes *where* the full decoder's extra computation changes predictions—the question EffiDec3D's aggregate evaluation leaves open.

2.2. Heterogeneity Metrics

The full decoder's benefit is small and *bidirectional*: Full-UX corrects 0.290% of Effi-UX's voxels (R_{pos}) while degrading 0.225% (R_{neg}) for seed 1, and 0.339%/0.209% for seed 0, so the net flip rate R_{net} is only 0.065–0.130% of voxels (Table 3). Reporting positive flips alone would overstate the decoder's benefit roughly twofold.

This small net benefit is far from uniformly distributed. Error concentrates at structure boundaries: mean boundary error is 0.1892 versus 0.0481 in the eroded interior, a $3.93\times$ ratio [TODO: add subject 95% CI from re-run]. It is also organ-dependent (Fig. 1), with the adrenal glands, pancreas, and veins hardest, and it scales with structure size: the organ-size/difficulty Spearman correlation is $\rho = -0.54$, and entropy still explains organ difficulty after controlling for log volume (partial $r = 0.81$). Decoder benefit is therefore heterogeneous across region, organ, and scale. Crucially, resolving flips by distance to the GT boundary shows the *net flip* rate itself—not just error—rises toward the boundary [TODO: per-bin net flips + NSD from re-run], and this effect exceeds a same-architecture null pair (Full seed 0 vs. seed 1) [TODO: null-pair floor], ruling out seed noise.

2.3. Concentration Metrics

A small, high-uncertainty subset carries most of the net benefit. Predictive entropy is spatially sparse: the median voxel entropy is near zero and only 1.18% of voxels exceed 0.5 (Fig. 2a). Net flips concentrate in exactly this tail—the subject-level Pearson correlation between binned entropy and net flips is $r = 0.646$ (95% CI $[0.158, 0.994]$) for seed 1



Figure 3. Region-level opportunity (seed 1). Contiguous 16^3 blocks ranked by entropy recover far more *net* flip utility than a matched-random selector at every budget $\geq 10\%$; the left panel is a non-deployable voxel oracle.

and $r = 0.665$ ($[0.171, 0.996]$) for seed 0, both bounded above zero (Fig. 2b). A voxel-level oracle makes the concentration explicit: ranking foreground voxels by entropy, the top 20% contain 86.4% of all positive flips in both seeds. This concentration is not a transient of early training: mean entropy falls from 0.0279 at 5k iterations to 0.0104 at 45k, yet the sparse difficult residual persists.

2.4. Predictability Metrics

Concentration is only actionable if the beneficial regions can be found without the ground truth. We assess this as an error-discrimination problem: predictive entropy should separate flip voxels from the rest [9]. Per-subject AUROC and AUPRC of entropy predicting error, together with confidence calibration (ECE) [6], are reported with a subject bootstrap [TODO: fill AUROC/AUPRC/ECE + CI from re-run; the pooled-bin entropy–error correlation $r = 0.97$ is retained only as a descriptive diagnostic].

We then convert this into a deployable, selective-prediction analysis [5]. Non-overlapping 16^3 blocks are ranked by mean entropy and expanded by a 4-voxel halo; we measure net flip utility recovered against a matched-random selector under a paired subject bootstrap (Fig. 3). At the predeclared 20% block budget—executing 29.1% of the foreground-union volume after halo expansion—entropy-ranked regions attain a net utility of 0.225 versus 0.043 for random, a roughly fivefold gain, with a paired 95% lower bound of $0.056 > 0$; the advantage holds at every budget $\geq 10\%$ and vanishes only at 5%. These regions capture all positive flips but also 77.5% of the negative ones, so the *net* gain, not positive recovery, is the honest headline.

Finally, we compare cheap routing signals against held-out net flips per subject. Entropy and confidence are statistically indistinguishable [TODO: fill subject-level correlations + paired CI from re-run; pooled values are 0.655 and 0.663], and Monte-Carlo dropout is invalid for this checkpoint because the architecture has no active dropout (its stochastic variance is effectively zero). We therefore retain confidence as a required baseline and do not claim entropy is uniquely optimal.

2.5. Mechanism: Which Factor Is Removable

The comparisons above use end-to-end models, which share the encoder architecture but not its weights. To attribute the effect to decoder capacity alone, we freeze one trained encoder and train the 2×2 decoder factorial on identical features, then compare Full→channel-only, Full→resolution-only, and Full→combined EffiDec3D [TODO: fill per-factor flip rates and boundary profiles from the frozen-encoder run; hypothesis: dropping the high-resolution stage produces flips concentrated nearer the boundary, while channel reduction is spatially diffuse and smaller, explaining why both are removable with little aggregate Dice change]. Because the encoder is frozen and was optimized for the full decoder, "the efficient decoder still nearly matches" is a conservative statement of redundancy, and the differences are attributable to the decoder rather than to encoder retraining.

References

[1] Michela Antonelli, Annika Reinke, Spyridon Bakas, et al. The medical segmentation decathlon. *Nature Communications*, 13(1):4128, 2022. 1

[2] Quentin Cormier, Mahdi Milani Fard, Kevin Canini, and Maya R. Gupta. Launch and iterate: Reducing prediction churn. In *Advances in Neural Information Processing Systems*, 2016. 2

[3] Thomas G. Dietterich. Approximate statistical tests for comparing supervised classification learning algorithms. *Neural Computation*, 10(7):1895–1923, 1998. 2

[4] Yarin Gal and Zoubin Ghahramani. Dropout as a Bayesian approximation: Representing model uncertainty in deep learning. In *International Conference on Machine Learning*, pages 1050–1059, 2016. 2

[5] Yonatan Geifman and Ran El-Yaniv. Selective classification for deep neural networks. In *Advances in Neural Information Processing Systems*, 2017. 2, 4

[6] Chuan Guo, Geoff Pleiss, Yu Sun, and Kilian Q. Weinberger. On calibration of modern neural networks. In *International Conference on Machine Learning*, pages 1321–1330, 2017. 2, 4

[7] Ali Hatamizadeh, Yucheng Tang, Vishwesh Nath, Dong Yang, Andriy Myronenko, Bennett Landman, Holger R. Roth, and Daguang Xu. Unetr: Transformers for 3d medical image segmentation. In *IEEE/CVF Winter Conference on Applications of Computer Vision*, pages 1748–1758, 2022. 1

[8] Yufan He, Vishwesh Nath, Dong Yang, Yucheng Tang, Andriy Myronenko, and Daguang Xu. SwinUNETR-V2: Stronger swin transformers with stagewise convolutions for 3d medical image segmentation. In *International Conference on Medical Image Computing and Computer-Assisted Intervention*, pages 416–426, 2023. 1

[9] Dan Hendrycks and Kevin Gimpel. A baseline for detecting misclassified and out-of-distribution examples in neural networks. In *International Conference on Learning Representations*, 2017. 2, 4

[10] Fabian Isensee, Paul F. Jaeger, Simon A. A. Kohl, Jens Petersen, and Klaus H. Maier-Hein. nnu-net: A self-configuring method for deep learning-based biomedical image segmentation. *Nature Methods*, 18(2):203–211, 2021. 1

[11] Ho Hin Lee, Shunxing Bao, Yuankai Huo, and Bennett A. Landman. 3d ux-net: A large kernel volumetric convnet modernizing hierarchical transformer for medical image segmentation. In *International Conference on Learning Representations*, 2023. 1

[12] Quinn McNemar. Note on the sampling error of the difference between correlated proportions or percentages. *Psychometrika*, 12(2):153–157, 1947. 2, 3

[13] Kelly Payette, Priscille de Dumast, Hamza Kebiri, et al. An automatic multi-tissue human fetal brain segmentation benchmark using the fetal tissue annotation dataset. *Scientific Data*, 8(1):167, 2021. 1

[14] Md Mostafijur Rahman and Radu Marculescu. Effidec3d: An optimized decoder for high-performance and efficient 3d medical image segmentation. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 10435–10444, 2025. 1

[15] Saikat Roy, Gregor Koehler, Constantin Ulrich, Michael Baumgartner, Jens Petersen, Fabian Isensee, Paul F. Jaeger, and Klaus H. Maier-Hein. MedNeXt: Transformer-driven scaling of ConvNets for medical image segmentation. In *International Conference on Medical Image Computing and Computer-Assisted Intervention*, pages 405–415, 2023. 1

[16] Yucheng Tang, Dong Yang, Wenqi Li, Holger R. Roth, Bennett Landman, Daguang Xu, Vishwesh Nath, and Ali Hatamizadeh. Self-supervised pre-training of swin transformers for 3d medical image analysis. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 20730–20740, 2022. 1

[17] Sijie Yan, Yuanjun Xiong, Kaustav Kundu, Shuo Yang, Siqi Deng, Meng Wang, Wei Xia, and Stefano Soatto. Positive-congruent training: Towards regression-free model updates. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 14299–14308, 2021. 2, 3