

1 **Patterned progression of gut microbiota**  
2 **predisposes preterm infants to necrotizing**  
3 **enterocolitis and late-onset sepsis: data**  
4 **from a non-Western population**

5 **Jiayi Liu<sup>1</sup>, Jianhua Sun<sup>2</sup>, Yuqing Li<sup>3</sup>, Yi Feng<sup>4</sup>, Liya Pan<sup>5</sup>, Zhoulonglong**  
6 **Xie<sup>6</sup>, Zhilong Yan<sup>7</sup>, Jianhua Zhao<sup>8</sup>, and Li Hong<sup>9</sup>**

7 <sup>1</sup>Department of Clinical Nutrition, Shanghai Children's Medical Center, School of  
8 Medicine Shanghai Jiao Tong University, Shanghai, China

9 <sup>2</sup>Department of Clinical Nutrition, Shanghai Children's Medical Center, School of  
10 Medicine Shanghai Jiao Tong University, Shanghai, China

11 <sup>3</sup>Department of Clinical Nutrition, Shanghai Children's Medical Center, School of  
12 Medicine Shanghai Jiao Tong University, Shanghai, China

13 <sup>4</sup>Department of Clinical Nutrition, Shanghai Children's Medical Center, School of  
14 Medicine Shanghai Jiao Tong University, Shanghai, China

15 <sup>5</sup>Department of Clinical Nutrition, Shanghai Children's Medical Center, School of  
16 Medicine Shanghai Jiao Tong University, Shanghai, China

17 <sup>6</sup>Department of Clinical Nutrition, Shanghai Children's Medical Center, School of  
18 Medicine Shanghai Jiao Tong University, Shanghai, China

19 <sup>7</sup>Department of Clinical Nutrition, Shanghai Children's Medical Center, School of  
20 Medicine Shanghai Jiao Tong University, Shanghai, China

21 <sup>8</sup>Shanghai Majorbio Bio-Pharm Technology Co., Ltd, Shanghai, China

22 <sup>9</sup>Department of Clinical Nutrition, Shanghai Children's Medical Center, School of  
23 Medicine Shanghai Jiao Tong University, Shanghai, China

24 Corresponding author:

25 Li Hong<sup>9</sup>

26 Email address: hongli@scmc.com.cn

27 **ABSTRACT**

## Background and Objectives

Intestinal microbiota dysbiosis might predispose preterm infants to necrotizing enterocolitis(NEC) and late-onset sepsis(LOS). In this observational prospective study, we aimed to profile and compare microbiota progression pattern in non-Western preterm patients who subsequently developed these two diseases.

## Methods

We enrolled preterm infants with gestational age less than 33 weeks and birth weight more than 950g, from July 2013 to December 2014, among whom four subsequently developed NEC, three LOS, and the rest 17 were healthy controls. We began fecal sample collection from the the first stool after birth and prospectively collected until discharge. Bacterial V3 V4 region of 16s rRNA genes from each stool sample were amplified, sequenced and analyzed.

## Results

A total of 192 fecal samples from 24 patiens were studied, of whom four developed NEC, three LOS; the remaining 17 were used as controls. [The postpartum gut microbiota colonization started to diverge among NEC, LOS and their matched control groups, from the second week after birth. Microbiota of the LOS infants was the least diversified (Shannon index=1.66), while that of the control group was the most diversified(Shannon index=0.88,  $p=0.01$ ). Potentially pathogenic genus *Enterococcus* (20.86%) and *Staphylococcus* (8.67%) were prominent in NEC patients and *Klebsiella* (42.15%) in LOS group. Both two groups addressed lower proportion of *Lactococcus* (7.98% and 13.76% in NEC and LOS group, respectively) than the control group (3.66%).]

## Conclusions

Postpartum colonization pattern of gut microbiome might predispose preterm newborns to NEC or LOS, in which reduced diversity of the whole microbiota community and potentially pathogenic genus could have played an essential role in disease progression. Still, more studies are needed to identify etiological strains, underlying mechanisms and correspondent microbial patterns.

## INTRODUCTION

Your introduction goes here! Some examples of commonly used commands and features are listed below, to help you get started.

If you have a question, please use the help menu in the top right of the screen to get in touch. When your article or pre-print is complete, use the "Submit to PeerJ" button in the topbar to send your files to PeerJ.

## METHODS

### Ethics

This study was approved by the joint committee of ethics of Shanghai Children's Medical Center, School of Medicine Shanghai Jiao Tong University (SCMCIRB-K2013022). Detailed written informed consent was obtained from the parents prior to fecal sample collection.

### Patients

Newly born preterm infants with gestational age less than 33 weeks, birth weight over 950g were enrolled from Neonatal Intensive Care Unit at Shanghai Children's Medical Center from July 2013 to December 2014. The exclusion criteria were 1) diagnosed with early-onset sepsis, 2) hepatic diseases, 3) renal impairment ( $Cr > 88 \mu M$ ), 4) diagnosed with intestinal obstruction, 5) in foreseeable need of cardiovascular or abdominal surgeries (except for male circumcision or PDA ligation), 6) estimated parenteral support to supply over 50% of daily caloric intake for more than four days, 7) given intravenous antibiotics administration (except prophylactic regimen of cefotaxime, piperacillin-tazobactam and/or metronidazole), 8) history of oral antibiotics administration, 9) grossly bloody stools at admission, and 10) over five days old.

NEC cases were defined as infants who met the criteria for Stage II and Stage III NEC diagnosis(Bell et al., 1978), including radiographic intestinal dilation, ileus, pneumatosis intestinalis, and/or absent bowel sounds with or without abdominal tenderness, and/or mild metabolic acidosis and thrombocytopenia. LOS cases was diagnosed if 1)an infant had a positive hemoculture or other suspicious loci of infection after 72 hours of life, with septic signs/symptoms reviewed independently by at least two neonatologists, and had been treated with advanced antibiotics (e.g., Meropenem) after diagnosis. Infants with no infectious complications or sepsis were regarded as controls.

## Sample collection and handling

Fecal samples collection began from neonatal meconium till discharge. Although we intended to collect fecal samples on a daily basis, due to working shifts and flexible clinical scheduling, we set seven days as the maximum interval between two collections from every infant. Every sample was collected within 30 minutes of defecation from patients' diaper with a sterile spatula. The samples were immediately placed in a cryogenic vial on dry ice and stored at 80°C within 30 minutes without additives. All samples were collected and stored before knowing the diagnosis of respective patients.

## DNA extraction and quality control amplification and 16s rRNA gene sequencing

Microbial genomic DNA was isolated from each fecal specimen using the E.Z.N.A.® Soil DNA Kit (Omega Bio-Tek, Norcross, GA, U.S.) according to manufacturer's protocols. The concentration and purity of the DNA were determined by NanoDrop 2000 UV-vis spectrophotometer (Thermo Scientific, Wilmington, USA), and the DNA quality was checked by 1% agarose gel electrophoresis.

## Broad-range PCR and High-throuput Sequencing of 16s rRNA gene amplicons

The V3-V4 hypervariable regions of the bacterial 16S rRNA gene were amplified from each sample using bacterial/archaeal primers 338F (5'-ACTCCTACGGGAGGCAGCAG-3') and 806R (5'-GGACTACHVGG GTWTCTAAT-3') using thermocycler PCR system (GeneAmp 9700, ABI, USA). The PCR reactions were as follows: 3 min of denaturation at 95 °C, 27 cycles of 30 s at 95 °C, 30 s annealing at 55 °C and 45 s elongation at 72 °C, and a final extension at 72 °C for 10 min. The PCR reactions were performed in triplicate, with each 20 µL mixture containing 4 µL 5X FastPfu Buffer, 2 µL 2.5 mM dNTPs, 0.8 µL of each primer (5 µM), 0.4 µL FastPfu Polymerase and 10 ng template DNA. The PCR products were extracted from a 2% agarose gel and further purified using the AxyPrep DNA Gel Extraction Kit (Axygen Biosciences, Union City, CA, USA), and quantified using QuantiFluor™-ST (Promega, USA) according to the manufacturer's protocols.

Equimolar amounts of purified amplicons were pooled and paired-end sequenced (2 x 300) on an Illumina MiSeq platform (Illumina, San Diego, USA) according to the standard protocols of Majorbio Bio-Pharm Technology Co. Ltd. (Shanghai, China). The reads were de-multiplexed using the Illumina software, and separate FASTQ files were generated for each specimen and deposited to the Sequence Read Archive NCBI under the BioProject accession No. PRJNA470548.

## SOME L<sup>A</sup>T<sub>E</sub>X EXAMPLES

Use section and subsection commands to organize your document. L<sup>A</sup>T<sub>E</sub>X handles all the formatting and numbering automatically. Use ref and label commands for cross-references.

## Figures and Tables


Use the table and tabular commands for basic tables — see Table 1, for example. You can upload a figure (JPEG, PNG or PDF) using the project menu. To include it in your document, use the includegraphics command as in the code for Figure 1 below.

Item	Quantity
Widgets	42
Gadgets	13

**Table 1.** An example table.

## Citations

LaTeX formats citations and references automatically using the bibliography records in your .bib file, which you can edit via the project menu. Use the cite command for an inline citation, like ?, and the citep command for a citation in parentheses (?).



**Figure 1.** An example image.

## 120 **Mathematics**

$\text{\LaTeX}$  is great at typesetting mathematics. Let  $X_1, X_2, \dots, X_n$  be a sequence of independent and identically distributed random variables with  $E[X_i] = \mu$  and  $\text{Var}[X_i] = \sigma^2 < \infty$ , and let

$$S_n = \frac{X_1 + X_2 + \dots + X_n}{n} = \frac{1}{n} \sum_i^n X_i$$

121 denote their mean. Then as  $n$  approaches infinity, the random variables  $\sqrt{n}(S_n - \mu)$  converge in distribution  
122 to a normal  $\mathcal{N}(0, \sigma^2)$ .

## 123 **Lists**

124 You can make lists with automatic numbering ...

- 125 1. Like this,
- 126 2. and like this.

127 ... or bullet points ...

- 128 • Like this,
- 129 • and like this.

130 ... or with words and descriptions ...

131 **Word** Definition

132 **Concept** Explanation

133 **Idea** Text

134 We hope you find write $\text{\LaTeX}$  useful for your PeerJ submission, and please let us know if you have any  
135 feedback. Further examples with dummy text are included in the following pages.

## METHODS

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

$$\cos^3 \theta = \frac{1}{4} \cos \theta + \frac{3}{4} \cos 3\theta \quad (1)$$

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

### Subsection

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.


**Paragraph** Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

**Paragraph** Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetur at, consectetur sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

### Subsection

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Reference to Figure 2.



**Figure 2.** In-text Picture

## RESULTS AND DISCUSSION

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetur odio sem sed wisi.

### Subsection

Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetur eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor.

### Subsubsection

Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetur tortor sapien facilisis magna. Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

### Subsubsection

Etiam ac leo a risus tristique nonummy. Donec dignissim tincidunt nulla. Vestibulum rhoncus molestie odio. Sed lobortis, justo et pretium lobortis, mauris turpis condimentum augue, nec ultricies nibh arcu pretium enim. Nunc purus neque, placerat id, imperdiet sed, pellentesque nec, nisl. Vestibulum imperdiet

204 neque non sem accumsan laoreet. In hac habitasse platea dictumst. Etiam condimentum facilisis libero.  
205 Suspendisse in elit quis nisl aliquam dapibus. Pellentesque auctor sapien. Sed egestas sapien nec lectus.  
206 Pellentesque vel dui vel neque bibendum viverra. Aliquam porttitor nisl nec pede. Proin mattis libero vel  
207 turpis. Donec rutrum mauris et libero. Proin euismod porta felis. Nam lobortis, metus quis elementum  
208 commodo, nunc lectus elementum mauris, eget vulputate ligula tellus eu neque. Vivamus eu dolor.

## 209 Subsection

210 Nulla in ipsum. Praesent eros nulla, congue vitae, euismod ut, commodo a, wisi. Pellentesque habitant  
211 morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aenean nonummy magna non leo.  
212 Sed felis erat, ullamcorper in, dictum non, ultricies ut, lectus. Proin vel arcu a odio lobortis euismod.  
213 Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Proin ut est.  
214 Aliquam odio. Pellentesque massa turpis, cursus eu, euismod nec, tempor congue, nulla. Duis viverra  
215 gravida mauris. Cras tincidunt. Curabitur eros ligula, varius ut, pulvinar in, cursus faucibus, augue.

216 Nulla mattis luctus nulla. Duis commodo velit at leo. Aliquam vulputate magna et leo. Nam  
217 vestibulum ullamcorper leo. Vestibulum condimentum rutrum mauris. Donec id mauris. Morbi molestie  
218 justo et pede. Vivamus eget turpis sed nisl cursus tempor. Curabitur mollis sapien condimentum nunc. In  
219 wisi nisl, malesuada at, dignissim sit amet, lobortis in, odio. Aenean consequat arcu a ante. Pellentesque  
220 porta elit sit amet orci. Etiam at turpis nec elit ultricies imperdiet. Nulla facilisi. In hac habitasse platea  
221 dictumst. Suspendisse viverra aliquam risus. Nullam pede justo, molestie nonummy, scelerisque eu,  
222 facilisis vel, arcu.

223 Curabitur tellus magna, porttitor a, commodo a, commodo in, tortor. Donec interdum. Praesent  
224 scelerisque. Maecenas posuere sodales odio. Vivamus metus lacus, varius quis, imperdiet quis, rhoncus a,  
225 turpis. Etiam ligula arcu, elementum a, venenatis quis, sollicitudin sed, metus. Donec nunc pede, tincidunt  
226 in, venenatis vitae, faucibus vel, nibh. Pellentesque wisi. Nullam malesuada. Morbi ut tellus ut pede  
227 tincidunt porta. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam congue neque id dolor.

228 Donec et nisl at wisi luctus bibendum. Nam interdum tellus ac libero. Sed sem justo, laoreet vitae,  
229 fringilla at, adipiscing ut, nibh. Maecenas non sem quis tortor eleifend fermentum. Etiam id tortor ac  
230 mauris porta vulputate. Integer porta neque vitae massa. Maecenas tempus libero a libero posuere dictum.  
231 Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aenean quis mauris  
232 sed elit commodo placerat. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos  
233 hymenaeos. Vivamus rhoncus tincidunt libero. Etiam elementum pretium justo. Vivamus est. Morbi a  
234 tellus eget pede tristique commodo. Nulla nisl. Vestibulum sed nisl eu sapien cursus rutrum.

235 Nulla non mauris vitae wisi posuere convallis. Sed eu nulla nec eros scelerisque pharetra. Nullam  
236 varius. Etiam dignissim elementum metus. Vestibulum faucibus, metus sit amet mattis rhoncus, sapien  
237 dui laoreet odio, nec ultricies nibh augue a enim. Fusce in ligula. Quisque at magna et nulla commodo  
238 consequat. Proin accumsan imperdiet sem. Nunc porta. Donec feugiat mi at justo. Phasellus facilisis  
239 ipsum quis ante. In ac elit eget ipsum pharetra faucibus. Maecenas viverra nulla in massa.

240 Nulla ac nisl. Nullam urna nulla, ullamcorper in, interdum sit amet, gravida ut, risus. Aenean ac  
241 enim. In luctus. Phasellus eu quam vitae turpis viverra pellentesque. Duis feugiat felis ut enim. Phasellus  
242 pharetra, sem id porttitor sodales, magna nunc aliquet nibh, nec blandit nisl mauris at pede. Suspendisse  
243 risus risus, lobortis eget, semper at, imperdiet sit amet, quam. Quisque scelerisque dapibus nibh. Nam  
244 enim. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc ut metus. Ut metus justo, auctor at,  
245 ultrices eu, sagittis ut, purus. Aliquam aliquam.

## 246 ACKNOWLEDGMENTS

247 So long and thanks for all the fish.