

Selectors

```
$("*")           // all elements
$("p.demo")       // <p> elements with class="de
$("p:first")      // the first <p> element
$("p span")       // span, descendant of p
$("p > span")    // span, direct child of p
$("p + span")     // span immediately proceeded
$("p ~ span")     // strong element proceeded by
$("ul li:first")  // the first <li> element of t
$("ul li:first-child") // the first <li> element of e
$("ul li:nth-child(3)") // third child
$("[href]")       // any element with an href at
$("a[target='_blank']") // <a> elements with a target
$("a[target!='_blank']") // <a> elements with a target
$(":input")        // all form elements
$(":button")       // <button> and <input> elemen
$("tr:even")       // even <tr> elements
$("tr:odd")        // odd <tr> elements
$("span.parent")  // element which has child ele
$("span:contains('demo')") // element containing the speci
```

Actions

\$(selector).action()

```
$(this).hide() // the current element
$("div").hide() // all <div> elements
$(".demo").hide() // all elements with class="demo"
$("#demo").hide() // the element with id="demo"
```

Events

```
$(".demo").click(function() {
  $(this).hide(200);
});
```

Mouse

scroll, click, dblclick, mousedown, mouseup, mousemove, mouseover, mouseout, mouseenter, mouseleave, load, resize, scroll, unload, error

Keyboard

keydown, keypress, keyup

Form

submit, change, focus, blur

DOM Element

blur, focus, focusin, focusout, change, select, submit

Browser

load, resize, scroll, unload, error

Basics

Include

Download

```
<script src="https://code.jquery.com/jquery-latest.min.j
```

```
<script src="https://ajax.googleapis.com/ajax/libs/jquer
```

Syntax

```
$(document).ready(function() {
  $(".demo").click(function() {
    $(this).hide(200);
  });
});
$(function() {
  // Short Document Ready
});
```

Each

```
$(".demo").each(function() { // parse each
  document.write($(this).text() + "\n"); // output thei
});
```

Trigger

```
$("a#mylink").trigger("click"); // triggers event on an e
```

noConflict

```
var jq = $.noConflict(); // avoid conflict wit
jq(document).ready(function() {
  jq("#demo").text("Hello World!");
});
```

Ads

```
.bind()
$(document).ready(function() { // attach a h
$("#demo").bind('blur', function(e) {
    //dom event fired
});
});
```

DOM Manipulation

Content

```
$("#demo").text(); // returns text conte
$("#demo").html(); // returns content, in
$("#demo").val(); // returns field value
$("#demo").html('Hey <em>yo</em>'); // sets HTML content
```

Attributes

```
$("#link").attr("href"); // get an attr
$("#link").attr("href", 'https://html6.com'); // set attrib
$("#link").attr({
    "href" : "https://html6.com", // setting multip
    "title" : "HTML Editor"
});
$("#link").attr("href", function(i, origValue){
    return origValue + "/help"; // callback funct
});
```

Add

```
$(".demo").prepend("Yo!"); // adds content at the
$(".demo").append("<em>Hey!</em>"); // adds content at the
$(".demo").before("Cheers"); // adds content before
$(".demo").after("<em>Peace</em>"); // adds content after
```

Remove

```
$("#demo").remove(); // removes the selected e
$("#demo").empty(); // removes children
$("#div").remove(".cl1, .cl2"); // removes divs with the
```

Classes

```
$("#demo").addClass("big red"); // add class
$("#h1, p").removeClass("red"); // remove class
$("#demo").toggleClass("big"); // toggle between adding a
```

CSS

```
$("#demo").css("background-color"); // returns CSS val
$("#demo").css("color", "blue"); // sets CSS rule
$("#demo").css({"color": "blue", "font-size": "20px"}); //
```

Dimensions

width, height, innerWidth, innerHeight, outerWidth, outerHeight
inner - includes padding
outer - includes padding and border

Traversing

```
$("#demo").parent(); // accessing direct p
$("#span").parent().hide(); // changing parent co
$("#demo").parents(); // all ancestors of th
$("#demo").parentsUntil("#demo2"); // all ancestors betwe
$("#demo").children(); // all direct children
$("#demo").children(".first"); // all direct children
```

Effects

Hide / Show

```
$("#demo").hide(); // sets to display: none
$("#demo").show(200); // shows hidden elemnt with anima
$("#demo").toggle(); // toggle between show and hide
```

```
$( "#element" ).hide( "slow", function() { // hide with
    console.log( "Animation complete." );
});
```

Fade

fadeIn, fadeOut, fadeToggle, fadeTo

```
$("#demo").fadeIn(); // fade in a hidden e
$("#demo").fadeOut(300); // fade out
$("#demo").fadeToggle("slow"); // toggle between fad
$("#demo").fadeTo("slow", 0.25); // fades to 0.25 opac
```

Slide

slideDown, slideUp, slideToggle

```
$("#demo").slideDown();
$("#demo").slideUp("slow");
$("#demo").slideToggle();
```

Animate

```
$(selector).animate({params},speed,callback);
$("#div").animate({
    opacity: '0.5',
    left: '200px',
    height: '200px'
});
```

stop() Method

```
$("#demo").stop();
$('#demo').mouseleave(function(event) { // hover end
    $('#tab').stop().animate({ // stop() method
        opacity: '0.5',
        marginTop: '10px'
    }, 500, function() { // animation comp
        $('#demo').removeClass('hovered'); // callback f
    });
});
$('#demo').mouseover(function(event) { // hover beg
    $('#tab').stop().animate({ // stop() method
        opacity: '1',
        marginTop: '0px'
    }, 300, function() { // animation comp
        $('#demo').addClass('hovered'); // callback f
    });
});
```

Chaining

```
$("#demo").css("backgroundColor", "green").slideUp(500).s
```

Ads

```

$("#demo").find("span");           // all span elements :
$("#demo").find("*");              // all descendants
$("#demo").siblings("span");       // span siblings of #d
$("#demo").next();                 // the next sibling
$("#p").nextAll();                 // all next siblings
$("#demo").nextUntil("#demo2");    // siblings between tw
$("#demo").prev();                 // the previous siblin
$("#p").prevAll();                 // all previous siblin
$("#demo").prevUntil("#demo2");    // previous siblings b

```

Filtering

```

$("#span strong").first();         // first strong in first span
$("#span strong").last();          // last strong in last span
$("#div").eq(9);                    // element with a specific ind
$("#div").filter(".big");           // all div elements with .big
$("#div").not(".big");              // opposite of filter

```

Ajax

```

$("#demo").load("file.txt hl.main");
$("#demo").load("file.txt", function(responseTxt, statusT:
if(statusTxt == "success") {
    document.write("Content loaded successfully!");
} else {
    document.write("Error: " + xhr.status + ": " +
}

```

\$.get()

```

$.get("demo.asp", function(data, status){           //$.get(UR
document.write("Data: " + data + "\nStatus: " + status);
});

```

\$.post()

```

$.post("demo.asp",           // send HTTP POST request to a pag
{
    name: "John",           // send data
    age: 30
},
function(data, status){ //retrive response
console.log("Data: " + data + "\nStatus: " + status);
});

```

Useful Links

jQuery	jQuery UI
JS cleaner	JS Obfuscator
Articles	Can I use?

Ads

HTML Cheat Sheet is using cookies. | [Privacy Policy](#)
