Learning to Build Agentic Systems

An instructional compilation guide built from public university courses

J. A. Arroyo

16 courses · 308 lectures · 104 assignments · 15 modules · 3 learning tracks

CMU 11-768 · Stanford CS146S (2025, 2026) · Northeastern Agentic AI · Harvard CS 2680 · Buffalo CSE 410/510 · UVA CS 6501 · UW–Madison CS 839 · JHU Machine Programming · CU Boulder CSCI 7000 · Mannheim IE 685/686 · UChicago AI Agents for Social Science

plus MCP, Anthropic Engineering, OpenClaw, Berkeley TinyAgent and Colab

Snapshot compiled October 9, 2026 and updated October 11 and 12, 2026, from the *CMU-Agentic* bookmarks folder plus a targeted course search.

All materials belong to their respective authors. This guide only links to them.

Use of AI tools. I am the sole author. Claude (Anthropic, through Claude Code) searched for the courses, read their public pages and drafted the summaries and structure under my direction. The descriptions are summaries, each linked to its source; titles are the sources' own. I am responsible for the content.

Contents

I Orientation 6

How to Use This Guide **7**
- Conventions . . . 7
- A note on currency . . . 7

Tag Legend **8**

The Courses at a Glance **9**

Course × Module Navigation Matrix **11**

Learning Tracks **12**
- Track A: Agent Builder (practitioner) . . . 12
- Track B: Coding-Agent Engineer . . . 12
- Track C: Agent Researcher / Trainer . . . 12
- A 16-Week Self-Study Plan . . . 12

II Topic Modules 14

Module 0: Setup: Your Agent Workbench **15**
- Learning objectives . . . 15
- Core concepts . . . 15
- Curated learning sequence . . . 15

Module 1: LLM Foundations and Prompting **16**
- Learning objectives . . . 16
- Core concepts . . . 16
- Curated learning sequence . . . 16
- Lecture map (26 lectures) . . . 16
- Key readings . . . 17
- Hands-on . . . 17

Module 2: The Agent Loop and Agent Architectures **18**
- Learning objectives . . . 18
- Core concepts . . . 18
- Curated learning sequence . . . 18
- Lecture map (51 lectures) . . . 18
- Key readings . . . 19
- Hands-on . . . 20

Module 3: Tool Use and Function Calling **21**
- Learning objectives . . . 21
- Core concepts . . . 21
- Curated learning sequence . . . 21
- Lecture map (21 lectures) . . . 21
- Key readings . . . 22
- Hands-on . . . 22

Module 4: MCP and Agent Interoperability **23**
- Learning objectives . . . 23

Core concepts . . . 23
Curated learning sequence . . . 23
Lecture map (13 lectures) . . . 23
Key readings . . . 24
Hands-on . . . 24

Module 5: Memory, Retrieval and Context Engineering 25
Learning objectives . . . 25
Core concepts . . . 25
Curated learning sequence . . . 25
Lecture map (29 lectures) . . . 25
Key readings . . . 26
Hands-on . . . 26

Module 6: Reasoning, Planning, Reflection and Search 27
Learning objectives . . . 27
Core concepts . . . 27
Curated learning sequence . . . 27
Lecture map (48 lectures) . . . 27
Key readings . . . 28
Hands-on . . . 29

Module 7: Multi-Agent Systems 30
Learning objectives . . . 30
Core concepts . . . 30
Curated learning sequence . . . 30
Lecture map (29 lectures) . . . 30
Key readings . . . 31
Hands-on . . . 31

Module 8: Coding Agents 32
Learning objectives . . . 32
Core concepts . . . 32
Curated learning sequence . . . 32
Lecture map (48 lectures) . . . 32
Key readings . . . 33
Hands-on . . . 34

Module 9: Web, GUI, Computer-Use and Multimodal Agents 35
Learning objectives . . . 35
Core concepts . . . 35
Curated learning sequence . . . 35
Lecture map (11 lectures) . . . 35
Key readings . . . 35
Hands-on . . . 36

Module 10: Evaluating Agents 37
Learning objectives . . . 37
Core concepts . . . 37
Curated learning sequence . . . 37
Lecture map (37 lectures) . . . 37
Key readings . . . 38
Hands-on . . . 38

Module 11: Training and Optimizing Agents 40
Learning objectives . . . 40
Core concepts . . . 40
Curated learning sequence . . . 40

Lecture map (30 lectures) . . . 40
Key readings . . . 41
Hands-on . . . 41

Module 12: Safety, Security and Oversight **42**
Learning objectives . . . 42
Core concepts . . . 42
Curated learning sequence . . . 42
Lecture map (23 lectures) . . . 42
Key readings . . . 43
Hands-on . . . 43

Module 13: Deployment, Efficiency and Operations **44**
Learning objectives . . . 44
Core concepts . . . 44
Curated learning sequence . . . 44
Lecture map (29 lectures) . . . 44
Key readings . . . 45
Hands-on . . . 45

Module 14: Applications: Deep Research, Science and Society **46**
Learning objectives . . . 46
Core concepts . . . 46
Curated learning sequence . . . 46
Lecture map (33 lectures) . . . 46
Key readings . . . 47
Hands-on . . . 47

III Course Catalogue 48

CMU: 11-768 AI Agents **49**
Lectures . . . 49
Assignments and projects . . . 50

Stanford '26: CS146S The Modern Software Developer **52**
Lectures . . . 52
Assignments and projects . . . 53

Stanford '25: CS146S The Modern Software Developer (archive) **54**
Lectures . . . 54
Assignments and projects . . . 55

Northeastern: Agentic AI **57**
Lectures . . . 57
Assignments and projects . . . 58

Harvard: CS 2680 Modern AI Systems: Agents and System Optimizations **60**
Lectures . . . 60
Assignments and projects . . . 62

Buffalo: CSE 410/510 Introduction to Agentic Engineering **64**
Lectures . . . 64
Assignments and projects . . . 65

UVA: CS 6501 Workshop on Building AI Agents **66**
Lectures . . . 66
Assignments and projects . . . 67

UW-Madison: CS 839 AI Agents **69**
Lectures . . . 69
Assignments and projects . . . 71

JHU: EN.601.727 Machine Programming **72**
Lectures . . . 72
Assignments and projects . . . 73

CU Boulder: CSCI 7000-005 Building AI Agents **75**
Lectures . . . 75
Assignments and projects . . . 76

Mannheim: IE 685/686 Large Language Models and Agents **78**
Lectures . . . 78
Assignments and projects . . . 78

UChicago: AI Agents for Social Science and Society **80**
Lectures . . . 80
Assignments and projects . . . 82

Stanford 329A: CS329A Self-Improving AI Agents **83**
Lectures . . . 83
Assignments and projects . . . 84

Berkeley '25: CS194/294-196 Agentic AI **86**
Lectures . . . 86
Assignments and projects . . . 87

Berkeley Adv.: CS294/194-280 Advanced Large Language Model Agents **88**
Lectures . . . 88
Assignments and projects . . . 89

Stanford 329T: CS329T Trustworthy ML: Building and Evaluating Agentic Systems **90**
Lectures . . . 90
Assignments and projects . . . 91

Supplementary Resources **93**
Model Context Protocol docs (version 2026-07-28) . . . 93
Anthropic Engineering: Code execution with MCP . . . 93
OpenClaw documentation . . . 93
Berkeley BAIR: TinyAgent, Function Calling at the Edge . . . 93
MIT 6.566 guest lecture: AI Agent Security (Anish Athalye, April 2026) . . . 93
Anthropic: Building effective agent automations (Martin and Avilla, October 2026) . . . 94
Notion: How we built a personal data scientist for every Notion employee (David Thomas, October 2026) 94
Jesse Barkley: local agent demos for the CMU executive Agentic AI program (2026) . . . 94
CADSmith: multi-agent CAD generation with programmatic geometric validation (Barkley, Loghmani and Barati Farimani, 2026) . . . 95
Google Colab . . . 95

IV Appendices **96**

Codebase and Tool Index **97**
CMU . . . 97
Stanford '25 . . . 97
Northeastern . . . 97
Harvard . . . 97
Buffalo . . . 98

UVA . . . 98
UW-Madison . . . 98
JHU . . . 98
CU Boulder . . . 99
Mannheim . . . 99
UChicago . . . 99
Stanford 329A . . . 99
Berkeley '25 . . . 99
Berkeley Adv. . . . 100
Stanford 329T . . . 100
Supplements . . . 100

Canonical Reading Checklist **101**

Tag Matrix **103**

Provenance and Caveats **104**
Per-course research notes . . . 104

Orientation

How to Use This Guide

This guide compiles 16 public university courses on LLM agents and agentic systems, plus 10 supplementary resources, into one curriculum you can navigate. Most come from your *CMU-Agentic* bookmarks folder; the rest were added after a targeted search for courses strong in evaluation, training and security. Every one of the 308 catalogued lectures and 104 assignments is classified with one shared set of topic tags, so the same subject can be followed across courses.

One set of three documents

1. **Learning to Build Agentic Systems** (this guide): the courses, lectures and assignments behind the practices. *Use it to learn a topic.*
2. **Agentic System Design Process** (`design_process/design_process.pdf`): nine phases from framing a problem to running it in production, each citing the courses indexed here. *Use it to design a system.*
3. **Screening Tasks for Agentic Automation** (`design_process/task_screening.pdf`): a one-page worksheet, filled in after Phase 1 of the design process, that feeds Phase 2 and sets up the comparison run in Phase 7. *Use it to decide whether a task is worth it.*

The modules map onto the design phases: ARCH for Phases 2–3, EVAL for Phases 4 and 7, TOOL and MEM for Phase 5, SAFE for Phase 8 and DEPLOY for Phase 9.

Four ways in

- **Follow a track** (Learning tracks): a role-based path through the modules, or the 16-week self-study plan.
- **Study a topic** (Part II, Modules 0–14): each module gives learning objectives, a short conceptual primer, a *curated* sequence of the best lectures across courses, an automatically generated map of *every* relevant lecture, key readings and hands-on assignments.
- **Browse a course** (Part III, Course catalogue): each course card is followed by its full lecture table and assignment table with all public links.
- **Jump around** with the course × module matrix. Every coloured tag box, lecture reference and assignment name is a hyperlink, and the page header always links back to Contents and the Matrix.

Conventions

- Lecture references look like **CMU 2** (course code and session number in that course's own schedule) and link to the row in the catalogue, which has dates, topics, readings and materials.
- Material links are labelled by type: `[slides]`, `[video]`, `[PDF]`, `[PPTX]`, `[GitHub]`, `[arXiv:...]`, `[notebook zip]`, or the site's domain.
- In module lecture maps, ⋆ marks the lectures chosen for the curated sequence.
- Guest talks and purely logistical sessions stay in the catalogue but are left out of the module maps.
- In hands-on lists, "Starter code" means the assignment has a public repository or download, "Spec" links to a written specification with no code, and "Resources" links to benchmarks or data sources the project builds on.

A note on currency

The material spans Spring 2024 (TinyAgent) to courses still running in October 2026. Two things change fast. (1) **MCP:** the 2026-07-28 revision made the protocol stateless (see the MCP supplement), so earlier lectures teach the older handshake. (2) **Model names and SDKs:** courses use whatever was current when they ran. Learn the concepts from the lectures and take API details from current documentation.

Tag Legend

Every lecture and assignment carries one or more tags. Each tag (except ORG) corresponds to a module in Part II. TOOL lectures that are mainly about MCP or A2A are collected in their own module.

Tag	Meaning	Module	Lectures
FND	Foundations	Module 1: LLM Foundations and Prompting	26
ARCH	Architectures	Module 2: The Agent Loop and Agent Architectures	52
TOOL	Tools	Module 3: Tool Use and Function Calling; Module 4: MCP and Agent Interoperability	34
MEM	Memory/RAG/Context	Module 5: Memory, Retrieval and Context Engineering	30
RSN	Reasoning/Planning	Module 6: Reasoning, Planning, Reflection and Search	50
MULTI	Multi-agent	Module 7: Multi-Agent Systems	30
CODE	Coding agents	Module 8: Coding Agents	56
WEB	Web/GUI/Multimodal	Module 9: Web, GUI, Computer-Use and Multimodal Agents	11
EVAL	Evaluation	Module 10: Evaluating Agents	38
TRAIN	Training	Module 11: Training and Optimizing Agents	31
SAFE	Safety/Security	Module 12: Safety, Security and Oversight	25
DEPLOY	Deployment	Module 13: Deployment, Efficiency and Operations	35
APP	Applications	Module 14: Applications: Deep Research, Science and Society	40
ORG	Logistics	–	68

The Courses at a Glance

The courses fall into a few archetypes, and knowing which kind you are reading tells you how to use it:

- **Systems and training** (CMU): the backbone, from harnesses to RL, with the best assignments.
- **Builder courses** (Northeastern, UVA, Buffalo, Mannheim): framework-based, hands-on and lab-driven.
- **Coding-agent practice** (Stanford CS146S, both years): how practitioners work with and around coding agents.
- **Research seminars** (UW–Madison, CU Boulder): curated paper lists, for depth and for the research frontier.
- **Program synthesis** (JHU): the PL view of code generation, from classic search to LLM coding agents.
- **Applied social science** (UChicago): agents as simulated subjects and research instruments.

Course	Archetype / level	Public materials	Lectures / assignments	Best for
CMU 11-768 AI Agents	Systems + training (build, evaluate, RL-train) *Graduate; assumes you have trained neural LMs*	Slides: L1–14 Video: L1–9 Code: A1–A3 public	23 / 5	The backbone course: harness engineering, evals, SFT/RL, safety, search.
Stanford '26 CS146S The Modern Software Developer	Coding-agent practice (practitioner) *Undergrad/grad; CS111/CS161-level programming*	Slides: Weeks 1–3 so far Video: none Code: Weeks 1–3 assignments	20 / 3	How production coding agents work and how to set up a repo and a team around them.
Stanford '25 CS146S The Modern Software Developer (archive)	Coding-agent practice (practitioner) *Undergrad/grad*	Slides: Most lectures (Google Slides) Video: none Code: 8 weekly assignments (branch fall2025)	20 / 9	Slide decks on prompting, building a coding agent, MCP servers, AI testing/security, code review, SRE.
Northeastern Agentic AI	Builder (LangChain/LangGraph stack) *Gentle on-ramp (Python primer provided)*	Slides: 2 HTML decks Video: none Code: Notebooks W02b–W05b, DADA1	19 / 4	Best guided, notebook-by-notebook path from an LLM API call to a deployed LangGraph agent.
Harvard CS 2680 Modern AI Systems: Agents and System Optimizations	Agent systems and serving (use, build, optimize, serve) *Graduate systems course; CS61 plus a graduate systems course*	Slides: 8 decks (Part I) Video: none (not recorded) Code: A2–A3 starter repo (no license); A4–A5 unreleased	25 / 6	Treating an agent as a system to measure: harness design, evaluation, and cost per solved task, then the serving stack underneath.
Buffalo CSE 410/510 Introduction to Agentic Engineering	Engineering discipline (framework-agnostic) *Upper-undergrad / MS*	Slides: none Video: none Code: none (lab specs only)	15 / 11	Five lab specs and a capstone spec that treat an agent as an engineered, evaluated, bounded system.
UVA CS 6501 Workshop on Building AI Agents	Hands-on lab workshop (small/open models) *Graduate workshop; Python*	Slides: PPTX per topic Video: 1 + podcasts Code: Starter scripts per topic	19 / 9	The richest set of runnable lab exercises: local LLMs, LangGraph, tools, RAG, VLMs, MCP/A2A, Tinker fine-tuning.
UW-Madison CS 839 AI Agents	Research seminar (paper reading) *Graduate research seminar*	Slides: none Video: none Code: Demo notebook; MIT license	25 / 4	A curated, critical reading list from ReAct to self-improving and evolutionary agents, plus a no-frameworks coding-agent assignment.
JHU EN.601.727 Machine Programming	Program synthesis to coding agents *Graduate (PL + ML)*	Slides: L1–12 Video: none Code: A1–A3 public	28 / 5	Ties classic program synthesis to LLM coding agents, with two MCP lectures and a strong web-app agent assignment.

Course	Archetype / level	Public materials	Lectures / assignments	Best for
CU Boulder CSCI 7000-005 Building AI Agents	Research seminar (agentic software engineering) *Graduate seminar; competent SE assumed*	Slides: 4 instructor decks Video: none Code: none	28 / 4	Research reading on agentic software engineering: refactoring agents, SWE-agent, skills, memory, MCP design choices.
Mannheim IE 685/686 Large Language Models and Agents	Applied master's course + team project *Master's; Python + basic ML*	Slides: 8 PDF decks Video: none Code: 5 exercise notebooks (zip)	12 / 15	Compact slide decks from LLM basics to context engineering, plus nine well-specified team-project briefs.
UChicago AI Agents for Social Science and Society	Applied: agents as research instruments *Grad / advanced undergrad (computational social science)*	Slides: none Video: none Code: 9 weekly notebooks	11 / 11	Agents as simulated subjects and research assistants; notebooks on multi-agent simulation, LoRA, RL, steering and red-teaming.
Stanford 329A CS329A Self-Improving AI Agents	Research course (self-improvement levers) + homeworks *Graduate; CS224N or CS229S*	Slides: none linked Video: 9 recordings (Stanford Online) Code: HW1–HW3 public repos (HW1 MIT, HW3 Apache-2.0)	20 / 6	The clearest path through test-time compute, verifiers, RL and open-ended self-improvement, with three public homeworks.
Berkeley '25 CS194/294-196 Agentic AI	Guest-lecture series + AgentBeats project (also a MOOC) *Undergraduate and graduate; ML/DL background*	Slides: 9 of 13 sessions Video: 12 of 13 sessions Code: AgentBeats tutorial repo (no license stated)	13 / 4	Industry and lab speakers on post-training, agent evaluation and deployment, and an evaluator-agent project (AgentBeats).
Berkeley Adv. CS294/194-280 Advanced Large Language Model Agents	Guest-lecture series + Lean labs (also a MOOC) *Upper-division undergraduate and graduate*	Slides: All 12 lectures Video: All 12 lectures Code: 2 Lean labs in a public Drive folder (no license)	12 / 6	Research talks on reasoning, post-training, coding and web agents and formal math, plus a compiler-verified agent lab.
Stanford 329T CS329T Trustworthy ML: Building and Evaluating Agentic Systems	Project course on agent evaluation *Graduate; CS229 + deep learning*	Slides: 11 decks (10 sessions) Video: none (not recorded) Code: HW1 handout PDF; starter branch 404	18 / 2	Evaluation-first agent building: Goal-Plan-Action evaluation, LLM judges, MCP tool descriptions, GEPA and red-teaming.

Course × Module Navigation Matrix

Each cell is the number of lectures from a course in a module. Click a number to open the module, or a course name to open its catalogue entry. Column headers are module numbers: 1 LLM Foundations and Prompting; 2 The Agent Loop and Agent Architectures; 3 Tool Use and Function Calling; 4 MCP and Agent Interoperability; 5 Memory; 6 Reasoning; 7 Multi-Agent Systems; 8 Coding Agents; 9 Web; 10 Evaluating Agents; 11 Training and Optimizing Agents; 12 Safety; 13 Deployment; 14 Applications.

Course	**1**	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**	**11**	**12**	**13**	**14**	All
CMU	0	3	1	0	3	3	2	2	1	2	4	2	2	3	23
Stanford '26	2	3	1	1	2	0	1	5	0	2	0	1	3	0	20
Stanford '25	2	1	1	1	1	1	2	8	0	2	0	1	2	1	20
Northeastern	3	6	2	2	6	4	3	0	0	1	1	2	5	0	19
Harvard	0	6	1	2	3	0	2	2	0	1	0	1	10	0	25
Buffalo	1	2	1	0	3	2	1	1	0	1	0	2	2	1	15
UVA	2	4	3	1	2	4	4	1	2	3	2	1	1	3	19
UW-Madison	1	6	2	0	3	5	5	4	1	5	2	3	0	4	25
JHU	2	4	0	2	0	5	0	8	0	0	4	1	0	7	28
CU Boulder	0	6	5	1	1	4	4	10	1	3	1	2	1	0	28
Mannheim	3	2	0	1	2	1	0	0	0	1	1	1	0	0	12
UChicago	3	0	0	1	1	3	2	1	1	2	2	2	0	5	11
Stanford 329A	1	2	1	0	0	5	0	4	1	3	3	0	0	1	20
Berkeley '25	2	1	0	0	0	1	3	1	1	4	4	1	2	3	13
Berkeley Adv.	0	2	2	0	1	9	0	1	2	2	3	2	1	4	12
Stanford 329T	4	3	1	1	1	1	0	0	1	5	3	1	0	1	18
Total	26	51	21	13	29	48	29	48	11	37	30	23	29	33	

A lecture can appear in several modules. Logistics rows and guest talks count toward *All* but not toward any module.

Learning Tracks

Choose a track by goal. All tracks assume Python fluency. Track C also assumes basic deep learning (PyTorch, transformers). Each module's curated sequence is the default path; the lecture map lists alternatives.

Track A: Agent Builder (practitioner)

For: You want to ship reliable tool-using agents and RAG systems.

Path: M0 → M1 → M2 → M3 → M4 → M5 → M6 → M10 → M12 → M13

Spine courses: Northeastern notebooks for guided builds, UVA labs for experiments, Buffalo lab specs as checkpoints.

Capstone: Buffalo's *useful bounded agent* (**Buffalo: Final Team Project: Useful Bounded Agent**), deployed like Northeastern's **Northeastern: DADA1: The Trip Planner Agent**.

Track B: Coding-Agent Engineer

For: You want to build or deeply customize coding agents and agent-ready workflows.

Path: M0 → M2 → M3 → M4 → M5 → M8 → M10 → M12

Spine courses: Stanford '26 for practice, CMU for harness internals, UW and CU Boulder for the research context.

Capstone: **UW-Madison: Build a Coding Agent** without frameworks, then extend it to pass the **JHU: A3: Coding LLM Agents** tasks and evaluate it like **JHU: A2: Evaluating Coding LLMs**. An adapted alternative: **Harvard: A2 Mads-Loop: Build the loop**, a harness scored on SWE-bench Pro tasks plus four tasks you write yourself, run against your own model endpoint because the course API is closed to outsiders.

Track C: Agent Researcher / Trainer

For: You want to train agentic models and do research-grade evaluation.

Path: M1 → M2 → M3 → M5 → M6 → M10 → M11 → M7 → M12 → M14

Spine courses: CMU 11-768 end to end (all three assignments), with UW CS 839 and CU Boulder reading lists; Stanford CS329A for test-time compute and self-improvement, and the two Berkeley series for current research talks.

Capstone: The CMU pipeline: **CMU: A1: Build an Agent Harness** → **CMU: A2: Evaluating a Data-Visualization Agent** → **CMU: A3: Agentic RL Training, "scottyrl"**, then a research question framed as Northeastern requires (mechanism → manipulation → measured behavior).

A 16-Week Self-Study Plan

Roughly 8–10 hours a week: watch or read the listed sessions (slides first, then papers), then build. The plan follows Track A but includes the core of B and C. Adjust it freely.

Wk	Module	Watch / read	Build
1	SETUP, FND	Northeastern 2, Northeastern 3, Stanford '25 2	**UVA: Topic 1 portfolio: Running an LLM**; **Stanford '25: Week 1 — Prompting Techniques**
2	ARCH	CMU 1, Stanford '26 1, UW-Madison 2	Raw ReAct loop from scratch (start **UW-Madison: Build a Coding Agent**)
3	TOOL	CMU 2, UVA 5, UVA 7	**UVA: Topic 3 portfolio: Tool use**; **Buffalo: Lab 1: A Minimal Tool-Using Agent**
4	MCP	MCP docs, Stanford '26 4, JHU 8–JHU 9	**Stanford '26: Week 2 — Build an MCP Server for a Third-Party API**
5	MEM (context)	CMU 3, CMU 4, Northeastern 7	Add compaction and skills to your agent (**Stanford '26: Week 3 — Author a Skill**)

Wk	Module	Watch / read	Build
6	MEM (RAG)	Northeastern 8, Northeastern 9, UVA 9	**UVA: Topic 5: RAG experiments**; **Buffalo: Lab 2: Retrieval and Memory**
7	ARCH (graphs)	Northeastern 6, UVA 3, CMU 15	**Buffalo: Lab 3: Workflow Graphs and State Machines**; **Northeastern: DADA1: The Trip Planner Agent**
8	RSN	CMU 5, Northeastern 10, Stanford 329A 2; before A1: JHU 2–JHU 4	**JHU: A1: Inductive Synthesis**
9	CODE	CMU 6, Stanford '26 2, UW-Madison 5–UW-Madison 6	**CMU: A1: Build an Agent Harness** or **JHU: A3: Coding LLM Agents**
10	EVAL	Northeastern 18, Buffalo 9, Stanford 329T 7, Berkeley '25 5	**CMU: A2: Evaluating a Data-Visualization Agent** or **JHU: A2: Evaluating Coding LLMs** (pick one; each fills the week. Do the other later as a multi-week project)
11	MULTI	Northeastern 12–Northeastern 14, UW-Madison 20	**UVA: Topic 7: MCP + A2A** (A2A)
12	WEB	CMU 7, UVA 10	**UVA: Topic 6: VLM agents**
13	TRAIN (SFT)	CMU 8, UVA 13, TinyAgent	**UVA: Topic 8: Text-to-SQL fine-tuning**
14	TRAIN (RL)	CMU 9, CMU 11, CMU 12, Stanford 329A 6	**CMU: A3: Agentic RL Training, "scottyrl"**
15	SAFE	CMU 13, UW-Madison 11–UW-Madison 12, Buffalo 10, Berkeley '25 13	**Buffalo: Lab 5: Human-in-the-Loop and Safety Boundaries**
16	DEPLOY, APP	Northeastern 19, Stanford '26 15, CMU 10	Capstone (**Buffalo: Final Team Project: Useful Bounded Agent**)

Topic Modules

Module 0: Setup: Your Agent Workbench

Learning objectives

- Have a reproducible Python environment, API access and a sandbox to run course code in.
- Know which courses need which accounts and services.

Core concepts

Every course here assumes a small workbench, and setting it up once saves friction later.

- **Python environment.** CMU and Northeastern use `uv`; Stanford '25 used Poetry/Conda. Keep one virtual environment per course repository.
- **Models.** You need at least one hosted API key (the courses use OpenAI, Anthropic via Bedrock, Gemini and OpenRouter) and, optionally, a local runtime (Ollama is used by Northeastern, UVA and Stanford '25) for cheap, private experiments with small open models.
- **Sandboxes.** Agents execute code. CMU runs tools in Modal sandboxes. Colab is the zero-install choice for notebooks. Never let an agent you are developing run commands directly on the machine that holds your credentials.
- **Tracing.** Log every model call and tool call from day one (plain JSONL is enough). Every evaluation and debugging lecture assumes you have traces.

Install policy reminder. The courses name many packages (LangGraph, FastMCP, Tinker, Modal, ...). Treat each install as a deliberate decision: pin versions and check security advisories before installing.

Curated learning sequence

1. Northeastern 3 *LLM Foundations (II)* — The setup page walks through uv, `.env` keys and a first LLM API call.
2. UVA 1 *Topic 1: Running an LLM* — Run a small open model locally and on Colab, with and without quantization.
3. Supplement: Google Colab — The runtime for every notebook-based course.

Module 1: LLM Foundations and Prompting

Tag: FND

Learning objectives

- Explain next-token prediction, pre-training versus post-training, and why instruction-tuned models follow chat templates.
- Use prompting techniques (few-shot, CoT, self-consistency, structured output) deliberately.
- Run and benchmark a small open model locally.

Core concepts

An agent is only as good as the model in its loop, and most agent bugs trace back to how that model was conditioned.

- **Pre-training** produces a next-token predictor. **Post-training** (instruction tuning, RLHF/RL) turns it into an assistant that follows *chat templates*: role-tagged messages, and for agents, tool-call and tool-result segments. CMU's tool-use lecture shows how those templates encode function calls.
- **Prompting** is programming in natural language. Few-shot examples, chain-of-thought, self-consistency and explicit output schemas are the basic toolkit. Structured output (JSON or typed objects) is what makes a model's response machine-actionable.
- **Cost and latency** scale with tokens, so an agent's prompt is a budget. Context-window limits and KV-cache pricing return in Module 5 (Memory, Retrieval and Context Engineering) and Module 13 (Deployment, Efficiency and Operations).
- **Small versus large models.** UVA's first reading argues that small language models are the future of agentic AI, and the TinyAgent supplement shows a 1.1B model beating a frontier model on a narrow toolset.

Curated learning sequence

1. Northeastern 2 *LLM Foundations (I)* — Transformers, autoregressive generation, base versus instruction-tuned models (with a local model).
2. Northeastern 3 *LLM Foundations (II)* — InstructGPT, CoT, and the LLM API basics notebook.
3. Stanford '25 1 *Introduction and how an LLM is made* and Stanford '25 2 *Power prompting for LLMs* — How an LLM is made, then power prompting (slides).
4. Mannheim 1 *Introduction (to LLMs)*–Mannheim 3 — Compact decks on LLM basics, post-training and prompt engineering.
5. UVA 1 *Topic 1: Running an LLM* — Benchmark Llama-3.2-1B on MMLU across hardware and quantization settings.

Lecture map (26 lectures)

Course	#	Title (links to catalogue row)	Materials	Tags
Stanford '26	2	How SOTA coding agents are designed: deep dive into system prompts	[course site]	CODE FND
Stanford '26	3	Advanced prompting + agentic dev frameworks (RePPIT, spec-driven development)	[course site]	FND MEM
Stanford '25	1	⋆Introduction and how an LLM is made	[slides]	ORG FND
Stanford '25	2	⋆Power prompting for LLMs	[slides]	FND RSN
Northeastern	2	⋆LLM Foundations (I)	[agenticllms.github.io] [video] [video]	FND DEPLOY
Northeastern	3	⋆LLM Foundations (II)	[agenticllms.github.io] [GitHub]	FND TRAIN
Northeastern	19	Agentic AI Optimization	–	DEPLOY FND
Buffalo	2	Foundation models as components	–	FND
UVA	1	⋆Topic 1: Running an LLM	[cs.virginia.edu]	FND EVAL DEPLOY
UVA	10	Topic 6: Vision-Language Models	[cs.virginia.edu] [GitHub]	WEB APP FND
UW-Madison	3	Reasoning and acting I	–	RSN FND
JHU	5	Language Modeling for Synthesis	[PDF]	FND CODE
JHU	6	Decoding and Prompting for Synthesis	[PDF]	FND CODE
Mannheim	1	⋆Introduction (to LLMs)	[PDF]	FND ORG

Course	#	Title (links to catalogue row)	Materials	Tags
Mannheim	2	⋆ Post-training and Efficient Adaptation	[PDF] [notebook zip]	TRAIN FND
Mannheim	3	⋆ Prompt Engineering	[PDF] [notebook zip]	FND RSN
UChicago	1	Deep Learning and Social Agents	[GitHub]	FND APP
UChicago	2	Text Learning, Transformers, and Diffusion Models	[GitHub]	FND RSN
UChicago	6	Auto-Encoders, Interpretability, and Steering Agents	[GitHub]	SAFE FND
Stanford 329A	20	Future Research Areas	[video]	FND
Berkeley '25	1	Introduction	[slides]	ORG FND
Berkeley '25	2	LLM Agents Overview	[slides] [video]	FND TRAIN
Stanford 329T	1	Course introduction and overview	[slides]	ORG FND ARCH
Stanford 329T	2	Models, Prompting and RAG	[slides] [HW1]	FND MEM
Stanford 329T	9	Deep dive into LLMs	[slides]	FND TRAIN
Stanford 329T	15	Multi-modal frontier models with agentic capabilities (guest: Deepak Ramachandran, Google DeepMind)	–	FND ARCH

Key readings

- Vaswani et al., *Attention Is All You Need* (2017)
- Ouyang et al., *InstructGPT* (2022)
- Wei et al., *Chain-of-Thought Prompting* (2022)
- Belcak et al., *Small Language Models are the Future of Agentic AI* (2025)
- Karpathy, *Deep Dive into LLMs* (video)

Hands-on

- **Stanford '25: Week 1 — Prompting Techniques** — Fill in prompts for K-shot, chain-of-thought, tool calling, self-consistency, RAG, and reflexion until the test scripts pass, using local Ollama models (mistral-nemo:12b, llama3.1:8b). *Starter code:* [GitHub]
- **UVA: Topic 1 portfolio: Running an LLM** — MMLU timing/accuracy study across models, quantization and hardware; chat agent with bounded context and restartability; optional MT-Bench. *Starter code:* [cs.virginia.edu]
- **Mannheim: Exercise: LLM Introduction** — Intro notebook for working with LLMs. *Starter code:* [notebook zip]

Module 2: The Agent Loop and Agent Architectures

Tag: ARCH

Learning objectives

- Define an agent (model + loop + tools + environment + stopping rule) and distinguish workflows from agents.
- Implement a ReAct-style loop from scratch, without a framework.
- Judge when a graph framework (LangGraph) or an agent SDK earns its complexity.

Core concepts

Anthropic's *Building Effective Agents*, assigned by Northeastern, Buffalo and UW, draws the key distinction. A **workflow** orchestrates LLM calls along predefined code paths (chaining, routing, parallelization, orchestrator–workers, evaluator–optimizer). An **agent** lets the model choose its own next action in a loop until a stopping condition holds.

- **The loop.** Build the prompt (system + history + tool specs), call the model, parse any tool calls, execute them in the environment, append the observations, and repeat until the model answers or a step or token budget runs out. That is a *harness*. CMU A1, JHU A3 and the UW assignment all make you write one.
- **State** is the message history plus anything external (files, a scratchpad, a database). Explicit state machines and graphs (Buffalo Lab 3, LangGraph in Northeastern, UVA and CMU) make control flow inspectable, resumable (checkpointing) and testable.
- **Frameworks versus raw loops.** Write a loop by hand first. Frameworks such as LangGraph, the OpenAI Agents SDK, OpenHands and smolagents then become shortcuts you understand rather than magic. UW bans frameworks for its assignment for exactly this reason.
- **Cognitive architectures** (CoALA) provide a vocabulary for memory, action space and decision procedure that the rest of this guide reuses.

Curated learning sequence

1. CMU 1 *Course Overview: What Is an Agent?* — What an agent is, the agent loop and the course map (slides + video).
2. Stanford '26 1 *Course intro + build Claude Code in 200 lines* — Build a Claude-Code-style agent in about 200 lines, then read the completed code.
3. UW-Madison 2 *Building agents* — Instructor walkthrough with a demo notebook. Then do the UW assignment below.
4. Northeastern 4 *Simple Agent Architecture* and Northeastern 6 *Short-term & Long-term Memory* — From a simple tools-and-memory agent to LangGraph state, nodes, edges and cycles.
5. UVA 3 *Topic 2: Agent Frameworks* — LangGraph lab: routing, parallel models, checkpointing and crash recovery.
6. CMU 14 *Frameworks 1: OpenHands* and CMU 15 *Frameworks 2: LangGraph* — Two production frameworks compared: OpenHands and LangGraph.
7. Supplement: Barkley local agent demos — The same small agent as a hand-written loop and as a LangGraph graph, on a local 4B model.

Lecture map (51 lectures)

Course	#	Title (links to catalogue row)	Materials	Tags
CMU	1	⋆Course Overview: What Is an Agent?	[slides] [video]	ORG ARCH
CMU	14	⋆Frameworks 1: OpenHands	[slides]	ARCH CODE
CMU	15	⋆Frameworks 2: LangGraph	–	ARCH
Stanford '26	1	⋆Course intro + build Claude Code in 200 lines	[course site]	CODE ARCH
Stanford '26	15	Background agents: launching tasks asynchronously	[course site]	DEPLOY ARCH
Stanford '26	20	The Software Factory: self-running, self-improving software systems	[course site]	ARCH DEPLOY
Stanford '25	3	Building a coding agent from scratch	[slides] [drive.google.com]	ARCH TOOL CODE

Course	#	Title (links to catalogue row)	Materials	Tags
Northeastern	1	Introduction to Agentic AI	[agenticllms.github.io] [colab.research.google.com]	ORG ARCH
Northeastern	4	⋆Simple Agent Architecture	[agenticllms.github.io] [GitHub]	ARCH TOOL MEM
Northeastern	6	⋆Short-term & Long-term Memory	[agenticllms.github.io] [agenticllms.github.io] [GitHub]	MEM ARCH DEPLOY
Northeastern	7	Context Management	[agenticllms.github.io] [GitHub]	MEM ARCH
Northeastern	10	Planning & Task Decomposition	–	RSN ARCH
Northeastern	14	Multi-Agent Orchestration III	–	MULTI ARCH
Harvard	1	Course overview and logistics	[PDF]	ORG ARCH
Harvard	4	Agents design I: context management and tool design	[PDF] [cs2680.seas.harvard.edu]	ARCH TOOL MEM
Harvard	6	Agents design II: multi-agent architecture, coordination, and communication	[PDF] [cs2680.seas.harvard.edu]	MULTI ARCH TOOL
Harvard	7	Agents design III: agent memory and reliability	[PDF] [cs2680.seas.harvard.edu]	MEM ARCH
Harvard	10	Advanced agent design I: Cost and performance	[PDF] [PDF]	DEPLOY ARCH
Harvard	11	Advanced agent design II: agent safety, self-evolving harness	[cs2680.seas.harvard.edu]	SAFE ARCH
Buffalo	1	What is agentic engineering?	–	ORG ARCH
Buffalo	6	Agent workflows	–	ARCH
UVA	3	⋆Topic 2: Agent Frameworks	[cs.virginia.edu]	ARCH MULTI
UVA	5	Topic 3: Agent Tool Use (online)	[cs.virginia.edu]	TOOL ARCH
UVA	7	Topic 4: Exploring Tools	[cs.virginia.edu] [GitHub]	TOOL RSN ARCH
UVA	17	Topic 11: Coding Agents	[cs.virginia.edu]	CODE ARCH
UW-Madison	2	⋆Building agents	[GitHub]	ARCH TOOL
UW-Madison	13	Optimizing agents I	–	ARCH TRAIN
UW-Madison	14	Optimizing agents II	–	ARCH TRAIN
UW-Madison	15	Self-improving agents I	–	ARCH WEB
UW-Madison	20	Multi-agent systems II	–	MULTI ARCH
UW-Madison	21	Memory I	–	MEM ARCH
JHU	7	Iterative Refinement and Agentic Framework	[PDF]	ARCH CODE
JHU	8	Agentic Frameworks: Model Context Protocol	[PDF]	TOOL ARCH
JHU	9	Agentic Frameworks: Model Context Protocol (2)	[PDF]	TOOL ARCH
JHU	10	Agentic Frameworks: Selected Topics	[PDF]	ARCH CODE
CU Boulder	2	Survey of agents (Dig)	[PDF]	ARCH CODE
CU Boulder	3	Agentic SE roadmap (Dig)	[PDF]	CODE ARCH
CU Boulder	13	SWE-agent & AutoCodeRover (students)	–	CODE ARCH
CU Boulder	14	AutoGen & MetaGPT (students)	–	MULTI ARCH
CU Boulder	16	LangGraph tutorial & OpenHands	–	ARCH CODE
CU Boulder	18	RefAgent & Agentic Skills (students)	–	CODE ARCH TOOL
Mannheim	4	LLM Agents and Tool Use	[PDF] [notebook zip]	ARCH TOOL
Mannheim	6	Context Engineering	[PDF] [zip]	MEM ARCH
Stanford 329A	7	Open-Ended Evolution of Self-Improving Agents	–	ARCH CODE APP
Stanford 329A	13	Agentic Frameworks for Software Engineering	–	CODE ARCH
Berkeley '25	3	Evolution of system designs from an AI engineer perspective	[slides] [video]	ARCH DEPLOY
Berkeley Adv.	3	On Reasoning, Memory, and Planning of Language Agents	[slides] [video]	RSN MEM ARCH
Berkeley Adv.	11	Abstraction and Discovery with LLM Agents	[slides] [video]	RSN ARCH APP
Stanford 329T	1	Course introduction and overview	[slides]	ORG FND ARCH
Stanford 329T	3	Agentic AI	[slides]	ARCH EVAL
Stanford 329T	15	Multi-modal frontier models with agentic capabilities (guest: Deepak Ramachandran, Google DeepMind)	–	FND ARCH

Key readings

- Anthropic, *Building Effective Agents*
- Yao et al., *ReAct* (2022)
- Sumers et al., *CoALA: Cognitive Architectures for Language Agents* (2023)

- Chip Huyen, *Agents* (2025)
- Wang et al., *A Survey on LLM-based Autonomous Agents* (2024)

Hands-on

- **UW-Madison: Build a Coding Agent** — A CLI coding agent like Claude Code / Cursor CLI / Gemini CLI, using raw LLM API calls with no agent frameworks (LangChain, Strands, CrewAI banned; thin wrappers like litellm allowed). It must parse and execute tool calls, have a polished UI, a README, and one non-trivial program the agent built. *Spec:* [GitHub]
- **CMU: A1: Build an Agent Harness** — A domain-agnostic ReAct `Agent` base class: prompt construction, tool-call loop, step limit, model-generated context compaction. On top of it, a `CodeAgent` (terminal/message tools, skill loader with progressive disclosure via `invoke_skill`) that fixes a chess-app bug and solves SWE-bench `django__django-15368` with and without compaction. Then a `ChessAgent` (play_move, stateless simulate_move, sandboxed run_python, chess skill) plus an observation A/B experiment. Uses Modal sandboxes, an OpenAI-compatible LLM (default DeepSeek-V4-Flash), uv, and pytest. 100-pt rubric. *Starter code:* [GitHub] [GitHub] [GitHub]
- **UVA: Topic 2 portfolio: LangGraph agents** — Routed, parallel, multi-model LangGraph chat with history and crash recovery; optional web summarizer. *Starter code:* [cs.virginia.edu]
- **Buffalo: Lab 3: Workflow Graphs and State Machines** — Agentic workflow as a graph/state machine with explicit states, transitions, failure handling and logging. *(spec only)*
- **Buffalo: Lab 1: A Minimal Tool-Using Agent** — Python agent choosing among a calculator, a file reader and a search/lookup tool. Submit a design note and successful/failed runs. *(spec only)*
- Supplement: Barkley local agent demos. Run `Local-Agent-Demo`, read `agent.py`, then compare it with the LangGraph version.

Related supplements: Model Context Protocol docs (version 2026-07-28), OpenClaw documentation, MIT 6.566 guest lecture: AI Agent Security (Anish Athalye, April 2026), Jesse Barkley: local agent demos for the CMU executive Agentic AI program (2026).

Module 3: Tool Use and Function Calling

Tag: TOOL (MCP-focused lectures are in Module 4)

Learning objectives

- Explain how tool calls are encoded in chat templates and parsed by the harness.
- Design agent-ergonomic tools (names, schemas, errors, granularity).
- Implement manual tool dispatch, then framework tool nodes, and measure tool-selection accuracy.

Core concepts

Tools are how an agent acts. Three layers matter:

- **Encoding.** The model emits a structured call (name + JSON arguments) inside its chat template, the harness executes it, and the result returns as a tool message. Constrained decoding (e.g. XGrammar) can guarantee well-formed calls. Benchmarks such as BFCL measure function-calling accuracy.
- **Design.** Tools are an interface for a non-human user. Prefer a few high-level, composable tools with clear names, typed parameters and *informative errors* that tell the model how to recover. "Code as action" (CodeAct) replaces many tools with one interpreter. Stanford's readings include Anthropic's *Writing effective tools for agents* and "APIs don't make good MCP tools".
- **Selection at scale.** With dozens of tools, retrieval over tool descriptions, or a small classifier as in TinyAgent, keeps prompts short and accurate. For hundreds of tools see the code-execution pattern in Module 4 (MCP and Agent Interoperability).

The research lineage runs from Toolformer (self-taught API calls) to Gorilla (API retrieval), PAL (program-aided reasoning), MRKL and "What are tools anyway?".

Curated learning sequence

1. CMU 2 *Capabilities 1: Tool Use* — Tool use end to end: APIs, chat templates, CodeAct, constrained decoding, BFCL (slides + video).
2. UVA 5 *Topic 3: Agent Tool Use (online)* — Lab: manual tool handling with a calculator, the OpenAI tool format, tool forcing.
3. UVA 7 *Topic 4: Exploring Tools* — ToolNode versus `create_react_agent`, parallel tool dispatch, a 2-hour mini project.
4. Northeastern 5 *Tool-Calling* — ReAct support agent, tools-versus-model design rules, deploy to HF Spaces.
5. CU Boulder 11 *Reflexion & Toolformer (students)* and CU Boulder 12 *Gorilla & PAL (students)* — Research reading: Reflexion/Toolformer, then Gorilla/PAL.
6. Supplement: TinyAgent — Tool RAG and small-model function calling at the edge.

Lecture map (21 lectures)

Course	#	Title (links to catalogue row)	Materials	Tags
CMU	2	⋆Capabilities 1: Tool Use	[slides] [video]	TOOL
Stanford '26	5	All about agent skills (incl. web skills)	[course site]	MEM TOOL
Stanford '25	3	Building a coding agent from scratch	[slides] [drive.google.com]	ARCH TOOL CODE
Northeastern	4	Simple Agent Architecture	[agenticllms.github.io] [GitHub]	ARCH TOOL MEM
Northeastern	5	⋆Tool-Calling	[agenticllms.github.io] [agenticllms.github.io] [GitHub]	TOOL RSN DEPLOY
Harvard	4	Agents design I: context management and tool design	[PDF] [cs2680.seas.harvard.edu]	ARCH TOOL MEM
Buffalo	3	Tool/function calling and ReAct	–	TOOL RSN
UVA	5	⋆Topic 3: Agent Tool Use (online)	[cs.virginia.edu]	TOOL ARCH
UVA	6	Topic 3 lab continued (online)	–	TOOL
UVA	7	⋆Topic 4: Exploring Tools	[cs.virginia.edu] [GitHub]	TOOL RSN ARCH
UW-Madison	2	Building agents	[GitHub]	ARCH TOOL
UW-Madison	4	Reasoning and acting II	–	TOOL RSN
CU Boulder	9	ReAct & Web API code gen (students)	–	RSN TOOL EVAL
CU Boulder	11	⋆Reflexion & Toolformer (students)	–	RSN TOOL TRAIN

Course	#	Title (links to catalogue row)	Materials	Tags
CU Boulder	12	⋆Gorilla & PAL (students)	–	TOOL RSN
CU Boulder	18	RefAgent & Agentic Skills (students)	–	CODE ARCH TOOL
CU Boulder	23	SafePro & ToolDreamer (students)	–	SAFE TOOL
Stanford 329A	4	Learning from Feedback with Tools/Code	[video]	TOOL CODE TRAIN
Berkeley Adv.	5	Coding Agents and AI for Vulnerability Detection	[slides] [video]	CODE TOOL SAFE
Berkeley Adv.	9	Language models for autoformalization and theorem proving	[slides] [video]	RSN APP TOOL
Stanford 329T	10	Data curation and RL to optimize agents (guest: Trung Vu, Bespoke Labs)	[slides]	TRAIN TOOL EVAL

Key readings

- Schick et al., *Toolformer* (2023)
- Patil et al., *Gorilla* (2023)
- Wang et al., *CodeAct: Executable Code Actions* (2024)
- Gao et al., *PAL* (2022)
- *What Are Tools Anyway?* (2024)
- Anthropic, *Writing effective tools for agents*

Hands-on

- **UVA: Topic 3 portfolio: Tool use** — Ollama parallel timing; manual tool calling with a calculator; LangGraph multi-tool agent with tool_map; persistent graph with Mermaid diagram. *Starter code:* [cs.virginia.edu]
- **Buffalo: Lab 1: A Minimal Tool-Using Agent** — Python agent choosing among a calculator, a file reader and a search/lookup tool. Submit a design note and successful/failed runs. *(spec only)*
- **Northeastern: DADA1: The Trip Planner Agent** — A conversational day-trip planner with tools: get_weather (Open-Meteo), find_attractions/restaurants/transit (Tavily), find_events (Ticketmaster). It has memory-based plan revision, a structured Itinerary/DayPlan output, 8 test prompts, and a Gradio app deployed on Render. Graded on tool routing, honesty at data limits, sources and memory. Optional extra credit: a find_performer_events chained tool. *Starter code:* [GitHub]
- **UVA: Topic 4: 2-Hour Agent Project** — Partner-built mini agent using LangGraph/third-party tools. *Starter code:* [cs.virginia.edu]

Related supplements: Anthropic Engineering: Code execution with MCP, Berkeley BAIR: TinyAgent, Function Calling at the Edge, MIT 6.566 guest lecture: AI Agent Security (Anish Athalye, April 2026), Anthropic: Building effective agent automations (Martin and Avilla, October 2026), Jesse Barkley: local agent demos for the CMU executive Agentic AI program (2026).

Module 4: MCP and Agent Interoperability

Tag: TOOL (lectures tagged TOOL whose title or topics mention MCP or A2A)

Learning objectives

- Describe MCP hosts, clients and servers, its primitives and transports, and what changed in the 2026-07-28 revision.
- Build and test an MCP server with authentication.
- Know when to switch from direct tool calls to code execution against MCP, and what A2A adds.

Core concepts

The **Model Context Protocol** standardizes how tools and context reach an agent: write one server, use it in any host. Read the MCP supplement first, because **the 2026-07-28 revision made the protocol stateless**, and lectures from before mid-2026 teach the older handshake.

- **Primitives:** tools, resources and prompts on the server side, and elicitation on the client side. Transports are stdio (local) and Streamable HTTP (remote, OAuth).
- **Server craft:** typed, composable tools; dry-run modes for write tools; `readOnlyHint`; structured errors; rate-limit handling; protocol-level tests (Stanford '26 week 2).
- **Security:** an MCP server is a trust boundary. Northeastern devotes two sessions to MCP security and enterprise auth. See also Module 12 (Safety, Security and Oversight).
- **Scale:** with many servers, loading every tool schema is wasteful. Anthropic's code-execution pattern and CU Boulder's MCP design-choice paper argue for progressive discovery and code-based orchestration.
- **Agent-to-agent:** A2A (agent cards, registries) connects whole agents rather than tools. UVA runs an A2A trivia tournament.

Curated learning sequence

1. Supplement: MCP docs — Architecture, primitives and the 2026-07-28 changes.
2. Stanford '26 4 *Full introduction to MCP and tool-calling* — Full introduction to MCP and tool calling (theory, setup, advanced tool design).
3. Stanford '25 4 *Building a custom MCP server* — Building a custom MCP server (slides + completed exercise).
4. JHU 8 *Agentic Frameworks: Model Context Protocol* and JHU 9 *Agentic Frameworks: Model Context Protocol (2)* — Two MCP lectures in a PL/synthesis context (slides).
5. Northeastern 16 *Model Context Protocol* and Northeastern 17 *MCP in Agentic Systems* — MCP spec, the security landscape, remote MCP and agent auth.
6. UVA 12 *Topic 7: MCP and A2A* — MCP clients for AI2 Asta tools, then A2A agents, a registry and ngrok.
7. Supplement: Code execution with MCP — Then CU Boulder 24 *Swiss Cheese safety & MCP design (students)* for the empirical study.
8. Supplement: Barkley local agent demos — A 32-line stdio server on version 2 of the Python SDK, and the same question asked with and without it.

Lecture map (13 lectures)

Course	#	Title (links to catalogue row)	Materials	Tags
Stanford '26	4	⋆Full introduction to MCP and tool-calling (theory, setup, advanced tool design)	[course site]	TOOL
Stanford '25	4	⋆Building a custom MCP server	[slides] [drive.google.com]	TOOL
Northeastern	16	⋆Model Context Protocol	–	TOOL SAFE
Northeastern	17	⋆MCP in Agentic Systems	–	TOOL SAFE DEPLOY
Harvard	2	Agents use I: How Claude Code Works	[PDF] [cs2680.seas.harvard.edu]	CODE MEM TOOL
Harvard	6	Agents design II: multi-agent architecture, coordination, and communication	[PDF] [cs2680.seas.harvard.edu]	MULTI ARCH TOOL
UVA	12	⋆Topic 7: MCP and A2A	[cs.virginia.edu]	TOOL MULTI
JHU	8	⋆Agentic Frameworks: Model Context Protocol	[PDF]	TOOL ARCH

Course	#	Title (links to catalogue row)	Materials	Tags
JHU	9	⋆ Agentic Frameworks: Model Context Protocol (2)	[PDF]	TOOL ARCH
CU Boulder	24	Swiss Cheese safety & MCP design (students)	–	SAFE TOOL
Mannheim	4	LLM Agents and Tool Use	[PDF] [notebook zip]	ARCH TOOL
UChicago	5	Sampling, Fine Tuning, Benchmarking, and Tools	[GitHub]	TRAIN EVAL TOOL
Stanford 329T	8	MCP, effective tool descriptions, evals (guests: Yusuf Ozuysal, Ishita Gupta)	[slides (Ozuysal)] [slides (Gupta)]	TOOL EVAL

Key readings

- MCP specification and security best practices
- Anthropic, *Code execution with MCP* (2025)
- Felendler et al., *From Tool Orchestration to Code Execution: MCP Design Choices* (2026)
- *MCP Landscape & Security* (arXiv 2503.23278)

Hands-on

- **Stanford '26: Week 2 — Build an MCP Server for a Third-Party API** — FastMCP server over an OAuth 2.0 API with at least 3 composing tools, a write tool with dry-run, structured errors, readOnlyHint, full auth-code flow with refresh, and a protocol-level test. *Starter code:* [GitHub]
- **Stanford '25: Week 3 — Build a Custom MCP Server** — MCP server wrapping a real external API: at least 2 typed tools, robust error and rate-limit handling, STDIO or remote HTTP, optional OAuth2. *Starter code:* [GitHub]
- **UVA: Topic 7: MCP + A2A** — MCP client for AI2 Asta tools; A2A agents, registry and trivia tournament over ngrok. *Starter code:* [cs.virginia.edu]
- **Mannheim: Exercise: Agent Programming with LangChain + MCP** — Tool-using agents with LangChain and MCP. *Starter code:* [notebook zip]
- Supplement: Barkley local agent demos. Start with `EmeritusMCP`: add a second tool to the server and watch the agent discover it.

Related supplements: Model Context Protocol docs (version 2026-07-28), Anthropic Engineering: Code execution with MCP, Berkeley BAIR: TinyAgent, Function Calling at the Edge, MIT 6.566 guest lecture: AI Agent Security (Anish Athalye, April 2026), Anthropic: Building effective agent automations (Martin and Avilla, October 2026), Jesse Barkley: local agent demos for the CMU executive Agentic AI program (2026).

Module 5: Memory, Retrieval and Context Engineering

Tag: MEM

Learning objectives

- Manage a finite context window: selection, compression/compaction, offloading and persistence.
- Build and evaluate a RAG pipeline (chunking, embeddings, top-K, reranking, unanswerable questions).
- Implement long-term memory and skills with progressive disclosure.

Core concepts

Apart from what the model learned in training, everything an agent can use at step t is in its context: the information supplied for that inference. **Context engineering** decides what goes in.

- **Limits.** Models degrade on long inputs ("lost in the middle", context rot), and every token costs money and latency. KV-cache reuse makes a stable prompt prefix cheap. CMU's long-context lecture uses real provider pricing and harness source code.
- **Compaction.** Summarize or fold old turns (model-generated compaction in CMU A1; AgentFold and context-folding in UVA and UW), and offload large observations to files.
- **Retrieval (RAG).** Chunk, embed, index, retrieve top-K, optionally rerank, then generate with citations. Treat chunk size, overlap, K, query rewriting and score thresholds as experimental variables (UVA Topic 5 runs 11 controlled experiments). Agentic RAG adds self-grading, correction and routing (Self-RAG, CRAG, Adaptive-RAG).
- **Long-term memory and skills.** OS-style memory tiers (MemGPT), reflection-based memories (Generative Agents, Reflexion), workflow and skill induction (AWM, ASI). *Skills* are SKILL.md bundles loaded on demand, the same progressive-disclosure idea Stanford '26 week 3 and CMU A1 teach.

Curated learning sequence

1. CMU 3 *Capabilities 2: Context Management for Long-Context Agents* — Context management for long-context agents: limits, compaction, KV-cache economics.
2. CMU 4 *Capabilities 3: Skills and Memory* — Skills and memory: MemGPT, AWM, ASI, ReasoningBank, SkillsBench.
3. Northeastern 7 *Context Management*–Northeastern 9 — Context engineering, then RAG from scratch to Pinecone, then a self-grading retrieval loop.
4. UVA 9 *Topic 5: Retrieval Augmented Generation* — The RAG experiment lab (chunking, top-K, unanswerable questions, small versus large model).
5. Mannheim 6 *Context Engineering* — Context-engineering deck and the deep-agent exercise.
6. Stanford '26 5 *All about agent skills (incl. web skills)* — Agent skills, including web skills (then author one in the Week 3 assignment).
7. UW-Madison 21 *Memory I* and UW-Madison 22 *Memory & other topics II* — Research reading: MemGPT, CoALA, A-Mem, context folding.
8. Supplement: Notion Data Scout — Curated, owned context for a production data agent.

Lecture map (29 lectures)

Course	#	Title (links to catalogue row)	Materials	Tags
CMU	3	⋆Capabilities 2: Context Management for Long-Context Agents	[slides] [video]	MEM
CMU	4	⋆Capabilities 3: Skills and Memory	[slides] [video]	MEM
CMU	10	Domains 3: Deep Research Agents	[slides]	APP MEM
Stanford '26	3	Advanced prompting + agentic dev frameworks (RePPIT, spec-driven development)	[course site]	FND MEM
Stanford '26	5	⋆All about agent skills (incl. web skills)	[course site]	MEM TOOL
Stanford '25	5	From first prompt to optimal IDE setup	[slides] [drive.google.com]	MEM CODE
Northeastern	4	Simple Agent Architecture	[agenticllms.github.io] [GitHub]	ARCH TOOL MEM

Course	#	Title (links to catalogue row)	Materials	Tags
Northeastern	6	Short-term & Long-term Memory	[agenticllms.github.io] [agenticllms.github.io] [GitHub]	MEM ARCH DEPLOY
Northeastern	7	⋆Context Management	[agenticllms.github.io] [GitHub]	MEM ARCH
Northeastern	8	⋆Retrieval-Augmented Generation	[agenticllms.github.io] [GitHub]	MEM
Northeastern	9	⋆Reflection & Self-critique	[agenticllms.github.io] [GitHub]	RSN MEM
Northeastern	11	Agentic RAG	–	MEM RSN
Harvard	2	Agents use I: How Claude Code Works	[PDF] [cs2680.seas.harvard.edu]	CODE MEM TOOL
Harvard	4	Agents design I: context management and tool design	[PDF] [cs2680.seas.harvard.edu]	ARCH TOOL MEM
Harvard	7	Agents design III: agent memory and reliability	[PDF] [cs2680.seas.harvard.edu]	MEM ARCH
Buffalo	4	Retrieval-augmented generation and context construction	–	MEM
Buffalo	5	Embeddings, vector search, reranking	–	MEM
Buffalo	8	Human-agent interaction and memory	–	MEM SAFE
UVA	9	⋆Topic 5: Retrieval Augmented Generation	[cs.virginia.edu] [GitHub]	MEM EVAL
UVA	15	Topic 9: Context Management	[cs.virginia.edu]	MEM
UW-Madison	8	Deep research agents II	–	APP MEM EVAL
UW-Madison	21	⋆Memory I	–	MEM ARCH
UW-Madison	22	⋆Memory & other topics II	–	MEM MULTI EVAL
CU Boulder	21	MemSkill & More with Less (students)	–	MEM DEPLOY
Mannheim	5	Retrieval Augmented Generation	[PDF] [zip]	MEM
Mannheim	6	⋆Context Engineering	[PDF] [zip]	MEM ARCH
UChicago	3	LLMs Prompted for Multi-Agent Simulation	[GitHub]	MULTI MEM APP
Berkeley Adv.	3	On Reasoning, Memory, and Planning of Language Agents	[slides] [video]	RSN MEM ARCH
Stanford 329T	2	Models, Prompting and RAG	[slides] [HW1]	FND MEM

Key readings

- Lewis et al., *Retrieval-Augmented Generation* (2020)
- Liu et al., *Lost in the Middle* (2023)
- Packer et al., *MemGPT* (2023)
- Park et al., *Generative Agents* (2023)
- Anthropic, *Effective context engineering for AI agents*
- Asai et al., *Self-RAG* (2023); Yan et al., *Corrective RAG* (2024)

Hands-on

- **UVA: Topic 5: RAG experiments** — 11 controlled RAG experiments (RAG vs no-RAG, top-K, chunking, prompts, unanswerable questions). *Starter code:* [cs.virginia.edu]
- **Buffalo: Lab 2: Retrieval and Memory** — Small RAG pipeline over a course-selected corpus. Compare keyword/dense/hybrid retrieval, compute cosine similarity, do error analysis. *(spec only)*
- **Stanford '26: Week 3 — Author a Skill** — A SKILL.md (Agent Skills standard) for a repeatable workflow on a real OSS repo (htmx, dayjs, yt-dlp, etc.), with trigger tests including a near-miss and an end-to-end run. *Starter code:* [GitHub]
- **Northeastern: Husky Tech Customer Support Agent** — A support agent with 4 tools and ticket filing. It is built as a notebook, then a project skeleton, then deployed to HF Spaces, then rewritten in LangGraph, then given RAG over husky_policy.md, then a reflection/self-grading loop. *Starter code:* [GitHub]
- **Mannheim: Exercise: RAG** — RAG pipeline notebook. *Starter code:* [zip]
- Supplement: Barkley local agent demos. In `Local-Agent-Demo`, change the short-term window and the similarity threshold in `config.py` and watch what the model is shown.

Related supplements: Anthropic Engineering: Code execution with MCP, Notion: How we built a personal data scientist for every Notion employee (David Thomas, October 2026), Jesse Barkley: local agent demos for the CMU executive Agentic AI program (2026).

Module 6: Reasoning, Planning, Reflection and Search

Tag: RSN

Learning objectives

- Choose between ReAct-style interleaving, plan-then-execute and decomposition strategies.
- Add reflection/self-critique loops and measure whether they help.
- Use search (best-of-N, critics/verifiers, tree search) to trade compute for reliability.

Core concepts

- **Thinking in tokens.** CoT and self-consistency let the model compute before answering. UVA's CoT lecture looks at why this works and at latent (hidden) reasoning.
- **Planning.** Plan-and-execute, least-to-most and decomposed prompting split long tasks. Code-as-policies and DAG plans (LLMCompiler, used in TinyAgent) make plans executable and parallel. CMU's planning lecture asks *when* to plan ("Thinking vs. Doing", "Calibrate-Then-Act").
- **Reflection.** Reflexion and Self-Refine critique and retry. Northeastern's self-grading RAG loop is a concrete build. Reflection only helps when the feedback signal carries real information (tests, tools, retrieval scores), so measure it.
- **Search.** Sample many candidates, then pick with a verifier or critic (CMU Search 1), or explore a tree of states (ToT, LATS, CMU Search 2). AlphaCode, AlphaEvolve and ShinkaEvolve (UW) scale this to evolutionary program search. JHU starts from the classic version: enumerative program synthesis.

Curated learning sequence

1. CMU 5 *Capabilities 4: Planning, Task Decomposition, Multi-Agent Coordination* — Planning, task decomposition and multi-agent coordination (slides + video).
2. UW-Madison 3 *Reasoning and acting I* and UW-Madison 4 *Reasoning and acting II* — CoT/ReAct, then Toolformer/ToT, with supplementary papers.
3. Northeastern 9 *Reflection & Self-critique* and Northeastern 10 *Planning & Task Decomposition* — Reflection and self-critique, then planning with skill libraries (Voyager) and ToT.
4. UVA 16 *Topic 10: Understanding Chain of Thought* — Understanding chain of thought, including latent CoT.
5. CMU 20 *Search 1: Reranking and Critic Models* and CMU 21 *Search 2: Tree Search* — Reranking and critic models, then tree search.
6. UW-Madison 17 *Searching the solution space I* and UW-Madison 18 *Searching the solution space II* — Searching the solution space: AlphaCode, AlphaGeometry, evolutionary search.
7. JHU 2 *Syntax, Semantics, and Bottom-up Inductive Synthesis*–JHU 4 — Program synthesis as search (the foundation for A1).

Lecture map (48 lectures)

Course	#	Title (links to catalogue row)	Materials	Tags
CMU	5	⋆Capabilities 4: Planning, Task Decomposition, Multi-Agent Coordination	[slides] [video]	RSN MULTI
CMU	20	⋆Search 1: Reranking and Critic Models	–	RSN EVAL
CMU	21	⋆Search 2: Tree Search	–	RSN
Stanford '25	2	Power prompting for LLMs	[slides]	FND RSN
Northeastern	5	Tool-Calling	[agenticllms.github.io] [agenticllms.github.io] [GitHub]	TOOL RSN DEPLOY
Northeastern	9	⋆Reflection & Self-critique	[agenticllms.github.io] [GitHub]	RSN MEM
Northeastern	10	⋆Planning & Task Decomposition	–	RSN ARCH
Northeastern	11	Agentic RAG	–	MEM RSN
Buffalo	3	Tool/function calling and ReAct	–	TOOL RSN
Buffalo	7	Planning and decomposition	–	RSN
UVA	7	Topic 4: Exploring Tools	[cs.virginia.edu] [GitHub]	TOOL RSN ARCH
UVA	16	⋆Topic 10: Understanding Chain of Thought	[cs.virginia.edu]	RSN
UVA	20	Topic 14: Agentic AI for Mathematics and Verification (guest: Prof. Kevin Sullivan)	[cs.virginia.edu]	RSN APP

Course	#	Title (links to catalogue row)	Materials	Tags
UVA	21	Topic 15: Visual Reasoning	[cs.virginia.edu] [video]	RSN EVAL
UW-Madison	3	⋆Reasoning and acting I	–	RSN FND
UW-Madison	4	⋆Reasoning and acting II	–	TOOL RSN
UW-Madison	16	Self-improving agents II	–	CODE RSN
UW-Madison	17	⋆Searching the solution space I	–	RSN CODE
UW-Madison	18	⋆Searching the solution space II	–	RSN
JHU	2	⋆Syntax, Semantics, and Bottom-up Inductive Synthesis	[PDF]	RSN
JHU	3	⋆Type Systems and Top-down Enumerative Synthesis	[PDF]	RSN
JHU	4	⋆Functional Specifications and Synthesis	[PDF]	RSN
JHU	26	Special Topics on Neurosymbolic Programming (1)	–	RSN APP
JHU	27	Special Topics on Neurosymbolic Programming (2)	–	RSN APP
CU Boulder	9	ReAct & Web API code gen (students)	–	RSN TOOL EVAL
CU Boulder	11	Reflexion & Toolformer (students)	–	RSN TOOL TRAIN
CU Boulder	12	Gorilla & PAL (students)	–	TOOL RSN
CU Boulder	15	Multiagent debate & Agentless (students)	–	MULTI RSN CODE
Mannheim	3	Prompt Engineering	[PDF] [notebook zip]	FND RSN
UChicago	2	Text Learning, Transformers, and Diffusion Models	[GitHub]	FND RSN
UChicago	7	Reinforcement Learning to Optimize AI Agents and Institutions	[GitHub]	TRAIN RSN MULTI
UChicago	8	Multi-Modal and Embodied Agents	[GitHub]	WEB RSN APP
Stanford 329A	2	Test-time Compute Scaling	[video]	RSN EVAL
Stanford 329A	3	Robust Verification	[video]	RSN EVAL
Stanford 329A	5	Multi-step Reasoning/Planning	[video]	RSN TRAIN
Stanford 329A	6	Train Time Scaling/Scaling RL	[video]	TRAIN RSN
Stanford 329A	8	Self-Improvement with Search & Deep Research Agents	[video]	WEB RSN CODE
Berkeley '25	7	Multi-Agent AI	[slides] [video]	MULTI RSN
Berkeley Adv.	1	Inference-Time Techniques for LLM Reasoning	[slides] [intro] [video]	RSN ORG
Berkeley Adv.	2	Learning to reason with LLMs	[slides] [video]	TRAIN RSN
Berkeley Adv.	3	On Reasoning, Memory, and Planning of Language Agents	[slides] [video]	RSN MEM ARCH
Berkeley Adv.	4	Open Training Recipes for Reasoning in Language Models	[slides] [video]	TRAIN RSN
Berkeley Adv.	6	Multimodal Autonomous AI Agents	[slides] [video]	WEB EVAL RSN
Berkeley Adv.	8	AlphaProof: when reinforcement learning meets formal mathematics	[slides] [video]	RSN TRAIN APP
Berkeley Adv.	9	Language models for autoformalization and theorem proving	[slides] [video]	RSN APP TOOL
Berkeley Adv.	10	Bridging Informal and Formal Mathematical Reasoning (Berkeley page: "Advanced topics in theorem proving")	[slides] [video]	RSN APP
Berkeley Adv.	11	Abstraction and Discovery with LLM Agents	[slides] [video]	RSN ARCH APP
Stanford 329T	11	GEPA (guest: Lakshya Agrawal)	[slides]	TRAIN RSN

Key readings

- Wang et al., *Self-Consistency* (2022)
- Yao et al., *Tree of Thoughts* (2023)
- Shinn et al., *Reflexion* (2023); Madaan et al., *Self-Refine* (2023)
- Zhou et al., *Least-to-Most Prompting* (2022)
- Zhou et al., *LATS* (2023)
- Kim et al., *LLMCompiler* (2023)

Hands-on

- **JHU: A1: Inductive Synthesis** — A bottom-up enumerative synthesizer for a geometric-shape DSL (grow / eliminate observational equivalents / search); your own string DSL and synthesizer; then prompts plus output parsing so Claude Sonnet 4.6 (via Bedrock) solves at least 80% of string tasks. *Starter code:* [GitHub]
- **Stanford '25: Week 1 — Prompting Techniques** — Fill in prompts for K-shot, chain-of-thought, tool calling, self-consistency, RAG, and reflexion until the test scripts pass, using local Ollama models (mistral-nemo:12b, llama3.1:8b). *Starter code:* [GitHub]
- **Northeastern: Husky Tech Customer Support Agent** — A support agent with 4 tools and ticket filing. It is built as a notebook, then a project skeleton, then deployed to HF Spaces, then rewritten in LangGraph, then given RAG over husky_policy.md, then a reflection/self-grading loop. *Starter code:* [GitHub]
- Supplement: Barkley local agent demos. Wire a model into `tot_minimal.py`, then replace the model-scored evaluator with a code check and compare.

Related supplements: Jesse Barkley: local agent demos for the CMU executive Agentic AI program (2026).

Module 7: Multi-Agent Systems

Tag: MULTI

Learning objectives

- Implement handoffs, routers, orchestrator–worker and debate patterns.
- Diagnose multi-agent failure modes and decide when one agent is enough.

Core concepts

Multiple agents can parallelize work, isolate context (sub-agents with fresh windows) and specialize roles. They also multiply cost and add new failure modes: role confusion, lost information at handoffs, and endless loops.

- **Patterns:** router/handoff, orchestrator–workers (Anthropic's multi-agent research system), role-based SOPs (MetaGPT, CAMEL), conversation frameworks (AutoGen), debate, and planner/implementer/reviewer sub-agents in coding tools (Stanford '26 week 4).
- **Evidence:** *Why do multi-agent LLM systems fail?* (Northeastern reads it twice) and *Towards a Science of Scaling Agent Systems* (UW) set this against OpenHands' "don't sleep on single-agent systems". Start with one agent and add more only when a measurement says so.
- **Simulation:** populations of agents as social-science instruments (Generative Agents, Concordia, UChicago week 3).

Curated learning sequence

1. Northeastern 12 *Multi-Agent Orchestration I*–Northeastern 14 — Three sessions: failure modes and handoffs, role-based MAS, the LangGraph runtime.
2. CMU 18 *Interaction 1: Multi-Agent Interaction* — Multi-agent interaction (guest lecture).
3. UW-Madison 19 *Multi-agent systems I* and UW-Madison 20 *Multi-agent systems II* — Generative Agents/CAMEL, then AutoGen and the scaling science of agent systems.
4. CU Boulder 14 *AutoGen & MetaGPT (students)* and CU Boulder 15 *Multiagent debate & Agentless (students)* — AutoGen/MetaGPT, then debate and Agentless.
5. UChicago 3 *LLMs Prompted for Multi-Agent Simulation* — Prompted multi-agent social simulation (notebook with AutoGen and Concordia).
6. Supplements: Barkley local agent demos, CADSmith — One subagent with its own context and a briefing; then a five-role pipeline checked by a geometry kernel.

Lecture map (29 lectures)

Course	#	Title (links to catalogue row)	Materials	Tags
CMU	5	Capabilities 4: Planning, Task Decomposition, Multi-Agent Coordination	[slides] [video]	RSN MULTI
CMU	18	⋆Interaction 1: Multi-Agent Interaction	–	MULTI
Stanford '26	7	CLAUDE.md, AGENTS.md, hooks; subagent patterns (planner/implementer/reviewer)	[course site]	CODE MULTI
Stanford '25	7	How to be an agent manager	[slides]	CODE MULTI
Stanford '25	17	Incident response and DevOps	[slides]	DEPLOY MULTI
Northeastern	12	⋆Multi-Agent Orchestration I	–	MULTI
Northeastern	13	⋆Multi-Agent Orchestration II	–	MULTI
Northeastern	14	⋆Multi-Agent Orchestration III	–	MULTI ARCH
Harvard	3	Agents use II: 100x Engineer with Multi-agents	[PDF] [cs2680.seas.harvard.edu]	CODE MULTI
Harvard	6	Agents design II: multi-agent architecture, coordination, and communication	[PDF] [cs2680.seas.harvard.edu]	MULTI ARCH TOOL
Buffalo	11	Multi-agent systems and coordination	–	MULTI
UVA	3	Topic 2: Agent Frameworks	[cs.virginia.edu]	ARCH MULTI
UVA	12	Topic 7: MCP and A2A	[cs.virginia.edu]	TOOL MULTI
UVA	13	Topic 7 cont. (A2A) + Topic 8: LLM Fine-Tuning	[cs.virginia.edu]	TRAIN MULTI
UVA	19	Topic 13: Agentic AI for Science	[cs.virginia.edu] [GitHub]	APP MULTI

Course	#	Title (links to catalogue row)	Materials	Tags
UW-Madison	7	Deep research agents I	–	APP MULTI
UW-Madison	10	Agents for science II	–	APP MULTI
UW-Madison	19	⋆Multi-agent systems I	–	MULTI
UW-Madison	20	⋆Multi-agent systems II	–	MULTI ARCH
UW-Madison	22	Memory & other topics II	–	MEM MULTI EVAL
CU Boulder	4	Refactoring agents (students)	–	CODE MULTI EVAL
CU Boulder	5	MM-Assist & MANTRA (Dig)	[PDF]	CODE MULTI
CU Boulder	14	⋆AutoGen & MetaGPT (students)	–	MULTI ARCH
CU Boulder	15	⋆Multiagent debate & Agentless (students)	–	MULTI RSN CODE
UChicago	3	⋆LLMs Prompted for Multi-Agent Simulation	[GitHub]	MULTI MEM APP
UChicago	7	Reinforcement Learning to Optimize AI Agents and Institutions	[GitHub]	TRAIN RSN MULTI
Berkeley '25	7	Multi-Agent AI	[slides] [video]	MULTI RSN
Berkeley '25	9	AI Agents to Automate Scientific Discoveries	[video]	APP MULTI
Berkeley '25	11	Multi-Agent Systems in the Era of LLMs	[video]	MULTI

Key readings

- Wu et al., *AutoGen* (2023)
- Hong et al., *MetaGPT* (2023)
- Li et al., *CAMEL* (2023)
- Du et al., *Multiagent Debate* (2023)
- Cemri et al., *Why Do Multi-Agent LLM Systems Fail?* (2025)
- Anthropic, *How we built our multi-agent research system*

Hands-on

- **UVA: Topic 7: MCP + A2A** — MCP client for AI2 Asta tools; A2A agents, registry and trivia tournament over ngrok. *Starter code:* [cs.virginia.edu]
- **UChicago: Week 3 notebook** — Prompting (0-shot, few-shot, chain-of-reasoning) via the OpenAI API; simulated survey and social-media respondents compared with human data; AutoGen multi-agent dialogues with reflection; Concordia situated simulation; RAG over 5-10 documents vs. a vanilla model. *Starter code:* [GitHub]
- **Mannheim: Project topic 1: Multi-Agent Gaming** — Agent teams that cooperate in, or compete at, games (Codenames worked well before). *Resources:* [GitHub] [GitHub]
- **Stanford '25: Week 5 — Agentic Development with Warp** — Warp Drive prompts, rules, or MCP integrations, plus multi-agent concurrent sessions working from a task list. *Starter code:* [GitHub]
- Supplement: Barkley local agent demos. In `Agent-with-Subagent`, untick delegation and compare the main agent's context with and without the subagent.

Related supplements: Jesse Barkley: local agent demos for the CMU executive Agentic AI program (2026), CADSmith: multi-agent CAD generation with programmatic geometric validation (Barkley, Loghmani and Barati Farimani, 2026).

Module 8: Coding Agents

Tag: CODE

Learning objectives

- Explain the architecture of production coding agents (system prompt, core tools, sandbox, context management, sub-agents).
- Build a coding agent and evaluate it on repository-level tasks.
- Make repositories and teams agent-ready (AGENTS.md/CLAUDE.md, hooks, tests, review).

Core concepts

Coding is the domain where agents work best today, because the environment provides dense, verifiable feedback (compilers, tests, linters).

- **Anatomy.** A long system prompt, a small core toolset (read, write, edit, bash, search), a sandbox, compaction, TODO/plan tools, and optionally sub-agents. Stanford '26 dissects real system prompts and traces. JHU A3 makes you implement path-validated file tools and TODO tools.
- **Interfaces matter.** SWE-agent showed that agent–computer interface design (viewer windows, linting edits) moves benchmark scores. Agentless showed that a fixed pipeline can be competitive, so keep a simple baseline.
- **Benchmarks.** SWE-bench (and SWE-Gym, R2E-Gym for training), Terminal-Bench, BaxBench and RedCode (security). See Module 10 (Evaluating Agents).
- **Practice.** Spec-driven development, context files (AGENTS.md/CLAUDE.md), hooks as lint/test gates, agentic code review, background agents, and "agent readiness" of a codebase (Stanford '26 weeks 2–8).
- **Research frontier.** Refactoring agents (CU Boulder), coding-agent configuration studies, and evolutionary coding agents (AlphaEvolve, Live-SWE-agent).

Curated learning sequence

1. CMU 6 *Domains 1: Coding Agents* — Agents for coding and software development (slides + video).
2. Stanford '26 1 *Course intro + build Claude Code in 200 lines* and Stanford '26 2 *How SOTA coding agents are designed: deep dive into system prompts* — Build a mini Claude Code, then a deep dive into production system prompts.
3. UW-Madison 5 *Coding agents I* and UW-Madison 6 *Coding agents II* — SWE-bench, SWE-agent, OpenHands, BaxBench.
4. CU Boulder 13 *SWE-agent & AutoCodeRover (students)* — SWE-agent and AutoCodeRover (agent–computer interfaces, repository repair).
5. JHU 7 *Iterative Refinement and Agentic Framework* and JHU 10 *Agentic Frameworks: Selected Topics* — Iterative refinement and agentic frameworks for code (slides).
6. Harvard 2 *Agents use I: How Claude Code Works* and Harvard 4 *Agents design I: context management and tool design* — How Claude Code works, then the design space of search, edit and shell tools and of context management (slides).
7. Stanford '26 7 *CLAUDE.md, AGENTS.md, hooks; subagent patterns*, Stanford '26 9, Stanford '26 11, Stanford '26 15 — Customizing the agent, agent-ready repos, code review, background agents.
8. UVA 17 *Topic 11: Coding Agents* — History, Claude Code architecture, skills files and evolutionary programming.

Lecture map (48 lectures)

Course	#	Title (links to catalogue row)	Materials	Tags
CMU	6	⋆Domains 1: Coding Agents	[slides] [video]	CODE
CMU	14	Frameworks 1: OpenHands	[slides]	ARCH CODE
Stanford '26	1	⋆Course intro + build Claude Code in 200 lines	[course site]	CODE ARCH
Stanford '26	2	⋆How SOTA coding agents are designed: deep dive into system prompts	[course site]	CODE FND

Course	#	Title (links to catalogue row)	Materials	Tags
Stanford '26	7	⋆CLAUDE.md, AGENTS.md, hooks; subagent patterns (planner/implementer/reviewer)	[course site]	CODE MULTI
Stanford '26	9	⋆Agent readiness: structure, docs, tests, checks	[course site]	CODE EVAL
Stanford '26	11	⋆Agentic code review: best practices and architectures	[course site]	CODE EVAL
Stanford '25	3	Building a coding agent from scratch	[slides] [drive.google.com]	ARCH TOOL CODE
Stanford '25	5	From first prompt to optimal IDE setup	[slides] [drive.google.com]	MEM CODE
Stanford '25	7	How to be an agent manager	[slides]	CODE MULTI
Stanford '25	9	How to build a breakthrough AI developer product	[slides]	CODE DEPLOY
Stanford '25	11	AI QA, SAST, DAST, and beyond	[slides]	SAFE EVAL CODE
Stanford '25	13	AI code review	[slides]	CODE EVAL
Stanford '25	15	End-to-end apps from a single prompt	[slides]	CODE APP
Stanford '25	19	Software development in 10 years	–	CODE ORG
Harvard	2	⋆Agents use I: How Claude Code Works	[PDF] [cs2680.seas.harvard.edu]	CODE MEM TOOL
Harvard	3	Agents use II: 100x Engineer with Multi-agents	[PDF] [cs2680.seas.harvard.edu]	CODE MULTI
Buffalo	12	Coding agents, testing, CI, observability	–	CODE DEPLOY
UVA	17	⋆Topic 11: Coding Agents	[cs.virginia.edu]	CODE ARCH
UW-Madison	5	⋆Coding agents I	–	CODE EVAL
UW-Madison	6	⋆Coding agents II	–	CODE SAFE EVAL
UW-Madison	16	Self-improving agents II	–	CODE RSN
UW-Madison	17	Searching the solution space I	–	RSN CODE
JHU	5	Language Modeling for Synthesis	[PDF]	FND CODE
JHU	6	Decoding and Prompting for Synthesis	[PDF]	FND CODE
JHU	7	⋆Iterative Refinement and Agentic Framework	[PDF]	ARCH CODE
JHU	10	⋆Agentic Frameworks: Selected Topics	[PDF]	ARCH CODE
JHU	11	Pre-training of Coding Language Models (1)	[PDF]	TRAIN CODE
JHU	12	Pre-training of Coding Language Models (2)	[PDF]	TRAIN CODE
JHU	13	Post-training of Coding Language Models	–	TRAIN CODE
JHU	15	PL Kaleidoscope: Formal Verification and Theorem Proving	–	APP CODE
CU Boulder	2	Survey of agents (Dig)	[PDF]	ARCH CODE
CU Boulder	3	Agentic SE roadmap (Dig)	[PDF]	CODE ARCH
CU Boulder	4	Refactoring agents (students)	–	CODE MULTI EVAL
CU Boulder	5	MM-Assist & MANTRA (Dig)	[PDF]	CODE MULTI
CU Boulder	13	⋆SWE-agent & AutoCodeRover (students)	–	CODE ARCH
CU Boulder	15	Multiagent debate & Agentless (students)	–	MULTI RSN CODE
CU Boulder	16	LangGraph tutorial & OpenHands	–	ARCH CODE
CU Boulder	18	RefAgent & Agentic Skills (students)	–	CODE ARCH TOOL
CU Boulder	19	AppAgent & coding-agent configuration (students)	–	WEB CODE
CU Boulder	22	MetaClaw & code smells (students)	–	CODE EVAL
UChicago	0	Introduction / Review	–	ORG CODE
Stanford 329A	4	Learning from Feedback with Tools/Code	[video]	TOOL CODE TRAIN
Stanford 329A	7	Open-Ended Evolution of Self-Improving Agents	–	ARCH CODE APP
Stanford 329A	8	Self-Improvement with Search & Deep Research Agents	[video]	WEB RSN CODE
Stanford 329A	13	Agentic Frameworks for Software Engineering	–	CODE ARCH
Berkeley '25	4	Post-Training Verifiable Agents	[slides] [video]	TRAIN EVAL CODE WEB
Berkeley Adv.	5	Coding Agents and AI for Vulnerability Detection	[slides] [video]	CODE TOOL SAFE

Key readings

- Jimenez et al., *SWE-bench* (2023)
- Yang et al., *SWE-agent* (2024)
- Wang et al., *OpenHands* (2024)
- Xia et al., *Agentless* (2024)
- Zhang et al., *AutoCodeRover* (2024)

- Hassan et al., *Agentic Software Engineering* roadmap (2025)
- Anthropic, *Claude Code best practices*

Hands-on

- **UW-Madison: Build a Coding Agent** — A CLI coding agent like Claude Code / Cursor CLI / Gemini CLI, using raw LLM API calls with no agent frameworks (LangChain, Strands, CrewAI banned; thin wrappers like litellm allowed). It must parse and execute tool calls, have a polished UI, a README, and one non-trivial program the agent built. *Spec:* [GitHub]
- **JHU: A3: Coding LLM Agents** — "WAA" (Web-App Agent): a Python tool-calling loop (tool registry, system prompt, LLM query, parse, execute, terminate or hit the turn limit), file-system tools with path validation and protected files, TODO tools; the agent then builds a personal site, an Express chat room and a creative app; extra credit adds a database plus DB tools. *Starter code:* [GitHub]
- **CMU: A1: Build an Agent Harness** — A domain-agnostic ReAct `Agent` base class: prompt construction, tool-call loop, step limit, model-generated context compaction. On top of it, a `CodeAgent` (terminal/message tools, skill loader with progressive disclosure via `invoke_skill`) that fixes a chess-app bug and solves SWE-bench `django__django-15368` with and without compaction. Then a `ChessAgent` (play_move, stateless simulate_move, sandboxed run_python, chess skill) plus an observation A/B experiment. Uses Modal sandboxes, an OpenAI-compatible LLM (default DeepSeek-V4-Flash), uv, and pytest. 100-pt rubric. *Starter code:* [GitHub] [GitHub] [GitHub]
- **Harvard: A2 Mads-Loop: Build the loop** — `madsLoop`, a minimal coding-agent harness around an OpenAI-compatible model API (the handout pins `qwen3.6-35b-a3b`): tool calling with schemas, context management, retries, termination, a required log schema. It is scored on 10 supplied SWE-bench Pro tasks plus hidden ones with the official evaluator; the handout warns that some supplied tasks may be impossible and asks which and why. You also build four tasks of your own (reference fix, Dockerfile, fail-to-pass and pass-to-pass tests): two the agent solves only after a harness change, two it still cannot solve. *Starter code:* [cs2680.seas.harvard.edu] [GitHub] [cs2680.seas.harvard.edu]
- **Stanford '26: Week 1 — Trace Dissection of a Real Claude Code Session** — Capture a Claude Code session through a mitmproxy reverse proxy, then annotate the system prompt, `<system-reminder>`s, tool inventory and schemas, error recovery, planning, subagents, and context management. *Starter code:* [GitHub]
- **Stanford '25: Week 4 — The Autonomous Coding Agent IRL** — At least 2 Claude Code automations (slash commands, CLAUDE.md, subagents, MCP) used to extend a FastAPI app. *Starter code:* [GitHub]
- **Stanford '25: Week 7 — Exploring AI Code Review Using Graphite** — Implement 4 tasks with one-shot agent prompts, open PRs, and compare manual review with Graphite Diamond AI review. *Starter code:* [GitHub]

Module 9: Web, GUI, Computer-Use and Multimodal Agents

Tag: WEB

Learning objectives

- Explain observation and action spaces for browser/GUI agents (DOM, accessibility tree, screenshots, coordinates).
- Build a vision-language agent and know the main web/OS benchmarks.

Core concepts

When there is no API, the agent operates the interface a human would. Observations are HTML/DOM, accessibility trees or screenshots (set-of-marks). Actions are clicks, typing and navigation, or full OS control. These tasks have long horizons, partial observability and irreversible actions, which makes them hard and makes safety and human confirmation central. Benchmarks progress from MiniWoB and WebShop through Mind2Web and WebArena/VisualWebArena to OSWorld. Training environments include CUA-Gym and OpenCUA. Mobile agents (AppAgent) and embodied agents (SayCan, Voyager) extend the same loop. Personal agents such as the OpenClaw family control real accounts, so read UVA's risk discussion together with Module 12 (Safety, Security and Oversight).

Curated learning sequence

1. CMU 7 *Computer Use Agents* — Computer-use agents: WebArena, VisualWebArena, OSWorld, OpenCUA (slides + video).
2. UVA 10 *Topic 6: Vision-Language Models* — Vision-language models and a VLM chat agent and video-surveillance agent lab.
3. CU Boulder 19 *AppAgent & coding-agent configuration (students)* — AppAgent (smartphone GUI) and coding-agent configuration.
4. UVA 18 *Topic 12: Personal Agents and Distilling* — Personal agents (OpenClaw family, Claude Cowork) and their risks; distillation.
5. UChicago 8 *Multi-Modal and Embodied Agents* — Multimodal and embodied agents (notebook).

Lecture map (11 lectures)

Course	#	Title (links to catalogue row)	Materials	Tags
CMU	7	⋆ Computer Use Agents	[slides] [video]	WEB
UVA	10	⋆ Topic 6: Vision-Language Models	[cs.virginia.edu] [GitHub]	WEB APP FND
UVA	18	⋆ Topic 12: Personal Agents and Distilling	[cs.virginia.edu]	WEB SAFE TRAIN
UW-Madison	15	Self-improving agents I	–	ARCH WEB
CU Boulder	19	⋆ AppAgent & coding-agent configuration (students)	–	WEB CODE
UChicago	8	⋆ Multi-Modal and Embodied Agents	[GitHub]	WEB RSN APP
Stanford 329A	8	Self-Improvement with Search & Deep Research Agents	[video]	WEB RSN CODE
Berkeley '25	4	Post-Training Verifiable Agents	[slides] [video]	TRAIN EVAL CODE WEB
Berkeley Adv.	6	Multimodal Autonomous AI Agents	[slides] [video]	WEB EVAL RSN
Berkeley Adv.	7	Multimodal Agents – From Perception to Action	[slides] [video]	WEB EVAL
Stanford 329T	4	Recap, further discussion, and planning for projects	[slides]	ORG WEB

Key readings

- Zhou et al., *WebArena* (2023); Koh et al., *VisualWebArena* (2024)
- Xie et al., *OSWorld* (2024)
- Deng et al., *Mind2Web* (2023)
- Yao et al., *WebShop* (2022)

- Zhang et al., *AppAgent* (2023)
- Wang et al., *Voyager* (2023)

Hands-on

- **UVA: Topic 6: VLM agents** — Image-chat LangGraph agent; video-surveillance agent with OpenCV + LLaVA (optional TTS intruder alert). *Starter code:* [cs.virginia.edu]
- **Mannheim: Project topic 4: Online Shopping Assistant** — Product search/recommendation agent with structured feature comparison. *Resources:* [webarena.dev] [webshop-pnlp.github.io]
- **Mannheim: Project topic 2: QA Agents** — RAG (multi-)agent QA over web search that explains its evidence. *Resources:* [openai.com] [aicrowd.com]

Module 10: Evaluating Agents

Tag: EVAL

Learning objectives

- Design task-level evals with success criteria, failure taxonomies and reproducible scripts.
- Build and validate an LLM-as-judge against human labels.
- Report results honestly (pass@k, variance, cost) and avoid benchmark pitfalls.

Core concepts

Evaluation separates agent engineering from demo-building, and every serious course in this collection weights it heavily.

- **Levels.** Unit tests for tools, trajectory and intermediate-step checks, end-to-end task success, and human judgments of usefulness.
- **Verifiers.** Deterministic tests where possible (SWE-bench, Harbor tasks with reference solutions and *mutants* in CMU A2). LLM-as-judge where not, *validated against human labels* (CMU A2 scores judges by MCC).
- **Statistics and cost.** Agents are stochastic: report pass@k over repeated runs (JHU A2), confidence intervals and dollars per task. *AI Agents That Matter* criticizes leaderboards that ignore cost and overfitting.
- **Error analysis.** A failure taxonomy (Buffalo Lab 4; CMU A2's four error families) turns logs into engineering decisions.
- **Benchmarks:** SWE-bench, τ-bench, AgentBench, WebArena, AgentDojo (security), BrowseComp and DeepResearch Bench (research agents), and METR's time-horizon measurements.

Curated learning sequence

1. **CMU: A2: Evaluating a Data-Visualization Agent** — The single best exercise here: author tasks, label runs, build and score a judge.
2. Northeastern 18 *Agentic AI Evaluation* — SWE-bench, τ-bench, LLM-as-a-judge, LangSmith evaluation.
3. Buffalo 9 *Evaluation of agents* — From single-prompt to task-level evals (then Lab 4).
4. Harvard 8 *Agent design IV: agent evaluation* — Benchmark by benchmark: what each one tests and what its grader inspects, plus leakage and saturation (slides and a reference note).
5. **JHU: A2: Evaluating Coding LLMs** — A rigorous pass@k study across languages, models and prompting strategies.
6. CMU 20 *Search 1: Reranking and Critic Models* — Critic models: evaluation used at inference time.
7. UW-Madison 22 *Memory & other topics II* — Includes METR's *Measuring AI Ability to Complete Long Tasks*.

Lecture map (37 lectures)

Course	#	Title (links to catalogue row)	Materials	Tags
CMU	19	Interaction 2: Human-Agent Interaction	–	APP EVAL
CMU	20	⋆Search 1: Reranking and Critic Models	–	RSN EVAL
Stanford '26	9	Agent readiness: structure, docs, tests, checks	[course site]	CODE EVAL
Stanford '26	11	Agentic code review: best practices and architectures	[course site]	CODE EVAL
Stanford '25	11	AI QA, SAST, DAST, and beyond	[slides]	SAFE EVAL CODE
Stanford '25	13	AI code review	[slides]	CODE EVAL
Northeastern	18	⋆Agentic AI Evaluation	–	EVAL
Harvard	8	⋆Agent design IV: agent evaluation	[PDF]	EVAL
Buffalo	9	⋆Evaluation of agents	–	EVAL
UVA	1	Topic 1: Running an LLM	[cs.virginia.edu]	FND EVAL DEPLOY
UVA	9	Topic 5: Retrieval Augmented Generation	[cs.virginia.edu] [GitHub]	MEM EVAL
UVA	21	Topic 15: Visual Reasoning	[cs.virginia.edu] [video]	RSN EVAL
UW-Madison	5	Coding agents I	–	CODE EVAL
UW-Madison	6	Coding agents II	–	CODE SAFE EVAL
UW-Madison	8	Deep research agents II	–	APP MEM EVAL
UW-Madison	11	Security & prompt injection I	–	SAFE EVAL

Course	#	Title (links to catalogue row)	Materials	Tags
UW-Madison	22	⋆Memory & other topics II	–	MEM MULTI EVAL
CU Boulder	4	Refactoring agents (students)	–	CODE MULTI EVAL
CU Boulder	9	ReAct & Web API code gen (students)	–	RSN TOOL EVAL
CU Boulder	22	MetaClaw & code smells (students)	–	CODE EVAL
Mannheim	x1	Evaluation of LLMs and LLM agents	–	EVAL
UChicago	4	Experimental Designs with AI Agent and Human Interactions	[GitHub]	APP EVAL
UChicago	5	Sampling, Fine Tuning, Benchmarking, and Tools	[GitHub]	TRAIN EVAL TOOL
Stanford 329A	2	Test-time Compute Scaling	[video]	RSN EVAL
Stanford 329A	3	Robust Verification	[video]	RSN EVAL
Stanford 329A	17	Agentic Evaluations & Long-Horizon Tasks	[video]	EVAL
Berkeley '25	4	Post-Training Verifiable Agents	[slides] [video]	TRAIN EVAL CODE WEB
Berkeley '25	5	Agent Evaluation & Project Overview	[slides] [video]	EVAL ORG
Berkeley '25	8	Predictable Noise in LLM	[slides] [video]	EVAL
Berkeley '25	10	Practical Lessons from Deploying Real-World AI Agents	[slides] [video]	DEPLOY EVAL APP
Berkeley Adv.	6	Multimodal Autonomous AI Agents	[slides] [video]	WEB EVAL RSN
Berkeley Adv.	7	Multimodal Agents – From Perception to Action	[slides] [video]	WEB EVAL
Stanford 329T	3	Agentic AI	[slides]	ARCH EVAL
Stanford 329T	7	Systematic evaluation of agentic systems (guest: Allison Jia)	[slides]	EVAL
Stanford 329T	8	MCP, effective tool descriptions, evals (guests: Yusuf Ozuysal, Ishita Gupta)	[slides (Ozuysal)] [slides (Gupta)]	TOOL EVAL
Stanford 329T	10	Data curation and RL to optimize agents (guest: Trung Vu, Bespoke Labs)	[slides]	TRAIN TOOL EVAL
Stanford 329T	12	Security for agents: adversarial attacks and guardrails (guests: Matt Fredrikson, Andy Zou)	[slides]	SAFE EVAL

Key readings

- Zheng et al., *Judging LLM-as-a-Judge* (2023)
- Yao et al., *τ-bench* (2024)
- Liu et al., *AgentBench* (2023)
- Kapoor et al., *AI Agents That Matter* (2024)
- Mohammadi et al., *Evaluation and Benchmarking of LLM Agents* (KDD 2025)
- METR, *Measuring AI Ability to Complete Long Tasks* (2025)

Hands-on

- **CMU: A2: Evaluating a Data-Visualization Agent** — A `validate(run)` LLM-as-judge validator that flags four error families (execution_failure, wrong_data, wrong_chart, hard_to_read), scored by per-family and macro MCC against human labels. Students author 5+ new tasks, run 3 fixed agents (15+ runs), human-label the runs, and package the tasks as Harbor environments with deterministic tests, a reference solution, and two mutants. The judge is fixed to Qwen3-VL-30B on Modal. Grading: report 40%, private-set MCC 30%, quiz 20%, code 10%. *Starter code:* [GitHub]
- **JHU: A2: Evaluating Coding LLMs** — Execution harnesses for Python/Rust/OCaml; 4 prompting strategies (zero-shot, two-step CoT, iterative refinement with feedback up to 3 rounds, a custom method of about 5 calls or fewer); pass@1/2/3 pipeline over 24 experiments (Claude Haiku vs Sonnet x 3 languages x 4 strategies) on a 16-item xCodeEval/MBPP set; plots. *Starter code:* [GitHub]
- **Buffalo: Lab 4: Evaluation Harness** — Eval suite for a bounded task: test cases, success criteria, metrics, failure taxonomy, reproducible script. *(spec only)*
- **UVA: Topic 5: RAG experiments** — 11 controlled RAG experiments (RAG vs no-RAG, top-K, chunking, prompts, unanswerable questions). *Starter code:* [cs.virginia.edu]
- **Harvard: A2 Mads-Loop: Build the loop** — `madsLoop`, a minimal coding-agent harness around an OpenAI-

compatible model API (the handout pins `qwen3.6-35b-a3b`): tool calling with schemas, context management, retries, termination, a required log schema. It is scored on 10 supplied SWE-bench Pro tasks plus hidden ones with the official evaluator; the handout warns that some supplied tasks may be impossible and asks which and why. You also build four tasks of your own (reference fix, Dockerfile, fail-to-pass and pass-to-pass tests): two the agent solves only after a harness change, two it still cannot solve. *Starter code:* [cs2680.seas.harvard.edu] [GitHub] [cs2680.seas.harvard.edu]

Related supplements: Notion: How we built a personal data scientist for every Notion employee (David Thomas, October 2026), CADSmith: multi-agent CAD generation with programmatic geometric validation (Barkley, Loghmani and Barati Farimani, 2026).

Module 11: Training and Optimizing Agents

Tag: TRAIN

Learning objectives

- Fine-tune a model on agent trajectories (SFT, LoRA/QLoRA) and know when fine-tuning beats prompting or RAG.
- Implement policy-gradient RL (REINFORCE, GRPO) for multi-turn agents, including async rollouts.
- Optimize prompts and programs automatically (DSPy, TextGrad, GEPA).

Core concepts

- **SFT and distillation.** Collect or synthesize high-quality trajectories from a strong model, filter them with verifiers, and fine-tune a smaller model (TinyAgent, CMU Training 1, UVA's Tinker text-to-SQL lab). LoRA and QLoRA make this cheap.
- **RL from verifiable rewards.** The policy generates trajectories in an environment and receives a reward (tests passed, task solved). Advantages are computed by REINFORCE baselines, PPO with GAE, or GRPO's group-relative normalization (DeepSeekMath, DeepSeek-R1, Dr. GRPO). Multi-turn agent RL adds credit assignment across tool calls and requires masking tool-output tokens.
- **RL systems.** Rollouts dominate cost, so asynchronous producer–consumer training with off-policy corrections (importance weighting) is standard. CMU A3 makes you build both sync and async GRPO on Tinker with a SkyRL server.
- **Optimizing without gradients.** DSPy compiles LM programs. TextGrad, GEPA, ADAS and Promptbreeder evolve prompts or whole agent designs (UW weeks on optimizing and self-improving agents).

Curated learning sequence

1. CMU 8 *Training 1: SFT* — Supervised fine-tuning for agents (slides + video).
2. CMU 9 *Training 2: RL Basics* — RL basics: ReST, ReST-EM, DeepSeekMath/GRPO, Dr. GRPO (slides + video).
3. CMU 11 *Training 3: Advanced RL Algorithms* and CMU 12 *Training 4: RL Systems* — Advanced RL algorithms, then RL systems (slides).
4. UVA 13 *Topic 7 cont. (A2A) + Topic 8: LLM Fine-Tuning* — Fine-tuning versus RAG, QLoRA, the Tinker pipeline, text-to-SQL.
5. JHU 11 *Pre-training of Coding Language Models (1)*–JHU 13 — Pre- and post-training of code LLMs.
6. UW-Madison 13 *Optimizing agents I* and UW-Madison 14 *Optimizing agents II* — DSPy/TextGrad, then ADAS/GEPA.
7. Supplement: TinyAgent — An end-to-end distillation case study.

Lecture map (30 lectures)

Course	#	Title (links to catalogue row)	Materials	Tags
CMU	8	⋆ Training 1: SFT	[slides] [video]	TRAIN
CMU	9	⋆ Training 2: RL Basics	[slides] [video]	TRAIN
CMU	11	⋆ Training 3: Advanced RL Algorithms	[slides]	TRAIN
CMU	12	⋆ Training 4: RL Systems	[slides]	TRAIN DEPLOY
Northeastern	3	LLM Foundations (II)	[agenticllms.github.io] [GitHub]	FND TRAIN
UVA	13	⋆ Topic 7 cont. (A2A) + Topic 8: LLM Fine-Tuning	[cs.virginia.edu]	TRAIN MULTI
UVA	18	Topic 12: Personal Agents and Distilling	[cs.virginia.edu]	WEB SAFE TRAIN
UW-Madison	13	⋆ Optimizing agents I	–	ARCH TRAIN
UW-Madison	14	⋆ Optimizing agents II	–	ARCH TRAIN
JHU	11	⋆ Pre-training of Coding Language Models (1)	[PDF]	TRAIN CODE
JHU	12	⋆ Pre-training of Coding Language Models (2)	[PDF]	TRAIN CODE
JHU	13	⋆ Post-training of Coding Language Models	–	TRAIN CODE
JHU	14	Special Topics in Training Language Models	–	TRAIN

Course	#	Title (links to catalogue row)	Materials	Tags
CU Boulder	11	Reflexion & Toolformer (students)	–	RSN TOOL TRAIN
Mannheim	2	Post-training and Efficient Adaptation	[PDF] [notebook zip]	TRAIN FND
UChicago	5	Sampling, Fine Tuning, Benchmarking, and Tools	[GitHub]	TRAIN EVAL TOOL
UChicago	7	Reinforcement Learning to Optimize AI Agents and Institutions	[GitHub]	TRAIN RSN MULTI
Stanford 329A	4	Learning from Feedback with Tools/Code	[video]	TOOL CODE TRAIN
Stanford 329A	5	Multi-step Reasoning/Planning	[video]	RSN TRAIN
Stanford 329A	6	Train Time Scaling/Scaling RL	[video]	TRAIN RSN
Berkeley '25	2	LLM Agents Overview	[slides] [video]	FND TRAIN
Berkeley '25	4	Post-Training Verifiable Agents	[slides] [video]	TRAIN EVAL CODE WEB
Berkeley '25	6	Some Challenges and Lessons from Training Agentic Models	[slides] [video]	TRAIN
Berkeley '25	12	Autonomous Agents: Embodiment, Interaction, and Learning	[video]	APP TRAIN
Berkeley Adv.	2	Learning to reason with LLMs	[slides] [video]	TRAIN RSN
Berkeley Adv.	4	Open Training Recipes for Reasoning in Language Models	[slides] [video]	TRAIN RSN
Berkeley Adv.	8	AlphaProof: when reinforcement learning meets formal mathematics	[slides] [video]	RSN TRAIN APP
Stanford 329T	9	Deep dive into LLMs	[slides]	FND TRAIN
Stanford 329T	10	Data curation and RL to optimize agents (guest: Trung Vu, Bespoke Labs)	[slides]	TRAIN TOOL EVAL
Stanford 329T	11	GEPA (guest: Lakshya Agrawal)	[slides]	TRAIN RSN

Key readings

- Ouyang et al., *InstructGPT* (2022)
- Shao et al., *DeepSeekMath (GRPO)* (2024)
- DeepSeek-AI, *DeepSeek-R1* (2025)
- Singh et al., *ReST-EM* (2023)
- Hu et al., *LoRA* (2021); Dettmers et al., *QLoRA* (2023)
- Khattab et al., *DSPy* (2023); Agrawal et al., *GEPA* (2025)

Hands-on

- **CMU: A3: Agentic RL Training, "scottyrl"** — Fill in TODOs for REINFORCE/GRPO advantages, trajectory to masked token sequences, grouped rollouts, a sync trainer, and an async producer-consumer GRPO trainer. Tasks: Number Search (sync and async), ablations (group size 2, stale-4 async with and without importance weighting), and async GRPO on TextCraft-Synth. The final adapter is exported to Hugging Face. Uses Tinker 0.24.0 with a SkyRL Tinker server on Modal and vLLM/SGLang. *Starter code:* [GitHub]
- **UVA: Topic 8: Text-to-SQL fine-tuning** — Fine-tune Llama on text-to-SQL with Tinker and score semantic SQL matches. *Starter code:* [cs.virginia.edu]
- **UChicago: Week 5 notebook** — 3 of 4 modules: sampling; LoRA/QLoRA fine-tuning with varied ranks plus CKA comparison; designing an agent benchmark; a tool-using agent and an MCP server. *Starter code:* [GitHub]
- **UChicago: Week 7 notebook** — Bandits (epsilon-greedy, annealing, UCB), RL for alignment, then RL for reasoning or multi-agent RL; memo pilot. *Starter code:* [GitHub]

Related supplements: Berkeley BAIR: TinyAgent, Function Calling at the Edge.

Module 12: Safety, Security and Oversight

Tag: SAFE

Learning objectives

- Threat-model an agent: prompt injection, tool misuse, data exfiltration, supply chain.
- Apply defenses: sandboxing, least privilege, capability separation, human approval, monitoring.
- Evaluate security with benchmarks such as AgentDojo.

Core concepts

An agent with tools is a confused-deputy risk. Simon Willison's **lethal trifecta** (UW reading) names the dangerous combination: access to private data, exposure to untrusted content, and an exfiltration channel.

- **Attacks.** Indirect prompt injection through web pages, documents, tool outputs or MCP servers. Jailbreaks. Malicious or compromised tools and packages. CMU's safety lecture works through real incidents: the OpenClaw incident report, a database-deletion incident, CVE-2025-32711, and the Cline supply-chain compromise.
- **Defenses.** Sandboxed execution and credential isolation; least-privilege tools and permission modes; human-in-the-loop approval for irreversible actions (Buffalo Lab 5); capability-based designs that separate control flow from untrusted data (CaMeL); guardrails; layered "Swiss cheese" safety.
- **Oversight.** Tracing, monitoring and anomaly detection (CMU Safety 2). Static analysis of agent-written code (Semgrep, Stanford weeks on security).
- **Alignment.** Sleeper agents, misalignment after narrow fine-tuning, representation engineering (UChicago week 9, UVA project ideas).

Curated learning sequence

1. CMU 13 *Safety 1: Agent Safety* — Agent safety through real incidents (slides).
2. UW-Madison 11 *Security & prompt injection I* and UW-Madison 12 *Security & prompt injection II* — Indirect prompt injection and AgentDojo, then CaMeL and browser-agent security.
3. Buffalo 10 *Security and privacy* — Prompt injection, tool misuse, sandboxing, privacy (then Lab 5).
4. Stanford '25 11 *AI QA, SAST, DAST, and beyond* — AI QA, SAST/DAST and prompt-injection RCE case studies (slides).
5. CMU 16 *Safety 2: Observability and Monitoring* — Observability and monitoring.
6. Northeastern 16 *Model Context Protocol* and Northeastern 17 *MCP in Agentic Systems* — MCP security and enterprise auth.
7. Mannheim 9 *LLM Security and Safety (+ project coaching)* — LLM security and safety (full-stack safety survey).

Lecture map (23 lectures)

Course	#	Title (links to catalogue row)	Materials	Tags
CMU	13	⋆Safety 1: Agent Safety	[slides]	SAFE
CMU	16	⋆Safety 2: Observability and Monitoring	–	SAFE DEPLOY
Stanford '26	13	Security in AI codebases	[course site]	SAFE
Stanford '25	11	⋆AI QA, SAST, DAST, and beyond	[slides]	SAFE EVAL CODE
Northeastern	16	⋆Model Context Protocol	–	TOOL SAFE
Northeastern	17	⋆MCP in Agentic Systems	–	TOOL SAFE DEPLOY
Harvard	11	Advanced agent design II: agent safety, self-evolving harness	[cs2680.seas.harvard.edu]	SAFE ARCH
Buffalo	8	Human-agent interaction and memory	–	MEM SAFE
Buffalo	10	⋆Security and privacy	–	SAFE
UVA	18	Topic 12: Personal Agents and Distilling	[cs.virginia.edu]	WEB SAFE TRAIN
UW-Madison	6	Coding agents II	–	CODE SAFE EVAL
UW-Madison	11	⋆Security & prompt injection I	–	SAFE EVAL
UW-Madison	12	⋆Security & prompt injection II	–	SAFE
JHU	17	PL Kaleidoscope: Security and Privacy	–	SAFE APP
CU Boulder	23	SafePro & ToolDreamer (students)	–	SAFE TOOL
CU Boulder	24	Swiss Cheese safety & MCP design (students)	–	SAFE TOOL

Course	#	Title (links to catalogue row)	Materials	Tags
Mannheim	9	⋆LLM Security and Safety (+ project coaching)	[PDF]	SAFE
UChicago	6	Auto-Encoders, Interpretability, and Steering Agents	[GitHub]	SAFE FND
UChicago	9	Alignment, Ethics, Safety, and Novelty	[GitHub]	SAFE APP
Berkeley '25	13	Agentic AI Safety & Security	[video]	SAFE
Berkeley Adv.	5	Coding Agents and AI for Vulnerability Detection	[slides] [video]	CODE TOOL SAFE
Berkeley Adv.	12	Towards building safe and secure agentic AI	[slides] [video]	SAFE DEPLOY
Stanford 329T	12	Security for agents: adversarial attacks and guardrails (guests: Matt Fredrikson, Andy Zou)	[slides]	SAFE EVAL

Key readings

- Greshake et al., *Indirect Prompt Injection* (2023)
- Debenedetti et al., *AgentDojo* (2024)
- Debenedetti et al., *CaMeL: Defeating Prompt Injections by Design* (2025)
- Willison, *The lethal trifecta*
- Wang et al., *Full Stack Safety survey* (2025)
- Hubinger et al., *Sleeper Agents* (2024)

Hands-on

- **Buffalo: Lab 5: Human-in-the-Loop and Safety Boundaries** — Add human approval, structured outputs, guardrails or permission boundaries. Analyze where autonomy should be restricted. *(spec only)*
- **Stanford '25: Week 6 — Scan and Fix Vulnerabilities with Semgrep** — Run Semgrep on the app, triage findings, fix at least 3 issues (SQLi, unsafe DOM, CORS, etc.). *Starter code:* [GitHub]
- **UChicago: Week 9 notebook** — Any 4 of 7 modules: safety judge, Constitutional AI, deception detection, moral geometry, automated red-teaming, AGrail guardrails; 150-300-word reflections (not AI-delegable). *Starter code:* [GitHub]
- **Stanford '26: Week 2 — Build an MCP Server for a Third-Party API** — FastMCP server over an OAuth 2.0 API with at least 3 composing tools, a write tool with dry-run, structured errors, readOnlyHint, full auth-code flow with refresh, and a protocol-level test. *Starter code:* [GitHub]

Related supplements: OpenClaw documentation, MIT 6.566 guest lecture: AI Agent Security (Anish Athalye, April 2026), Anthropic: Building effective agent automations (Martin and Avilla, October 2026).

Module 13: Deployment, Efficiency and Operations

Tag: DEPLOY

Learning objectives

- Deploy an agent as a service and operate it (logging, tracing, cost tracking, fallbacks).
- Reduce cost and latency: caching, model routing, small or quantized models, code execution.
- Understand long-running and background agent architectures.

Core concepts

- **Shipping.** Northeastern deploys agents to Hugging Face Spaces and Render. Buffalo adds CI and observability. Stanford '25 covers SRE and incident response with agents.
- **Cost and latency.** Prompt and KV caching (keep a stable prefix), model routing and gateways (Stanford '26 week 10), fallbacks and spend policies (Northeastern's optimization session), shorter contexts through tool retrieval or code execution, and small or quantized models on device (TinyAgent, UVA Topic 1). Harvard CS 2680 breaks an agent's cost into turns per task, steps per turn, tokens per step and price per token, and treats completion time as a critical path (Harvard 10); its second half goes down into the serving stack (batching, scheduling, speculative decoding, prefix caching, quantization, routing).
- **Long-running agents.** Background and asynchronous agents (Stanford '26 week 8) and always-on gateways with channels, cron jobs and hooks (OpenClaw) need durable state, idempotent tools and resumability (checkpointing in Module 2 (The Agent Loop and Agent Architectures)).
- **Observability.** Traces of every step are the raw material for evaluation (Module 10 (Evaluating Agents)), debugging and safety monitoring (Module 12 (Safety, Security and Oversight)).

Curated learning sequence

1. Northeastern 5 *Tool-Calling* and Northeastern 6 *Short-term & Long-term Memory* — Deploy to Hugging Face Spaces, then Render.
2. Northeastern 19 *Agentic AI Optimization* — DSPy plus cost tracking, caching, fallbacks and spend policies.
3. Harvard 10 *Advanced agent design I: Cost and performance* — Where an agent's cost and latency come from and how to cut each part (slides and the cost-effective agents note).
4. Harvard 12–Harvard 23 — LLM serving, from basics to routing and load balancing. Scheduled from October 19, 2026; no materials were posted at the last update.
5. Stanford '26 15 *Background agents: launching tasks asynchronously* and Stanford '26 19 *Coding agents in big teams* — Background agents, then coding agents in big teams (gateways, routing, cost).
6. Stanford '25 17 *Incident response and DevOps* — Incident response and DevOps with agents (slides).
7. CMU 12 *Training 4: RL Systems* — RL systems: the systems side of agent training.
8. Supplements: OpenClaw, TinyAgent — Always-on gateway architecture; edge deployment.
9. Supplements: Anthropic agent automations, Notion Data Scout — Durable state and guardrails for a scheduled agent; operating a production data agent.

Lecture map (29 lectures)

Course	#	Title (links to catalogue row)	Materials	Tags
CMU	12	⋆Training 4: RL Systems	[slides]	TRAIN DEPLOY
CMU	16	Safety 2: Observability and Monitoring	–	SAFE DEPLOY
Stanford '26	15	⋆Background agents: launching tasks asynchronously	[course site]	DEPLOY ARCH
Stanford '26	19	⋆Coding agents in big teams (MCP portals, LLM gateways, cost optimization, model routing)	[course site]	DEPLOY
Stanford '26	20	The Software Factory: self-running, self-improving software systems	[course site]	ARCH DEPLOY
Stanford '25	9	How to build a breakthrough AI developer product	[slides]	CODE DEPLOY
Stanford '25	17	⋆Incident response and DevOps	[slides]	DEPLOY MULTI

Course	#	Title (links to catalogue row)	Materials	Tags
Northeastern	2	LLM Foundations (I)	[agenticllms.github.io] [video] [video]	FND DEPLOY
Northeastern	5	⋆Tool-Calling	[agenticllms.github.io] [agenticllms.github.io] [GitHub]	TOOL RSN DEPLOY
Northeastern	6	⋆Short-term & Long-term Memory	[agenticllms.github.io] [agenticllms.github.io] [GitHub]	MEM ARCH DEPLOY
Northeastern	17	MCP in Agentic Systems	–	TOOL SAFE DEPLOY
Northeastern	19	⋆Agentic AI Optimization	–	DEPLOY FND
Harvard	10	⋆Advanced agent design I: Cost and performance	[PDF] [PDF]	DEPLOY ARCH
Harvard	12	⋆Efficient LLM serving: basics I	–	DEPLOY
Harvard	13	⋆Efficient LLM serving: basics II	–	DEPLOY
Harvard	15	⋆Efficient LLM serving: speculative decoding	–	DEPLOY
Harvard	16	⋆Efficient agentic systems: scheduling and prefix caching	–	DEPLOY
Harvard	17	⋆Efficient LLM serving: pruning and quantization	–	DEPLOY
Harvard	19	⋆Efficient LLM serving: GPU and kernels	–	DEPLOY
Harvard	20	⋆Efficient LLM serving: KV-cache optimization and model architectures	[cs2680.seas.harvard.edu]	DEPLOY
Harvard	22	⋆Efficient agentic system: routing and load balancing	–	DEPLOY
Harvard	23	⋆Efficient agentic systems: others	–	DEPLOY
Buffalo	12	Coding agents, testing, CI, observability	–	CODE DEPLOY
Buffalo	13	Applied agents and responsible deployment	–	APP DEPLOY
UVA	1	Topic 1: Running an LLM	[cs.virginia.edu]	FND EVAL DEPLOY
CU Boulder	21	MemSkill & More with Less (students)	–	MEM DEPLOY
Berkeley '25	3	Evolution of system designs from an AI engineer perspective	[slides] [video]	ARCH DEPLOY
Berkeley '25	10	Practical Lessons from Deploying Real-World AI Agents	[slides] [video]	DEPLOY EVAL APP
Berkeley Adv.	12	Towards building safe and secure agentic AI	[slides] [video]	SAFE DEPLOY

Key readings

- Google, *SRE book, introduction*
- Anthropic, *Code execution with MCP* (2025)
- Erdogan et al., *TinyAgent* (2024)
- Gao & Peng, *More with Less* (2025)
- Anthropic, *Building effective agent automations* (2026)
- Notion, *How we built a personal data scientist for every Notion employee* (2026)

Hands-on

- **Northeastern: DADA1: The Trip Planner Agent** — A conversational day-trip planner with tools: get_weather (Open-Meteo), find_attractions/restaurants/transit (Tavily), find_events (Ticketmaster). It has memory-based plan revision, a structured Itinerary/DayPlan output, 8 test prompts, and a Gradio app deployed on Render. Graded on tool routing, honesty at data limits, sources and memory. Optional extra credit: a find_performer_events chained tool. *Starter code:* [GitHub]
- **UVA: Topic 1 portfolio: Running an LLM** — MMLU timing/accuracy study across models, quantization and hardware; chat agent with bounded context and restartability; optional MT-Bench. *Starter code:* [cs.virginia.edu]
- **Harvard: A3 Mads-Opt: Make every token count** — A harness competition. Your agent runs in a container, opens up to 5 task containers at a time through a dispatcher, and decides scheduling, retries after grading feedback and when to give up, using three priced model tiers. A leaderboard of 26 tasks scores tasks solved, cost per solved task and time per solved task, ranked in skyline layers among submissions that solve at least 7; run limit 4 hours and 10 dollars per submission. *Starter code:* [GitHub] [cs2680.seas.harvard.edu]

Related supplements: Anthropic Engineering: Code execution with MCP, OpenClaw documentation, Berkeley BAIR: TinyAgent, Function Calling at the Edge, Anthropic: Building effective agent automations (Martin and Avilla, October 2026), Notion: How we built a personal data scientist for every Notion employee (David Thomas, October 2026), Google Colab.

Module 14: Applications: Deep Research, Science and Society

Tag: APP

Learning objectives

- Understand how deep-research and scientific-discovery agents are built and evaluated.
- Scope an application agent for a bounded domain with a measurable outcome.

Core concepts

- **Deep research agents** combine search, browsing, reading and synthesis over many steps (STORM, PaperQA, OpenScholar, Tongyi DeepResearch, DR Tulu). They are evaluated on BrowseComp, DeepResearch Bench and LiveResearchBench.
- **Agents for science** range from AI Scientist and autonomous chemistry to the AI co-scientist, sequential falsification, HEPTAPOD for particle physics, and Lean-based mathematics (UVA's guest lecture).
- **Society.** Simulated subjects and digital doubles, mixed human–AI experiments, persuasion, the future of work (CMU), and human–agent interaction design (CMU Interaction 2).
- **Scoping your own.** Mannheim's nine project briefs and Buffalo's "useful bounded agent" spec are good templates: a narrow domain, explicit tools, a benchmark and a risk assessment.

Curated learning sequence

1. CMU 10 *Domains 3: Deep Research Agents* — Deep research agents (slides).
2. UW-Madison 7 *Deep research agents I*–UW-Madison 10 — Deep research, then agents for science (four sessions).
3. UVA 19 *Topic 13: Agentic AI for Science* and UVA 20 *Topic 14: Agentic AI for Mathematics and Verification* — Agentic AI for science, then mathematics and verification (Lean).
4. CMU 17 *Agents and the Future of Work* and CMU 19 *Interaction 2: Human-Agent Interaction* — The future of work; human–agent interaction.
5. UChicago AI Agents for Social Science and Society — The whole course, for agents as research instruments.

Lecture map (33 lectures)

Course	#	Title (links to catalogue row)	Materials	Tags
CMU	10	⋆Domains 3: Deep Research Agents	[slides]	APP MEM
CMU	17	⋆Agents and the Future of Work	–	APP
CMU	19	⋆Interaction 2: Human-Agent Interaction	–	APP EVAL
Stanford '25	15	End-to-end apps from a single prompt	[slides]	CODE APP
Buffalo	13	Applied agents and responsible deployment	–	APP DEPLOY
UVA	10	Topic 6: Vision-Language Models	[cs.virginia.edu] [GitHub]	WEB APP FND
UVA	19	⋆Topic 13: Agentic AI for Science	[cs.virginia.edu] [GitHub]	APP MULTI
UVA	20	⋆Topic 14: Agentic AI for Mathematics and Verification (guest: Prof. Kevin Sullivan)	[cs.virginia.edu]	RSN APP
UW-Madison	7	⋆Deep research agents I	–	APP MULTI
UW-Madison	8	⋆Deep research agents II	–	APP MEM EVAL
UW-Madison	9	⋆Agents for science I	–	APP
UW-Madison	10	⋆Agents for science II	–	APP MULTI
JHU	15	PL Kaleidoscope: Formal Verification and Theorem Proving	–	APP CODE
JHU	16	PL Kaleidoscope: Differentiable Programming and Machine Learning	–	APP
JHU	17	PL Kaleidoscope: Security and Privacy	–	SAFE APP
JHU	18	PL Kaleidoscope: Hardware and High-Performance Computing	–	APP
JHU	19	PL Kaleidoscope: Design, Interactive, and Visual Programming	–	APP
JHU	26	Special Topics on Neurosymbolic Programming (1)	–	RSN APP

Course	#	Title (links to catalogue row)	Materials	Tags
JHU	27	Special Topics on Neurosymbolic Programming (2)	–	RSN APP
UChicago	1	Deep Learning and Social Agents	[GitHub]	FND APP
UChicago	3	LLMs Prompted for Multi-Agent Simulation	[GitHub]	MULTI MEM APP
UChicago	4	Experimental Designs with AI Agent and Human Interactions	[GitHub]	APP EVAL
UChicago	8	Multi-Modal and Embodied Agents	[GitHub]	WEB RSN APP
UChicago	9	Alignment, Ethics, Safety, and Novelty	[GitHub]	SAFE APP
Stanford 329A	7	Open-Ended Evolution of Self-Improving Agents	–	ARCH CODE APP
Berkeley '25	9	AI Agents to Automate Scientific Discoveries	[video]	APP MULTI
Berkeley '25	10	Practical Lessons from Deploying Real-World AI Agents	[slides] [video]	DEPLOY EVAL APP
Berkeley '25	12	Autonomous Agents: Embodiment, Interaction, and Learning	[video]	APP TRAIN
Berkeley Adv.	8	AlphaProof: when reinforcement learning meets formal mathematics	[slides] [video]	RSN TRAIN APP
Berkeley Adv.	9	Language models for autoformalization and theorem proving	[slides] [video]	RSN APP TOOL
Berkeley Adv.	10	Bridging Informal and Formal Mathematical Reasoning (Berkeley page: "Advanced topics in theorem proving")	[slides] [video]	RSN APP
Berkeley Adv.	11	Abstraction and Discovery with LLM Agents	[slides] [video]	RSN ARCH APP
Stanford 329T	18	Final Project Fair	–	ORG APP

Key readings

- Shao et al., *STORM* (2024)
- Lála et al., *PaperQA* (2023)
- Asai et al., *OpenScholar* (2024)
- Lu et al., *The AI Scientist* (2024)
- Gottweis et al., *Towards an AI Co-Scientist* (2025)
- Park et al., *Generative Agents* (2023)

Hands-on

- **Mannheim: Project topic 2: QA Agents** — RAG (multi-)agent QA over web search that explains its evidence. *Resources:* [openai.com] [aicrowd.com]
- **Mannheim: Project topic 8: Wikipedia Article Generation** — RAG/agent system to generate Wikipedia articles, evaluated against real articles with rubrics. *(spec only)*
- **Buffalo: Final Team Project: Useful Bounded Agent** — Working agent for a bounded task. Deliverables: problem statement, environment/tool inventory, architecture diagram, repo, eval dataset/script, results and error analysis, security/privacy/ethics risk assessment, demo, final report. *(spec only)*
- **UChicago: Final project** — Agent project for social insight, solo or teams of up to 4: at least 3 data types and 3 model types from 3 weeks, qualitatively validated; Substack/Medium post (3,600 words and 13 visuals solo; 5,000 and 17 for groups) with an open repo, plus an Ignite talk. *(spec only)*

Related supplements: Notion: How we built a personal data scientist for every Notion employee (David Thomas, October 2026), CADSmith: multi-agent CAD generation with programmatic geometric validation (Barkley, Loghmani and Barati Farimani, 2026).

Course Catalogue

CMU: 11-768 AI Agents

Institution	Carnegie Mellon University (LTI)
Term	Fall 2026
Instructors	Graham Neubig, Daniel Fried
Website	https://www.cmu-agents.com/#/schedule
Level	Graduate; assumes you have trained neural LMs
Archetype	Systems + training (build, evaluate, RL-train)
Public materials	Slides: L1–14; video: L1–9; code: A1–A3 public
Best for	The backbone course: harness engineering, evals, SFT/RL, safety, search.

The most complete public agents course in the collection, and the one this guide is built around. It goes from capabilities (tool use, long-context management, skills and memory, planning) to domains (coding, computer use, deep research), then to training (SFT, RL basics, advanced RL, RL systems), safety and observability, frameworks (OpenHands, LangGraph), interaction and search. The readings are taken from production systems: harness source code, provider KV-cache pricing pages and the MCP spec. The three assignments form one pipeline: build a harness (A1), evaluate an agent with an LLM judge (A2), then RL-train an agentic policy (A3). Slides for lectures 1–14 and recordings for lectures 1–9 are public on the schedule page.

Lectures

#	Date	Title	Key topics	Readings	Materials	Tags
1	Tue Aug 25	**Course Overview: What Is an Agent?**	Module: Intro & Capabilities	Toolformer; ReAct; Mini-SWE-Agent	slides video	ORG ARCH
2	Thu Aug 27	**Capabilities 1: Tool Use**	Module: Intro & Capabilities	What Are Tools Anyway?; CodeAct; Toolformer; XGrammar (refs: OpenAI Chat Completions, HF chat templates, BFCL V4)	slides video	TOOL
3	Tue Sep 1	**Capabilities 2: Context Management for Long-Context Agents**	Module: Intro & Capabilities	(refs: DistServe, Needle in a Haystack, Longformer)	slides video	MEM
4	Thu Sep 3	**Capabilities 3: Skills and Memory**	Module: Intro & Capabilities	OpenHands Agent Skills; SkillsBench; MemGPT; AWM; ASI; ReasoningBank (refs: Mem0, Reflexion, ExpeL)	slides video	MEM
5	Tue Sep 8	**Capabilities 4: Planning, Task Decomposition, Multi-Agent Coordination**	Module: Intro & Capabilities	Cursor Plan Mode; Least-to-Most; Decomposed Prompting; Code as Policies; SayCan; Plan-and-Act; Thinking vs. Doing; Calibrate-Then-Act; RAO; MACU	slides video	RSN MULTI
6	Thu Sep 10	**Domains 1: Coding Agents**	Module: Domains	(refs: OLMo, StarCoder, Code Llama)	slides video	CODE
7	Tue Sep 15	**Computer Use Agents**	Module: Domains; lecturer: JY Koh	WebArena; VisualWebArena; OSWorld; OpenCUA; CUA-Gym; MACU	slides video	WEB
8	Thu Sep 17	**Training 1: SFT**	Module: Training; lecturer: Yueqi Song	(refs: DeepSeek-R1, Kimi, Nemotron)	slides video	TRAIN
9	Tue Sep 22	**Training 2: RL Basics**	Module: Training	ReST; ReST-EM; DeepSeekMath; DrGRPO	slides video	TRAIN
10	Thu Sep 24	**Domains 3: Deep Research Agents**	Module: Domains; lecturer: Akari Asai	OpenScholar; BrowseComp; DeepResearch Bench; Tongyi DeepResearch; DR Tulu; AgentIR	slides	APP MEM
11	Tue Sep 29	**Training 3: Advanced RL Algorithms**	Module: Training	(refs: InstructGPT, GAE, Let's Verify Step by Step, AReaL)	slides	TRAIN

#	Date	Title	Key topics	Readings	Materials	Tags
12	Thu Oct 1	**Training 4: RL Systems**	Module: Training; lecturer: Apurva Gandhi	–	slides	TRAIN DEPLOY
13	Tue Oct 6	**Safety 1: Agent Safety**	Module: Agent Safety	(refs: OpenClaw incident report, CVE-2025-32711, Cline supply-chain postmortem)	slides	SAFE
14	Thu Oct 8	**Frameworks 1: OpenHands**	Module: Agent Frameworks; lecturer: Graham Neubig	OpenHands Software Agent SDK report; SWE-agent; OpenDevin CodeAct 1.0; Don't Sleep on Single-agent Systems; OpenHands-Versa (refs: HumanEval, SWE-bench, CodeR, MetaGPT)	slides	ARCH CODE
15	Tue Oct 20	**Frameworks 2: LangGraph**	Module: Agent Frameworks	–	–	ARCH
16	Thu Oct 22	**Safety 2: Observability and Monitoring**	Module: Frameworks & Safety; lecturer: Eric Wallace	–	–	SAFE DEPLOY
17	Tue Oct 27	**Agents and the Future of Work**	Module: Interaction & Projects; lecturer: Zora Wang	–	–	APP
18	Thu Oct 29	**Interaction 1: Multi-Agent Interaction**	Module: Interaction & Projects; lecturer: Saujas Vaduguru	–	–	MULTI
19	Tue Nov 10	**Interaction 2: Human-Agent Interaction**	Module: Interaction & Projects; lecturer: Valerie Chen	–	–	APP EVAL
20	Thu Nov 12	**Search 1: Reranking and Critic Models**	Module: Search & Inference	–	–	RSN EVAL
21	Tue Nov 17	**Search 2: Tree Search**	Module: Search & Inference; lecturer: JY Koh	–	–	RSN
22	Thu Nov 19	**Guest Lecture**	Module: Advanced Topics; lecturer: Karthik Narasimhan	–	–	–
23	Tue Nov 24	**Guest Lecture**	Module: Advanced Topics; lecturer: Sasha Rush	–	–	–

Assignments and projects

Name	What you build	Skills	Starter code / resources	Tags
A1: Build an Agent Harness (due Sep 14; 10%)	A domain-agnostic ReAct `Agent` base class: prompt construction, tool-call loop, step limit, model-generated context compaction. On top of it, a `CodeAgent` (terminal/message tools, skill loader with progressive disclosure via `invoke_skill`) that fixes a chess-app bug and solves SWE-bench `django__django-15368` with and without compaction. Then a `ChessAgent` (play_move, stateless simulate_move, sandboxed run_python, chess skill) plus an observation A/B experiment. Uses Modal sandboxes, an OpenAI-compatible LLM (default DeepSeek-V4-Flash), uv, and pytest. 100-pt rubric.	ReAct loops, tool dispatch, sandboxing, skills, context compaction, token accounting	[GitHub] (handout: [GitHub]); chess app: [GitHub]	ARCH TOOL CODE
A2: Evaluating a Data-Visualization Agent (due Sep 24; 15%)	A `validate(run)` LLM-as-judge validator that flags four error families (execution_failure, wrong_data, wrong_chart, hard_to_read), scored by per-family and macro MCC against human labels. Students author 5+ new tasks, run 3 fixed agents (15+ runs), human-label the runs, and package the tasks as Harbor environments with deterministic tests, a reference solution, and two mutants. The judge is fixed to Qwen3-VL-30B on Modal. Grading: report 40%, private-set MCC 30%, quiz 20%, code 10%.	Eval design, LLM-as-judge, human labeling, verifier robustness, benchmark packaging	[GitHub]	EVAL

Name	What you build	Skills	Starter code / resources	Tags
A3: Agentic RL Training, "scottyrl" (due Oct 22; 15%)	Fill in TODOs for REINFORCE/GRPO advantages, trajectory to masked token sequences, grouped rollouts, a sync trainer, and an async producer-consumer GRPO trainer. Tasks: Number Search (sync and async), ablations (group size 2, stale-4 async with and without importance weighting), and async GRPO on TextCraft-Synth. The final adapter is exported to Hugging Face. Uses Tinker 0.24.0 with a SkyRL Tinker server on Modal and vLLM/SGLang.	Policy-gradient RL for multi-turn agents, async RL systems, ablation methodology	[GitHub]	TRAIN
Team research project (50%)	Open-ended agent research: proposal, check-in, poster (Dec 1/3), and final report (30%)	Research design, experimentation, writing	–	ORG
Lecture highlights (10%)	Short written highlights of lectures, done without AI and submitted within 24 h (best 20 of 22 count)	Synthesis	–	ORG

Stanford '26: CS146S The Modern Software Developer

Institution	Stanford University
Term	Fall 2026 (current)
Instructors	Mihail Eric
Website	https://themodernsoftware.dev/
Level	Undergrad/grad; CS111/CS161-level programming
Archetype	Coding-agent practice (practitioner)
Public materials	Slides: Weeks 1–3 so far; video: none; code: Weeks 1–3 assignments
Best for	How production coding agents work and how to set up a repo and a team around them.

A practitioner course about building software with coding agents, with an industry guest in most weeks. The Fall 2026 version focuses on agents. Week 1 builds "Claude Code in 200 lines" and dissects production system prompts. Later weeks cover context engineering and MCP, agent skills, CLAUDE.md/AGENTS.md and hooks, agent-ready codebases, agentic code review, security, background agents, and the "software factory". The assignments are short and practical: dissect a real Claude Code trace, build an OAuth MCP server, and author an Agent Skill.

Lectures

#	Date	Title	Key topics	Readings	Materials	Tags
1	Tue 9/22	**Course intro + build Claude Code in 200 lines**	Week 1: The Internals of Coding Agents	Building a Coding Agent; Lessons from Building Claude Code; Dive into Claude Code	course site	CODE ARCH
2	Thu 9/24	**How SOTA coding agents are designed: deep dive into system prompts**	Week 1: The Internals of Coding Agents	–	course site	CODE FND
3	Tue 9/29	**Advanced prompting + agentic dev frameworks (RePPIT, spec-driven development)**	Week 2: Advanced Context Engineering	–	course site	FND MEM
4	Thu 10/1	**Full introduction to MCP and tool-calling (theory, setup, advanced tool design)**	Week 2: Advanced Context Engineering	–	course site	TOOL
5	Tue 10/6	**All about agent skills (incl. web skills)**	Week 3: Agent Skills and CLI	pstack; Matt Pocock's Skills; browse.sh	course site	MEM TOOL
6	Thu 10/8	**Guest: Lee Robinson**	Week 3: Agent Skills and CLI	–	course site	APP
7	Tue 10/13	**CLAUDE.md, AGENTS.md, hooks; subagent patterns (planner/implementer/reviewer)**	Week 4: Customizing Your Agent and Repository	–	course site	CODE MULTI
8	Thu 10/15	**Guest: Boris Cherny (Claude Code, Anthropic)**	Week 4: Customizing Your Agent and Repository	–	course site	CODE
9	Tue 10/20	**Agent readiness: structure, docs, tests, checks**	Week 5: Agent-Ready Codebases	–	course site	CODE EVAL
10	Thu 10/22	**Guest: Eno Reyes (Factory)**	Week 5: Agent-Ready Codebases	–	course site	CODE
11	Tue 10/27	**Agentic code review: best practices and architectures**	Week 6: Agentic Code Review	–	course site	CODE EVAL

#	Date	Title	Key topics	Readings	Materials	Tags
12	Thu 10/29	**Guest: Silas Alberti (Cognition)**	Week 6: Agentic Code Review	–	course site	CODE
13	Tue 11/3	**Security in AI codebases**	Week 7: Security	–	course site	SAFE
14	Thu 11/5	**Guest: Isaac Evans (Semgrep)**	Week 7: Security	–	course site	SAFE
15	Tue 11/10	**Background agents: launching tasks asynchronously**	Week 8: Background Agents	–	course site	DEPLOY ARCH
16	Thu 11/12	**Guest: Rajesh Bhatia (Cloudflare)**	Week 8: Background Agents	–	course site	DEPLOY
17	Tue 11/17	**Guest: Elad Gil**	Week 9: Building an AI-Native Team	–	course site	APP
18	Thu 11/19	**Guest: Amjad Masad (Replit)**	Week 9: Building an AI-Native Team	–	course site	APP
19	Tue 12/1	**Coding agents in big teams (MCP portals, LLM gateways, cost optimization, model routing)**	Week 10: Software Factory + Future	–	course site	DEPLOY
20	Thu 12/3	**The Software Factory: self-running, self-improving software systems**	Week 10: Software Factory + Future	–	course site	ARCH DEPLOY

Assignments and projects

Name	What you build	Skills	Starter code / resources	Tags
Week 1 — Trace Dissection of a Real Claude Code Session	Capture a Claude Code session through a mitmproxy reverse proxy, then annotate the system prompt, `<system-reminder>`s, tool inventory and schemas, error recovery, planning, subagents, and context management	Reverse-engineering a production coding agent, prompt and tool design analysis	[GitHub]	CODE ARCH MEM
Week 2 — Build an MCP Server for a Third-Party API	FastMCP server over an OAuth 2.0 API with at least 3 composing tools, a write tool with dry-run, structured errors, readOnlyHint, full auth-code flow with refresh, and a protocol-level test	Agent-ergonomic tool design, OAuth, MCP	[GitHub]	TOOL SAFE
Week 3 — Author a Skill	A SKILL.md (Agent Skills standard) for a repeatable workflow on a real OSS repo (htmx, dayjs, yt-dlp, etc.), with trigger tests including a near-miss and an end-to-end run	Skill authoring, trigger description design, eval of triggering	[GitHub]	CODE MEM EVAL

Stanford '25: CS146S The Modern Software Developer (archive)

Institution	Stanford University
Term	Fall 2025
Instructors	Mihail Eric
Website	https://themodernsoftware.dev/fall2025
Level	Undergrad/grad
Archetype	Coding-agent practice (practitioner)
Public materials	Slides: Most lectures (Google Slides); video: none; code: 8 weekly assignments (branch fall2025)
Best for	Slide decks on prompting, building a coding agent, MCP servers, AI testing/security, code review, SRE.

The previous offering of CS146S. Its value here is that nearly every lecture has a public slide deck, and the eight assignments (prompting playground, AI-IDE workflow, custom MCP server, Claude Code automations, Warp, Semgrep, Graphite review, multi-stack build) live on the `fall2025` branch of the assignments repository. The lecture dates come from an authorized translation and may be off by a day, so treat them as approximate.

Lectures

#	Date	Title	Key topics	Readings	Materials	Tags
1	2025-09-22	**Introduction and how an LLM is made**	Course logistics; what LLMs are	Karpathy "Deep Dive into LLMs" [video] ; "How OpenAI Uses Codex" [PDF]	Slides [slides]	ORG FND
2	2025-09-26	**Power prompting for LLMs**	Effective prompting techniques	Google "What is prompt engineering" [cloud.google.com] ; Prompting Guide [promptingguide.ai] ; "AI Prompt Engineering: A Deep Dive" [video]	Slides [slides]	FND RSN
3	2025-09-29	**Building a coding agent from scratch**	Agent architecture and components; tool use / function calling	Week 2 readings (MCP, below)	Slides [slides] ; completed exercise [drive.google.com]	ARCH TOOL CODE
4	2025-10-03	**Building a custom MCP server**	Model Context Protocol	MCP intro [stytch.com] ; MCP servers [GitHub] ; Cloudflare remote MCP auth [developers.cloudflare.com] ; MCP TS SDK [GitHub] ; MCP Registry [blog.modelcontextprotocol.io] ; "APIs don't make good MCP tools" [reillywood.com]	Slides [slides] ; completed exercise [drive.google.com]	TOOL
5	2025-10-06	**From first prompt to optimal IDE setup**	Context management and code understanding; PRDs/specs for agents; IDE integrations	"Specs Are the New Source Code" [blog.ravi-mehta.com] ; "How Long Contexts Fail" [dbreunig.com] ; Devin Agents 101 [devin.ai] ; HumanLayer ACE-FCA [GitHub] ; "How FAANG Vibe Codes" [x.com] ; Anthropic "Writing effective tools for agents" [anthropic.com]	Slides [slides] ; design doc template [drive.google.com]	MEM CODE
6	2025-10-10	**Guest: Silas Alberti (Cognition)**	Coding agents in industry (Devin)	(week 3 readings)	Slides [slides]	CODE
7	2025-10-13	**How to be an agent manager**	Managing levels of agent autonomy; human-agent collaboration patterns	"How Anthropic Uses Claude Code" [PDF] ; Claude Code best practices [anthropic.com] ; awesome-claude-agents [GitHub] ; SuperClaude [GitHub] ; "Good Context Good Code" [blog.stockapp.com] ; "Peeking Under the Hood of Claude Code" [medium.com]	Slides [slides]	CODE MULTI

#	Date	Title	Key topics	Readings	Materials	Tags
8	2025-10-17	**Guest: Boris Cherny (creator of Claude Code, Anthropic)**	Claude Code	(week 4 readings)	Slides [slides]	CODE
9	2025-10-20	**How to build a breakthrough AI developer product**	AI-enhanced CLIs; terminal automation and scripting	Warp University [warp.dev] ; Warp vs Claude Code [warp.dev] ; "How Warp uses Warp to build Warp" [notion.warp.dev]	Slides [slides]	CODE DEPLOY
10	2025-10-24	**Guest: Zach Lloyd (CEO, Warp)**	The agentic terminal	(week 5 readings)	Slides (Figma) [figma.com]	CODE
11	2025-10-27	**AI QA, SAST, DAST, and beyond**	Secure vibe coding; history of vulnerability detection; AI-generated test suites	SAST vs DAST [splunk.com] ; Copilot RCE via prompt injection [embracethered.com] ; Semgrep, finding vulns with Claude Code and Codex [semgrep.dev] ; Unit42 agentic AI threats [unit42.paloaltonetworks.com] ; OWASP Top Ten [owasp.org] ; Chroma "Context Rot" [research.trychroma.com] ; o3 CVE-2025-37899 prompt [GitHub]	Slides [slides]	SAFE EVAL CODE
12	2025-10-31	**Guest: Isaac Evans (CEO, Semgrep)**	Static analysis and AI security	(week 6 readings)	n/a (no slides listed)	SAFE
13	2025-11-03	**AI code review**	Which AI code systems to trust; debugging and diagnosis; generated documentation	"Code Reviews: Just Do It" [blog.codinghorror.com] ; GitHub "How to review code effectively" [github.blog] ; "AI-Assisted Assessment of Coding Practices in Modern Code Review" [arXiv:2405.13565] ; Graphite AI code review best practices [graphite.dev] ; "Code Review Essentials" [blakesmith.me] ; "Lessons from millions of AI code reviews" [video]	Slides [slides]	CODE EVAL
14	2025-11-07	**Guest: Tomas Reimers (CPO, Graphite)**	AI code review in practice	(week 7 readings)	Slides [drive.google.com]	CODE
15	2025-11-10	**End-to-end apps from a single prompt**	Design and frontend for everyone; rapid UI/UX prototyping	n/a (none listed)	Slides [slides]	CODE APP
16	2025-11-14	**Guest: Gaspar Garcia (Head of AI Research, Vercel)**	AI app generation (v0)	–	Slides [slides]	CODE APP
17	2025-11-17	**Incident response and DevOps**	Monitoring and observability for AI systems; automated incident response; triage and debugging	Google SRE book intro [sre.google] ; observability basics [last9.io] ; Resolve.ai posts [resolve.ai] , [resolve.ai] , [resolve.ai] , [resolve.ai]	Slides [slides]	DEPLOY MULTI
18	2025-11-21	**Guests: Mayank Agarwal (CTO) and Milind Ganjoo, Resolve.ai**	Agentic on-call/SRE	(week 9 readings)	Slides [drive.google.com]	DEPLOY
19	2025-12-01	**Software development in 10 years**	The future of developer roles; emerging AI coding paradigms	–	–	CODE ORG
20	2025-12-05	**Guest: Martin Casado (General Partner, a16z)**	Industry trends and predictions	–	–	APP ORG

Assignments and projects

Name	What you build	Skills	Starter code / resources	Tags
Week 1 — Prompting Techniques ("LLM Prompting Playground")	Fill in prompts for K-shot, chain-of-thought, tool calling, self-consistency, RAG, and reflexion until the test scripts pass, using local Ollama models (mistral-nemo:12b, llama3.1:8b)	Prompt design, iterative refinement	[GitHub]	FND RSN TOOL
Week 2 — Action Item Extractor ("First Steps in the AI IDE")	Extend a FastAPI and SQLite notes app with LLM structured-output extraction, tests, a refactor, frontend endpoints, and a generated README, using Cursor	AI-IDE workflow, LLM integration, testing	[GitHub]	CODE FND
Week 3 — Build a Custom MCP Server	MCP server wrapping a real external API: at least 2 typed tools, robust error and rate-limit handling, STDIO or remote HTTP, optional OAuth2	MCP tools/resources/prompts, transport, auth	[GitHub]	TOOL
Week 4 — The Autonomous Coding Agent IRL ("Coding with Claude Code")	At least 2 Claude Code automations (slash commands, CLAUDE.md, subagents, MCP) used to extend a FastAPI app	Claude Code customization, subagents	[GitHub]	CODE MULTI
Week 5 — Agentic Development with Warp	Warp Drive prompts, rules, or MCP integrations, plus multi-agent concurrent sessions working from a task list	Agentic terminal workflows, parallel agents	[GitHub]	CODE MULTI
Week 6 — Scan and Fix Vulnerabilities with Semgrep ("Writing Secure AI Code")	Run Semgrep on the app, triage findings, fix at least 3 issues (SQLi, unsafe DOM, CORS, etc.)	SAST, secrets and dependency scanning, remediation	[GitHub]	SAFE CODE
Week 7 — Exploring AI Code Review Using Graphite ("Code Review Reps")	Implement 4 tasks with one-shot agent prompts, open PRs, and compare manual review with Graphite Diamond AI review	AI code review, PR hygiene	[GitHub]	CODE EVAL
Week 8 — Multi-Stack AI-Accelerated Web App Build	Build the same CRUD app in 3 stacks, at least one with bolt.new and one with a non-JS language	AI app generation, stack comparison	[GitHub]	CODE APP
Final project	"Final project showcasing modern development practices" (details not public)	–	–	CODE ORG

Northeastern: Agentic AI

Institution	Northeastern University (Khoury)
Term	Fall 2026 (in progress)
Instructors	Caglar Yildirim
Website	https://agenticllms.github.io/
Level	Gentle on-ramp (Python primer provided)
Archetype	Builder (LangChain/LangGraph stack)
Public materials	Slides: 2 HTML decks; video: none; code: Notebooks W02b–W05b, DADA1
Best for	Best guided, notebook-by-notebook path from an LLM API call to a deployed LangGraph agent.

Pairs one seminal paper with the matching LangChain/LangGraph documentation in every session. One running example, the "Husky Tech" customer-support agent, grows week by week: a notebook prototype, then a project skeleton, then a Hugging Face Spaces deployment, a LangGraph rewrite, RAG, and finally a self-grading retrieval loop. Later sessions cover planning, agentic RAG, three multi-agent sessions, MCP and its security, evaluation, and optimization with DSPy and cost controls. Sessions after F 11/13 were not posted when this guide was compiled.

Lectures

#	Date	Title	Key topics	Readings	Materials	Tags
1	F 9/11	**Introduction to Agentic AI**	Workflows vs agents; course setup (VS Code, Python primer)	Building Effective Agents (Anthropic) [core]; Rise and Potential of LLM Agents (arXiv 2309.07864); LangGraph "Workflows and agents"; LangChain "Philosophy"	[agenticllms.github.io] ; Python primer [colab.research.google.com]	ORG ARCH
2	T 9/15	**LLM Foundations (I)**	Transformers, autoregressive generation; run a local open-weight model (Ollama, Qwen 3.5); base vs instruction-tuned comparison	Attention Is All You Need [core]; GPT-1 "Improving Language Understanding"; videos: 3Blue1Brown LLMs visualized, Karpathy "Let's build GPT"	[agenticllms.github.io] ; [video] ; [video]	FND DEPLOY
3	F 9/18	**LLM Foundations (II)**	Instruction tuning/RLHF, CoT; LLM API basics; environment setup (uv, .env keys)	InstructGPT [core]; Chain-of-Thought (2201.11903); LangChain Models, Messages docs	[agenticllms.github.io] ; code W02b (W02b.1_ LLM_API_Basics.ipynb, W02b.2_ AgentBasics.ipynb) [GitHub]	FND TRAIN
4	T 9/22	**Simple Agent Architecture**	Tools and agent loop; short-term memory, structured output; agentui.py chat UI	Toolformer [core]; MRKL (2205.00445); LangChain Tools, Agents docs	[agenticllms.github.io] ; code W03a (W03a.1_ ShortTerm_ Memory.ipynb, W03a.2_ Structured_Output.ipynb, agentui.py) [GitHub]	ARCH TOOL MEM
5	F 9/25	**Tool-Calling**	ReAct; Husky Tech customer support agent; notebook to project skeleton; deploy to HF Spaces (Gradio); tools-vs-model design rules	ReAct [core]; What Are Tools Anyway? (2403.15452); LangChain short-term memory, structured output docs	[agenticllms.github.io] ; slides [agenticllms.github.io] ; code W03b [GitHub]	TOOL RSN DEPLOY
6	T 9/29	**Short-term & Long-term Memory**	Memory in agents; LangGraph basics (state, nodes, edges, reducers, cycles); deploy to Render	Generative Agents [core]; MemGPT (2310.08560); Thinking in LangGraph, Graph API, Persistence docs	[agenticllms.github.io] ; slides "Why LangGraph?" [agenticllms.github.io] ; code W04a [GitHub]	MEM ARCH DEPLOY
7	F 10/2	**Context Management**	Lost-in-the-middle, context engineering, middleware; LangGraph messages/tools/state; support agent in LangGraph	Lost in the Middle [core]; Effective Context Engineering (Anthropic); LangChain context engineering, middleware docs	[agenticllms.github.io] ; code W04b [GitHub]	MEM ARCH
8	T 10/6	**Retrieval-Augmented Generation**	Chunking, embeddings, cosine similarity, vector store (dict, then Pinecone)	RAG (2005.11401) [core]; RAG Survey sec. 2-3 (2312.10997); LangChain Retrieval, Semantic search docs	[agenticllms.github.io] ; code W05a [GitHub]	MEM

#	Date	Title	Key topics	Readings	Materials	Tags
9	F 10/9	**Reflection & Self-critique**	Self-grading retrieval loop, query rewriting; RAG inside the support agent; rate limits/cost	Reflexion [core]; Self-RAG; Self-Refine; LangGraph Graph API loops, unit testing docs	[agenticllms.github.io] ; code W05b [GitHub]	RSN MEM
10	T 10/13	**Planning & Task Decomposition**	Skill libraries, ToT, task decomposition; subgraphs, skills	Voyager [core]; Tree of Thoughts; HuggingGPT (skim); LangGraph Subgraphs, Skills docs	–	RSN ARCH
11	F 10/16	**Agentic RAG**	Corrective/adaptive RAG, multi-source routing	Corrective RAG (2401.15884) [core]; Adaptive-RAG (2403.14403); Custom RAG agent, router knowledge base docs	–	MEM RSN
12	T 10/20	**Multi-Agent Orchestration I**	MAS failure modes; handoffs, routers	Why Do Multi-Agent LLM Systems Fail? (2503.13657) [core]; AutoGen; Anthropic multi-agent research system; handoffs/router docs	–	MULTI
13	F 10/23	**Multi-Agent Orchestration II**	Role-based MAS; subagents, custom workflows	MetaGPT [core]; CAMEL (skim); Subagents, Custom workflow docs	–	MULTI
14	T 10/27	**Multi-Agent Orchestration III**	MAS failures revisited; LangGraph runtime (Pregel), Studio	Why MAS Fail sec. 4-5 (re-read) [core]; Agents Are Not Enough (2412.16241, optional); LangGraph runtime, Studio docs	–	MULTI ARCH
15	F 10/30	**Midterm Exam**	Exam	–	–	ORG
16	T 11/3	**Model Context Protocol**	MCP spec, MCP security landscape	MCP intro/spec [core]; MCP Landscape & Security (2503.23278); LangChain MCP, Agent Server MCP docs	–	TOOL SAFE
17	F 11/6	**MCP in Agentic Systems**	Remote MCP, agent auth, enterprise MCP security	Enterprise MCP Security (2504.08623, skim) [core]; LangSmith Remote MCP, Agent Auth docs	–	TOOL SAFE DEPLOY
18	T 11/10	**Agentic AI Evaluation**	Benchmarks, trajectory/intermediate-step eval, LLM-as-judge	SWE-bench [core]; tau-bench (2406.12045); LLM-as-a-Judge (2306.05685); AgentBench (skim); LangSmith evaluation docs	–	EVAL
19	F 11/13	**Agentic AI Optimization**	Prompt/program optimization (DSPy); cost tracking, caching, fallbacks, spend policies	DSPy (2310.03714) [core]; LangSmith cost tracking, caching, fallbacks, spend policies, insights docs	–	DEPLOY FND

Assignments and projects

Name	What you build	Skills	Starter code / resources	Tags
DADA1: The Trip Planner Agent	A conversational day-trip planner with tools: get_weather (Open-Meteo), find_attractions/restaurants/transit (Tavily), find_events (Ticketmaster). It has memory-based plan revision, a structured Itinerary/DayPlan output, 8 test prompts, and a Gradio app deployed on Render. Graded on tool routing, honesty at data limits, sources and memory. Optional extra credit: a find_performer_events chained tool	Tool design, prompting, memory, structured output, deployment	[GitHub]	TOOL MEM DEPLOY
Husky Tech Customer Support Agent (running in-class build, W03b-W05b)	A support agent with 4 tools and ticket filing. It is built as a notebook, then a project skeleton, then deployed to HF Spaces, then rewritten in LangGraph, then given RAG over husky_policy.md, then a reflection/self-grading loop	Tool calling, LangGraph, RAG, reflection, deployment	[GitHub] (also W04b, W05a, W05b)	TOOL ARCH MEM

Name	What you build	Skills	Starter code / resources	Tags
Final Project (research)	A research contribution: agentic mechanism -> experimental manipulation -> measured behavior (e.g., memory policy -> stale-action rate). Suggested scope: controlled experiments on benchmarks, LoRA fine-tuning of 4-9B open models, trajectory analysis, fixed-token-budget architecture comparisons. Anchor papers cover eval, fine-tuning, safety, tool use/MCP and memory	Research design, experimentation, evaluation	n/a (resources: [agenticllms.github.io])	EVAL TRAIN ORG
Midterm Exam (F 10/30)	Exam	–	–	ORG

Harvard: CS 2680 Modern AI Systems: Agents and System Optimizations

Institution	Harvard University (SEAS, MaDSys)
Term	Fall 2026 (in progress)
Instructors	Juncheng Yang
Website	https://cs2680.seas.harvard.edu/
Level	Graduate systems course; CS61 plus a graduate systems course
Archetype	Agent systems and serving (use, build, optimize, serve)
Public materials	Slides: 8 decks (Part I); video: none (not recorded); code: A2–A3 starter repo (no license); A4–A5 unreleased
Best for	Treating an agent as a system to measure: harness design, evaluation, and cost per solved task, then the serving stack underneath.

Follows one agentic system from the agent loop down through the serving stack. Part I uses a coding agent (Claude Code), then designs one: context management and tool design, multi-agent architecture and communication, memory and reliability, evaluation, and cost and performance. Part II, from October 19, covers LLM serving: batching and scheduling, speculative decoding, prefix caching, quantization, GPUs and kernels, and routing. The annotated reading pages and the two reference notes (agent evaluation and benchmarks, cost-effective agents) are worth reading on their own. The five assignments take one system apart in steps: watch the agent, build the loop, make every token count, serve the model yourself, optimize the full stack. **Access:** assignments 2 and 3 call a course model API whose keys go to enrolled students only. Outside the course you can run assignment 2 only against your own OpenAI-compatible endpoint, and assignment 3's leaderboard scoring is not available. No Part II slides or readings, and no specs for assignments 4 and 5, were posted when this guide was last updated (October 12, 2026).

Lectures

#	Date	Title	Key topics	Readings	Materials	Tags
1	W Sep 2	**Course overview and logistics**	What an AI system is and how it differs (compute, non-determinism, memory, fast-moving models); what an agent is; agents as a systems problem; the agentic systems stack; what to optimize; observability	–	Slides [PDF]	ORG ARCH
2	W Sep 9	**Agents use I: How Claude Code Works**	The agentic loop (model proposes, harness executes); permissions; context growth and compaction; memory (CLAUDE.md, rules, auto memory); core tools; extension points: skills, MCP, hooks, plugins	How I use LLMs (Karpathy) [video] ; Best practices for Claude Code [code.claude.com] ; Agentic Engineering Patterns [simonwillison.net] ; Agent Skills [anthropic.com] ; Code execution with MCP [anthropic.com] ; Guardrails Beat Guidance [arXiv:2604.11088] ; The Scaffolding Matters More Than the Interface [arXiv:2608.08654]	Slides [PDF] ; readings (10 entries) [cs2680.seas.harvard.edu]	CODE MEM TOOL
3	M Sep 14	**Agents use II: 100x Engineer with Multi-agents**	Skills and plugin case studies (Superpowers, Caveman token compression); parallel agents and git worktrees; subagents, agent teams, dynamic workflows; long-running agents; "Software 3.0" and living with uncertainty; the delegation ladder	Claude Code agent teams [code.claude.com] ; Claude Code subagents [code.claude.com] ; Software is changing (again) [video] ; Building a C compiler with a team of parallel Claudes [anthropic.com] ; Research acceleration: the view inside OpenAI [openai.com] ; The Shift to Agentic AI [arXiv:2606.26959]	Slides [PDF] ; readings (9 entries) [cs2680.seas.harvard.edu]	CODE MULTI

#	Date	Title	Key topics	Readings	Materials	Tags
4	W Sep 16	**Agents design I: context management and tool design**	The ReAct loop in code; components of a coding agent; search and read tools (glob/grep, semantic search, LSP); edit tools (rewrite, diff, search-and-replace, AST); shell execution; tool design practices; prompting techniques; context engineering, compaction, five ways context fails; agent = model x harness	ReAct [arXiv:2210.03629] ; Building effective agents [anthropic.com] ; A practical guide to building agents (OpenAI) [openai.com] ; LLM Powered Autonomous Agents [lilianweng.github.io] ; Effective context engineering [anthropic.com] ; Lost in the Middle [arXiv:2307.03172] ; context rot [arXiv:2606.29718] ; Writing effective tools for agents [anthropic.com] ; Toolformer [arXiv:2302.04761]	Slides [PDF] ; readings (15 entries) [cs2680.seas.harvard.edu]	ARCH TOOL MEM
5	M Sep 21	**Student sharing I**	What students learned from using an agent in Assignment 1	–	–	ORG
6	W Sep 23	**Agents design II: multi-agent architecture, coordination, and communication**	Eight architectures (supervisor-worker, hierarchical, pipeline/DAG, blackboard, debate, market, swarm, dynamic topology); task decomposition and its failures; communication medium, channels and message format; multi-agent as a distributed-systems problem; A2A agent cards and task lifecycle; MCP vs A2A	AutoGen [arXiv:2308.08155] ; MetaGPT [arXiv:2308.00352] ; How we built our multi-agent research system (Anthropic) [anthropic.com] ; Towards a Science of Scaling Agent Systems [arXiv:2512.08296] ; Don't Build Multi-Agents (Cognition) [cognition.com]	Slides [PDF] ; readings (5 entries) [cs2680.seas.harvard.edu]	MULTI ARCH TOOL
7	M Sep 28	**Agents design III: agent memory and reliability**	Memory design questions: when to write, when to use, how to retrieve, how to generalize, forgetting, valid time and provenance, ownership; evaluating memory; reliability: where a fault originates (task specification, harness, model, tool, environment); designing for failure	RAG [arXiv:2005.11401] ; MemGPT [arXiv:2310.08560] ; Where agents fail [arXiv:2509.25370] ; Why Do Multi-Agent LLM Systems Fail? [arXiv:2503.13657] ; agent failure taxonomy [arXiv:2607.05775] ; overthinking [arXiv:2502.08235]	Slides [PDF] ; readings (6 entries) [cs2680.seas.harvard.edu]	MEM ARCH
8	W Sep 30	**Agent design IV: agent evaluation**	Evaluation objectives and metrics; the benchmark evaluation loop; GAIA, BFCL, WebArena, OSWorld, SWE-bench, tau-bench, Terminal-Bench, TheAgentCompany; data leakage across the agent stack; saturation	Course note: Agent evaluation and benchmarks [cs2680.seas.harvard.edu]	Slides [PDF]	EVAL
9	M Oct 5	**Guest lecture: Developing and Evaluating Agents in Enterprise Setting (Harsh Nilesh Pathak, Snowflake)**	Guest lecture; no materials posted	–	–	EVAL DEPLOY
10	W Oct 7	**Advanced agent design I: Cost and performance**	Where cost comes from (turns per task, steps per turn, tokens per step, price per token); lean context, shorter output, caching and batching, model routing; budget caps; "do you need an LLM at all?"; latency as a critical path: parallel and speculative actions; three harness architectures (monolithic, modular, microkernel) across eight open harnesses	Course note: Cost-effective agents [cs2680.seas.harvard.edu]	Slides [PDF] ; Assignment 3 slides [PDF]	DEPLOY ARCH
11	W Oct 14	**Advanced agent design II: agent safety, self-evolving harness**	Student-led paper discussion (scheduled; papers not posted on 2026-10-12)	–	Discussion guide [cs2680.seas.harvard.edu]	SAFE ARCH

#	Date	Title	Key topics	Readings	Materials	Tags
12	M Oct 19	**Efficient LLM serving: basics I**	Scheduled; no materials yet	–	–	DEPLOY
13	W Oct 21	**Efficient LLM serving: basics II**	Scheduled; no materials yet	–	–	DEPLOY
14	M Oct 26	**Assignment feedback and student sharing II**	Common pitfalls in submissions; Assignment 3 lessons	–	–	ORG
15	W Oct 28	**Efficient LLM serving: speculative decoding**	Scheduled; no materials yet	–	–	DEPLOY
16	M Nov 2	**Efficient agentic systems: scheduling and prefix caching**	Scheduled; no materials yet	–	–	DEPLOY
17	W Nov 4	**Efficient LLM serving: pruning and quantization**	Scheduled; no materials yet	–	–	DEPLOY
18	M Nov 9	**Guest lecture: Why Infrastructure sets the pace of AI (Xianzheng Kou, Meta)**	Guest lecture (scheduled)	–	–	DEPLOY
19	W Nov 11	**Efficient LLM serving: GPU and kernels**	Scheduled; no materials yet	–	–	DEPLOY
20	M Nov 16	**Efficient LLM serving: KV-cache optimization and model architectures**	Student-led paper discussion (scheduled)	–	Discussion guide [cs2680.seas.harvard.edu]	DEPLOY
21	W Nov 18	**Student sharing III**	Agent-engine co-design demonstrations (Assignment 4)	–	–	ORG
22	M Nov 23	**Efficient agentic system: routing and load balancing**	Scheduled; no materials yet	–	–	DEPLOY
23	M Nov 30	**Efficient agentic systems: others**	Scheduled; no materials yet	–	–	DEPLOY
24	W Dec 2	**Student sharing IV**	Full-stack optimization showcase (Assignment 5)	–	–	ORG
25	M Dec 7	**Final project poster and demo**	Poster and live demo session	–	Project spec [cs2680.seas.harvard.edu]	ORG

Assignments and projects

Name	What you build	Skills	Starter code / resources	Tags
A1 Mads-Lens: Watch the agent work (10%, due Sep 20)	A web front end that drives Claude Code in headless mode (its JSON event stream): submit a prompt, show the trajectory live with each tool call and its result, show status per call and per run, resume a session, show cost, duration and turns, and nest subagent events as a collapsible tree with an outline	Driving an agent programmatically; reading an event stream; trajectory visualization	None. Spec [cs2680.seas.harvard.edu] ; six student implementations with recorded demo runs [GitHub]	CODE ARCH

Name	What you build	Skills	Starter code / resources	Tags
A2 Mads-Loop: Build the loop (10%, due Oct 4)	`madsLoop`, a minimal coding-agent harness around an OpenAI-compatible model API (the handout pins `qwen3.6-35b-a3b`): tool calling with schemas, context management, retries, termination, a required log schema. It is scored on 10 supplied SWE-bench Pro tasks plus hidden ones with the official evaluator; the handout warns that some supplied tasks may be impossible and asks which and why. You also build four tasks of your own (reference fix, Dockerfile, fail-to-pass and pass-to-pass tests): two the agent solves only after a harness change, two it still cannot solve	Agent loop, tool design, context management, failure handling, building evaluation tasks	[cs2680.seas.harvard.edu] ; evaluation scripts [GitHub] ; spec [cs2680.seas.harvard.edu] (model calls need a course key; see Notes)	CODE ARCH EVAL
A3 Mads-Opt: Make every token count (20%, due Oct 20)	A harness competition. Your agent runs in a container, opens up to 5 task containers at a time through a dispatcher, and decides scheduling, retries after grading feedback and when to give up, using three priced model tiers. A leaderboard of 26 tasks scores tasks solved, cost per solved task and time per solved task, ranked in skyline layers among submissions that solve at least 7; run limit 4 hours and 10 dollars per submission	Cost and latency optimization, model routing, task scheduling, parallel tool execution, context compression	[GitHub] ; spec [cs2680.seas.harvard.edu] (official scoring needs course access; see Notes)	DEPLOY CODE EVAL
A4 Mads-Serve: Own the serving engine (20%, out Oct 21, due Nov 10)	Planned; brief only. Replace the frontier API with a 7–8B open-weight model on an inference engine you run yourself, measure the quality loss, diagnose it and recover what you can through the harness, without a larger model or the commercial API	LLM serving, diagnosis of quality loss, agent-engine co-design	None. Brief [cs2680.seas.harvard.edu] (full spec unreleased on 2026-10-12)	DEPLOY
A5 Mads-Stack: Optimize the full stack (10%, out Nov 11, due Nov 29)	Planned; brief only. Profile the whole path (agent loop, model, serving system), write a performance hypothesis before changing anything, optimize across layers and re-run the same workload to see which changes mattered	Profiling, hypothesis-driven optimization across layers	None. Brief [cs2680.seas.harvard.edu] (full spec unreleased on 2026-10-12)	DEPLOY EVAL
Final project (20%; proposal Oct 28, poster Dec 7, blog post and repository Dec 8)	An individual project on one of two tracks. Product: a tool that beats the strongest available alternative on a real problem. Research: an original, falsifiable claim about agents or the systems that run them (measurement, mechanism, reproduction-and-boundary, or instrument). The proposal has nine sections, including the gap shown by running the closest existing systems, a claim, two named baselines, an ablation, and 75/100/125% goals. The repository must reproduce the main result	Problem framing, baselines and ablations, reproducible measurement, technical writing	None. Spec [cs2680.seas.harvard.edu]	EVAL ARCH DEPLOY

Buffalo: CSE 410/510 Introduction to Agentic Engineering

Institution	University at Buffalo
Term	Fall 2026
Instructors	Joaquin Carbonara, David Doermann
Website	https://cse.buffalo.edu/courses/cse410/2026_fall/cse410ae/
Level	Upper-undergrad / MS
Archetype	Engineering discipline (framework-agnostic)
Public materials	Slides: none; video: none; code: none (lab specs only)
Best for	Five lab specs and a capstone spec that treat an agent as an engineered, evaluated, bounded system.

Treats an agent as an engineered system "not a magic chatbot": a bounded environment, designed tools, explicit evaluation and safety constraints. No slides or code are public. What makes it useful is the lab sequence: a minimal tool-using agent, retrieval and memory, workflow graphs, an evaluation harness, and human-in-the-loop safety boundaries. The capstone spec, a useful bounded agent with an architecture document, an eval suite and a risk assessment, is a good template for your own portfolio project.

Lectures

#	Date	Title	Key topics	Readings	Materials	Tags
1	Aug 24-28	**What is agentic engineering?**	Agents, environments, tools, goals, constraints	Reading Note 1 (specific reading not listed)	–	ORG ARCH
2	Aug 31-Sep 4	**Foundation models as components**	Prompting, context, structured outputs	Reading Note 2	–	FND
3	Sep 8-11	**Tool/function calling and ReAct**	Tool calling, ReAct; studio on linear algebra and cosine similarity	Reading Note 3	–	TOOL RSN
4	Sep 14-18	**Retrieval-augmented generation and context construction**	RAG, context building	Reading Note 4	–	MEM
5	Sep 21-25	**Embeddings, vector search, reranking**	Embeddings, vector DBs, reranking	–	–	MEM
6	Sep 28-Oct 2	**Agent workflows**	Graphs, state machines, LangGraph or custom orchestration	–	–	ARCH
7	Oct 5-9	**Planning and decomposition**	When should an agent plan?	–	–	RSN
8	Oct 14-16	**Human-agent interaction and memory**	Human-in-the-loop, memory architectures	–	–	MEM SAFE
9	Oct 19-23	**Evaluation of agents**	From single-prompt to task-level evals	–	–	EVAL
10	Oct 26-30	**Security and privacy**	Prompt injection, tool misuse, sandboxing, privacy	–	–	SAFE
11	Nov 2-6	**Multi-agent systems and coordination**	MAS coordination	–	–	MULTI
12	Nov 9-13	**Coding agents, testing, CI, observability**	Coding agents, testing, CI, observability	–	–	CODE DEPLOY
13	Nov 16-20	**Applied agents and responsible deployment**	Data science, discovery and education agents; responsible deployment	–	–	APP DEPLOY
14	Nov 23-28	**No class (Thanksgiving)**	Independent work on report and demo	–	–	ORG
15	Nov 30-Dec 7 (Wed Dec 2)	**Final demos, critique, synthesis**	Team demos	–	–	ORG

#	Date	Title	Key topics	Readings	Materials	Tags

Assignments and projects

Name	What you build	Skills	Starter code / resources	Tags
Lab 1: A Minimal Tool-Using Agent (Wk 2-4)	Python agent choosing among a calculator, a file reader and a search/lookup tool. Submit a design note and successful/failed runs	Tool calling, agent loop, failure analysis	–	TOOL ARCH
Lab 2: Retrieval and Memory (Wk 4-6)	Small RAG pipeline over a course-selected corpus. Compare keyword/dense/hybrid retrieval, compute cosine similarity, do error analysis	RAG, embeddings, retrieval eval	–	MEM EVAL
Lab 3: Workflow Graphs and State Machines (Wk 6-9)	Agentic workflow as a graph/state machine with explicit states, transitions, failure handling and logging	Orchestration, state design, logging	–	ARCH
Lab 4: Evaluation Harness (Wk 9-11)	Eval suite for a bounded task: test cases, success criteria, metrics, failure taxonomy, reproducible script	Agent evaluation	–	EVAL
Lab 5: Human-in-the-Loop and Safety Boundaries (Wk 11-13)	Add human approval, structured outputs, guardrails or permission boundaries. Analyze where autonomy should be restricted	HITL, guardrails, permissions	–	SAFE
Math mini-assignment 1 (Wk 3-5)	Linear algebra for ML: vectors, cosine similarity	Math for retrieval	–	FND MEM
Math mini-assignment 2 (Wk 5-8)	Content not specified	–	–	FND
Reading/design notes 1-4 (Wk 1-4)	Weekly notes on readings (content not specified)	Reading, design writing	–	ORG
Project proposal (Wk 7), Midterm architecture review (Wk 8-10), Project checkpoint (Wk 12), Draft report (before Wk 15)	Team project milestones	Design documentation	–	ORG ARCH
Final Team Project: Useful Bounded Agent	Working agent for a bounded task. Deliverables: problem statement, environment/tool inventory, architecture diagram, repo, eval dataset/script, results and error analysis, security/privacy/ethics risk assessment, demo, final report	End-to-end agent engineering	–	ARCH EVAL SAFE
Final oral exam (10%)	Oral exam	–	–	ORG

UVA: CS 6501 Workshop on Building AI Agents

Institution	University of Virginia
Term	Spring 2026
Instructors	Henry Kautz
Website	https://www.cs.virginia.edu/~rmw7my/Courses/AgenticAISpring2026/agenticAI.html
Level	Graduate workshop; Python
Archetype	Hands-on lab workshop (small/open models)
Public materials	Slides: PPTX per topic; video: 1 + podcasts; code: Starter scripts per topic
Best for	The richest set of runnable lab exercises: local LLMs, LangGraph, tools, RAG, VLMs, MCP/A2A, Tinker fine-tuning.

A workshop where most of the programming happens in class. Each topic page has learning goals, an exercise sheet of measurable experiments, PPTX slides and starter scripts. The first half is labs: running an LLM, LangGraph control flow, tool calling, the tool ecosystem, RAG, vision-language agents, MCP and A2A, and QLoRA-style fine-tuning with Tinker. The second half is state-of-the-art lectures: context management, chain-of-thought internals, coding agents, personal agents and distillation, and agents for science, mathematics and visual reasoning. Row numbers in the catalogue are calendar slots. The topic number appears in each title.

Lectures

#	Date	Title	Key topics	Readings	Materials	Tags
1	Tue 13 Jan 2026	**Topic 1: Running an LLM**	LLM overview, tokenizers, open models, HF benchmark datasets; run Llama 3.2-1B MMLU eval with/without quantization on CPU/GPU/Colab; build a simple chat agent with context management	Belcak et al., Small Language Models are the Future of Agentic AI ([arXiv:2506.02153]); Illustrated GPT-2 ([jalammar.github.io])	Page: [cs.virginia.edu] ; slides `Topic1Running/01 Running an LLM.pptx`; code `llama_mmlu_eval.py`, `simple_chat_agent.py`; NoteGPT podcast MP3	FND EVAL DEPLOY
3	Tue 20 Jan 2026	**Topic 2: Agent Frameworks**	LangGraph nodes/edges, conditional routing, parallel models (Llama + Qwen), chat history, multi-agent chat, checkpointing/crash recovery; optional web-search summarizer	LangGraph Graph API overview ([docs.langchain.com])	Page: [cs.virginia.edu] ; slides `02 Agent Frameworks.pptx`; code `langgraph_simple_llama_agent.py`	ARCH MULTI
5	Tue 27 Jan 2026	**Topic 3: Agent Tool Use (online)**	Ollama server, parallel calls, OpenAI API/GPT-4o mini, OpenAI tool-call message format, manual tool handling (calculator), LangGraph multi-tool agent, tool forcing, persistent conversation graph	Schick et al., Toolformer ([arXiv:2302.04761])	Page: [cs.virginia.edu] ; slides `03 Tools.pptx`; code `manual-tool-handling.py`, `langgraph-tool-handling.py`, `gpt4omini_test.py`; guides `ollama_guide.html`, `tool-forcing-strategies.html`; NotebookLM podcast `toolformer.m4a`	TOOL ARCH
6	Thu 29 Jan 2026	**Topic 3 lab continued (online)**	Breakout rooms continuing Topic 3	–	–	TOOL
7	Tue 03 Feb 2026	**Topic 4: Exploring Tools**	ToolNode vs create_react_ agent, parallel tool dispatch, tools on remote servers, LangGraph built-in and third-party tool library; "2-Hour Agent Project" with a partner	–	Page: [cs.virginia.edu] ; slides `exploring.pptx`; code `toolnode_example.py`, `react_agent_example.py`; `agent_tools_reference.html`; MoltReader [GitHub]	TOOL RSN ARCH
9	Tue 10 Feb 2026	**Topic 5: Retrieval Augmented Generation**	Vector DBs, RAG pipeline, chunk size/overlap, top-K, query phrasing, score thresholds, prompt templates, unanswerable questions, cross-document synthesis (Qwen 2.5 1.5B vs GPT-4o mini)	–	Page: [cs.virginia.edu] ; slides `rag.pptx`; notebook `manual_rag_pipeline_universal.ipynb`; `Corpora.zip`; pdf_ocr [GitHub]	MEM EVAL

#	Date	Title	Key topics	Readings	Materials	Tags
10	Thu 12 Feb 2026	**Topic 6: Vision-Language Models**	CLIP, contrastive alignment, projection layers, image embeddings, image generation; VLM chat agent in LangGraph; video-surveillance agent (OpenCV keyframes + LLaVA)	Illustrated Stable Diffusion ([jalammar.github.io])	Page: [cs.virginia.edu] ; slides `vlm_part1.pptx`, `vlm_part2.pdf`, `vlm_part3.pdf`; `vlm_guide.html`, `image_generation_guide.html`; clip_test [GitHub]	WEB APP FND
12	Tue 10 Mar 2026	**Topic 7: MCP and A2A**	Model Context Protocol, tool discovery, remote Asta tools (AI2), Agent-to-Agent protocol, agent cards, registry, ngrok tunneling; quiz-tournament exercise	–	Page: [cs.virginia.edu] ; slides `mcp.pptx`; `mcp_asta_lesson_plan.html`, `a2a_lesson_plan.html`; code `a2a_agent_template.py`, `a2a_test.py`, `a2a_trivia.py`, `A2a_registry.py`, `semantic_similarity.py`, `test_ngrok.sh`	TOOL MULTI
13	Tue 17 Mar 2026	**Topic 7 cont. (A2A) + Topic 8: LLM Fine-Tuning**	Kinds of fine-tuning, fine-tuning vs RAG, QLoRA, Tinker pipeline; text-to-SQL fine-tuning of Llama	QLoRA ([arXiv:2305.14314]), listed on the home page	Page: [cs.virginia.edu] ; slides `finetuning.pptx`; `finetuning_intro_lesson_plan.html`, `sql_finetuning_lesson_plan.html`; data `sql_create_context_v4.json`; `sql_matches.py`	TRAIN MULTI
15	Tue 24 Mar 2026	**Topic 9: Context Management**	Compression, selection, persistence; how frontier models manage long contexts	AgentFold ([arXiv:2510.24699]) and Anthropic "Effective context engineering" are listed on the home page; the topic page itself lists none	Page: [cs.virginia.edu] ; slides `context.pptx`; `context_management_lesson_plan.html`	MEM
16	Thu 26 Mar 2026	**Topic 10: Understanding Chain of Thought**	CoT prompt varieties, why CoT works, tokenized vs hidden-layer (latent) CoT, hidden thought tokens	CoT ([arXiv:2201.11903]) on the home page; topic page lists none	Page: [cs.virginia.edu] ; slides `chain_of_thought.pptx`; `chain_of_thought_lesson_plan.html`	RSN
17	Tue 31 Mar 2026	**Topic 11: Coding Agents**	History from statistical LMs, frontier coding agent architecture (Claude Code), skills files, evolutionary programming	AlphaEvolve ([doi.org]); AVO ([doi.org]); EvoSkill ([doi.org])	Page: [cs.virginia.edu] ; slides `coding_1_history.pptx`, `coding_2_claude.pptx`, `coding_3_evolution.pptx`	CODE ARCH
18	Thu 02 Apr 2026	**Topic 12: Personal Agents and Distilling**	Clawdbot to OpenClaw/NullClaw/CoPaw/NemoClaw, Claude Cowork; risks of agents controlling accounts; OpenClaw-RL; knowledge distillation	n/a (resource links only)	Page: [cs.virginia.edu] ; slides `personal.pptx`, `Knowledge Distillation Slides.pptx`; `personal_lesson_plan.html`, `distill.html`	WEB SAFE TRAIN
19	Tue 07 Apr 2026	**Topic 13: Agentic AI for Science**	Research as an agent loop, scientific agent stack, AI2 tools (Semantic Scholar, OpenScholar, ScholarQA, Asta), JFC HEP case study, Orchestral AI, HEPTAPOD	AutoDiscovery ([arXiv:2507.00310]); AI agents perform experimental HEP ([inspirehep.net]); HEPTAPOD ([arXiv:2512.15867])	Page: [cs.virginia.edu] ; slides `science.pptx`; HEPTAPOD code [GitHub]	APP MULTI
20	Thu 09 Apr 2026	**Topic 14: Agentic AI for Mathematics and Verification (guest: Prof. Kevin Sullivan)**	Lean as lingua franca; AlphaProof, Lean Copilot, APOLLO, CLEVER; formal methods	Lean4CS1 notes ([kevinsullivan.github.io])	Page: [cs.virginia.edu] ; `Kevin Sullivan Agents-Summary.html`, `Kevin Sullivan Agents-Class Note.html`	RSN APP
21	Tue 14 Apr 2026	**Topic 15: Visual Reasoning**	Video as reasoning substrate, diffusion transformers, Chain-of-Frames vs Chain-of-Steps, emergent working memory and self-correction, MIRAGE critique of VLM evaluation	Demystifying Video Reasoning ([arXiv:2603.16870]); Chain-of-Frames ([arXiv:2506.00318]); MIRAGE ([arXiv:2603.21687])	Page: [cs.virginia.edu] ; slides `visual.pptx`, `mirage.pptx`; video [video]	RSN EVAL
22	Thu 16 Apr 2026	**Final project presentations begin**	5-minute videos due at noon	–	–	ORG
23	Tue 21 Apr 2026	**Final project presentations**	–	–	–	ORG
24	Tue 28 Apr 2026	**Final project presentations**	–	–	`Spin/index.html` (questioner selector)	ORG

Assignments and projects

Name	What you build	Skills	Starter code / resources	Tags
Topic 1 portfolio: Running an LLM	MMLU timing/accuracy study across models, quantization and hardware; chat agent with bounded context and restartability; optional MT-Bench	HF transformers, quantization, benchmarking, context management	`llama_mmlu_eval.py`, `simple_chat_agent.py` via [cs.virginia.edu]	FND EVAL MEM
Topic 2 portfolio: LangGraph agents	Routed, parallel, multi-model LangGraph chat with history and crash recovery; optional web summarizer	LangGraph graphs, routing, checkpointing	`langgraph_simple_llama_agent.py` via [cs.virginia.edu]	ARCH MULTI
Topic 3 portfolio: Tool use	Ollama parallel timing; manual tool calling with a calculator; LangGraph multi-tool agent with tool_map; persistent graph with Mermaid diagram	OpenAI tool format, tool forcing, checkpointing	`manual-tool-handling.py`, `langgraph-tool-handling.py` via [cs.virginia.edu]	TOOL ARCH
Topic 4: 2-Hour Agent Project	Partner-built mini agent using LangGraph/third-party tools	ToolNode, ReAct agents, tool ecosystem	`toolnode_example.py`, `react_agent_example.py` via [cs.virginia.edu]	TOOL ARCH
Topic 5: RAG experiments	11 controlled RAG experiments (RAG vs no-RAG, top-K, chunking, prompts, unanswerable questions)	Vector retrieval, RAG evaluation	`manual_rag_pipeline_universal.ipynb`, `Corpora.zip` via [cs.virginia.edu]	MEM EVAL
Topic 6: VLM agents	Image-chat LangGraph agent; video-surveillance agent with OpenCV + LLaVA (optional TTS intruder alert)	VLMs, Ollama llava, Gradio	`gradio_quickstart.py` via [cs.virginia.edu]	WEB APP
Topic 7: MCP + A2A	MCP client for AI2 Asta tools; A2A agents, registry and trivia tournament over ngrok	MCP, A2A, networking	`a2a_agent_template.py` etc. via [cs.virginia.edu]	TOOL MULTI
Topic 8: Text-to-SQL fine-tuning	Fine-tune Llama on text-to-SQL with Tinker and score semantic SQL matches	LoRA/QLoRA, Tinker, eval	`sql_create_context_v4.json`, `sql_matches.py` via [cs.virginia.edu]	TRAIN EVAL
Final project (55%)	Team project from a list of 20+ ideas (e.g., distillation, mini coding agent with sub-agents, MemGPT-style memory, debate agents, NL-to-PDDL planner, Lean/SAT assistants, misalignment replication); video, presentation, report	End-to-end agent design and evaluation	–	ARCH EVAL APP

UW-Madison: CS 839 AI Agents

Institution	University of Wisconsin–Madison
Term	Spring 2026
Instructors	Aws Albarghouthi
Website	https://github.com/barghouthi/ai-agents
Level	Graduate research seminar
Archetype	Research seminar (paper reading)
Public materials	Slides: none; video: none; code: Demo notebook; MIT license
Best for	A curated, critical reading list from ReAct to self-improving and evolutionary agents, plus a no-frameworks coding-agent assignment.

A paper seminar with two main papers and several supplementary papers per session. It runs from CoT, ReAct, Toolformer and ToT to coding agents, deep research, agents for science, prompt-injection security, agent optimization (DSPy, TextGrad, ADAS, GEPA), self-improving and evolutionary agents, search, multi-agent systems and memory. The buy-in assignment, a CLI coding agent built on raw API calls with no agent frameworks, is one of the best single exercises in the collection. The repository is MIT-licensed.

Lectures

#	Date	Title	Key topics	Readings	Materials	Tags
1	Tue 20 Jan 2026	**Class overview**	Course logistics, overview of the agents space	–	–	ORG
2	Thu 22 Jan 2026	**Building agents**	Instructor intro to building LLM agents	Building Effective Agents (Anthropic) [anthropic.com] (listed as "see also" in week 1)	Demo notebook [GitHub] (session association assumed)	ARCH TOOL
3	Tue 27 Jan 2026	**Reasoning and acting I**	Chain-of-thought, ReAct	CoT [arXiv:2201.11903] ; ReAct [arXiv:2210.03629] ; supp.: Self-Consistency [arXiv:2203.11171] , Kimi K2 [arXiv:2507.20534] , Llama 3 Herd [arXiv:2407.21783] , Constitutional AI [arXiv:2212.08073]	–	RSN FND
4	Thu 29 Jan 2026	**Reasoning and acting II**	Tool learning, Tree/Graph of Thoughts	Toolformer [arXiv:2302.04761] ; Tree of Thoughts [arXiv:2305.10601] ; supp.: LLMs as Tool Makers [arXiv:2305.17126] , ART [arXiv:2303.09014] , Graph of Thoughts [ojs.aaai.org]	–	TOOL RSN
5	Tue 03 Feb 2026	**Coding agents I**	SWE benchmarks, SWE-agent ACI	SWE-bench [arXiv:2310.06770] ; SWE-agent [arXiv:2405.15793] ; supp.: Terminal-Bench [openreview.net] , Agentless [arXiv:2407.01489]	–	CODE EVAL
6	Thu 05 Feb 2026	**Coding agents II**	Open agent platforms, secure code generation benchmarks	OpenHands [arXiv:2407.16741] ; BaxBench [arXiv:2502.11844] ; supp.: RepairAgent [arXiv:2403.17134] , RedCode [arXiv:2411.07781] , WebArena [arXiv:2307.13854]	–	CODE SAFE EVAL
7	Tue 10 Feb 2026	**Deep research agents I**	Article writing, autonomous research labs	STORM [arXiv:2402.14207] ; Agent Laboratory [arXiv:2501.04227] ; supp.: ResearchAgent [arXiv:2404.07738] , Deep research agents roadmap [arXiv:2506.18096] , Anthropic multi-agent research system [anthropic.com]	–	APP MULTI

#	Date	Title	Key topics	Readings	Materials	Tags
8	Thu 12 Feb 2026	**Deep research agents II**	Literature QA agents, research benchmarks	PaperQA [arXiv:2312.07559] ; LiveResearchBench [arXiv:2510.14240] ; supp.: Can LLMs Generate Novel Research Ideas? [arXiv:2409.04109] , DR Tulu [arXiv:2511.19399]	–	APP MEM EVAL
9	Tue 17 Feb 2026	**Agents for science I**	AI Scientist, autonomous chemistry	The AI Scientist [arXiv:2408.06292] ; Autonomous chemical research with LLMs [nature.com] ; supp.: ChemCrow [arXiv:2304.05376]	–	APP
10	Thu 19 Feb 2026	**Agents for science II**	AI co-scientist, hypothesis falsification	Towards an AI Co-Scientist [arXiv:2502.18864] ; Agentic Sequential Falsifications [arXiv:2502.09858] ; supp.: SciAgents [arXiv:2409.05556]	–	APP MULTI
11	Tue 24 Feb 2026	**Security & prompt injection I**	Indirect prompt injection, AgentDojo benchmark	Indirect Prompt Injection [arXiv:2302.12173] ; AgentDojo [arXiv:2406.13352] ; supp.: Jailbroken [arXiv:2307.02483]	–	SAFE EVAL
12	Thu 26 Feb 2026	**Security & prompt injection II**	Capability-based defenses, browser agent security	CaMeL [arXiv:2503.18813] ; ceLLMate [arXiv:2512.12594] ; supp.: Lethal trifecta [simonwillison.net] , Meta practical agent security [ai.meta.com]	–	SAFE
13	Tue 03 Mar 2026	**Optimizing agents I**	Declarative LM programs, textual gradients	DSPy [arXiv:2310.03714] ; TextGrad [arXiv:2406.07496] ; supp.: LLMs as Optimizers [arXiv:2309.03409]	–	ARCH TRAIN
14	Thu 05 Mar 2026	**Optimizing agents II**	Automated agent design, reflective prompt evolution	ADAS [arXiv:2408.08435] ; GEPA [arXiv:2507.19457] ; supp.: EvoPrompt [arXiv:2309.08532] , Trace [arXiv:2406.16218]	–	ARCH TRAIN
15	Tue 10 Mar 2026	**Self-improving agents I**	Lifelong skill libraries, self-referential agents	Voyager [arXiv:2305.16291] ; Gödel Agent [arXiv:2410.04444]	–	ARCH WEB
16	Thu 12 Mar 2026	**Self-improving agents II**	Evolutionary coding agents, live self-evolving SWE agent	AlphaEvolve [deepmind.google] ; Live-SWE-agent [arXiv:2511.13646] ; supp.: LATS [arXiv:2310.04406]	–	CODE RSN
17	Tue 17 Mar 2026	**Searching the solution space I**	Large-scale sampling and search for code and math	AlphaCode [arXiv:2203.07814] ; AlphaGeometry [nature.com] ; supp.: AlphaProof [nature.com] , AlphaZero [arXiv:1712.01815]	–	RSN CODE
18	Thu 19 Mar 2026	**Searching the solution space II**	LLM-driven evolutionary search	ShinkaEvolve [arXiv:2509.19349] ; Evolution through Large Models [arXiv:2206.08896] ; supp.: Digital Red Queen [arXiv:2601.03335] , Promptbreeder [arXiv:2309.16797]	–	RSN
19	Tue 24 Mar 2026	**Multi-agent systems I**	Generative agents, role-playing agents	Generative Agents [arXiv:2304.03442] ; CAMEL [arXiv:2303.17760] ; supp.: Multiagent Debate [arXiv:2305.14325]	–	MULTI

#	Date	Title	Key topics	Readings	Materials	Tags
20	Thu 26 Mar 2026	**Multi-agent systems II**	Multi-agent frameworks, scaling laws for agent systems, single vs multi-agent	AutoGen [arXiv:2308.08155] ; Science of Scaling Agent Systems [arXiv:2512.08296] ; supp.: Single agent systems [openhands.dev] , Prompt Infection [arXiv:2410.07283] , MetaGPT [arXiv:2308.00352] , AgentVerse [arXiv:2308.10848]	–	MULTI ARCH
21	Tue 07 Apr 2026	**Memory I**	OS-style memory hierarchy, cognitive architectures	MemGPT [arXiv:2310.08560] ; CoALA [arXiv:2309.02427] ; supp.: Think-in-Memory [arXiv:2311.08719] , A-Mem [arXiv:2502.12110] , Recursive language models [arXiv:2512.24601]	–	MEM ARCH
22	Thu 09 Apr 2026	**Memory & other topics II**	Mixture-of-agents, context folding, long-horizon task measurement	Mixture-of-Agents [arXiv:2406.04692] ; Context-Folding [arXiv:2510.11967] ; supp.: More Agents Is All You Need [arXiv:2402.05120] , Measuring AI Ability to Complete Long Tasks [arXiv:2503.14499]	–	MEM MULTI EVAL
23	Week of 14 Apr 2026	**Project work**	–	–	–	ORG
24	Week of 21 Apr 2026	**Project presentations**	–	–	–	ORG
25	Week of 28 Apr 2026	**Project presentations**	–	–	–	ORG

Assignments and projects

Name	What you build	Skills	Starter code / resources	Tags
Build a Coding Agent (buy-in, individual, 15%)	A CLI coding agent like Claude Code / Cursor CLI / Gemini CLI, using raw LLM API calls with no agent frameworks (LangChain, Strands, CrewAI banned; thin wrappers like litellm allowed). It must parse and execute tool calls, have a polished UI, a README, and one non-trivial program the agent built	Agent loop, function calling, tool execution, CLI UX	None. Spec: [GitHub]	CODE TOOL ARCH
Paper presentation (10%)	25-minute presentation of assigned paper(s) with literature context and critique	Critical reading	–	ORG
Paper reviews (10%)	Written reviews submitted on Canvas	Critical reading	–	ORG
Final research project (50%)	Research project on AI agents (pairs encouraged); one-page proposal due Feb 24; write-up and presentation	Research design, agent implementation, evaluation	–	ARCH EVAL

JHU: EN.601.727 Machine Programming

Institution	Johns Hopkins University
Term	Fall 2026 (in progress)
Instructors	Ziyang Li
Website	https://machine-programming.github.io/
Level	Graduate (PL + ML)
Archetype	Program synthesis to coding agents
Public materials	Slides: L1–12; video: none; code: A1–A3 public
Best for	Ties classic program synthesis to LLM coding agents, with two MCP lectures and a strong web-app agent assignment.

Treats code generation from both the symbolic side (enumerative search, types, specifications) and the LLM side (decoding, prompting, iterative refinement, agentic frameworks, MCP, pre- and post-training of code models). The assignments are the main attraction: an enumerative synthesizer with an LLM step (A1), a rigorous pass@k evaluation of coding LLMs across three languages and four prompting strategies (A2), and a tool-calling web-app agent with secure file tools (A3). The second half covers formal verification, security, HPC, neurosymbolic programming and student presentations.

Lectures

#	Date	Title	Key topics	Readings	Materials	Tags
1	Tue Sep 1	**Overview & Introduction to Machine Programming**	Course intro; what machine programming is	–	[PDF]	ORG
2	Thu Sep 3	**Syntax, Semantics, and Bottom-up Inductive Synthesis**	DSL grammars/semantics; bottom-up enumeration from examples	–	[PDF]	RSN
3	Tue Sep 8	**Type Systems and Top-down Enumerative Synthesis**	Types for pruning; top-down search	–	[PDF]	RSN
4	Thu Sep 10	**Functional Specifications and Synthesis**	Synthesis from logical/functional specs	–	[PDF]	RSN
5	Tue Sep 15	**Language Modeling for Synthesis**	LMs as program generators	Code LLM readings (readings page)	[PDF]	FND CODE
6	Thu Sep 17	**Decoding and Prompting for Synthesis**	Decoding strategies; prompting for code	–	[PDF]	FND CODE
7	Tue Sep 22	**Iterative Refinement and Agentic Framework**	Feedback/refinement loops; agent framework (A1 due)	–	[PDF]	ARCH CODE
8	Thu Sep 24	**Agentic Frameworks: Model Context Protocol**	MCP	–	[PDF]	TOOL ARCH
9	Tue Sep 29	**Agentic Frameworks: Model Context Protocol (2)**	MCP, continued	–	[PDF]	TOOL ARCH
10	Thu Oct 1	**Agentic Frameworks: Selected Topics**	Agent framework topics (unspecified)	Agents readings: MASAI, AutoCodeRover	[PDF]	ARCH CODE
11	Tue Oct 6	**Pre-training of Coding Language Models (1)**	Code-LLM pre-training (data, tokenization, objectives)	e.g., StarCoder, Code Llama, DeepSeek Coder, The Stack, FIM (readings page)	[PDF]	TRAIN CODE

#	Date	Title	Key topics	Readings	Materials	Tags
12	Thu Oct 8	**Pre-training of Coding Language Models (2)**	Pre-training, continued (A2 due Fri Oct 9)	as above	[PDF]	TRAIN CODE
13	Tue Oct 13	**Post-training of Coding Language Models**	Post-training of code LLMs	e.g., CodeDPO, LintSeq (readings page)	n/a (not yet posted)	TRAIN CODE
14	Thu Oct 15	**Special Topics in Training Language Models**	–	–	–	TRAIN
15	Tue Oct 20	**PL Kaleidoscope: Formal Verification and Theorem Proving**	Verification, theorem proving (e.g., Lean)	–	–	APP CODE
16	Tue Oct 27	**PL Kaleidoscope: Differentiable Programming and Machine Learning**	Differentiable programming	–	–	APP
17	Thu Oct 29	**PL Kaleidoscope: Security and Privacy**	PL for security/privacy (e.g., CodeQL)	–	–	SAFE APP
18	Tue Nov 3	**PL Kaleidoscope: Hardware and High-Performance Computing**	HW/HPC programming	–	–	APP
19	Thu Nov 5	**PL Kaleidoscope: Design, Interactive, and Visual Programming**	Design, interactive and visual programming	–	–	APP
20	Tue Nov 10	**Oral Presentations (1)**	Student paper presentations	–	–	ORG
21	Thu Nov 12	**Oral Presentations (2)**	Student paper presentations	–	–	ORG
22	Tue Nov 17	**Oral Presentations (3)**	Student paper presentations	–	–	ORG
23	Thu Nov 19	**Oral Presentations (4)**	Student paper presentations	–	–	ORG
24	Tue Dec 1	**Oral Presentations (5)**	Student paper presentations	–	–	ORG
25	Thu Dec 3	**Oral Presentations (6)**	Student paper presentations	–	–	ORG
26	Tue Dec 8	**Special Topics on Neurosymbolic Programming (1)**	Neurosymbolic programming (e.g., Scallop)	–	–	RSN APP
27	Thu Dec 10	**Special Topics on Neurosymbolic Programming (2)**	Neurosymbolic programming, continued	–	–	RSN APP
28	TBD (Dec 15-23)	**Final Presentation Session**	Final project presentations	–	–	ORG

Assignments and projects

Name	What you build	Skills	Starter code / resources	Tags
A1: Inductive Synthesis (due Sep 22)	A bottom-up enumerative synthesizer for a geometric-shape DSL (grow / eliminate observational equivalents / search); your own string DSL and synthesizer; then prompts plus output parsing so Claude Sonnet 4.6 (via Bedrock) solves at least 80% of string tasks	Enumerative search, pruning by observational equivalence, DSL design, prompt design, parsing LLM output	[GitHub]	RSN FND CODE

Name	What you build	Skills	Starter code / resources	Tags
A2: Evaluating Coding LLMs (due Oct 9)	Execution harnesses for Python/Rust/OCaml; 4 prompting strategies (zero-shot, two-step CoT, iterative refinement with feedback up to 3 rounds, a custom method of about 5 calls or fewer); pass@1/2/3 pipeline over 24 experiments (Claude Haiku vs Sonnet x 3 languages x 4 strategies) on a 16-item xCodeEval/MBPP set; plots	Sandboxed execution with timeouts, error classification, pass@k, experiment scripting, visualization	[GitHub]	EVAL CODE RSN
A3: Coding LLM Agents (due TBD; repo public)	"WAA" (Web-App Agent): a Python tool-calling loop (tool registry, system prompt, LLM query, parse, execute, terminate or hit the turn limit), file-system tools with path validation and protected files, TODO tools; the agent then builds a personal site, an Express chat room and a creative app; extra credit adds a database plus DB tools	Agent loop design, tool and termination protocols, secure file tools, error recovery, mock-LLM testing, Jest/Supertest/Play-wright	[GitHub]	ARCH TOOL CODE
Final project (35%)	Research project in program synthesis/analysis or related (teams of up to 3): 2-page proposal, implementation, report of at least 4 pages (NeurIPS template), 10-min talk	Research design, implementation, writing	n/a ([machine-programming.github.io])	ORG CODE
Oral presentation (10%)	Paper presentation in the Nov-Dec sessions	Paper reading/presenting	–	ORG

CU Boulder: CSCI 7000-005 Building AI Agents

Institution	University of Colorado Boulder
Term	Spring 2026
Instructors	Danny Dig
Website	https://danny.cs.colorado.edu/courses/csci7000-005_Sp26/index.html
Level	Graduate seminar; competent SE assumed
Archetype	Research seminar (agentic software engineering)
Public materials	Slides: 4 instructor decks; video: none; code: none
Best for	Research reading on agentic software engineering: refactoring agents, SWE-agent, skills, memory, MCP design choices.

A seminar with two papers per meeting, one-page critiques and a team research project with four milestones. Its reading list leans toward agentic software engineering, from agent surveys and an agentic-SE roadmap through refactoring agents and the classic patterns (ReAct, Reflexion, Toolformer, Gorilla, PAL, AutoGen, MetaGPT, debate) to 2025–2026 work on skills, memory, safety, coding-agent configuration and MCP design. The "tool experience report" (run a paper's tool on your own case and critique it) is a good habit to borrow.

Lectures

#	Date	Title	Key topics	Readings	Materials	Tags
1	Mon 01/12	**Course introduction (Dig)**	Logistics; how to read research papers	Griswold, "How to Read an Engineering Research Paper" [cseweb.ucsd.edu]	[PDF]	ORG
2	Wed 01/14	**Survey of agents (Dig)**	LLM agent surveys: general and SE	Wang et al., LLM-based autonomous agents survey [link.springer.com] ; Liu et al., LLM-Based Agents for SE survey [arXiv:2409.02977]	[PDF]	ARCH CODE
3	Wed 01/21	**Agentic SE roadmap (Dig)**	Foundational pillars and research roadmap for agentic SE	Hassan et al., Agentic Software Engineering [arXiv:2509.06216]	[PDF]	CODE ARCH
4	Mon 01/26	**Refactoring agents (students)**	Multi-agent rename refactoring; refactoring benchmark	Bellur et al., Multi-Agent Coordinated Rename Refactoring [arXiv:2601.00482] ; Gautam et al., RefactorBench [openreview.net]	–	CODE MULTI EVAL
5	Wed 01/28	**MM-Assist & MANTRA (Dig)**	LLM-assisted refactoring (move method); multi-agent refactoring	Bellur et al., Together We Are Better [PDF] ; Xu et al., MANTRA [arXiv:2503.14340]	[PDF]	CODE MULTI
6	Mon 02/02	**Project idea pitches**	Students pitch projects	–	[danny.cs.colorado.edu]	ORG
7	Wed 02/04	**Project Bazaar (1), in person**	Team formation	–	[danny.cs.colorado.edu]	ORG
8	Mon 02/09	**Project Bazaar (2), in person**	Team formation	–	(same as above)	ORG
9	Wed 02/11	**ReAct & Web API code gen (students)**	Reasoning+acting loop; API integration code benchmark	Yao et al., ReAct [arXiv:2210.03629] ; Maninger et al., Benchmarking Web API Integration Code Generation [arXiv:2509.20172]	–	RSN TOOL EVAL
10	Mon 02/16	**Milestone 1 presentations**	Research questions, challenges, approach, related work	–	[danny.cs.colorado.edu]	ORG
11	Wed 02/18	**Reflexion & Toolformer (students)**	Verbal self-reflection; self-taught tool use	Shinn et al., Reflexion [arXiv:2303.11366] ; Schick et al., Toolformer [arXiv:2302.04761]	–	RSN TOOL TRAIN
12	Mon 02/23	**Gorilla & PAL (students)**	API-call LLMs; program-aided reasoning	Patil et al., Gorilla [arXiv:2305.15334] ; Gao et al., PAL [arXiv:2211.10435]	–	TOOL RSN

#	Date	Title	Key topics	Readings	Materials	Tags
13	Wed 02/25	**SWE-agent & AutoCodeRover (students)**	Agent-computer interfaces; repo-level program repair	Yang et al., SWE-agent [arXiv:2405.15793] ; Zhang et al., AutoCodeRover [arXiv:2404.05427]	–	CODE ARCH
14	Mon 03/02	**AutoGen & MetaGPT (students)**	Multi-agent conversation frameworks; SOP-driven role agents	Wu et al., AutoGen [arXiv:2308.08155] ; Hong et al., MetaGPT [arXiv:2308.00352]	–	MULTI ARCH
15	Wed 03/04	**Multiagent debate & Agentless (students)**	Debate for factuality/reasoning; demystifying SE agents	Du et al., Multiagent Debate [openreview.net] ; Xia et al., Demystifying LLM-Based SE Agents [dl.acm.org]	–	MULTI RSN CODE
16	Mon 03/09	**LangGraph tutorial & OpenHands**	Hands-on LangGraph; open coding-agent platform; tool experience report	Wang et al., OpenHands [arXiv:2407.16741]	–	ARCH CODE
17	Wed 03/11	**Milestone 2 presentations**	Project progress	–	[danny.cs.colorado.edu]	ORG
18	Mon 03/23	**RefAgent & Agentic Skills (students)**	Multi-agent refactoring; SoK on agent skills	Oueslati et al., RefAgent [arXiv:2511.03153] ; Jiang et al., SoK: Agentic Skills [arXiv:2602.20867]	–	CODE ARCH TOOL
19	Wed 03/25	**AppAgent & coding-agent configuration (students)**	Smartphone GUI agent; config files of AI coding agents	Zhang et al., AppAgent [arXiv:2312.13771] ; Santos et al., Decoding the Configuration of AI Coding Agents [arXiv:2511.09268]	–	WEB CODE
20	Mon 03/30	**Milestone 3 presentations**	Project progress	–	[danny.cs.colorado.edu]	ORG
21	Wed 04/01	**MemSkill & More with Less (students)**	Memory skills for agents; efficiency	Zhang et al., MemSkill [arXiv:2602.02474] ; Gao & Peng, More with Less [arXiv:2510.16786]	–	MEM DEPLOY
22	Mon 04/06	**MetaClaw & code smells (students)**	MetaClaw; causal analysis of smells in LLM code	Xia et al., MetaClaw [arXiv:2603.17187] ; Velasco et al., Causal Perspective on Smells in LLM-Generated Code [arXiv:2511.15817]	–	CODE EVAL
23	Wed 04/08	**SafePro & ToolDreamer (students)**	Agent safety; tool retrieval/selection	Zhou et al., SafePro [arXiv:2601.06663] ; Sengupta et al., ToolDreamer [arXiv:2510.19791]	–	SAFE TOOL
24	Mon 04/13	**Swiss Cheese safety & MCP design (students)**	Layered AI-safety model; tool orchestration vs code execution in MCP	Shamsujjoha et al., Swiss Cheese Model for AI Safety [arXiv:2408.02205] ; Felendler et al., From Tool Orchestration to Code Execution: MCP Design Choices [arXiv:2602.15945]	–	SAFE TOOL
25	Wed 04/15	**Guest talk: Ameya Ketkar (Uber), building AI agents in industry**	Industry agents; multi-agent SRE incident analysis	Kataria, Intelligent Site Reliability Engineering [researchgate.net]	–	DEPLOY MULTI APP
26	Mon 04/20	**Class summary and insights (Dig), in person**	Course wrap-up	–	–	ORG
27	Wed 04/22	**Milestone 4 presentations**	Empirical evaluation results	–	[danny.cs.colorado.edu]	ORG
28	Fri 04/24	**Project Clinic (Dig)**	Project help	–	–	ORG

Assignments and projects

Name	What you build	Skills	Starter code / resources	Tags
Paper critiques (20%)	One-page critique per paper (liked / disliked / future directions / open questions / discussion points / summary), due 12pm on the day of class	Critical reading of research	–	ORG

Name	What you build	Skills	Starter code / resources	Tags
Tool Experience Report (critique option #2)	Download the tool a paper introduces, run it on your own use case, and write a one-page reflection (experience, strengths, weaknesses, practical impact, recommendations)	Hands-on evaluation of agent tools	–	EVAL CODE
Paper presentation (20%)	Lead the discussion of an assigned paper	Presenting research	–	ORG
Research project (50%, teams of 3-4)	A research-oriented or novel-industrial project on GenAI/agents in SE: proposal (02/02), M1 2-page ACM paper plus 10-min talk (RQs, challenges, approach, 5 or more related works), M2, M3, M4 (empirical evaluation), final conference-style paper (abstract, intro, 10 or more refs, conclusions, lessons learned)	Research design, agent implementation, empirical evaluation, scientific writing	–	CODE EVAL ORG

Mannheim: IE 685/686 Large Language Models and Agents

Institution	Universität Mannheim (DWS)
Term	Spring 2026
Instructors	Ralph Peeters, Christian Bizer, Aaron Steiner
Website	https://www.uni-mannheim.de/dws/teaching/course-details/courses-for-master-candidates/ie-685-large-language-models-and-agents/
Level	Master's; Python + basic ML
Archetype	Applied master's course + team project
Public materials	Slides: 8 PDF decks; video: none; code: 5 exercise notebooks (zip)
Best for	Compact slide decks from LLM basics to context engineering, plus nine well-specified team-project briefs.

A short lecture block (introduction, post-training, prompting, agents and tool use with MCP, RAG, context engineering with deep agents, safety), each with an exercise notebook, followed by a team project. The nine project briefs (multi-agent gaming, QA agents, job hunting, a shopping assistant, a tutor, a personal assistant, news-reading personas, Wikipedia generation, skill mining) are ready-made portfolio ideas, and each comes with suggested benchmarks.

Lectures

#	Date	Title	Key topics	Readings	Materials	Tags
1	Tue 10 Feb 2026	**Introduction (to LLMs)**	Introduction to LLMs, course organization	Zhao et al., A Survey of LLMs [arXiv:2303.18223] ; Zhou et al., Survey on Pretrained Foundation Models [link.springer.com]	Slides [PDF]	FND ORG
2	Tue 17 Feb 2026	**Post-training and Efficient Adaptation**	Post-training (instruction tuning / alignment), parameter-efficient adaptation	–	Slides [PDF] ; exercise [notebook zip]	TRAIN FND
3	Tue 24 Feb 2026	**Prompt Engineering**	Prompting techniques	–	Slides [PDF] ; exercise [notebook zip]	FND RSN
4	Tue 03 Mar 2026	**LLM Agents and Tool Use**	LLM-based agents, tool use and environment interaction, MCP	Wang et al., Survey on LLM-based Autonomous Agents [link.springer.com]	Slides (78 pp.) [PDF] ; exercise [notebook zip]	ARCH TOOL
5	Tue 10 Mar 2026	**Retrieval Augmented Generation**	RAG	–	Slides [PDF] ; exercise [zip]	MEM
6	Tue 17 Mar 2026	**Context Engineering**	Context engineering for LLM agents; deep agents	–	Slides [PDF] ; exercise [zip]	MEM ARCH
7	Tue 24 Mar 2026	**Introduction to Student Projects (IE686)**	Project goals, procedure, 9 topic areas + own idea, schedule	–	Slides [PDF]	ORG
8	Tue 14 Apr 2026	**Project feedback and coaching**	–	–	–	ORG
9	Tue 21 Apr 2026	**LLM Security and Safety (+ project coaching)**	Safety and security of LLM agents	Wang et al., Full Stack Safety survey [arXiv:2504.15585]	Slides [PDF]	SAFE
10	28 Apr, 05 May, 12 May 2026	**Project work and coaching**	n/a (page lists "28.05.2026", likely a typo for 28.04)	–	–	ORG
11	19-20 May 2026	**Presentation of project results**	–	–	–	ORG
x1	(topic only, no slide deck found)	**Evaluation of LLMs and LLM agents**	Listed as syllabus topic 8	Mohammadi et al., Evaluation and benchmarking of LLM agents (KDD 2025) [dl.acm.org]	–	EVAL

Assignments and projects

Name	What you build	Skills	Starter code / resources	Tags
Exercise: LLM Introduction	Intro notebook for working with LLMs	LLM APIs/basics	[notebook zip]	FND
Exercise: LangChain Introduction	LangChain basics notebook	LangChain	[notebook zip]	FND ARCH
Exercise: Agent Programming with LangChain + MCP	Tool-using agents with LangChain and MCP	Agents, tool calling, MCP	[notebook zip]	TOOL ARCH
Exercise: RAG	RAG pipeline notebook	Retrieval, RAG	[zip]	MEM
Exercise: Deep Agent	Deep-agent / context-engineering exercise	Context engineering, planning agents	[zip]	MEM ARCH
Project topic 1: Multi-Agent Gaming	Agent teams that cooperate in, or compete at, games (Codenames worked well before)	Multi-agent coordination, eval by win rate/ELO	AgentBench [GitHub] ; SmartPlay [GitHub]	MULTI EVAL
Project topic 2: QA Agents	RAG (multi-)agent QA over web search that explains its evidence	RAG, web search, benchmark eval	BrowseComp [openai.com] ; Meta CRAG KDD Cup 2024 [aicrowd.com]	MEM WEB EVAL
Project topic 3: Job Hunting Agents	From a query plus CV, search job APIs, extract facts, present structured results	Tool/API use, extraction	[apislist.com]	TOOL APP
Project topic 4: Online Shopping Assistant	Product search/recommendation agent with structured feature comparison	Web agents, benchmarks	AgentBench ; WebArena [webarena.dev] ; WebShop [webshop-pnlp.github.io]	WEB APP EVAL
Project topic 5: Personal Tutor	Agent that explains concepts, finds knowledge gaps, tracks progress	Memory, personalization	–	APP MEM
Project topic 6: Personal Assistant	Agent that manages calendar/mail/chat	Tool use, personal-data integration	–	TOOL APP
Project topic 7: Personas Reading the News	Persona agents browsing political news; study effects on memory/beliefs	Agent simulation, memory	Personas provided by instructors (not public)	MULTI MEM APP
Project topic 8: Wikipedia Article Generation	RAG/agent system to generate Wikipedia articles, evaluated against real articles with rubrics	RAG, LLM-as-judge	WikiGenBench, WikiAutoGen (named, no URLs)	MEM EVAL APP
Project topic 9: Skill-Mining from Public Data	RAG system that summarizes developer skills/roles from GitHub profiles	RAG, extraction	GitHub profiles	MEM APP
Project topic X: Own idea	Student-proposed topic, subject to approval	–	–	APP

UChicago: AI Agents for Social Science and Society

Institution	University of Chicago (KnowledgeLab)
Term	Winter 2026
Instructors	James A. Evans
Website	https://github.com/KnowledgeLab/AI-Agents-for-Social-Science-and-Society-2026
Level	Grad / advanced undergrad (computational social science)
Archetype	Applied: agents as research instruments
Public materials	Slides: none; video: none; code: 9 weekly notebooks
Best for	Agents as simulated subjects and research assistants; notebooks on multi-agent simulation, LoRA, RL, steering and red-teaming.

Treats LLM agents as tools for social science: simulated subjects and "digital doubles", research assistants and automated scientists. Agent-engineering content is concentrated in week 3 (prompted multi-agent simulation with AutoGen and Concordia, RAG) and week 5 (LoRA fine-tuning, benchmarking, tools and MCP). Other weeks cover deep-learning foundations, causal designs, interpretability and steering, RL, multimodal agents, and alignment. Two notebooks (weeks 6 and 8) were too large to inspect.

Lectures

#	Date	Title	Key topics	Readings	Materials	Tags
0	Self-paced	**Introduction / Review**	Python, math review, Claude Code setup	Python tutorial [docs.python.org] ; Yang et al. "SWE-agent" (2024); *Deep Learning* ch. 2-3; Claude Code setup tutorial (Canvas)	–	ORG CODE
1	2026-01-09	**Deep Learning and Social Agents**	Deep vs. shallow nets; links between DL, statistical learning, and social-science agent models	Evans *Thinking with Deep Learning* (preface, ch. 1, 3); Cheng et al. "Exploring LLM-Based Intelligent Agents"; Bubeck et al. "Sparks of AGI"; Farrell, Gopnik, Shalizi, Evans "Large AI Models are Cultural and Social Technologies" (Science 2025); Park et al. "Generative Agents" (UIST 2023)	Notebook [GitHub]	FND APP
2	2026-01-16	**Text Learning, Transformers, and Diffusion Models**	word2vec to transformers to diffusion; CoT, ToT, graph-of-thought	Vaswani et al. "Attention Is All You Need"; Jurafsky & Martin ch. 10; Lu et al. "Cultural tendencies in generative AI"; Zhang & Evans "LM Perplexity Predicts Scientific Surprise". Supplemental: Wei et al. CoT; Lightman et al. "Let's Verify Step by Step"; Yao et al. "Tree of Thoughts"	Notebook [GitHub]	FND RSN
3	2026-01-23	**LLMs Prompted for Multi-Agent Simulation**	LLM digital doubles; in-silico social simulation; RAG	Kozlowski & Evans "Simulating Subjects"; Leibo et al. "From Predictive Pattern Completion to Social and Cultural Norms"; Cao, Pan, Evans; Xie et al. (PNAS 2025); Swanson et al. "The Virtual Lab of AI agents" (Nature 2025). Supplemental: RAG (Lewis et al.), Concordia, AutoGen, AFlow, LangGraph, Faiss, AI Scientist v1/v2, "Why do multi-agent LLM systems fail?", Argyle et al. "Out of One, Many"	Notebook [GitHub]	MULTI MEM APP

#	Date	Title	Key topics	Readings	Materials	Tags
4	2026-01-30	**Experimental Designs with AI Agent and Human Interactions**	Causal identification; mixed human/AI subjects; persuasion experiments	Broska et al. "Mixed Subjects Design"; Costello et al. "Durably reducing conspiracy beliefs" (Science 2024); Potter et al. "Hidden Persuaders" (EMNLP 2024); Lai et al. "Biased AI improves human decision-making"; Horton "Homo Silicus"; Koch et al. "Deep learning for causal inference"	Notebook [GitHub]	APP EVAL
5	2026-02-06	**Sampling, Fine Tuning, Benchmarking, and Tools**	Sampling bias; LoRA/QLoRA; agent benchmarks; tools and MCP	Hu et al. "LoRA"; Mohammadi et al. "Evaluation and benchmarking of LLM agents" (KDD 2025); Anthropic "What is MCP?"; Shumailov et al. "Model collapse" (Nature 2024); Chu et al. "media diets predict public opinion". Supplemental: Kapoor et al. "AI Agents That Matter"; QLoRA; DPO; AgentBench; DSPy; AIOS	Notebook [GitHub]	TRAIN EVAL TOOL
6	2026-02-13	**Auto-Encoders, Interpretability, and Steering Agents**	Sparse autoencoders; personas; activation steering	Bricken et al. "Towards Monosemanticity"; Cunningham et al. "Sparse Autoencoders Find Highly Interpretable Features"; Kim, Evans, Schein "Linear representations of political perspective" (ICLR 2025); Chen et al. "Persona vectors". Supplemental: Scaling Monosemanticity, ActAdd, ITI, In-Context Vectors, Transcoders	Notebook [GitHub]	SAFE FND
7	2026-02-20	**Reinforcement Learning to Optimize AI Agents and Institutions**	RL basics; RLHF; RL for reasoning; multi-agent RL	Sutton-style RL ch. 1; Géron ch. 18; Mnih et al. DQN (Nature 2015); Bai et al. "Constitutional AI"; Ouyang et al. InstructGPT; Guo et al. DeepSeek-R1 (Nature 2025); Kim et al. "Reasoning Models Generate Societies of Thought"; Zhang, Neubig, Yue (pre/mid-training vs. RL); "Hypothetical Minds"; "RATE". Supplemental: Christiano et al.; Agent Lightning; OpenPipe ART (GRPO)	Notebook [GitHub]	TRAIN RSN MULTI
8	2026-02-27	**Multi-Modal and Embodied Agents**	Audio, video, and image agents; diffusion; robot embodiment	Bishop ch. 10, 20 (CNNs, diffusion); Yao et al. "ReAct"; OpenAI GPT-4V system card; Song et al. "Embodied Task Planning with LLMs"; Ludwig & Mullainathan "ML as a Tool for Hypothesis Generation" (QJE 2024); Guilbeault et al. "Age and gender distortion"	Notebook [GitHub]	WEB RSN APP
9	2026-03-06	**Alignment, Ethics, Safety, and Novelty**	Value alignment; deception; guardrails; effects on the space of ideas	Russell "Human-Compatible AI"; Hubinger et al. "Sleeper Agents"; Ngo et al. "Alignment Problem from a DL Perspective"; Tomasev et al. "Distributional AGI Safety"; Zou et al. "Representation Engineering"; Gabriel, Keeling, Manzini, Evans "We need a new ethics for a world of AI agents" (Nature 2025). Supplemental: AGrail; Si et al. "Can LLMs Generate Novel Research Ideas?"; Moral Machine	Notebook [GitHub]	SAFE APP

#	Date	Title	Key topics	Readings	Materials	Tags
10	2026-03-13	**Presentation of Projects (via Zoom)**	Final project presentations	–	–	ORG

Assignments and projects

Name	What you build	Skills	Starter code / resources	Tags
Week 1 notebook (Intro NNs)	Feed-forward nets, wide & deep and deep & cross networks on your own dataset; compare activations, dropout, optimizers; error analysis	PyTorch, scikit-learn MLP	[GitHub]	FND
Week 2 notebook	3 of 5 modules: word2vec on your own corpus, seq2seq/attention, fine-tuning a transformer with SHAP, BERT similarity and perplexity, diffusion hyperparameters; memo pilot	gensim, spaCy, HF transformers, shap, umap	[GitHub]	FND
Week 3 notebook	Prompting (0-shot, few-shot, chain-of-reasoning) via the OpenAI API; simulated survey and social-media respondents compared with human data; AutoGen multi-agent dialogues with reflection; Concordia situated simulation; RAG over 5-10 documents vs. a vanilla model	openai, LangChain, AutoGen, Concordia, FAISS/ChromaDB	[GitHub]	MULTI MEM FND
Week 4 notebook	Deep causal inference (S/T-learner, TARNet on IHDP), causal mediation, double/debiased ML, prediction-powered inference on your own question	TensorFlow/Keras, causal ML	[GitHub]	APP EVAL
Week 5 notebook	3 of 4 modules: sampling; LoRA/QLoRA fine-tuning with varied ranks plus CKA comparison; designing an agent benchmark; a tool-using agent and an MCP server	LoRA, benchmarking, MCP	[GitHub]	TRAIN EVAL TOOL
Week 6 notebook	Interpretability and steering (contents not read: file over 10 MB)	–	[GitHub]	SAFE FND
Week 7 notebook (RL)	Bandits (epsilon-greedy, annealing, UCB), RL for alignment, then RL for reasoning or multi-agent RL; memo pilot	gymnasium, stable-baselines3, PPO/DQN/GRPO	[GitHub]	TRAIN MULTI
Week 8 notebook (Multimodal)	Multimodal and embodied agents (contents not read: file over 10 MB)	–	[GitHub]	WEB APP
Week 9 notebook	Any 4 of 7 modules: safety judge, Constitutional AI, deception detection, moral geometry, automated red-teaming, AGrail guardrails; 150-300-word reflections (not AI-delegable)	Qwen2.5-7B-Instruct (4-bit), sentence-transformers, AGrail	[GitHub]	SAFE EVAL
Weekly memos and Ignite presentations	300-500-word reading memos (from week 2) with peer upvoting; 5-minute code presentations	Critical reading, communication	–	ORG
Final project	Agent project for social insight, solo or teams of up to 4: at least 3 data types and 3 model types from 3 weeks, qualitatively validated; Substack/Medium post (3,600 words and 13 visuals solo; 5,000 and 17 for groups) with an open repo, plus an Ignite talk	End-to-end applied agent research	–	APP ORG

Stanford 329A: CS329A Self-Improving AI Agents

Institution	Stanford University
Term	Autumn 2025
Instructors	Aakanksha Chowdhery, Azalia Mirhoseini
Website	https://cs329a.stanford.edu/
Level	Graduate; CS224N or CS229S
Archetype	Research course (self-improvement levers) + homeworks
Public materials	Slides: none linked; video: 9 recordings (Stanford Online); code: HW1–HW3 public repos (HW1 MIT, HW3 Apache-2.0)
Best for	The clearest path through test-time compute, verifiers, RL and open-ended self-improvement, with three public homeworks.

Asks how an agent improves through interaction with itself and its environment, and takes the levers in order: repeated sampling and test-time compute, verifiers and process reward models, learning from tool and execution feedback, planning and tree search, and train-time RL (STaR, GRPO, DAPO). The second half covers open-ended self-improvement (ADAS, AI Scientist, AlphaEvolve), deep-research and software-engineering agents, memory, and long-horizon evaluation, with five guest talks. The homeworks follow the same arc: test-time scaling on AIME25, code verification with LLM judges and synthetic unit tests, then a self-improving agentic workflow. No slide decks are posted. The video links were matched to lectures through a third-party index and then checked on YouTube.

Lectures

#	Date	Title	Key topics	Readings	Materials	Tags
1	Mon Sep 22	**Course Overview**	Course logistics; framing of self-improving agents	–	[video]	ORG
2	Fri Sep 26	**Test-time Compute Scaling**	Repeated sampling, inference scaling laws, architecture search over inference techniques	Large Language Monkeys; Archon; Scaling LLM Test-Time Compute Optimally (Snell et al.); How Do Large Language Monkeys Get Their Power (Laws)?	[video]	RSN EVAL
3	Mon Sep 29	**Robust Verification**	Outcome/process verifiers, weak verifiers, generation-verification gap	Shrinking the Generation-Verification Gap with Weak Verifiers; Training Verifiers to Solve Math Word Problems; Let's Verify Step by Step; Math-Shepherd	[video]	RSN EVAL
4	Fri Oct 3	**Learning from Feedback with Tools/Code**	Reason+act loops, RL from execution feedback, AI feedback (HW1 out)	ReAct; RLEF; Constitutional AI	[video]	TOOL CODE TRAIN
5	Mon Oct 6	**Multi-step Reasoning/Planning**	Multi-step RL with synthetic data, tree search, decomposition, parallel planning	SWiRL; Language Agent Tree Search; SPRINT; ADaPT; Wider or Deeper? (adaptive branching tree search)	[video]	RSN TRAIN
6	Fri Oct 10	**Train Time Scaling/Scaling RL**	Self-taught reasoning, GRPO, large-scale RL recipes (project proposal due)	STaR; DeepSeekMath; DAPO	[video]	TRAIN RSN
7	Mon Oct 13	**Open-Ended Evolution of Self-Improving Agents**	Automated agent design, automated science, evolutionary coding agents (HW2 out Oct 14)	Automated Design of Agentic Systems; The AI Scientist; AlphaEvolve	–	ARCH CODE APP
8	Fri Oct 17	**Self-Improvement with Search & Deep Research Agents**	Search-based code generation, agentic search for reasoning models, deep research	AlphaCode; AlphaCode 2 Tech Report; Search-o1	[video]	WEB RSN CODE
9	Mon Oct 20	**Guest: Melvin Johnson (Google DeepMind), Evolution of Post-training from Chatbots to Agents**	Post-training for agents (from title only)	–	–	ORG TRAIN

#	Date	Title	Key topics	Readings	Materials	Tags
10	Fri Oct 24	**Midterm presentations (1)**	5-10 min project presentations (HW3 out)	–	–	ORG
11	Mon Oct 27	**Midterm presentations (2)**	Project presentations	–	–	ORG
12	Fri Oct 31	**Midterm presentations (3)**	Project presentations	–	–	ORG
13	Mon Nov 3	**Agentic Frameworks for Software Engineering**	Test-time scaling for SWE, GPU-kernel generation, agent-system interfaces	CodeMonkeys; KernelBench; Improving Parallel Program Performance with LLM Optimizers via Agent-System Interfaces	–	CODE ARCH
14	Fri Nov 7	**Guest: Augmenting Agents with Memory (Junchen Jiang, LM-Cache/UChicago)**	Long-context representations, OS-style memory, KV-cache reuse (HW3 due)	Cartridges; MemGPT; CacheBlend	–	MEM DEPLOY
15	Mon Nov 10	**Guest: Denny Zhou (Google DeepMind), LLM Reasoning**	LLM reasoning (from title only)	–	–	ORG RSN
16	Fri Nov 14	**Guest: Thang Luong (Google DeepMind), Towards AI Superhuman Reasoning**	Superhuman reasoning (from title only)	–	–	ORG RSN
17	Mon Nov 17	**Agentic Evaluations & Long-Horizon Tasks**	Task-length metrics, economically valuable tasks, research-synthesis benchmarks	Measuring AI Ability to Complete Long Tasks; GDPVal; DeepScholar-Bench	[video]	EVAL
18	Fri Nov 21	**Guest: Misha Laskin (Reflection AI), Building Agentic Systems for Autonomy**	Autonomous agentic systems (from title only)	–	–	ORG ARCH
19	Mon Dec 1	**Guest: Danny Driess (Physical Intelligence), Multimodal AI Agents in Robotics**	Multimodal robot agents (from title only)	–	–	ORG APP
20	Fri Dec 5	**Future Research Areas**	Open problems in self-improving agents (from title only)	–	[video]	FND

Assignments and projects

Name	What you build	Skills	Starter code / resources	Tags
HW1: Test-time compute scaling (out Oct 3, due Oct 13; 130 pts + 2 bonus)	On AIME25 (30 problems, `math-ai/aime25`) with Qwen3-Next-80B-A3B-Instruct via Together AI: zero-shot baseline; `MajorityVoting` over budgets 1-16; best-of-N with an LLM aggregator (`LLMVoting`, generative reward model); an RLEF-style `SelfImprovementSystem` (generate, critique, regenerate); plots plus a cost-per-API-call analysis	Repeated sampling, majority voting, LLM-as-judge, critique-and-refine loops, accuracy-vs-compute analysis	[GitHub]	RSN EVAL
HW2: Code generation and verification (out Oct 14, due Oct 22 per schedule / Oct 23 per grading; 110 pts)	On HumanEval with Llama-3.2-3B-Instruct-Turbo, code run in a Docker sandbox: `calculate_accuracy` and failure analysis; pass@k for k = 3, 6, 9; an `LLMJudge` that picks among candidates via JSON output; an `LLMUnitTestGenerator` (Qwen2.5-72B) that writes 5 tests from the docstring; checks how often ground truth passes the synthetic tests; pass@3 with synthetic vs ground-truth tests	Sandboxed execution, pass@k, LLM-as-judge, synthetic unit tests as weak verifiers, error analysis	[GitHub]	CODE EVAL RSN

Name	What you build	Skills	Starter code / resources	Tags
HW3: Self-improving agentic workflow (out Oct 24, due Nov 7; 120 pts)	An `APIManager` with Google Custom Search, Polygon stock data, Wolfram Alpha and weather (Nominatim + Open-Meteo) tools; LLM-based `route_query` with Pydantic/JSON mode; a `MultiLMAgent` with query decomposition, multi-model fusion, iterative self-refinement and an adaptive `run_pipeline` (full credit at 70% or more QA accuracy); a `DeepResearchAgent` that writes a cited 4-5 paragraph report	Tool routing, structured outputs, decomposition, ensembling/fusion, self-refinement loops, deep-research agents, LLM-judged QA eval	[GitHub]	TOOL WEB ARCH EVAL
Project proposal (2.5%, due Oct 10)	Proposal for the team research project	Research design	–	ORG
Midterm presentation + report (10%)	5-10 min presentation (Oct 24, 27, 31) plus report	Presenting, writing	–	ORG
Final project (35%, due Dec 10) + poster (2.5%, Dec 12)	Original research in teams of 2-4 on course topics or benchmarks for agentic workflows (API credits provided)	Research, implementation, writing	n/a (past examples: [cs329a.stanford.edu])	ORG TRAIN EVAL

Berkeley '25: CS194/294-196 Agentic AI

Institution	UC Berkeley (RDI)
Term	Fall 2025
Instructors	Dawn Song (with guest speakers)
Website	https://rdi.berkeley.edu/agentic-ai/f25
Level	Undergraduate and graduate; ML/DL background
Archetype	Guest-lecture series + AgentBeats project (also a MOOC)
Public materials	Slides: 9 of 13 sessions; video: 12 of 13 sessions; code: AgentBeats tutorial repo (no license stated)
Best for	Industry and lab speakers on post-training, agent evaluation and deployment, and an evaluator-agent project (AgentBeats).

A guest-speaker series (OpenAI, NVIDIA, Microsoft, Meta, Sierra, Google DeepMind and others) bracketed by Dawn Song's introduction and closing lecture on agent safety and security. Recurring themes are post-training for verifiable agentic tasks, agent evaluation and its statistics, multi-agent systems, and lessons from production deployment. The project is the distinctive part. In phase 1 you build a *green* agent, an evaluator that turns a benchmark into tasks, an environment and scoring. In phase 2 you build the agent under test, called *white* in the course and *purple* in the current AgentBeats competition. The same lectures ran as a MOOC at agenticai-learning.org/f25.

Lectures

#	Date	Title	Key topics	Readings	Materials	Tags
1	Mon Sep 8	**Introduction**	Speaker: Dawn Song (UC Berkeley). Course intro and logistics	–	slides	ORG FND
2	Mon Sep 15	**LLM Agents Overview**	Speaker: Yann Dubois (OpenAI). LLM foundations and agent overview	Kimi K2: Open Agentic Intelligence; DeepSeek-V3 Technical Report	slides video	FND TRAIN
3	Mon Sep 22	**Evolution of system designs from an AI engineer perspective**	Speaker: Yangqing Jia (NVIDIA). AI system and infrastructure design	–	slides video	ARCH DEPLOY
4	Mon Sep 29	**Post-Training Verifiable Agents**	Speaker: Jiantao Jiao (NVIDIA). Post-training agents on verifiable tasks	Introducing SWE-bench Verified; BrowseComp	slides video	TRAIN EVAL CODE WEB
5	Mon Oct 6	**Agent Evaluation & Project Overview**	Speaker: n/a (not listed). Agent evaluation; AgentBeats project overview	Survey on Evaluation of LLM-based Agents	slides video	EVAL ORG
6	Mon Oct 13	**Some Challenges and Lessons from Training Agentic Models**	Speaker: Weizhu Chen (Microsoft). Training agentic models	–	slides video	TRAIN
7	Mon Oct 20	**Multi-Agent AI**	Speaker: Noam Brown (OpenAI). Multi-agent AI	–	slides video	MULTI RSN
8	Mon Oct 27	**Predictable Noise in LLM**	Speaker: Sida Wang (Meta). Noise and error bars in LLM evals	Adding Error Bars to Evals	slides video	EVAL
9	Mon Nov 3	**AI Agents to Automate Scientific Discoveries**	Speaker: James Zou (Stanford). Agents for science (Virtual Lab, Paper2Agent)	The Virtual Lab of AI agents designs new SARS-CoV-2 nanobodies; Paper2Agent	video	APP MULTI
10	Mon Nov 10	**Practical Lessons from Deploying Real-World AI Agents**	Speaker: Clay Bavor (Sierra). Production customer-facing agents; simulation testing	τ2-Bench; Sierra Voice Sims blog	slides video	DEPLOY EVAL APP
11	Mon Nov 17	**Multi-Agent Systems in the Era of LLMs**	Speaker: Oriol Vinyals (Google DeepMind). Multi-agent systems with LLMs	–	video	MULTI

#	Date	Title	Key topics	Readings	Materials	Tags
12	Mon Dec 1 (2:00-3:30pm PT)	**Autonomous Agents: Embodiment, Interaction, and Learning**	Speaker: Peter Stone (UT Austin / Sony AI). Embodied agents and RL (Gran Turismo, SLAC)	Outracing Champion Gran Turismo Drivers with Deep RL; SLAC	video	APP TRAIN
13	Mon Dec 8 (11:30am-1:30pm PT)	**Agentic AI Safety & Security**	Speaker: Dawn Song (UC Berkeley). Safety and security of agentic AI	–	video (livestream)	SAFE

Assignments and projects

Name	What you build	Skills	Starter code / resources	Tags
Project Phase 1: Green agent (2 units 45%, 3/4 units 50%)	An evaluator ("green") agent on AgentBeats that wraps a benchmark or game as an agent. It defines tasks, environment and scoring, receives participant endpoints plus a config over A2A, runs the assessment and returns JSON results as artifacts. Deliverables: group formation (due 9/22), proposal (5%, due 10/8), early demo of a 2-minute video plus milestone report (10%, due 10/20), final green agent (30% or 35%, released 11/7, due 12/17)	Benchmark design, environment and scoring design, A2A agent servers, Docker packaging, reproducible evaluation	[GitHub]	EVAL MULTI ARCH
Project Phase 2: White agent (2 units 15%, 3/4 units 20%)	An agent under test ("white"; "purple" in current AgentBeats docs) that competes on green-agent benchmarks. Implementation (10% or 15%) plus a 1-2 page report (5%); released 11/24, due 12/17	Agent design, tool use, A2A interoperability, performance on evaluator agents	[GitHub]	ARCH TOOL EVAL
Article (1 unit, 40%)	A written article, due 12/7. 1-unit students may instead do Phase 1 of the "Agent Track" (minimal coding, e.g. a simple prompt-engineered agent), also 40%	Technical writing	–	ORG
Quizzes (10-20%)	Lecture quizzes (MOOC: completion-graded, usually 5 multiple-choice questions)	Lecture comprehension	–	ORG

Berkeley Adv.: CS294/194-280 Advanced Large Language Model Agents

Institution	UC Berkeley (RDI)
Term	Spring 2025
Instructors	Dawn Song, Xinyun Chen, Kaiyu Yang
Website	https://rdi.berkeley.edu/adv-llm-agents/sp25
Level	Upper-division undergraduate and graduate
Archetype	Guest-lecture series + Lean labs (also a MOOC)
Public materials	Slides: All 12 lectures; video: All 12 lectures; code: 2 Lean labs in a public Drive folder (no license)
Best for	Research talks on reasoning, post-training, coding and web agents and formal math, plus a compiler-verified agent lab.

Picks up where Berkeley's Fall 2024 LLM Agents course left off: inference-time reasoning, iterative preference optimization and open post-training recipes (Tulu 3), language-agent memory and planning, coding agents and vulnerability detection, and multimodal web and computer-use agents. A four-lecture block on formal mathematics (AlphaProof, autoformalization, theorem proving, abstraction discovery) is followed by a closing lecture on agent safety and security. Lab 2 is the main draw for agent builders: a verify-and-retry agent loop in which the Lean compiler is the verifier, and grading rejects extttsorry. Lab 1, writing two Lean 4 problems with formal specifications, is dataset work rather than an agent task.

Lectures

#	Date	Title	Key topics	Readings	Materials	Tags
1	Mon Jan 27, 2025	**Inference-Time Techniques for LLM Reasoning**	Speaker: Xinyun Chen (Google DeepMind). Inference-time reasoning, self-correction, self-debugging; course intro deck	LLMs as Optimizers [arXiv:2309.03409] ; LLMs Cannot Self-Correct Reasoning Yet [arXiv:2310.01798] ; Teaching LLMs to Self-Debug [arXiv:2304.05128]	slides intro video	RSN ORG
2	Mon Feb 3, 2025	**Learning to reason with LLMs**	Speaker: Jason Weston (Meta). Reasoning via preference optimization and self-verification	DPO [arXiv:2305.18290] ; Iterative Reasoning Preference Optimization [arXiv:2404.19733] ; Chain-of-Verification [arXiv:2309.11495]	slides video	TRAIN RSN
3	Mon Feb 10, 2025	**On Reasoning, Memory, and Planning of Language Agents**	Speaker: Yu Su (Ohio State University). Implicit reasoning, long-term memory, planning with world models	Grokked Transformers [arXiv:2405.15071] ; HippoRAG [arXiv:2405.14831] ; Is Your LLM Secretly a World Model of the Internet? [arXiv:2411.06559]	slides video	RSN MEM ARCH
4	Mon Feb 24, 2025	**Open Training Recipes for Reasoning in Language Models**	Speaker: Hanna Hajishirzi (University of Washington). Open post-training (OLMo/Tulu), DPO vs PPO	Tulu 3 [arXiv:2411.15124] ; Unpacking DPO and PPO [arXiv:2406.09279] ; OpenScholar [arXiv:2411.14199]	slides video	TRAIN RSN
5	Mon Mar 3, 2025	**Coding Agents and AI for Vulnerability Detection**	Speaker: Charles Sutton (Google DeepMind). Coding agents, interactive tools, vulnerability finding (Big Sleep)	Interactive Tools for LM Agents [arXiv:2409.16165] ; From Naptime to Big Sleep [googleprojectzero.blogspot.com]	slides video	CODE TOOL SAFE
6	Mon Mar 10, 2025	**Multimodal Autonomous AI Agents**	Speaker: Ruslan Salakhutdinov (CMU/Meta). Web agents, visual web benchmarks, tree search	Mind2Web [arXiv:2306.06070] ; WebArena [arXiv:2307.13854] ; VisualWebArena [jykoh.com] ; Tree Search for LM Agents [jykoh.com]	slides video	WEB EVAL RSN
7	Mon Mar 17, 2025	**Multimodal Agents – From Perception to Action**	Speaker: Caiming Xiong (Salesforce AI Research). Computer-use/GUI agents, OS benchmarks	OSWorld [arXiv:2404.07972] ; AGUVIS [arXiv:2412.04454]	slides video	WEB EVAL

#	Date	Title	Key topics	Readings	Materials	Tags
8	Mon Mar 31, 2025 (10am-noon PT)	**AlphaProof: when reinforcement learning meets formal mathematics**	Speaker: Thomas Hubert (Google DeepMind). RL plus Lean for IMO-level proofs	IMO silver-medal blog [deepmind.google] ; Mastering Chess and Shogi [arXiv:1712.01815] ; The Future of Mathematics? [video] ; Building the Mathematical Library of the Future [quantamagazine.org]	slides video	RSN TRAIN APP
9	Mon Apr 7, 2025	**Language models for autoformalization and theorem proving**	Speaker: Kaiyu Yang (Meta FAIR). Autoformalization, retrieval-augmented Lean proving	LeanDojo [arXiv:2306.15626] ; Autoformalization with LLMs [arXiv:2205.12615] ; Autoformalizing Euclidean Geometry [arXiv:2405.17216]	slides video	RSN APP TOOL
10	Mon Apr 14, 2025	**Bridging Informal and Formal Mathematical Reasoning (Berkeley page: "Advanced topics in theorem proving")**	Speaker: Sean Welleck (CMU). Informal-to-formal proving, context, self-taught Lean reasoning	Draft, Sketch, and Prove [arXiv:2210.12283] ; miniCTX [arXiv:2408.03350] ; Lean-STaR [arXiv:2407.10040] ; ImProver [arXiv:2410.04753]	slides video	RSN APP
11	Mon Apr 21, 2025 (10am-noon PT)	**Abstraction and Discovery with LLM Agents**	Speaker: Swarat Chaudhuri (UT Austin). In-context theorem-proving agents, learned concept libraries	An In-Context Learning Agent for Formal Theorem-Proving [arXiv:2310.04353] ; Symbolic Regression with a Learned Concept Library [arXiv:2409.09359]	slides video	RSN ARCH APP
12	Mon Apr 28, 2025	**Towards building safe and secure agentic AI**	Speaker: Dawn Song (UC Berkeley). Agent security: prompt-injection detection, memory/RAG poisoning, privilege control	Privtrans [PDF] ; DataSentinel [arXiv:2504.11358] ; AgentPoison [arXiv:2407.12784] ; Progent [arXiv:2504.11703]	slides video	SAFE DEPLOY

Assignments and projects

Name	What you build	Skills	Starter code / resources	Tags
Lab 1: Dataset contribution (Lean)	2 verifiable coding problems, each with `description.txt`, `signature.json`, `test.json` (at least 5 tests with expected and "unexpected" values) and a `task.lean` holding a `_code` implementation and `_spec` theorems between fixed CODE/SPEC markers; implementations should be non-trivial (about 30+ lines) and the specs should fully constrain behavior	Lean 4 functional programming and tactic proofs (induction, simp, rw, cases), writing formal specs, test design	[drive.google.com] (instructions); [drive.google.com] (lab1-datapoint.zip, not opened)	CODE RSN EVAL
Lab 2: Verified Lean coding agent	`main_workflow` in `src/main.py`: from a task description and Lean template, return `"code"` and `"proof"`; suggested planning / generation / verification agents with Lean-error feedback loops and optional RAG over `documents/` (`src/embedding_db.py`); graded by compiling the code with the proof as `sorry`, then with the proof; `sorry`, trivial theorems and hard-coding get no credit; submit with `make zip`, plus an optional 2-page design PDF	Agent loop design, compiler-in-the-loop verification, retry/feedback, RAG, multi-agent decomposition, Lean proofs	[drive.google.com] (instructions); [drive.google.com] (lab2-starter-code.zip, not opened)	ARCH CODE RSN MULTI MEM
Course project (Berkeley, 2+ units)	Team project, applications track (3-4) or research track (2-3, by application): proposal (due 2/24), milestone (due 3/31), poster (5/5), recording and report (5/16); 3/4 units also graded on implementation	Research/product design, implementation, writing, presenting	–	ORG APP
AgentX competition (MOOC Ninja/Legendary tiers)	Entrepreneurship track (pitch deck, demo video, live product) or Research track (7-8 page paper, video, public GitHub repo); build period Mar 31 - May 31, 2025; Demo Day Aug 2, 2025 at the Agentic AI Summit	Building and pitching LLM agent products or research	n/a ([rdi.berkeley.edu])	APP ORG
Written article	About 500-word public post (lecture summary or AgentX write-up), pass/no pass	Technical writing	–	ORG
Quizzes (12)	One completion-graded quiz per lecture, 5 multiple-choice questions each (Google Forms)	Lecture review	–	ORG

Stanford 329T: CS329T Trustworthy ML: Building and Evaluating Agentic Systems

Institution	Stanford University
Term	Fall 2025
Instructors	Anupam Datta, John Mitchell
Website	https://web.stanford.edu/class/cs329t/syllabus.html
Level	Graduate; CS229 + deep learning
Archetype	Project course on agent evaluation
Public materials	Slides: 11 decks (10 sessions); video: none (not recorded); code: HW1 handout PDF; starter branch 404
Best for	Evaluation-first agent building: Goal-Plan-Action evaluation, LLM judges, MCP tool descriptions, GEPA and red-teaming.

A project course on building agentic applications and then evaluating them so they can be improved step by step. After LLM background, prompting and RAG, it introduces its main evaluation idea, checking whether an agent's goals, plans and actions line up (*Agent GPA*). Guest talks cover systematic agent evaluation and refining LLM judges, MCP and writing tool descriptions, data curation and RL for agents, GEPA, and agent security. The one homework traces a LangGraph multi-agent research system in TruLens, has you label its failure modes by hand, and compares your labels with an LLM judge's. The starter branch linked from the handout no longer exists; an updated version of the notebook is on the TruLens main branch.

Lectures

#	Date	Title	Key topics	Readings	Materials	Tags
1	Tue Sep 23	**Course introduction and overview**	Logistics; 2023/2024 project examples; LLM background; prompting, fine-tuning, agentic AI	LangGraph agentic concepts [langchain-ai.github.io] ; OpenAI "A practical guide to building agents" [PDF]	slides	ORG FND ARCH
2	Thu Sep 25	**Models, Prompting and RAG**	LLM strengths and limits; prompting techniques; retrieval-augmented generation (HW1 released)	[arXiv:2407.12858] ; [arXiv:2406.06608] ; [arXiv:2202.03629] ; supplement: DeepLearning.AI "Building and Evaluating Data Agents" [deeplearning.ai]	slides, HW1	FND MEM
3	Tue Sep 30	**Agentic AI**	Agent foundations; sample agent systems; evaluating goals, plans and actions	Anthropic "Building effective agents" [anthropic.com] ; "What is your Agent's GPA? Evaluating and improving agent trustworthiness" (blog; no URL given)	slides	ARCH EVAL
4	Thu Oct 2	**Recap, further discussion, and planning for projects**	Review of lectures 2-3; project directions	Together "Open Deep Research" cookbook [GitHub]	slides	ORG WEB
5	Tue Oct 7	**Project proposals and feedback - Group 1**	Student proposals	–	–	ORG
6	Thu Oct 9	**Project proposals and feedback - Group 2**	Student proposals	–	–	ORG
7	Tue Oct 14	**Systematic evaluation of agentic systems (guest: Allison Jia)**	Goal/plan/action evaluation; refining the LLM judge; evaluation with and without ground truth (HW1 due 4:30pm)	[arXiv:2507.21504] ; [arXiv:2410.10934] ; [arXiv:2510.08847]	slides	EVAL
8	Thu Oct 16	**MCP, effective tool descriptions, evals (guests: Yusuf Ozuysal, Ishita Gupta)**	Model Context Protocol; writing tools for agents	Anthropic MCP announcement [anthropic.com] ; MCP intro [modelcontextprotocol.io] ; Anthropic "Writing tools for agents" [anthropic.com]	slides (Ozuysal), slides (Gupta)	TOOL EVAL

#	Date	Title	Key topics	Readings	Materials	Tags
9	Tue Oct 21	**Deep dive into LLMs**	LLM internals and training overview	Andrej Karpathy video [video]	slides	FND TRAIN
10	Thu Oct 23	**Data curation and RL to optimize agents (guest: Trung Vu, Bespoke Labs)**	Synthetic data; multi-turn tool-use RL; agent environments and benchmarks	Bespoke Labs blog [bespokelabs.ai] ; [arXiv:2504.04736] ; environments: SWE-bench [arXiv:2310.06770] , SWE-smith [arXiv:2504.21798] , ARE [arXiv:2509.17158] (GAIA2 [huggingface.co]), OSWorld [arXiv:2404.07972] , Terminal-Bench [tbench.ai] ; RL: DAPO [arXiv:2503.14476] , ScaleRL [arXiv:2510.13786] ; optional: [arXiv:2506.04178] , [arXiv:2507.01921]	slides	TRAIN TOOL EVAL
11	Tue Oct 28	**GEPA (guest: Lakshya Agrawal)**	Reflective prompt evolution vs. RL	GEPA [arXiv:2507.19457] ; DSPy [dspy.ai] ; Colab [colab.research.google.com] ; ARC-AGI notebook [GitHub]	slides	TRAIN RSN
12	Thu Oct 30	**Security for agents: adversarial attacks and guardrails (guests: Matt Fredrikson, Andy Zou)**	Attacks, defenses and benchmarks for agents	Offense: [arXiv:2307.15043] , [arXiv:2507.20526] ; defense: [arXiv:2310.01405] , [arXiv:2406.04313] ; benchmarks: [arXiv:2402.04249] , [arXiv:2410.09024] , Gray Swan Arena [app.grayswan.ai]	slides	SAFE EVAL
13	Thu Nov 6	**Mid-term project presentations and feedback - Group 1**	Student presentations	–	–	ORG
14	Tue Nov 11	**Mid-term project presentations and feedback - Group 2**	Student presentations	–	–	ORG
15	Thu Nov 13	**Multi-modal frontier models with agentic capabilities (guest: Deepak Ramachandran, Google DeepMind)**	Multimodal agents	Reading: TBD	n/a (no slides posted)	FND ARCH
16	Tue Nov 18	**Project semi-final presentation, with feedback - Group 1**	Student presentations	–	–	ORG
17	Thu Nov 20	**Project semi-final presentation, with feedback - Group 2**	Student presentations	–	–	ORG
18	Dec 2 or 4	**Final Project Fair**	2.5-hour session, 3:30-6:00pm: 2-3 minute team openers, then poster and demo session	–	–	ORG APP

Assignments and projects

Name	What you build	Skills	Starter code / resources	Tags
HW1: Measuring and Improving Agent GPA (released Sep 25, due Oct 14 4:30pm; 15% of grade)	Work through a provided notebook with a LangGraph multi-agent web-research system (planner and executor nodes plus other agents; Tavily web search, OpenAI models), traced in TruLens. Annotate traces by hand with Goal-Plan-Action failure modes, rerun with LLM-judge metrics (`session.get_leaderboard()`), compare judge scores with your annotations, then change prompts or architecture and rerun. Prerequisite: DeepLearning.AI "Building and Evaluating Data Agents" (about 2 hours). Deliverable: one-page summary (annotation rationale, metrics analysis, justified improvements) plus a notebook printout, as one PDF on Gradescope. Rubric: completion 40%, annotation quality 20%, metrics analysis 30%, improvements 10%	LangGraph agent orchestration, web-search tools, tracing, human annotation of traces, LLM-as-judge validation against human labels, failure-mode analysis, prompt/architecture iteration	Linked in the PDF (404 as of 2026-10-09): [GitHub] . A notebook with the same filename exists on main: [GitHub] (added to main 2025-10-30 in PR #2237, after HW1 was due; since changed for LangChain 1.0 (#2279) and the Feedback-to-Metric API migration (#2513), so it is not the version students used. Branch josh/stanford-course no longer exists; checked via GitHub API 2026-10-09)	EVAL MULTI WEB TOOL ARCH
Course project (70%, teams of 2-3)	Team-built agentic AI application with evaluation: proposal presentation (week 3), mid-term presentations (weeks 7-8), semi-final dry-runs (week 9), final presentation and poster/demo fair (week 10), written report due at final exam time	Project scoping, agent building, evaluation design, presenting	–	APP EVAL ORG

Supplementary Resources

These non-course resources (from the bookmarks folder, plus later additions) are referenced throughout the modules.

Model Context Protocol docs (version 2026-07-28)

https://modelcontextprotocol.io/docs/2026-07-28/getting-started/intro TOOL ARCH

MCP is the open standard for connecting an AI application (the *host*) to external context and tools. The host creates one *client* per *server*. Servers expose *tools* (callable functions with JSON-Schema inputs), *resources* (contextual data) and *prompts* (templates), over *stdio* for local servers or *Streamable HTTP* for remote ones, with OAuth recommended. **Version caveat:** the 2026-07-28 revision makes the protocol stateless. Every request carries its version and capabilities in `_meta`, servers must support a new `server/discover` method that replaces the old initialize handshake (clients may call it, but can also send requests without it), change notifications move to an opt-in `subscriptions/listen` stream, and *sampling* and *logging* are deprecated. Course material written before mid-2026 (including several lectures in this guide) teaches the older stateful handshake. The concepts still carry over, but check the current docs before you write code.

Anthropic Engineering: Code execution with MCP

https://www.anthropic.com/engineering/code-execution-with-mcp TOOL MEM DEPLOY

Argues that agents connected to many MCP servers should call tools *through code* instead of through direct tool calls. Each server is exposed as a file tree of small code APIs. The agent reads only the definitions it needs (progressive disclosure) and writes a script that runs in a sandbox, so intermediate data never passes through the context window. In the worked example, context drops from about 150,000 to 2,000 tokens. The cost is running a secure sandbox. This ties tool use to context engineering and to Skills, and CU Boulder assigns a paper that studies the same design choice (CU Boulder 24).

OpenClaw documentation

https://docs.openclaw.ai/ ARCH DEPLOY SAFE

An MIT-licensed, self-hosted, always-on personal assistant. A single *gateway* process owns sessions, routing and *channels* (Discord, Signal, Slack, WhatsApp, ...). Agents get tools, cron jobs, hooks, webhooks and on-demand skills from the ClawHub registry. It is a useful reference architecture for long-running, multi-channel agents and a cautionary case study: CMU's safety lecture cites an OpenClaw incident report (CMU 13), and UVA discusses the OpenClaw family in its personal-agents lecture (UVA 18). *Catalogued only.* Under your install policy, vet it before installing anything.

Berkeley BAIR: TinyAgent, Function Calling at the Edge

https://bair.berkeley.edu/blog/2024/05/29/tiny-agent/ TOOL TRAIN DEPLOY

A case study in specializing a *small* model for agentic tool use. GPT-4-Turbo generates synthetic function-calling plans, which are validated programmatically. A 1.1B or 7B model is LoRA-fine-tuned to emit LLMCompiler-style DAG plans over 16 macOS tools. A small DeBERTa classifier replaces embedding retrieval for tool selection, roughly halving the prompt. The model is then quantized to 4-bit for llama.cpp. The 1.1B model (80.4%) beats GPT-4-Turbo (79.1%) on this fixed toolset while running locally. Code: SqueezeAILab/TinyAgent (MIT). Read it after Module 3 (Tool Use and Function Calling) and the SFT lecture in Module 11 (Training and Optimizing Agents).

MIT 6.566 guest lecture: AI Agent Security (Anish Athalye, April 2026)

https://github.com/anishathalye/ai-agent-security-lecture SAFE TOOL ARCH

A single lecture, with a recording and a repository of thirteen small Python scripts, that builds an agent from scratch and then attacks it. The scripts go from raw completion and chat templates, through tools, native tool calling, an agent loop and a CodeAct-style code agent, to a web-summarization prompt-injection demo. They end with two defenses: the dual-LLM pattern and CaMeL, which runs benign and adversarial scenarios with and without CaMeL.

The assigned reading is the CaMeL paper, *Defeating Prompt Injections by Design* (Debenedetti et al., 2025). Some scripts need Ollama with a local model and others need an API key. No license is stated. Run it after Module 3 (Tool Use and Function Calling) and alongside Module 12 (Safety, Security and Oversight). Under your install policy, vet `uv` and the dependencies first.

Anthropic: Building effective agent automations (Martin and Avilla, October 2026)

https://claude.dev/blog/building-effective-agent-automations/ DEPLOY SAFE TOOL

A worked example of an unattended, scheduled agent ("daily-brief", on Claude Managed Agents) that reads sources, tracks what changed and posts a brief to Slack. It is organised as six components: sources, destination, agent, schedule, memory and guardrails. Its rules are the concrete form of the durable-state and idempotency advice in Module 13 (Deployment, Efficiency and Operations). Read each source from a stored bookmark, not a fixed time window. Report a failed read as unreadable, never as a quiet day. Count a post as sent only when Slack confirms it, and only then update the bookmarks and the ledger. Re-read preferences every run from a store the agent cannot edit. Use read-only credentials wherever the agent only reads, and cap each run's spending at three to five times a normal run at first. Posting requires no human approval. Read-only permissions, a host allowlist and spending limits constrain the automation, but malicious source content can still alter the brief. The post gives design reasoning and failure examples but no measurements. Our suggested companion reading: the OpenClaw documentation, for comparison with an always-on architecture.

Notion: How we built a personal data scientist for every Notion employee (David Thomas, October 2026)

https://www.notion.com/blog/how-we-built-a-personal-data-scientist-for-every-notion-employee MEM DEPLOY EVAL APP

A production case study of Data Scout, an internal agent that answers plain-language questions from governed Snowflake data through MCP. Each user signs in with their own credentials, so existing access controls apply. A curated, owned library separates data context (metrics, sources, filters), business context and routing guidance. Queries carry structured metadata so traces show which definitions were used. A nightly review agent records missing, stale or conflicting context; a separate triage agent deduplicates findings, applies authorised fixes, and sends ambiguous or higher-risk changes to a person. The post's main lesson is that a query can run cleanly and still answer the wrong question, through wrong meaning, routing, measurement or interpretation. Notion reports that weekly requests to its data team fell by about 80% within two months and that about half of its employees use the agent. These figures are self-reported, and the post says its evaluation is still maturing: usage and query success do not prove accuracy. Read it with Module 5 (Memory, Retrieval and Context Engineering) for context engineering and Module 13 (Deployment, Efficiency and Operations) for operations.

Jesse Barkley: local agent demos for the CMU executive Agentic AI program (2026)

https://github.com/jabarkle ARCH TOOL MEM RSN MULTI

Five small repositories written as office-hours support for Carnegie Mellon's executive program *Agentic AI: Building Autonomous Systems for Real-World Applications*. They are teaching demos by one instructor, not a course, and they are the only place in this guide where one system grows in stages. Everything runs on a laptop through Ollama with a 3–4B model, with no API key.

- `EmeritusMCP`: the smallest useful MCP example. A 32-line server with one read-only tool, and an agent that answers the same question with and without it. Dependencies are pinned.
- `Local-Agent-Demo`: a "teacher's assistant" agent. The loop is written out by hand, with a cap of three tool steps. Because the model has no native tool calling, each step is a schema-constrained JSON decision followed by a separate answer call, so you can see that a tool call is text the harness parses. Tools live in a separate MCP server that the agent discovers at start-up. Long-term memory is a JSON file searched by embedding similarity, and two `SKILL.md` procedures load only when a request needs them. A trace panel shows what the model sees at each step.
- `Agent-with-Subagent`: the same system plus one subagent that starts with an empty context and receives a written briefing. Its README states the delegation test plainly: big input, small output, no need to remember the middle.
- `Agent-with-subagent-and-langgraph`: the same system again as a LangGraph `StateGraph` with five nodes (recall, decide, act, answer, reflect). Read it beside the hand-written loop to see what the framework adds and

hides.
- `EmeritusAgenticAIStarterCode`: Tree of Thoughts as a 75-line beam search in plain Python, then the same search in LangGraph and in CrewAI. The evaluator is the model scoring its own partial paths, so apply the caution in Module 6 (Reasoning, Planning, Reflection and Search): check that the score carries information before trusting the search.

Caveats. The MCP code uses version 2 of the official Python SDK (`MCPServer`, `Client`) over stdio. The code was read for this guide but not run. No repository states a licence, there are no tests beyond a set-up check, compiled caches and a filled memory file are committed, and three of the five leave dependency versions open (`>=`). Under your install policy, pin and vet the packages before installing. Do them in the order listed, after Module 2 (The Agent Loop and Agent Architectures).

CADSmith: multi-agent CAD generation with programmatic geometric validation (Barkley, Loghmani and Barati Farimani, 2026)

https://arxiv.org/abs/2603.26512 MULTI EVAL APP

A worked example of a fixed multi-agent pipeline whose feedback is a real measurement, not a model's opinion of its own work. A planner writes a design specification, a coder generates CadQuery code with retrieval over the API documentation, an executor runs it in a subprocess and reads exact geometry from the OpenCASCADE kernel, a validator combines those measurements with a vision-language judge that sees three rendered views, and a refiner repairs the code. An inner loop retries execution errors up to three times and an outer loop retries geometric errors up to five. The judge is a stronger model than the coder. The authors report results on their own benchmark of 100 hand-written prompts with hand-written reference scripts, against a single-call baseline and an ablation without vision: mean Chamfer distance falls from 28.37 (single call) to 18.19 (pipeline without vision) to 0.74 (with vision). They also show a part that passed every check with visible gaps. These figures are self-reported and were not reproduced here. Note that it is a workflow in the sense of Module 2 (The Agent Loop and Agent Architectures): the code fixes the order of the roles. Code (no licence stated). Read it with Module 7 (Multi-Agent Systems) for roles and with Module 10 (Evaluating Agents) for the baseline-and-ablation design.

Google Colab

https://colab.research.google.com/ DEPLOY

A hosted Jupyter runtime. Use it to run course notebooks (UChicago, Northeastern, Mannheim, UVA) without a local setup, and to keep experiments with downloaded code off your own machine.

Appendices

Codebase and Tool Index

Repositories, frameworks, benchmarks and tools referenced by each course (as recorded during research).

CMU

- Course GitHub org: [GitHub] (assignment-1, assignment-2, assignment-3, chess-app)
- Modal (sandboxes and compute): [modal.com]
- uv: [docs.astral.sh]
- OpenHands (lecture 2 readings, Frameworks 1): [GitHub] (repo URL from general knowledge, not seen on the course site)
- LangGraph (Frameworks 2): [GitHub] (from general knowledge)
- Model Context Protocol spec (lecture 2): [modelcontextprotocol.io] (from general knowledge)
- Agent Skills protocol (A1 reference): URL n/a (named in the A1 handout)
- Harbor (A2 task packaging): URL n/a
- Tinker 0.24.0 and SkyRL Tinker server (A3): URL n/a. SkyRL and Miles are cited as RL-systems examples.
- vLLM / SGLang (served policies, A1 and A3)
- Other harness code cited in lecture 3 readings: Codex, OpenCode, Pi, Hermes Agent (URLs n/a)

Stanford '25

- Assignments repo: [GitHub] (Python 3.12, Poetry, Conda)
- Ollama (local models in Fall 2025 week 1): [ollama.com]
- FastMCP: [GitHub]
- MCP spec: [modelcontextprotocol.io] ; reference servers: [GitHub] ; TypeScript SDK: [GitHub]
- Claude Code docs: [code.claude.com] , skills: [code.claude.com] , settings: [docs.claude.com] ; Messages API: [docs.claude.com]
- Agent Skills standard: [agentskills.io] ; sample skills: [GitHub]
- mitmproxy (week 1, Fall 2026), plus the tutorial "Intercepting Claude Code Requests": [ai.moda]
- HumanLayer advanced context engineering: [GitHub]
- awesome-claude-agents: [GitHub] ; SuperClaude: [GitHub]
- Warp: [warp.dev] ; Semgrep: [semgrep.dev] ; Graphite: [graphite.dev] ; Vercel: [vercel.com] ; bolt.new ; Cursor ; Resolve.ai: [resolve.ai] ; Cognition/Devin: [cognition.ai]
- Fall 2026 partners: Browserbase [browserbase.com] , OpenHands [openhands.dev] , CrewAI [crewai.com] , CopilotKit [copilotkit.ai] , Milvus [milvus.io] , Marimo [marimo.io] , Phoenix [phoenix.arize.com] , Unsloth [unsloth.ai] , Anyscale [anyscale.com] , cmux [cmux.dev] , Pi [pi.dev] , HeyGen [heygen.com]
- Paid 4-week Maven spin-off course (from a third-party source): [maven.com]

Northeastern

- Course repo: [GitHub] (folders DADA1, W02b, W03a, W03b, W04a, W04b, W05a, W05b; requirements.txt; example.env)
- requirements.txt: langchain, langchain-openai, langchain-anthropic, langchain-google-genai, langchain-tavily, langchain-ollama, langgraph, python-dotenv, ipykernel, requests, gradio, langchain-openrouter (W05a adds langchain-pinecone, numpy, optional langchain-nvidia-ai-endpoints)
- LangChain / LangGraph docs: [docs.langchain.com] ; LangSmith eval/cost docs: [docs.langchain.com]
- Ollama: [ollama.com] ; Qwen 3.5 models: [ollama.com]
- uv: [astral.sh]
- Pinecone: [pinecone.io]
- Hugging Face Spaces: [huggingface.co]
- Render: [render.com] ; GitHub CLI: [GitHub]
- Model Context Protocol: [modelcontextprotocol.io]
- APIs used: Gemini (default model, GOOGLE_API_KEY), Tavily, Ticketmaster Discovery, Open-Meteo, OpenRouter, NVIDIA embeddings

Harvard

- Course starter repository: [GitHub] (`assignment2/evaluation_scripts`, `assignment3/starter_code` with `dispatcher/`, `src/agentic_loop.py`, `src/sandbox.py`, `evaluation_scripts/`)
- Assignment 1 student gallery: [GitHub] (six implementations; the README says the bundled recordings and demo modes can be explored without Claude Code)
- Student blog and its source: [blog.cs2680.com] ; [GitHub] . Staff posts so far: "Why Claude Code Kept Reaching for Bash",

"Lessons for Agentic Coding from Student Projects"
- Reference notes: agent evaluation and benchmarks [cs2680.seas.harvard.edu] ; cost-effective agents [cs2680.seas.harvard.edu] ; transformers and LLM foundations [cs2680.seas.harvard.edu]
- Computing guides: [cs2680.seas.harvard.edu] (Claude Code, model API, course HPC, AWS)
- SWE-bench Pro evaluator used by Assignments 2 and 3: [GitHub]
- Claude Code headless mode: [code.claude.com]
- Assignment 3 leaderboard: [leaderboard.cs2680.com]
- Background reading named by the course: OSTEP [pages.cs.wisc.edu] ; Machine Learning Systems [mlsysbook.ai] ; Foundations of Large Language Models [arXiv:2501.09223] ; The Little Book of Deep Learning [fleuret.org]

Buffalo

- Chip Huyen, "Agents": [huyenchip.com]
- Anthropic, "Building Effective Agents": [anthropic.com]
- OpenAI Agents SDK: [openai.github.io]
- LangGraph: [docs.langchain.com]
- LlamaIndex: [docs.llamaindex.ai]
- Also mentioned without URLs: OpenAI function/tool calling docs, Ollama, OpenAI-compatible APIs, vector databases/local vector stores, Jupyter, Git/GitHub
- Books (no URLs): Russell & Norvig, *AI: A Modern Approach*; Caldwell, *The Agentic AI Bible*; Huyen, *AI Engineering* (O'Reilly 2025); Sutton & Barto, *Reinforcement Learning* 2nd ed.
- Research references (no URLs given): ReAct, Toolformer, RAG (Lewis et al.), Generative Agents, SWE-bench, WebArena

UVA

- Hugging Face smolagents: [huggingface.co]
- LangChain / LangGraph: [langchain.com] ; LangGraph Graph API: [docs.langchain.com]
- Model Context Protocol: [modelcontextprotocol.io] ; HF MCP course: [huggingface.co]
- Unsloth: [unsloth.ai]
- Tinker (Thinking Machines): [thinkingmachines.ai] ; install docs [tinker-docs.thinkingmachines.ai]
- Ollama (llava model), Google Colab, OpenAI Platform: [platform.openai.com]
- Henry Kautz repos: gpt_with_tools [gitlab.com] ; MoltReader [GitHub] ; pdf_ocr [GitHub] ; clip_test [GitHub]
- HEPTAPOD: [GitHub] ; Orchestral AI: [orchestral-ai.com]
- OpenClaw [openclaw.ai] ; NullClaw [nullclaw.org] ; NVIDIA NemoClaw [nvidia.com] ; Claude Cowork [anthropic.com]
- Brave Search API [brave.com] ; requests ; beautifulsoup4 ; OpenCV ; gradio ; edge-tts
- Background reading on the home page: Anthropic "Effective context engineering for AI agents" [anthropic.com] ; Chip Huyen "Building LLM applications for production" [huyenchip.com] ; Antonio Gulli "Agent Design Patterns" preview [docs.google.com]
- Additional core papers on the home page: ReAct [arXiv:2210.03629] ; Self-Refine [arXiv:2303.17651] ; Tree of Thoughts [arXiv:2305.10601] ; Generative Agents [arXiv:2304.03442] ; Magentic-One [arXiv:2411.04468] ; ToolOrchestra [arXiv:2511.21689] ; narrow fine-tuning misalignment (Nature 2026) [doi.org]

UW-Madison

- Course demo notebook: [GitHub]
- DSPy (codebase mentioned alongside the DSPy paper): [arXiv:2310.03714]
- litellm (allowed thin wrapper in the assignment); LangChain, Strands, CrewAI (named as disallowed)
- Example coding-agent CLIs: Claude Code, Cursor CLI, Gemini CLI
- Benchmarks/environments in the readings: SWE-bench, Terminal-Bench, AgentDojo, WebArena, BaxBench, RedCode, LiveResearchBench
- Presentation advice: [video] ; [pages.graphics.cs.wisc.edu]

JHU

- Course site source: [GitHub]
- Assignment repos: [GitHub] , [GitHub] , [GitHub] (all Python, no license listed)
- Amazon Bedrock (Converse API) with Claude Haiku / Claude Sonnet 4.6 (A1, A2); Google Gemini API (`gemini-2.5-pro` in A3's example config)
- A3 stack: Node.js/npm, Express, WebSockets (optional), Jest, Supertest, Playwright
- A2 toolchains: Python `subprocess`/`py_compile`, Rust `cargo`, OCaml `ocaml`/`ocamlc` (dune optional)
- Benchmarks/harnesses on the readings page: LiveCodeBench [livecodebench.github.io] , SWE-bench [arXiv:2310.06770] , BigCode Eval Harness [GitHub] , BigCodeBench [huggingface.co] , LMArena [lmarena.ai]
- Agent papers on the readings page: MASAI [arXiv:2406.11638] , AutoCodeRover [arXiv:2404.05427]

- Project-idea tools: Scallop [scallop.github.io] , plus Lean, Coq, Z3, CodeQL, Datalog, Prolog, PDDL (Wikipedia links on the project page)
- Report templates: [overleaf.com] , [typst.app]

CU Boulder

- LangGraph (in-class tutorial on 03/09). The site gives no URL.
- OpenHands (paper): [arXiv:2407.16741]
- SWE-agent (paper): [arXiv:2405.15793] ; AutoCodeRover (paper): [arXiv:2404.05427]
- AutoGen (paper): [arXiv:2308.08155] ; MetaGPT (paper): [arXiv:2308.00352]
- ACM proceedings template (milestones/final): [acm.org]
- Piazza: [piazza.com] ; Canvas (submissions, login required)

Mannheim

- LangChain: [langchain.com]
- Tavily (search API): [tavily.com]
- MCP (named in the exercise filename)
- AgentBench: [GitHub]
- SmartPlay: [GitHub]
- WebArena: [webarena.dev] ; WebShop: [webshop-pnlp.github.io]
- BrowseComp: [openai.com] ; Meta CRAG (KDD Cup 2024): [aicrowd.com]
- Course evaluation PDFs: [PDF] ; [PDF]

UChicago

- Course repo: [GitHub] (notebooks plus `Tutorials-Homework_Notebooks/data/`)
- Python tutorial: [docs.python.org]
- Named in the syllabus or notebooks without URLs: Claude Code, LangGraph, LangChain, AutoGen, Concordia (DeepMind), Faiss, ChromaDB, DSPy, AIOS, AFlow, Kubeflow, MLflow, OpenPipe ART, Agent Lightning, Neuronpedia, AGrail, PyTorch, Keras/TensorFlow, scikit-learn, gensim, spaCy, Hugging Face transformers, shap, gymnasium, stable-baselines3, Petals (Llama-2), OpenAI API, SWE-agent
- Google Colab (Pro recommended); UChicago RCC; Canvas

Stanford 329A

- Homework repos: [GitHub] (MIT), [GitHub] (no license shown), [GitHub] (Apache-2.0). All Python notebooks plus a course package (`cs329_hw1`, `cs329_hw`, `cs329a_hw3`)
- Together AI API (all homeworks): Qwen3-Next-80B-A3B-Instruct, Llama-3.2-3B-Instruct-Turbo, Qwen2.5-72B-Instruct-Turbo, Meta-Llama-3.1-8B-Instruct-Turbo, Llama-3.3-70B-Instruct-Turbo-Free, gemma-3n-E4B-it, gpt-oss-20B
- Benchmarks/datasets: AIME25 (Hugging Face `math-ai/aime25`), HumanEval ([arXiv:2107.03374]); a QA dataset bundled with HW3 (not described)
- HW3 external APIs: Google Custom Search, Polygon, Wolfram Alpha, Geopy Nominatim, Open-Meteo; Pydantic for structured outputs
- Docker (HW2 `humaneval-sandbox` image), conda, python-dotenv, tenacity, ThreadPoolExecutor
- Key papers with code/systems from readings: Archon [arXiv:2409.15254], MemGPT [arXiv:2310.08560], CacheBlend [arXiv:2405.16444], KernelBench [arXiv:2502.10517], CodeMonkeys [arXiv:2501.14723], DAPO [arXiv:2503.14476], AlphaEvolve [PDF]

Berkeley '25

- AgentBeats tutorial: [GitHub] (examples plus a local assessment runner, `uv run agentbeats-run scenarios/debate/scenario.toml`; scenarios: debate with an LLM-as-judge green agent, and tau2; Python/uv, Docker images for linux/amd64, published to GitHub Container Registry; no license listed). The README points to separate agent-template and green-agent-template repos.
- The current competition page links starter code at [GitHub] and docs at [docs.agentbeats.dev] (not opened)
- AgentBeats platform: [agentbeats.dev] (not opened)
- A2A (Agent-to-Agent) protocol: [a2a-protocol.org] ; A2A SDK or Google ADK for building agents
- LLM providers named in the tutorial: Google Gemini, OpenAI, Anthropic, OpenRouter, Ollama
- Benchmarks in the readings: SWE-bench Verified, BrowseComp, τ2-Bench
- AgentX-AgentBeats competition: [rdi.berkeley.edu]

Berkeley Adv.

- Lab materials folder (4 files, modified 24 Jun 2025): [drive.google.com] — Lab1_Instructions.md (12 KB), lab1-datapoint.zip (2 KB), Lab2_Instructions.md (10 KB), lab2-starter-code.zip (66 KB)
- Lab FAQ (Google Doc, did not render): [docs.google.com]
- Lab 2 stack, per the instructions: Lean 4 with Mathlib and Aesop, built with Lake (`lake lean Lean4CodeGenerator.lean`); Python harness with `src/agents.py` (GPT-4o for generation, o3-mini for light reasoning), `src/embedding_models.py` (OpenAI and lightweight embeddings), `src/embedding_db.py`; `make test` / `make zip`; approved models only (o1-pro named as not approved); up to 60 s of extended thinking per question
- Lean learning resources named in Lab 1: Functional Programming in Lean, Theorem Proving in Lean 4, the mathlib4 "All Tactics in Lean 4" list, Natural Number Game (NNG4)
- Problem sources suggested in Lab 1: LiveCodeBench, APPS, MBPP, LeetCode, HackerRank, Codeforces
- Systems and benchmarks in the readings: LeanDojo, WebArena, VisualWebArena, Mind2Web, OSWorld, AGUVIS, Tulu 3/OLMo, HippoRAG, Big Sleep (Project Zero)
- Community: Edstem [edstem.org] (Berkeley), Discord [discord.gg] (MOOC); Agentic AI Summit [rdi.berkeley.edu]

Stanford 329T

- TruLens (open-source LLM app tracing and evaluation): [GitHub] . HW1 uses `run_dashboard()`, human feedback on traces, LLM-judge metrics and `session.get_leaderboard()`
- LangGraph: agentic concepts page [langchain-ai.github.io] ; the main-branch notebook pins `langgraph==0.5.4`
- Tavily search API and the OpenAI API (HW1 needs both keys; the handout estimates under $2.00 in OpenAI cost)
- Substitute HW1 notebook (main branch): [GitHub] . It uses `trulens`, `trulens-apps-langgraph`, `trulens-providers-openai`, `langchain_tavily`, `langchain_openai` and `langchain_experimental`, with nodes planner, executor, web_researcher, chart_generator, chart_summarizer and synthesizer. Judge metrics: Plan Quality, Plan Adherence, Execution Efficiency, Logical Consistency, plus the RAG triad (Groundedness, Answer Relevance, Context Relevance)
- DeepLearning.AI short course "Building and Evaluating Data Agents": [deeplearning.ai]
- Model Context Protocol: [modelcontextprotocol.io]
- DSPy [dspy.ai] and GEPA [GitHub]
- Together cookbook, Open Deep Research: [GitHub]
- Agent benchmarks/environments: SWE-bench, SWE-smith, ARE/GAIA2, OSWorld, Terminal-Bench [tbench.ai] , Gray Swan Arena [app.grayswan.ai]
- AI coding assistants (Cursor, Claude Code) are explicitly allowed and encouraged for HW1

Supplements

- Model Context Protocol docs (version 2026-07-28): https://modelcontextprotocol.io/docs/2026-07-28/getting-started/intro
- Anthropic Engineering: Code execution with MCP: https://www.anthropic.com/engineering/code-execution-with-mcp
- OpenClaw documentation: https://docs.openclaw.ai/
- Berkeley BAIR: TinyAgent, Function Calling at the Edge: https://bair.berkeley.edu/blog/2024/05/29/tiny-agent/
- MIT 6.566 guest lecture: AI Agent Security (Anish Athalye, April 2026): https://github.com/anishathalye/ai-agent-security-lecture
- Anthropic: Building effective agent automations (Martin and Avilla, October 2026): https://claude.dev/blog/building-effective-agent-automations/
- Notion: How we built a personal data scientist for every Notion employee (David Thomas, October 2026): https://www.notion.com/blog/how-we-built-a-personal-data-scientist-for-every-notion-employee
- Jesse Barkley: local agent demos for the CMU executive Agentic AI program (2026): https://github.com/jabarkle
- CADSmith: multi-agent CAD generation with programmatic geometric validation (Barkley, Loghmani and Barati Farimani, 2026): https://arxiv.org/abs/2603.26512
- Google Colab: https://colab.research.google.com/
- TinyAgent code: github.com/SqueezeAILab/TinyAgent

Canonical Reading Checklist

The key readings from every module in one checklist. Lecture-level readings are in the catalogue tables.

M1 LLM Foundations and Prompting

- ☐ Vaswani et al., *Attention Is All You Need* (2017)
- ☐ Ouyang et al., *InstructGPT* (2022)
- ☐ Wei et al., *Chain-of-Thought Prompting* (2022)
- ☐ Belcak et al., *Small Language Models are the Future of Agentic AI* (2025)
- ☐ Karpathy, *Deep Dive into LLMs* (video)

M2 The Agent Loop and Agent Architectures

- ☐ Anthropic, *Building Effective Agents*
- ☐ Yao et al., *ReAct* (2022)
- ☐ Sumers et al., *CoALA: Cognitive Architectures for Language Agents* (2023)
- ☐ Chip Huyen, *Agents* (2025)
- ☐ Wang et al., *A Survey on LLM-based Autonomous Agents* (2024)

M3 Tool Use and Function Calling

- ☐ Schick et al., *Toolformer* (2023)
- ☐ Patil et al., *Gorilla* (2023)
- ☐ Wang et al., *CodeAct: Executable Code Actions* (2024)
- ☐ Gao et al., *PAL* (2022)
- ☐ *What Are Tools Anyway?* (2024)
- ☐ Anthropic, *Writing effective tools for agents*

M4 MCP and Agent Interoperability

- ☐ MCP specification and security best practices
- ☐ Anthropic, *Code execution with MCP* (2025)
- ☐ Felendler et al., *From Tool Orchestration to Code Execution: MCP Design Choices* (2026)
- ☐ *MCP Landscape & Security* (arXiv 2503.23278)

M5 Memory, Retrieval and Context Engineering

- ☐ Lewis et al., *Retrieval-Augmented Generation* (2020)
- ☐ Liu et al., *Lost in the Middle* (2023)
- ☐ Packer et al., *MemGPT* (2023)
- ☐ Park et al., *Generative Agents* (2023)
- ☐ Anthropic, *Effective context engineering for AI agents*
- ☐ Asai et al., *Self-RAG* (2023); Yan et al., *Corrective RAG* (2024)

M6 Reasoning, Planning, Reflection and Search

- ☐ Wang et al., *Self-Consistency* (2022)
- ☐ Yao et al., *Tree of Thoughts* (2023)
- ☐ Shinn et al., *Reflexion* (2023); Madaan et al., *Self-Refine* (2023)
- ☐ Zhou et al., *Least-to-Most Prompting* (2022)
- ☐ Zhou et al., *LATS* (2023)
- ☐ Kim et al., *LLMCompiler* (2023)

M7 Multi-Agent Systems

- ☐ Wu et al., *AutoGen* (2023)
- ☐ Hong et al., *MetaGPT* (2023)
- ☐ Li et al., *CAMEL* (2023)
- ☐ Du et al., *Multiagent Debate* (2023)
- ☐ Cemri et al., *Why Do Multi-Agent LLM Systems Fail?* (2025)
- ☐ Anthropic, *How we built our multi-agent research system*

M8 Coding Agents

- ☐ Jimenez et al., *SWE-bench* (2023)
- ☐ Yang et al., *SWE-agent* (2024)
- ☐ Wang et al., *OpenHands* (2024)
- ☐ Xia et al., *Agentless* (2024)
- ☐ Zhang et al., *AutoCodeRover* (2024)
- ☐ Hassan et al., *Agentic Software Engineering* roadmap (2025)
- ☐ Anthropic, *Claude Code best practices*

M9 Web, GUI, Computer-Use and Multimodal Agents

- ☐ Zhou et al., *WebArena* (2023); Koh et al., *VisualWebArena* (2024)
- ☐ Xie et al., *OSWorld* (2024)
- ☐ Deng et al., *Mind2Web* (2023)
- ☐ Yao et al., *WebShop* (2022)
- ☐ Zhang et al., *AppAgent* (2023)
- ☐ Wang et al., *Voyager* (2023)

M10 Evaluating Agents

- ☐ Zheng et al., *Judging LLM-as-a-Judge* (2023)
- ☐ Yao et al., *τ-bench* (2024)
- ☐ Liu et al., *AgentBench* (2023)
- ☐ Kapoor et al., *AI Agents That Matter* (2024)
- ☐ Mohammadi et al., *Evaluation and Benchmarking of LLM Agents* (KDD 2025)
- ☐ METR, *Measuring AI Ability to Complete Long Tasks* (2025)

M11 Training and Optimizing Agents

- ☐ Ouyang et al., *InstructGPT* (2022)
- ☐ Shao et al., *DeepSeekMath (GRPO)* (2024)
- ☐ DeepSeek-AI, *DeepSeek-R1* (2025)
- ☐ Singh et al., *ReST-EM* (2023)
- ☐ Hu et al., *LoRA* (2021); Dettmers et al., *QLoRA* (2023)
- ☐ Khattab et al., *DSPy* (2023); Agrawal et al., *GEPA* (2025)

M12 Safety, Security and Oversight

- ☐ Greshake et al., *Indirect Prompt Injection* (2023)
- ☐ Debenedetti et al., *AgentDojo* (2024)
- ☐ Debenedetti et al., *CaMeL: Defeating Prompt Injections by Design* (2025)
- ☐ Willison, *The lethal trifecta*

☐ Wang et al., *Full Stack Safety survey* (2025)
☐ Hubinger et al., *Sleeper Agents* (2024)

M13 Deployment, Efficiency and Operations

☐ Google, *SRE book, introduction*
☐ Anthropic, *Code execution with MCP* (2025)
☐ Erdogan et al., *TinyAgent* (2024)
☐ Gao & Peng, *More with Less* (2025)
☐ Anthropic, *Building effective agent automations* (2026)
☐ Notion, *How we built a personal data scientist for every Notion employee* (2026)

M14 Applications: Deep Research, Science and Society

☐ Shao et al., *STORM* (2024)
☐ Lála et al., *PaperQA* (2023)
☐ Asai et al., *OpenScholar* (2024)
☐ Lu et al., *The AI Scientist* (2024)
☐ Gottweis et al., *Towards an AI Co-Scientist* (2025)
☐ Park et al., *Generative Agents* (2023)

Tag Matrix

Raw tag counts per course (a lecture can carry several tags), including logistics (ORG).

Course	FND	ARCH	TOOL	MEM	RSN	MULTI	CODE	WEB	EVAL	TRAIN	SAFE	DEPLOY	APP	ORG
CMU	0	3	1	3	3	2	2	1	2	4	2	2	3	1
Stanford '26	2	3	2	2	0	1	8	0	2	0	2	4	3	0
Stanford '25	2	1	2	1	1	2	13	0	2	0	2	3	3	3
Northeastern	3	6	4	6	4	3	0	0	1	1	2	5	0	2
Harvard	0	6	3	3	0	2	2	0	2	0	1	12	0	6
Buffalo	1	2	1	3	2	1	1	0	1	0	2	2	1	3
UVA	2	4	4	2	4	4	1	2	3	2	1	1	3	3
UW-Madison	1	6	2	3	5	5	4	1	5	2	3	0	4	4
JHU	2	4	2	0	5	0	8	0	0	4	1	0	7	8
CU Boulder	0	6	6	1	4	5	10	1	3	1	2	2	1	10
Mannheim	3	2	1	2	1	0	0	0	1	1	1	0	0	5
UChicago	3	0	1	1	3	2	1	1	2	2	2	0	5	2
Stanford 329A	1	3	1	1	7	0	4	1	3	4	0	1	2	9
Berkeley '25	2	1	0	0	1	3	1	1	4	4	1	2	3	2
Berkeley Adv.	0	2	2	1	9	0	1	2	2	3	2	1	4	1
Stanford 329T	4	3	2	1	1	0	0	1	5	3	1	0	1	9

Provenance and Caveats

- **Method.** The 20 links in the Chrome bookmarks folder *CMU-Agentic* were each visited. Static pages were fetched directly. The JavaScript-rendered sites (CMU, Stanford) were read in a live browser. Course repositories were read through GitHub. Four more courses (Stanford CS329A, Berkeley Agentic AI Fall 2025, Berkeley Advanced LLM Agents Spring 2025, Stanford CS329T) and the MIT agent-security lecture were added on the same date from a targeted search for open 2025–2026 courses, with candidates found by a Codex consultant and each one then read directly. Each course was summarised into a Markdown table in `research/`, and this PDF is generated from those tables by `guide/build_guide.py`.
- **Classification.** Tags were assigned from session titles, listed topics and readings. They are a navigation aid, not ground truth, and some sessions could reasonably be tagged differently.
- **CMU.** The lecture table comes from the rendered schedule (October 9, 2026). The milestone dates on that page (A1 Sep 14, A2 Oct 1, A3 Oct 29) take precedence over the due dates in the assignment table, which come from the handouts. Recordings are linked from the schedule page because individual video URLs could not be extracted, and the YouTube playlist ID was not verified.
- **Stanford.** Fall 2026 is current: only weeks 1–3 have slides and assignments so far, and most Thursday sessions from week 3 on are guest talks. Fall 2025 dates come from a translated copy of the syllabus and may be off by a day.
- **In-progress courses** (CMU, Stanford '26, Northeastern, JHU, Buffalo) will publish more material after this snapshot. Re-run the research step to refresh.
- **Unread items.** Some large slide decks could not be text-extracted (several Mannheim PDFs, a few UVA PPTX files), so their topics are inferred from titles. The UChicago week 6 and 8 notebooks were too large to inspect.
- **Licences.** Only some repositories state a licence (UW CS 839: MIT; TinyAgent: MIT; OpenClaw: MIT). Before redistributing course material in your own repository, check each licence. Linking is always safe.

Per-course research notes

These are the notes recorded while each course was being researched.

CMU

- **Lecture schedule verified.** The lecture rows in the guide come from cmu-11768-verified.md, read from the official schedule ([cmu-agents.com]) rendered in Chrome on 2026-10-09. It lists 23 lectures with dates, modules, lecturers where named, and readings. The lecture table in this file was reconstructed earlier from secondary sources (a blog post, beri.net and YouTube titles) and is superseded wherever the two disagree.
- **Materials.** Slide PDFs are posted for lectures 1-14 ([cmu-agents.com]); lecture 14 was added between 2026-10-09 and 2026-10-11. Lectures 15-23 had no slides yet on 2026-10-11. The schedule marks recordings for lectures 1-9; the guide links them through the schedule page because the individual YouTube links were not extracted.
- **Guest lectures.** Lectures 22 and 23 are guest lectures (Karthik Narasimhan, Sasha Rush) with no announced topic.
- **A2/A3 visibility.** A2 and A3 repos are now public, last updated Sep 20 and Oct 7, 2026 respectively. Earlier summaries called them enrollment-only.
- Neubig's X announcement ([x.com]) could not be fetched (HTTP 402). Its text is known only from search snippets.

Stanford '25

- **The official syllabus did not load.** The "Syllabus" tab on themodernsoftware.dev and /fall2025 is rendered client-side, so WebFetch returned only the overview, team, and logistics. /syllabus returns 404. The Fall 2025 lecture table comes from the authorized Korean translation (discuss.pytorch.kr). The slide URLs are copied from that page; I did not open them individually.
- **Day-of-week conflict:** the Korean source labels the sessions Mon/Fri (e.g. 9/22 Mon, 9/26 Fri), while the official site lists Tue/Thu 5:30-6:20 PM. The dates may belong to a different meeting pattern or be translation artifacts, so treat them as approximate.
- **Fall 2026 schedule.** The Fall 2026 session list was later read from the rendered Syllabus tab in Chrome (2026-10-09); see stanford-cs146s-fall2026-verified.md. Slides are posted for weeks 1-3, and assignments for weeks 1-3 are on `master`.
- **Assignment URL drift:** the Fall 2025 syllabus links to `master/week4..8`, but `master` now holds only the Fall 2026 weeks 1-3. Use the `fall2025` branch URLs given above, which I confirmed via the GitHub tree API. Names in parentheses are the syllabus names, which differ from the titles in the assignment.md files.
- Fall 2025 week 1 also included a `week1/README.md`, and week 5 and week 7 had README.md files plus `docs/TASKS.md`. I did not read those READMEs in full.

- The Unit42 reading link on the source page is wrapped in a Google redirect; I extracted the underlying URL.
- The Fall 2026 office-hours listing includes Vijay Daita, but the team grid lists one TA as "TBD".

Northeastern

- Session-page-to-lecture mapping is my inference. The Week 3a page ("Memory & Structured Output") sits on T 9/22, whose lecture title is "Simple Agent Architecture". Its notebooks follow the memory/structured-output docs listed under F 9/25. Tuesday notebooks may run one session ahead of or behind the lecture topic.
- Only week3b-slides.html and week4a-slides.html were found. week5a-slides.html returned 404. No slides are linked for the other sessions.
- "DADA" and "ICA" are not expanded anywhere I saw. Week 1 says "no ICA this week", so ICA probably means in-class activity.
- The DADA1 due date and the course grading breakdown were not found on any page I saw.
- All pages loaded successfully.

Harvard

- Checked on 2026-10-12, while the course was in week 7. The schedule is marked tentative. Recheck after Oct 21 (Assignment 4 and the first serving lectures) and after Dec 8 (final deliverables).
- Session numbers 1–25 are mine. The site numbers weeks, not sessions, and a week has two meetings.
- I read the slide text of the eight lecture decks and the Assignment 3 deck (pdftotext; figures not inspected) and the handouts for Assignments 1–3. I did not run any assignment code.
- Assignments 2 and 3 need a course API key (`CS2680_API_KEY`, endpoint api.cs2680.com), issued to enrolled students only. Assignment 2's harness can be pointed at another OpenAI-compatible endpoint, which departs from the handout (a different model than the pinned one). Assignment 3's agent container reaches the model only through the course egress proxy, and its leaderboard is for enrolled students.
- The site describes Assignment 3 in three ways. The assignments index says to hold task success fixed while lowering cost and latency; the index also says it is submitted as a blog post; the detailed handout ranks on three metrics and asks for a PDF write-up and a video. The table above follows the detailed handout.
- Assignment 2's handout warns that some of the 10 supplied tasks may be impossible. It does not publish which ones.
- The home page source carries Part II reading lists inside HTML comments (39 references, among them Orca, vLLM, speculative decoding, EAGLE, SGLang, GPTQ, AWQ, RouteLLM and Preble). They are not published as session readings, so they are not listed in the lecture rows. Nine of them also appear in the cost and transformers notes.
- The transformers note exists at its URL but was not linked from the visible home page on 2026-10-12.
- The reading counts (10, 9, 15, 5, 6) are entries on the reading pages; the lecture rows list a selection.
- No recordings. The videos in the readings are external (Karpathy).

Buffalo

- The page loaded fully. It is the only page: there are no separate schedule, syllabus, lab or slide subpages.
- Readings are not mapped to weeks. Reading Notes 1-4 have no specified readings.
- No public slides, videos or starter code. The tags come from the week topics only.
- The page shows no 410 vs 510 differences in workload.

UVA

- The home page and the calendar loaded fully, as did topic pages 1-15. Slide (.pptx/.pdf), lesson-plan and code files are relative links; I did not fetch them one by one, so the filenames are as shown on the pages.
- The URL path is `~rmw7my`, but the page names Henry Kautz as instructor. The home page title is "CS 6501: Workshop on Building AI Agents".
- Thursday sessions with no calendar text (15 Jan, 22 Jan, 5 Feb, 19 Mar) and Tue 17 Feb are probably lab continuations. They are listed as placeholders, not as separate lectures. Counted substantive topic sessions: 15 topics across 14 dated lecture slots, plus 3 presentation days.
- The home page topic list mentions items with no dedicated calendar session (smolagents/HF pipelines, Self-Refine, search-augmented generation, multi-agent systems, AgentFold). These were presumably covered inside the topics above.
- The fetch tool summarized pages, so exercise details were paraphrased, not copied verbatim.

UW-Madison

- README.md, assignment.md, course-info.md, LICENSE, and the repo contents (via the GitHub API) all loaded. The repo holds only those files plus `demos/agents.ipynb`.
- The README gives the schedule by week with Tue/Thu splits. Session dates were derived from the week start dates (Jan 20 = Tue). Week 3 is listed as "Feb 10" and Week 9 as "Mar 24".
- The instructor's name is not on any course page. It was inferred from the GitHub owner and LICENSE (Aws Albarghouthi). A web search found no separate UW course page.
- The demo notebook's contents were not inspected, and its link to session 2 is an assumption.

JHU

- The course is in progress (Fall 2026). As of 2026-10-09 the schedule links slides only for lectures 1-12. Lectures 13 onward have titles only.
- The assignments page says A3's link "will be posted when released", but [GitHub] is already public with a full README.
- Lecture PDFs 7, 8 and 10 are over 10 MB and could not be read through WebFetch, so their topics are inferred from the titles. Slide URLs for the other lectures come from the relative links and were not fetched one by one.
- The readings page ([machine-programming.github.io]) is organized by topic (Code LLMs, Evaluation, Agents, Improving Code Generation, Interpretability), not by lecture. The readings listed in the table are topical matches, not official per-lecture assignments. The "Agents" section is thin (MASAI, AutoCodeRover, one TBD).
- The readings page credits Columbia COMS 6998, MIT 6.S981, UCSD CSE 291 and UW CS294 as inspiration.
- The presentation page (presentation.html) was not fetched.

CU Boulder

- All of the index page loaded. Subpages fetched: syllabus, researchProject, paperCritiques, milestone1, finalProject. Not fetched: paperPresentation.html, projectProposal.html, projectTeams.html, milestone2-4.html.
- The course is finished (Spring 2026). Only 4 instructor slide decks are public (lectures 1, 2, 3, 5). Slide URLs were resolved from relative links and not fetched one by one.
- Date inconsistency: the schedule says "Sun 04/26 ... submit final project", while the research-project and final-project pages give 04/27 12pm.
- The location is listed as ECES 114 on the index page but DLC 1B20 for the in-person sessions.
- Lecture titles for student-led sessions are my labels built from the paper names. The site lists only presenter names and papers.
- The syllabus has no AI-use policy and no formal learning objectives.

Mannheim

- The course page loaded fully. Slide and exercise links on the page are relative and resolve under `https://www.uni-mannheim.de/media/...`; three PDFs (lectures 04, 06, 07) were fetched and downloaded successfully. Only the project-intro deck (07) was actually read. Key topics for lectures 2-6 and 8 are inferred from their titles and the syllabus list, not from the slide contents.
- The WebFetch tool could not extract text from the slide PDFs (binary). Lecture 4 is a 78-page deck tagged German-language (`/Lang(de)`), but the visible slides of deck 07 are in English.
- Syllabus topic 8, "Evaluation of LLMs and LLM agents", has no dedicated slide deck or dated session on the page. It may be folded into other lectures or the projects.
- Exercise zips were not downloaded or opened (per instructions; no code was run).
- The page lists one session date as "28.05.2026", which is out of order and probably means 28.04.2026. The IE686 project deck's own schedule uses Wednesday coaching dates (15.04-13.05) and presentations on 19.05 and 20.05.
- No separate public GitHub repo or videos were found for this course.

UChicago

- The README loaded fully. It gives citations only; apart from the Python tutorial, no reading URLs are provided.
- Notebooks for weeks 6 and 8 exceed WebFetch's 10 MB limit and were not read. Their rows rely on the filename and the syllabus topic. The other notebooks were skimmed from their first ~100K characters only, so the descriptions may miss later modules.
- The source gives conflicting final-project dates: Mar 14, 5pm for the blog post and Mar 11 for presentations (Section III), but Week 10 says presentations on Mar 13 via Zoom with the project due Mar 13, 5pm.
- The README prints "REACT ... (Yao et al., 2025)"; the ReAct paper itself is from 2022/ICLR 2023. Two week-7 readings ("Hypothetical Minds", "RATE") are listed without authors.
- TA name spelling varies in the README ("Jesse Zhou" vs. "Jesse Zhu").
- This is mostly a computational-social-science course. Agent-engineering content (tool use, MCP, multi-agent frameworks, RAG) is concentrated in weeks 3 and 5. Weeks 1-2 and 4 are DL foundations and causal methods.

Stanford 329A

- I confirmed the consultant's claim of 9 recordings and no slides. The course site links no videos, slides, Canvas or Panopto; its only PDFs are reading papers and past-project files. The recordings are on Stanford Online's YouTube channel (playlist [video], titled "CS329A Self-Improving AI Agents"). The playlist page did not render a video list through WebFetch. The nine video IDs came from a third-party index ([GitHub]), and each watch page was then opened to confirm its official "Part N" title. Third-party sources date the uploads to Aug 3, 2026. I did not check the YouTube license.
- Recording-to-lecture mapping is by title: Parts 1-6 are lectures 1-6, Part 7 ("Self-Improvement and Deep Research Agents") is lecture 8, Part 8 is lecture 17, and Part 9 is lecture 20. Lecture 7 (Open-Ended Evolution), lecture 13 (SWE agents), lecture 14 (memory) and all guest talks have no public recording.
- The schedule is static content on the home page, which WebFetch could read. WebFetch returns converted text, so I could

not confirm the HTML markup; the page shows columns #, Date, Description, Paper Readings*, Deadlines. The footnote says readings "may be updated closer to the class date." The site numbers the midterm sessions as one row ("10-12"), split here into lectures 10, 11 and 12.
- The HW2 due date conflicts: the schedule says Oct 22, the grading section says Oct 23. The notebooks give no due dates; the dates in the table come from the course site. HW2 and HW3 point totals are summed from the notebooks' part values.
- I read the homework details from the READMEs and the raw notebooks (`student_homework1.ipynb`, `homework.ipynb`, `homework3.ipynb`). I did not open the package source folders. The HW3 notebook text names `deep_research_agent.py`, but its code imports `cs329a_hw3.DeepResearchAgent`.
- "Key topics" for guest talks and lecture 20 come from titles only. For other lectures they come from titles and listed readings, not from watching the videos.
- Prerequisites come from the Stanford bulletin, not the course site. The Stanford Online course page ([online.stanford.edu]) returned no content.
- Past-project papers and posters are relative links under `winter2025projects/` on the course site. I did not open them.

Berkeley '25

- Opened: the course page [rdi.berkeley.edu] (twice, the second time for exact link targets), the MOOC page [agenticai-learning.org], the competition page [rdi.berkeley.edu], and the tutorial repo README. I tried the Oct 6 slide PDF, but its text was not machine-readable (Google Slides export). No other slide PDFs and no videos were opened. WebFetch kept a cached copy of that PDF in the Claude Code tool-results folder automatically; I did not save it on purpose.
- The schedule was read through WebFetch's text conversion, not raw HTML, so I could not confirm the underlying markup. Its columns are Date, Lecture, and Supplemental Readings. Slide links are relative; the absolute URLs here are resolved by me, with spaces and `&` percent-encoded.
- The consultant's counts check out: 9 sessions have slides (Sep 8, 15, 22, 29; Oct 6, 13, 20, 27; Nov 10) and 12 have video (11 recordings plus the Dec 8 livestream). There is one project with two phases (green, then white) on AgentBeats. Both the tutorial repo and the competition page exist.
- No speaker is listed for Oct 6 (Agent Evaluation & Project Overview) on either the course page or the MOOC page. The slide metadata gives only the title and date (10.6.2025). The speaker is n/a.
- The competition page has changed since Fall 2025. It now says "purple" agents, with Phase 1 (green) running Oct 16, 2025 to Jan 31, 2026, Phase 2 (purple) running Mar 2 to Jun 2, 2026 in four sprints, and different starter-code links. None of these current deadlines are used here. The project framing and dates in the table come from the course page's grading and timeline (in-course final deadline 12/17/2025). The MOOC's deadline was Jan 31, 2026.
- The MOOC page says lectures started Sep 15. The Sep 8 Introduction appears only on the in-person course page.
- Readings are the course page's "Supplemental Readings" for each session. Kimi K2 and DeepSeek-V3 are hosted on the course site as d11.pdf and d22.pdf.
- The project phase descriptions (A2A messages, JSON artifacts, Docker) come from the tutorial README and the current competition page. The course page gives only weights and dates for the phases, so how much of that detail applied in Fall 2025 is inferred.
- Teaching staff listings differ: a third-party search snippet of the intro slides mentions a reader, John Wang, who is not on the course page. I did not verify this.

Berkeley Adv.

- The consultant's report mostly holds up. There are 12 lectures, each with slides and a YouTube video, and the topics match. There are two Lean lab instruction files plus two ZIPs in the stated Drive folder. Neither site links an official GitHub repo, and a web search found none. Corrections: the ZIPs are a Lab 1 datapoint example (2 KB) and the Lab 2 starter code (66 KB), not a single starter ZIP; Lab 1 is a dataset-contribution task (write problems and specs), not an agent; the Berkeley grading table lists a single "Lab" component.
- Course number CS294/194-280 is confirmed on the Berkeley page. The MOOC page gives no course number, but the Lab FAQ title reads "CS 194/294 Advanced LLM Agents".
- Lecture 10's title differs between pages: "Bridging Informal and Formal Mathematical Reasoning" (MOOC page, which matches the slide filename) and "Advanced topics in theorem proving" (Berkeley page).
- Slide URLs come from the Berkeley page (`/adv-llm-agents/slides/`); the MOOC page links the same filenames under `/llm-agents-mooc/slides/`. Neither set was fetched one by one, so the links are as published and were not checked for liveness. The Lecture 5 filename has literal spaces, encoded here as %20.
- Readings: the Berkeley page gives titles, and the MOOC page gives URLs in the same order. They were paired by position, and the arXiv IDs match the titles as far as I know, but the abstracts were not fetched.
- Lab specs were read through WebFetch, which displays text. The ZIPs were not opened. Neither instruction file gives a Lean version, a due date or a numeric pass threshold. The Berkeley page gives the lab window as released 3/31, due 4/28; the MOOC deadline was May 31, 2025. The Lab FAQ Google Doc did not render without sign-in.
- Quiz links (12 Google Forms), the quiz archive doc and certificate forms are on the MOOC page and are not listed here.
- No license is stated anywhere. Both sites are GitHub Pages builds, but no source repo is linked.

Stanford 329T

- Verification (2026-10-09): the base page [web.stanford.edu] shows no sessions and links only to the Autumn 2024 archive (and lists earlier offerings), which is why it can look like there is no Fall 2025 offering. The Fall 2025 schedule is on a separate page, [web.stanford.edu] , which the home page refers to but whose URL the fetched text did not show. The same syllabus is in the archive at cs329t.1262/syllabus.html. [web.stanford.edu] returns 404. Fall 2025 is confirmed by the slide filenames ("CS 329T Fall 2025"), 2025-dated guest decks, "Dec 2 or 4, 2025" on the syllabus, and the HW1 header "CS329T: Trustworthy Machine Learning (Fall 2025)".
- The full title "Trustworthy Machine Learning: Building and Evaluating Agentic Systems" comes from the HW1 handout. The website header says only "CS 329T". The home page mentions guest tutorials on "fairness, ML explainability, and privacy", which looks carried over from older offerings; the Fall 2025 schedule itself is agent-focused.
- Counts: 18 class meetings in the table (10 lecture/guest sessions with slides, 1 guest session without slides, 7 student-presentation or project-fair sessions); 11 slide decks (session 8 has two); 1 homework; no course videos.
- The HW1 notebook link was taken from the PDF's embedded hyperlink, because the PDF text says only "Here is the notebook". It points to the `josh/stanford-course` branch of truera/trulens, which returns 404. The main-branch file with the same name exists, but it is not confirmed to be the assigned version: it has no numbered "step 9" human-annotation step (its step 9 is TruLens tracing setup, and annotations appear unnumbered in the Example 1-4 sections as an "Annotated Logical Consistency" feedback), and it does not mention Stanford or CS329T.
- Snowflake is not named in the course text; it appears only in the contact emails for Datta and Reini. TruLens is not mentioned on the home page; it appears in HW1.
- The second Sep 30 reading ("What is your Agent's GPA?") has no URL on the syllabus and is not linked here.
- Slide contents were not read (PDFs were checked only for loading), so per-session topics are paraphrased from the syllabus.