

COMP1610 Coursework Report

Programming Enterprise Components

Bank App Project

Jack Jibb
001408490

Other Group Members:

Syed Ali Irtaza – 001414068
Anastasiia Pyslar – 001412071
Devanshi Pandya – 001426270
Poorva Motaval – 001449334

Submission Date: 24 March 2025

Contents

1	Design Documentation (Group Work)	3
1.1	Entity-Relationship Diagram	3
1.2	Architecture Diagram	3
1.2.1	Authentication & Session Management	4
1.2.2	Student Management (CRUD)	4
1.2.3	Account Management (CRUD)	4
1.2.4	Transactions (Deposit, Withdraw, Transfer)	4
1.2.5	Front-End Features	5
1.2.6	RESTful API (JSON*)	5
1.3	REST API Endpoints	5
2	Evaluation (Group Work)	6
3	Research (Individual)	6
4	Individual Reflection (Individual)	6
5	Appendix	7
5.1	Application Screenshots	7
5.1.1	Web App Screenshots	7
5.1.2	CLI Application Screenshots	13
5.2	WildFly 33 Server Configuration	14
5.2.1	Subsystems and Extensions	14
5.2.2	Management and Access Control	15
5.2.3	Server Interfaces and Socket Bindings	15
5.2.4	Deployment and Monitoring	15
5.2.5	Thread and Resource Management	15
5.3	Source Code Structure	15
5.4	References	16

1 Design Documentation (Group Work)

1.1 Entity-Relationship Diagram




Figure 1: Entity Relationship Diagram for the Database

1.2 Architecture Diagram




Figure 2: Overall Application Architecture

Feature List:

This section outlines the implemented features of the Banking Web Application, categorized by functionality. Each category includes a description and a self-assessment box (1 = Poor, 5 = Excellent) to reflect how well the features were implemented. See figures in appendix that items reference.

1.2.1 Authentication & Session Management

- **Student Login:** Dropdown menu for selecting and logging in a student Figure 4.
- **Session Cookies:** Username and student ID stored in cookies Figure 6.
- **Logout:** Clears cookies and session state Figure 7.

Implementation Rating (1–5): <u>4</u>
--

1.2.2 Student Management (CRUD)

- Create student with form (name, email, phone, address) Figure 10.
- List all students (admin view) Figure 8.
- RESTful API: Create, Read, Update, Delete student Figure 11, Figure 9, Figure 10.
- Cascade delete verified upon student deletion.

Implementation Rating (1–5): <u>4</u>
--

1.2.3 Account Management (CRUD)

- Create account (initial balance £0, linked via student ID from cookie) Figure 13.
- Conditional listing (all accounts or student-specific) Figure 12, Figure 15.
- Detailed view per account with deletion Figure 14.
- RESTful API: Create, Read, Update, Delete account Figure 21.

Implementation Rating (1–5): <u>5</u>
--

1.2.4 Transactions (Deposit, Withdraw, Transfer)

- Deposit and withdraw via dynamic form Figure 18.
- Overdraft protection prevents excessive withdrawal.
- Transfer funds between accounts with Student validation Figure 16.
- TransactionResult page displays updated balances and outcome messages Figure 17.

Implementation Rating (1–5): <u>4</u>
--

1.2.5 Front-End Features

- Dynamic page loading using JavaScript and AJAX.
- Button and form action binding via `main.js`.
- Confirmation prompts for sensitive actions (e.g., delete).

Implementation Rating (1–5): <u>5</u>
--

1.2.6 RESTful API (JSON*)

- JSON-based API for students and accounts.
- Endpoints for CRUD operations.
- Special endpoints for deposit, withdraw, and transfer.

Implementation Rating (1–5): <u>3</u>
--

**Note:* All JSON endpoints consume and produce data via `MediaType.APPLICATION_JSON`.

1.3 REST API Endpoints

List of all endpoints and the function they serve:

Student API

- **GET** `/api/students`: `getAllStudents()`
- **GET** `/api/students/student_id`: `getStudentByID(student_id)`
- **POST** `/api/students`: `createStudent(Student Entity)`
- **PUT** `/api/students`: `updateStudent(Student entity)`
- **DELETE** `/api/students/student_id`: `deleteStudent(student_id)`

Account API

2 Evaluation (Group Work)

3 Research (Individual)

4 Individual Reflection (Individual)

5 Appendix

5.1 Application Screenshots

5.1.1 Web App Screenshots




Figure 3: Initial Login Screen




Figure 4: Ability to choose which Student to log in as




Figure 5: When logged in, the cookie allows the web page to display their name




Figure 6: Cookie present when logged in






Figure 7: Cookie not present when not logged in



The screenshot shows the 'Greenwich Bank Co.' header with navigation links for Home, Students, and Accounts. Below is a 'List of All Students' table with columns for ID, Name, Postal Address, Email, Telephone, and Actions. The table contains three visible rows of student data, each with 'Delete' and 'Edit' buttons. A fourth row is partially visible at the bottom.

ID	Name	Postal Address	Email	Telephone	Actions
1	Jack Jibb	123 Generic Road, London, UK	jj@gre.test	123456789	<button>Delete</button> <button>Edit</button>
4	John Smith	123 Oracle Avenue	js2@javascript.com	789456123	<button>Delete</button> <button>Edit</button>
5	Test Test	123 Test Road, London, UK	test@test.com	123456789	<button>Delete</button> <button>Edit</button>
07812					<button>Delete</button>

Figure 8: Students tab shows all students in the database, each student can be edited with "edit" button (just a POST form page)




This screenshot shows a single row of student data with the ID 42, Name 'NewName', Postal Address 'TestAddress', Email 'NewEmail', and Telephone '232323'. It includes 'Delete' and 'Edit' buttons. Below the row is a blue 'Add Student' button.

42	NewName	TestAddress	NewEmail	232323	<button>Delete</button> <button>Edit</button>
----	---------	-------------	----------	--------	--


Add Student

Figure 9: There is an add student button at the bottom of the student list




The screenshot shows a web application interface with a dark blue header containing the links 'Home', 'Students', and 'Accounts'. The main content area is a light gray box with rounded corners. Inside, there is a white card titled 'Add New Student'. The card contains four text input fields with labels 'Full Name:', 'Email:', 'Phone Number:', and 'Address:'. The inputs are filled with 'John Doe', 'john@example.com', '07123 456789', and '123 Bank Street' respectively. At the bottom of the card is a blue button labeled 'Add Student'.

Figure 10: Button navigates to add new student page, which allows user to enter a new student with a POST form




The screenshot shows a web application interface with a light gray background. In the center is a white card titled 'Edit Student'. The card contains four text input fields with labels 'Full Name', 'Email Address', 'Postal Address', and 'Phone Number'. The inputs are filled with 'Jack Jibb', 'jj@gre.test', '123 Generic Road, London, UK', and '123456789' respectively. At the bottom of the card are two blue buttons labeled 'Update Student' and 'Back'.

Figure 11: Edit button leads to edit student page, allowing user to update student information



ID	Alias	Account Balance	Associated Student	Actions
6	Minor Account	£300.00	Test Test, 5	View
7	Test	£0.90	Jack Jibb, 1	View
10	5r	£0.10	Jack Jibb, 1	View
11	TestAccount	£170.00	Jack Jibb, 1	View
13	TestAccount	£170.00	Jack Jibb, 1	View

Figure 12: When not "logged in" Accounts tab shows all accounts, with an edit button




Create New Account

Account Alias:

[Create Account](#)

Figure 13: When logged in, user can create an account that associates with the user that is logged in (via cookie)



Greenwich Bank Co.

Home Students Accounts

Account Detail

ID: 6
Alias: Minor Account
Balance: £300.00
Student: Test Test (ID: 5)

[Delete Account](#) [Back](#)

Figure 14: Clicking edit sends user to account details page, where they have option to delete account

HomeStudentsAccountsTransferDeposit/Withdraw

List of Jack Jibb's Accounts

ID	Alias	Account Balance	Actions
7	Test	£0.90	<button>View</button>
10	5r	£0.10	<button>View</button>
11	TestAccount	£170.00	<button>View</button>
13	TestAccount	£170.00	<button>View</button>

Create Account

Figure 15: When user logged in they see only their own user accounts

Transfer Funds

From Account:

Test (ID: 7, £0.90)

To Account:

5r (ID: 10, £0.10)

Amount (£):

Transfer

Figure 16: Transfer Form page allows user to transfer from 1 account to another

✔ Transfer Successful

From Account

Test (ID: 7)

- £0.50

New Balance: £0.40

To Account


5r (ID: 10)

+ £0.50

New Balance: £0.60


Back to Home

Figure 17: Screen showing successful transfer, displays the transfer data




The form is titled "Account Transaction". It has two radio buttons: "Deposit" (selected) and "Withdraw". Below this is a "Select Account:" label and a text input field containing "TestAccount (ID: 11, £170.00)". Underneath is a "Transaction Amount (£):" label and a text input field containing "120". At the bottom is a blue "Submit" button.

Figure 18: Form for withdrawing or depositing money. Radio buttons choose which operation to perform.



The screen shows a green checkmark icon followed by the text "Deposit Successful". Below this, it says "Account: TestAccount (ID: 11)" and "New Balance: £290.00". At the bottom is a blue "Back to Home" button.

Figure 19: Screen showing a successful deposit (also works for withdraw)



The screen shows a red "X" icon followed by the text "Transaction Failed". Below this, it says "Withdrawal failed...". At the bottom is a blue "Back to Home" button.

Figure 20: Upon any transaction failure, shows the failure and what transaction failed.

5.1.2 CLI Application Screenshots

```
=== Command Line Menu ===
1) Create a Student
2) Create an Account for a Student
3) Get a Student by ID
4) Get an Account by ID
5) Get Accounts by Student ID
6) Update a Student
7) Update an Account
8) Delete a Student
9) Delete an Account
10) Process a Transaction (Deposit/Withdrawal)
11) Process a Transfer between two Accounts
12) Show All Students
13) Show All Accounts
0) Exit

Enter your choice: 1
=== Create a Student ===
Enter student name: me
Enter student address: here
Enter student email: me@here
Enter student phone: 123
Response Body {"studentAddress":"here","studentEmail":"me@here","studentID":44,"studentName":"me","studentPhone":"123"}
Student created successfully!
```

Figure 21: CLI main menu, shows which options to choose

```
Enter your choice: 2
=== Create an Account for a Student ===
Enter student ID: 4
Enter account alias: smiths smithy smither
Enter initial account balance: 120
Response Body {"accountAlias":"smiths smithy smither","accountBalance":120.0,"accountID":14}
Account created successfully for student ID: 4
```

Figure 22: Create Account Option

```
Enter your choice: 13
=== Show All Accounts ===
All Accounts: [
  {
    "accountID": 6,
    "studentID": 0,
    "accountAlias": "Minor Account",
    "accountBalance": 300
  },
  {
    "accountID": 7,
    "studentID": 0,
    "accountAlias": "Test",
    "accountBalance": 0.4
  },
  {
    "accountID": 10,
    "studentID": 0,
    "accountAlias": "5r",
    "accountBalance": 0.6
  },
  {
    "accountID": 11,
    "studentID": 0,
    "accountAlias": "TestAccount",
    "accountBalance": 290
  },
  {
    "accountID": 13,
    "studentID": 0,
    "accountAlias": "TestAccount",
    "accountBalance": 350
  }
]
```

Figure 23: Show All Accounts Option

5.2 WildFly 33 Server Configuration

This section outlines the essential configuration settings from the `standalone-full.xml` used in the deployment of the WildFly 33 application server.

5.2.1 Subsystems and Extensions

The configuration includes a comprehensive set of extensions and subsystems to support a variety of Java EE technologies:

- **EJB, JPA, JSF, JAX-RS:** Enabled via `org.jboss.as.ejb3`, `org.jboss.as.jpa`, etc.
- **Security:** Configured through WildFly Elytron with domains `ApplicationDomain` and `ManagementDomain`.
- **Clustering and Caching:** Infinispan containers set for EJBs and Web session management.
- **Logging:** Console and periodic file handlers with custom formatters.

- **Data Sources:**

- BankDS: MySQL datasource connecting to `bank_db` using driver `com.mysql.cj.jdbc.Driver`

5.2.2 Management and Access Control

- Management is accessible via HTTP interface bound to `management-http` (port 9990).
- Role-based access is enabled using the `SuperUser` role mapped to the local user `$local`.
- Audit logging is available but currently disabled.

5.2.3 Server Interfaces and Socket Bindings

- Interfaces are defined for `management`, `public`, and `unsecure` IP addresses.
- Common ports include:
 - HTTP: 8080
 - HTTPS: 8443
 - AJP: 8009
 - Management HTTP/HTTPS: 9990 / 9993

5.2.4 Deployment and Monitoring

- Deployment scanner monitors the `deployments` directory every 5 seconds.
- Metrics, health, and microprofile extensions are enabled.

5.2.5 Thread and Resource Management

- Default thread pools are defined for concurrency and EJB processing.
- Resource adapters and managed executors are configured under the EE subsystem.

This configuration enables a robust and secure environment suitable for enterprise Java applications, with database integration, secure authentication, clustering, and deployment automation.

5.3 Source Code Structure

Web App Source Code

BankApp/

```
src/  
  controller/  
  dao/  
  model/
```

```
    service/  
    rest/  
webapp/  
    jsp/  
        accounts/  
        home/  
        students/  
        transactions/  
    css/  
    js/  
META-INF/
```

5.4 References

- Jakarta EE Documentation: <https://jakarta.ee>
- WildFly Docs: <https://docs.wildfly.org>
- MySQL Documentation: <https://dev.mysql.com/doc/>