



TIA Selection Tool

Order list

SIEMENS

1 Order list

Basic Panel				
Article number	Name	Quantity	Single parts	
6AV2123-2GB03-0AX0	SIMATIC HMI KTP700 Basic	1 Pieces	1	
S7-1500_1				
Article number	Name	Quantity	Single parts	
6ES7590-1AC40-0AA0	S7-1500, mounting rail 245 mm (9.6")	1 Pieces	1	
6ES7511-1AK02-0AB0	CPU 1511-1PN, 150KB Program, 1MB Data	1 Unit	1	
6ES7954-8LC04-0AA0	SIMATIC S7 memory card, 4 MB	1 Pieces	1	
6ES7521-1BH00-0AB0	S7-1500, DI 16x24VDC HF	1 Pieces	1	
6ES7592-1AM00-0XB0	Frontconnector Screw Type (35mm Mod.)	4 Pieces	4	
6ES7522-1BH01-0AB0	S7-1500, DQ 16x24V DC/0.5A HF	1 Pieces	1	
6ES7531-7NF00-0AB0	S7-1500, AI 8xU/I HF	1 Pieces	1	
6ES7532-5ND00-0AB0	S7-1500, AQ 4xU/I HF	1 Pieces	1	
SITOP				
Article number	Name	Quantity	Single parts	
6EP1332-1LB00	SITOP PSU100L/1AC/24VDC/2.5A	1 Pieces	1	
SITOP_2				
Article number	Name	Quantity	Single parts	
6EP1333-1LB00	SITOP PSU100L/1AC/24VDC/5A	1 Pieces	1	

2 Global warming potential

2.1 Global warming potential – Project

global warming potential, (total) [CO2 eq]	global warming potential, (during production) [CO2 eq]	global warming potential, (during operation) [CO2 eq]	global warming potential, (after end of life cycle) [CO2 eq]
912.60000 kg	82.80000 kg	830.86000 kg	-1.78300 kg

2.2 Global warming potential – Devices

Basic Panel						
Article number	Name	Quantity	global warming potential, (total) [CO2 eq]	global warming potential, (during production) [CO2 eq]	global warming potential, (during operation) [CO2 eq]	global warming potential, (after end of life cycle) [CO2 eq]
6AV2123-2GB03-0AX0	SIMATIC HMI KTP700 Basic	1	85.00000 kg	26.20000 kg	59.20000 kg	-0.68200 kg
S7-1500_1						
Article number	Name	Quantity	global warming potential, (total) [CO2 eq]	global warming potential, (during production) [CO2 eq]	global warming potential, (during operation) [CO2 eq]	global warming potential, (after end of life cycle) [CO2 eq]
6ES7590-1AC40-0AA0	S7-1500, mounting rail 245 mm (9.6")	1				
6ES7511-1AK02-0AB0	CPU 1511-1PN, 150KB Program, 1MB Data	1				
6ES7521-1BH00-0AB0	S7-1500, DI 16x24VDC HF	1	18.90000 kg	12.10000 kg	7.66000 kg	-1.02000 kg
6ES7522-1BH01-0AB0	S7-1500, DQ 16x24V DC/0.5A HF	1	43.80000 kg	9.50000 kg	34.50000 kg	-0.23100 kg
6ES7531-7NF00-0AB0	S7-1500, AI 8xU/I HF	1	38.60000 kg	14.40000 kg	24.60000 kg	-0.44000 kg
6ES7532-5ND00-0AB0	S7-1500, AQ 4xU/I HF	1				
6ES7954-8LC04-0AA0	SIMATIC S7 memory card, 4 MB	1				
6ES7592-1AM00-0XB0	Frontconnector Screw Type (35mm Mod.)	4				
SITOP						
Article number	Name	Quantity	global warming potential, (total) [CO2 eq]	global warming potential, (during production) [CO2 eq]	global warming potential, (during operation) [CO2 eq]	global warming potential, (after end of life cycle) [CO2 eq]
6EP1332-1LB00	SITOP PSU100L/1AC/24VDC/2.5A	1	252.00000 kg	7.70000 kg	244.00000 kg	0.22000 kg

SITOP_2						
Article number	Name	Quantity	global warming potential, (total) [CO2 eq]	global warming potential, (during production) [CO2 eq]	global warming potential, (during operation) [CO2 eq]	global warming potential, (after end of life cycle) [CO2 eq]
6EP1333-1LB00	SITOP PSU100L/1AC/24VDC/5A	1	474.30000 kg	12.90000 kg	460.90000 kg	0.37000 kg

Published by
Siemens AG

Digital Industries
Factory Automation
P.O. box 4848
90026 Nuremberg
Germany

For U.S. only:

Siemens Industry Inc.
100 Technology Drive
Alpharetta, GA 30005
United States

The TIA SELECTION TOOL and all its editions are made available to you at no charge. We therefore do not assume any warranty, in particular for the accuracy, correctness, completeness, availability or usability of this tool. Our liability for damages resulting from using the examples, help notes, programs, configuration and performance data, etc. described in this TIA SELECTION TOOL and all its editions regardless of the legal background is excluded unless required by law, e.g. in cases of willful misconduct, gross negligence, personal injury or death, failure to achieve guaranteed characteristics or fraudulent concealment of a defect or in case of breach of fundamental contractual obligations. Distribution or reproduction of this TIA SELECTION TOOL and all its editions or excerpts from it is prohibited unless expressly permitted by Siemens. The latest firmware and hardware versions are configured in the TIA Selection Tool.

Subject to change