

# Cucumber PDF Report

18-Jul-2022 17:32:43

**Start : Jul 18, 5:32:16.515 PM**

**End : Jul 18, 5:32:40.040 PM**

**Duration : 23.525 s**

*Features*

*Scenarios*

*Steps*

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 1

SKIPPED - 0


PASSED - 5

FAILED - 1


SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User credentials Login</u>	23.525 s	1	0	1	0	6	5	1	0





#	Feature Name	T	P	F	S	Duration
1	User credentials Login	1	0	1	0	23.525 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User credentials Login</u>	<u>Bank Manager can login with valid userId and Password</u>	6	5	1	0	23.516 s

## User credentials Login

<b>FAILED</b>	DURATION - 23.525 s	Scenarios		Steps	
/ 5:32:16.515 PM // 5:32:40.040 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 6 Pass - 5 Fail - 1 Skip - 0	

## Bank Manager can login with valid userId and Password

<div>FAILED</div> <div>DURATION - 23.516 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 5:32:16.524 PM // 5:32:40.040 PM /				
User credentials Login				

#	Step / Hook Details	Status	Duration
1	Given I navigate to banakDemo	PASSED	2.831 s
2	And I click on accept all button option for privacy management	PASSED	10.212 s
3	When I enter valid userId as "mngr415866"	PASSED	0.388 s
4	And I enter valid password as "YmabupU"	PASSED	0.138 s
5	And I click on login button	PASSED	0.839 s
6	Then manager is successfully logged in and manager Id is displayed as "Manger Id : mngr415866"	FAILED	0.107 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : User or Password is not valid} (Session info: chrome=103.0.5060.114): User or Password is not valid Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Abdis-Air', ip: 'fe80:0:0:0:9a:54dd:4f36:eff8%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.15.4', java.version: '1.8.0_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.114, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: /var/folders/h_/w6btvgwn1dg..}, goog:chromeOptions: {debuggerAddress: localhost:50408}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: bb8463d559a4d2218d502aa932463850 *** Element info: {Using=css selector, value=body > table > tbody > tr > td > table > tbody > tr.heading3 > td} at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByCssSelector(RemoteWebDriver.java:420) at org.openqa.selenium.By\$ByCssSelector.findElement(By.java:431) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy20.getText(Unknown Source) at com.guru99.demo.pages.ManagerHomePage.loginResult(ManagerHomePage.java:32) at com.guru99.demo.stepDefinitions.ManagerLoginStepDef. manager_is_successfully_logged_in_and_manager_Id_is_displayed_as(ManagerLoginStepDef.java:56)   at ?.manager is successfully logged in and manager Id is displayed as "Manger Id : mngr415866"(file:///Users/abdied/Desktop/ SeleniumProjects/BankGuru/src/test/java/com/guru99/demo/features/managerLogin.feature:13) * Not displayable characters are replaced by '?'. </pre>		
	<p><b>AFTER - com.guru99.demo.hooks.Hook.takeScreenShot(io.cucumber.java.Scenario)</b></p> <p>Bank Manager can login with valid userId and Password</p> <p>ScreenShot attached</p> 	PASSED	2.630 s