

轻量版

编辑器由 textarea 实现，十分轻量。如果对编辑器的没有较高的要求，推荐使用此组件。

↶

↷

🗑

H

B

I

🔗

“

☰

☷

📊

—

🔗

👁

📄

🔄

🖼

🔧

💾

🔍

🔍

```
````js
import Vue from 'vue';
import VueMarkdownEditor from '@kangc/v-md-editor';
import '@kangc/v-md-editor/lib/style/base-editor.css';
import vuepressTheme from '@kangc/v-md-editor/lib/theme/vuepress.js';

VueMarkdownEditor.use(vuepressTheme);

Vue.use(VueMarkdownEditor);
...

Usage

````json
<template>
  <v-md-editor v-model="text" height=
```

```
<template>
  <v-md-editor v-model="text" />
</template>

<script>
  export default {
    data() {
      return {
        text: '',
      };
    },
  };
</script>
```

Refrence

- [ElementUi Scrollbar Component](#)
- [vuepress-plugin-container](#)

引入

```
import Vue from 'vue';
import VMdEditor from '@kangc/v-md-editor';
import '@kangc/v-md-editor/lib/style/base-editor.css';
import githubTheme from '@kangc/v-md-editor/lib/theme/github.js';
import '@kangc/v-md-editor/lib/theme/style/github.css';

// highlightjs
import hljs from 'highlight.js';

VMdEditor.use(githubTheme, {
```

js

≡ v-md-editor

```
Vue.use(VMdEditor);
```

在 vue3 中引入

```
import { createApp } from 'vue';
import VMdEditor from '@kangc/v-md-editor';
import '@kangc/v-md-editor/lib/style/base-editor.css';
import githubTheme from '@kangc/v-md-editor/lib/theme/github.js';
import '@kangc/v-md-editor/lib/theme/style/github.css';

// highlightjs
import hljs from 'highlight.js';

VMdEditor.use(githubTheme, {
  hljs: hljs,
});

const app = createApp(/*...*/);

app.use(VMdEditor);
```

js

使用

```
<template>
  <v-md-editor v-model="text" height="400px"></v-md-editor>
</template>

<script>
export default {
  data() {
    return {
      text: '',
    };
  },
}
```

vue

≡ v-md-editor

← 交流群

进阶版 →