

Microsoft Windows [Version 10.0.14393]

(c)TEAMOS [AXESwY & tomeCar]

C:\Users\KOMDAT18>cd

C:\Users\KOMDAT18

C:\Users\KOMDAT18>cd /

C:\>cd xampp

C:\xampp>cd mysql

C:\xampp\mysql>cd bin

C:\xampp\mysql\bin>mysql -u root -p

Enter password:

Welcome to the MariaDB monitor. Commands end with ; or \g.

Your MariaDB connection id is 8

Server version: 10.4.22-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> show databases

-> );

-> );

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near '):

)' at line 2

MariaDB [(none)]> create database shine\_31(

➔ );

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near '(

)' at line 1

MariaDB [(none)]> create database ridho;

Query OK, 1 row affected (0.002 sec)

MariaDB [(none)]> use ridho

Database changed

MariaDB [ridho]> create table shine\_31(

-> id int primary key auto\_increment,

-> nama varchar(50),

-> hobi varchar(100),

-> tanggal char(150)

-> );

Query OK, 0 rows affected (0.679 sec)

MariaDB [ridho]> insert \* into shine\_31;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near '\* into shine\_31' at line 1

MariaDB [ridho]> insert \* into shine\_31 values ('','joko','maling','1990');

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near '\* into shine\_31 values ('','joko','maling','1990')' at line 1

MariaDB [ridho]> insert \* into shine\_31 values ('','joko','maling','1990');

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near '\* into shine\_31 values ('','joko','maling','1990')' at line 1

MariaDB [ridho]> insert into shine\_31 values ('','joko','maling','1990');

Query OK, 1 row affected, 1 warning (0.170 sec)

MariaDB [ridho]> select \* from shine\_31;

--	--	--	--

| id | nama | hobi | tanggal |

--	--	--	--

| 1 | joko | maling | 1990 |

--	--	--	--

1 row in set (0.001 sec)

MariaDB [ridho]> insert into shine\_31 values ('','joko','maling','1990');

Query OK, 1 row affected, 1 warning (0.109 sec)

MariaDB [ridho]> insert into shine\_31 values ('','slamet','ndukun','1990');

Query OK, 1 row affected, 1 warning (0.101 sec)

MariaDB [ridho]> select \* from shine\_31;

--	--	--	--

| id | nama | hobi | tanggal |

--	--	--	--

| 1 | joko | maling | 1990 |

| 2 | joko | maling | 1990 |

| 3 | slamet | ndukun | 1990 |

--	--	--	--

3 rows in set (0.001 sec)

MariaDB [ridho]> insert into shine\_31 values ('','bambang','ragat motor','1990');

Query OK, 1 row affected, 1 warning (0.095 sec)

MariaDB [ridho]> select \* from shine\_31;

--	--	--	--

| id | nama | hobi | tanggal |

--	--	--	--

| 1 | joko | maling | 1990 |

| 2 | joko | maling | 1990 |

| 3 | slamet | ndukun | 1990 |

| 4 | bambang | ragat motor | 1990 |

--	--	--	--

4 rows in set (0.001 sec)

MariaDB [ridho]> uptade shine\_31 set nama="nunung" where id=2;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'uptade shine\_31 set nama="nunung" where id=2' at line 1

MariaDB [ridho]> uptade shine\_31 set nama="nunung" where id=2;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'uptade shine\_31 set nama="nunung" where id=2' at line 1

MariaDB [ridho]> update shine\_31 set nama="nunung" where id=2;

Query OK, 1 row affected (0.163 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [ridho]> select \* from shine\_31;

--	--	--	--

| id | nama | hobi | tanggal |

--	--	--	--

| 1 | joko | maling | 1990 |

| 2 | nunung | maling | 1990 |

| 3 | slamet | ndukun | 1990 |

| 4 | bambang | ragat motor | 1990 |

--	--	--	--

4 rows in set (0.001 sec)

MariaDB [ridho]> update shine\_31 set hobi="makan" where id=2;

Query OK, 1 row affected (0.099 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [ridho]> select \* from shine\_31;

--	--	--	--

| id | nama | hobi | tanggal |

--	--	--	--

| 1 | joko | maling | 1990 |

```
| 2 | nunung | makan    | 1990 |  
| 3 | slamet | ndukun    | 1990 |  
| 4 | bambang | ragat motor | 1990 |
```

--	--	--	--

4 rows in set (0.001 sec)

MariaDB [ridho]> exit

Bye

C:\xampp\mysql\bin>mysql -u root -p

Enter password:

Welcome to the MariaDB monitor. Commands end with ; or \g.

Your MariaDB connection id is 9

Server version: 10.4.22-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> create user 'shine'@"localhost' identified by='123';

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near '= '123' at line 1

MariaDB [(none)]> create user 'shine'@'localhost' identified by='123';

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near '= '123' at line 1

MariaDB [(none)]> create user 'shine'@"localhost'identified by='123';

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near '= '123' at line 1

MariaDB [(none)]> create user 'shine'@"localhost' identified by='123';

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near '= '123' at line 1

MariaDB [(none)]> show databases;

--

Database
alief
alifia_03
anggun_04
farhan_12
haikalxy
haikalzy
information_schema
laundry_20
mysql
performance_schema
phpmyadmin
ridho
sevita_34
siatex

14 rows in set (0.122 sec)

MariaDB [(none)]> drop database ridho;

Query OK, 1 row affected (0.434 sec)

MariaDB [(none)]> drop database siatex;

Query OK, 1 row affected (0.319 sec)

MariaDB [(none)]> use ridho;

ERROR 1049 (42000): Unknown database 'ridho'

MariaDB [(none)]> u

➔ ;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'u' at line 1

MariaDB [(none)]> l

➔ ;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'l' at line 1

MariaDB [(none)]>

MariaDB [(none)]> create user 'natanael'@'localhost';

Query OK, 0 rows affected (0.252 sec)

MariaDB [(none)]> grant all privileges on \*.\* to 'natanael'@'localhost';

Query OK, 0 rows affected (0.095 sec)

MariaDB [(none)]> exit

Bye

C:\xampp\mysql\bin>mysql -u natanael -p;

ERROR 1045 (28000): Access denied for user 'natanael'@'localhost' (using password: YES)

C:\xampp\mysql\bin>mysql -u natanael

Welcome to the MariaDB monitor. Commands end with ; or \g.

Your MariaDB connection id is 11

Server version: 10.4.22-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> mysql -u natanael

➔ ;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'mysql -u natanael' at line 1

MariaDB [(none)]> create database natanaelb;

Query OK, 1 row affected (0.049 sec)

MariaDB [(none)]> use natanael-b

ERROR 1049 (42000): Unknown database 'natanael-b'

MariaDB [(none)]> use natanael\_b

ERROR 1049 (42000): Unknown database 'natanael\_b'

MariaDB [(none)]> use natanaelb

Database changed

MariaDB [natanaelb]> create table tokobuku(

-> code\_buku varchar (20) not null,

-> nama\_buku varchar (40) not null,

-> ;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near "" at line 3

MariaDB [natanaelb]> crate table buku{

➔ ;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'crate table buku{' at line 1

MariaDB [natanaelb]> crate table buku(

-> kode\_buku INT PRIMARY KEY,

-> nama\_buku varchar (100),

-> nomor\_isbn varchar (20),

-> tahun\_terbit INT);

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'crate table buku(

Kode\_buku INT PRIMARY KEY,

Nama\_buku varchar (100),

Nomor\_i...' at line 1

MariaDB [natanaelb]> crate table buku(

➔ Uptade shine\_31 set nama="nunung" where id=2;;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'crate table buku(

Uptade shine\_31 set nama="nunung" where id=2' at line 1

ERROR: No query specified



MariaDB [natanaelb]>

MariaDB [natanaelb]>

MariaDB [natanaelb]>

MariaDB [natanaelb]>

MariaDB [natanaelb]>

MariaDB [natanaelb]>

MariaDB [natanaelb]>

MariaDB [natanaelb]>

MariaDB [natanaelb]>

MariaDB [natanaelb]>

MariaDB [natanaelb]>

MariaDB [natanaelb]>

MariaDB [natanaelb]>

MariaDB [natanaelb]>

MariaDB [natanaelb]>

MariaDB [natanaelb]>

MariaDB [natanaelb]> crate table buku(

-> kode\_buku INT PRIMARY KEY,

-> nama\_buku varchar (100),

-> nomor\_isbn varchar (20),

-> tahun\_terbit INT

-> );

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'crate table buku(

Kode\_buku INT PRIMARY KEY,

Nama\_buku varchar (100),

Nomor\_i...' at line 1

MariaDB [natanaelb]> crate table buku(

-> kode\_buku INT PRIMARY KEY,

-> nama\_buku varchar (40),

```
-> nomor_isbn varchar (20),  
-> tahun_terbit char(50)  
-> );
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'crate table buku(

```
Kode_buku INT PRIMARY KEY,  
Nama_buku varchar (40),  
Nomor_isbn...' at line 1
```

MariaDB [natanaelb]> crate table buku(

```
-> kode_buku varchar(100),  
-> nama_buku varchar(40),  
-> nomor_isbn varchar(20),  
-> tahun_terbit char(50)  
-> );
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'crate table buku(

```
Kode_buku varchar(100),  
Nama_buku varchar(40),  
Nomor_isbn v...' at line 1
```

MariaDB [natanaelb]> show tables;

Empty set (0.052 sec)

MariaDB [natanaelb]> create table buku(

```
-> kode_buku varchar(100),  
-> nama_buku varchar (40),  
-> nomor_isbn varchar (20),  
-> tahun_terbit char(100)  
-> );
```

Query OK, 0 rows affected (0.278 sec)

MariaDB [natanaelb]> show table buku

➡ ;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'buku' at line 1

```
MariaDB [natanaelb]> create table detail_buku(
```

```
-> kode_buku varchar PRIMARY KEY,
```

```
-> nama_buku varchar (100),
```

```
-> nomor_isbn (20)
```

```
-> );
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'PRIMARY KEY,

```
Nama_buku varchar (100),
```

```
Nomor_isbn (20)
```

```
)' at line 2
```

```
MariaDB [natanaelb]> create table detail_buku(
```

```
-> kode_buku varchar (30),
```

```
->
```

```
-> nama_buku varchar (100),
```

```
-> nomor_isbn (20)
```

```
-> PRIMARY KEY ( kode_buku )
```

```
-> );
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near '(20)

```
PRIMARY KEY ( kode_buku )
```

```
)' at line 5
```

```
MariaDB [natanaelb]> create table detail_buku(
```

```
-> kode_buku varchar PRIMARY KEY,
```

```
-> nama_buku varchar (100),
```

```
-> nomor_isbn varchar (20)
```

```
-> );
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'PRIMARY KEY,

```
Nama_buku varchar (100),
```

```
Nomor_isbn varchar (20)
```

)' at line 2

MariaDB [natanaelb]> create table detail\_buku(

-> kode\_buku varchar (30),  
-> nama\_buku varchar (100),  
-> nomor\_isbn varchar (20)  
-> );

Query OK, 0 rows affected (0.257 sec)

MariaDB [natanaelb]> create table detail\_buku(

-> kode\_buku varchar PRIMARY KEY,  
-> ;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'PRIMARY KEY,' at line 2

MariaDB [natanaelb]> create table detail\_buku(

-> kode\_buku varchar (30),  
-> nama\_buku varchar (100),  
-> nomor\_isbn varchar (20)  
-> );

ERROR 1050 (42S01): Table 'detail\_buku' already exists

MariaDB [natanaelb]> drop table detail\_buku;

Query OK, 0 rows affected (0.233 sec)

MariaDB [natanaelb]> ls

➔ ;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'ls' at line 1

MariaDB [natanaelb]> create table buku\_detail(

-> kode\_buku varchar (20) not null,  
-> nama\_buku varchar (100),  
-> nomor\_isbn varchar (20),  
-> PRIMARY KEY (kode\_buku)  
-> );

Query OK, 0 rows affected (0.258 sec)

```
MariaDB [natanaelb]> create table penulis (
```

```
-> kode_distributor integer (30) not null,
```

```
-> ;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near “ at line 2

```
MariaDB [natanaelb]> create table penulis (
```

```
-> kode_penulis (30) not null,
```

```
-> p;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near ‘(30) not null,

P’ at line 2

```
MariaDB [natanaelb]> create table penulis (
```

```
-> kode_penulis varchar (30) not null,
```

```
-> penulis varchar ( 40) not null,
```

```
-> PRIMARY KEY ( kode_penulis)
```

```
-> );
```

Query OK, 0 rows affected (0.176 sec)

```
MariaDB [natanaelb]> create table Distriutor (
```

```
-> kode_distributor integer (20),
```

```
-> distributor varchar (50),
```

```
-> PRIMARY KEY (kode_distributor)
```

```
-> );
```

Query OK, 0 rows affected (0.243 sec)

```
MariaDB [natanaelb]> insert into buku_detail( kode_buku , nama_buku , nomor_isbn ) values (
‘B1203’ , ‘bako’ , 97987654916 );
```

Query OK, 1 row affected (0.088 sec)

```
MariaDB [natanaelb]> insert into buku_detail( kode_buku , nama_buku , nomor_isbn ) values (
'B1204' , 'borax' , 97987654096 );
```

Query OK, 1 row affected (0.079 sec)

```
MariaDB [natanaelb]> insert into table penulis(
```

```
→ ;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'table penulis(' at line 1

```
MariaDB [natanaelb]> insert into table penulis( kode_penulis , penulis) values ( 'buas102i', 'bpk.
lpu');
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'table penulis( kode\_penulis , penulis) values ( 'buas102i', 'bpk. lpu')' at line 1

```
MariaDB [natanaelb]> insert into table penulis( kode_penulis , penulis) values ( 'buas102i', 'bpkpi');
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'table penulis( kode\_penulis , penulis) values ( 'buas102i', 'bpkpi')' at line 1

```
MariaDB [natanaelb]> insert into penulis( kode_penulis , penulis) values ( 'buas102i', 'bpkpi');
```

Query OK, 1 row affected (0.100 sec)

```
MariaDB [natanaelb]> insert into penulis( kode_penulis , penulis) values ( 'asdm1029', 'andi');
```

Query OK, 1 row affected (0.104 sec)

```
MariaDB [natanaelb]> show database natanaelb
```

```
→ ;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'database natanaelb' at line 1

```
MariaDB [natanaelb]> show databases natanaelb;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'natanaelb' at line 1

```
MariaDB [natanaelb]> drop table penulis
```

```
→ ;
```

Query OK, 0 rows affected (0.204 sec)

MariaDB [natanaelb]> drop table buku\_detail

➔ ;

Query OK, 0 rows affected (0.197 sec)

MariaDB [natanaelb]> color red

➔ ;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'color red' at line 1

MariaDB [natanaelb]> SELECT \* FROM natanaelb;

ERROR 1146 (42S02): Table 'natanaelb.natanaelb' doesn't exist

MariaDB [natanaelb]> show databases

➔ ;

Database
alief
alifia_03
anggun_04
farhan_12
haikalxy
haikalzy
information_schema
laundry_20
mysql
natanaelb
performance_schema
phpmyadmin
sevit_34

13 rows in set (0.002 sec)

MariaDB [natanaelb]> CREATE TABLE Distributor (

```
-> kode_distributor varchar (30) not null,  
-> distributor varchar (100) not null,  
-> PRIMARY KEY (kode_distributor)  
-> );
```

Query OK, 0 rows affected (0.229 sec)

MariaDB [natanaelb]> create table pembelian (

```
-> id_pembelian varchar (30) not null,  
-> nama_pembeli text (40) not null,  
-> ;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near “ at line 3

MariaDB [natanaelb]> create table pembelian (

```
-> id_barang varchar (30) not null,  
-> nama_pembeli text (40) not null,  
-> PRIMARY KEY (id_barang)  
-> );
```

Query OK, 0 rows affected (0.202 sec)

MariaDB [natanaelb]> drop table pembelian

```
➔ ;
```

Query OK, 0 rows affected (0.211 sec)

MariaDB [natanaelb]> create table pelanggan (

```
-> id_pelanggan varchar (90) not null,  
-> id_barang varchar (100) not null,  
-> );
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near ‘)’ at line 4

MariaDB [natanaelb]>

MariaDB [natanaelb]> Ctrl-C – exit!

Bye



```
C:\xampp\mysql\bin>mysql -u root
```

Welcome to the MariaDB monitor. Commands end with ; or \g.

Your MariaDB connection id is 12

Server version: 10.4.22-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
MariaDB [(none)]> Ctrl-C – exit!
```

Bye

```
C:\xampp\mysql\bin>mysql -u natanael
```

```
C:\xampp\mysql\bin>mysql -u natanael
```

Welcome to the MariaDB monitor. Commands end with ; or \g.

Your MariaDB connection id is 13

Server version: 10.4.22-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
MariaDB [(none)]> show databases;
```

Database
alief
alifia_03
anggun_04
farhan_12

```
| haikalxy      |
| haikalzy      |
| information_schema |
| laundry_20    |
| mysql         |
| natanaelb     |
| performance_schema |
| phpmyadmin    |
| sevita_34     |
```

```
└──────────┘
```

13 rows in set (0.004 sec)

MariaDB [(none)]> use natanaelb;

Database changed

MariaDB [natanaelb]> show tables;

```
└──────────┘
```

```
| Tables_in_natanaelb |
```

```
└──────────┘
```

```
| buku           |
```

```
| distributor     |
```

```
| distriutor     |
```

```
└──────────┘
```

3 rows in set (0.001 sec)

MariaDB [natanaelb]> create table pembelian(

➔ );

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near ')' at line 2

MariaDB [natanaelb]> drop table distriutor;

Query OK, 0 rows affected (0.231 sec)

MariaDB [natanaelb]> show tables;

```
└──────────┘
```

| Tables\_in\_natanaelb |

--

| buku |

| distributor |

--

2 rows in set (0.002 sec)

MariaDB [natanaelb]> create table pembelian(

-> id int primary key auto\_increment,

-> nama pembeli varchar(50),

-> judul buku

-> );

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'varchar(50),

Judul buku

)' at line 3

MariaDB [natanaelb]> create table pembelian(

-> id int primary key auto\_increment,

-> nama\_pembeli varchar(50),

-> judul\_buku varchar(100),

-> jumlah char(20),

-> harga char(150)

-> );

Query OK, 0 rows affected (0.258 sec)

MariaDB [natanaelb]> insert into pembelian values(, 'natan', 'ulum si pencuri', '1', '5.000');

Query OK, 1 row affected, 1 warning (0.089 sec)

MariaDB [natanaelb]> insert into pembelian values(, 'bagas', 'cara menjadi dewa', '2', '150.000');

Query OK, 1 row affected, 1 warning (0.093 sec)

MariaDB [natanaelb]> create table pelanggan(

```
-> id int primary key auto_increment,  
-> nama varchar(50),  
-> jenis_buku varchar(100),  
-> kode_buku char(150),  
-> jumlah char(20)  
-> );
```

Query OK, 0 rows affected (0.257 sec)

```
MariaDB [natanaelb]> insert into pembelian values('','penno', 'novel', '124', '2');
```

Query OK, 1 row affected, 1 warning (0.214 sec)

```
MariaDB [natanaelb]> insert into pembelian values('','udin', 'komik', '187', '1');
```

Query OK, 1 row affected, 1 warning (0.086 sec)

```
MariaDB [natanaelb]> create table penjualan(
```

```
-> kode_buku int primary key auto_increment,  
-> judul_buku varchar(100),  
-> nama varchar(50),  
-> jumlah char(60),  
-> harga char(70)  
-> );
```

Query OK, 0 rows affected (0.411 sec)

```
MariaDB [natanaelb]> insert into penjualan values ('','luufy','sumanto','600','9.000');
```

Query OK, 1 row affected, 1 warning (0.098 sec)

```
MariaDB [natanaelb]> insert into penjualan values ('','alekkkkk','jumanto','90','1.000');
```

```
'> );Bye
```

Ctrl-C – exit!

```
C:\xampp\mysql\bin>use natanaelb;
```

'use' is not recognized as an internal or external command,  
Operable program or batch file.

C:\xampp\mysql\bin>use natanaelb

'use' is not recognized as an internal or external command,  
Operable program or batch file.

C:\xampp\mysql\bin>mysql -u root

Welcome to the MariaDB monitor. Commands end with ; or \g.

Your MariaDB connection id is 14

Server version: 10.4.22-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> use natanaelb

Database changed

MariaDB [natanaelb]> show tables;

Tables_in_natanaelb
---------------------

buku
------

distributor
-------------

pelanggan
-----------

pembelian
-----------

penjualan
-----------

--

5 rows in set (0.001 sec)

MariaDB [natanaelb]> select \* from buku;

Empty set (0.004 sec)

```
MariaDB [natanaelb]> select * from buku;
```

```
Empty set (0.001 sec)
```

```
MariaDB [natanaelb]> show tables;
```

```

+-----+
| Tables_in_natanaelb |
+-----+
```

```

+-----+
| buku      |
+-----+
```

```

+-----+
| distributor |
+-----+
```

```

+-----+
| pelanggan  |
+-----+
```

```

+-----+
| pembelian  |
+-----+
```

```

+-----+
| penjualan  |
+-----+
```

```

+-----+
5 rows in set (0.001 sec)
```

```
MariaDB [natanaelb]> select * from distributor;
```

```
Empty set (0.004 sec)
```

```
MariaDB [natanaelb]> select * from penjualan;
```

```

+-----+-----+-----+-----+-----+
| kode_buku | judul_buku | nama   | jumlah | harga |
+-----+-----+-----+-----+-----+
| 1         | luufy      | sumanto | 600    | 9.000 |
+-----+-----+-----+-----+-----+
```

```
1 row in set (0.001 sec)
```

```
MariaDB [natanaelb]> select * from pembelian;
```

```

+----+-----+-----+-----+-----+
| id | nama_pembeli | judul_buku | jumlah | harga |
+----+-----+-----+-----+-----+
| 1  | natan        | ulum si pencuri | 1      | 5.000 |
+----+-----+-----+-----+-----+
```

2	bagas	cara menjadi dewa	2	150.000
3	penno	novel	124	2
4	udin	komik	187	1

```
+---+-----+-----+-----+-----+
```

4 rows in set (0.001 sec)

MariaDB [natanaelb]>

MariaDB [natanaelb]> select \* from pelanggan;

Empty set (0.004 sec)

MariaDB [natanaelb]> select \* from pelanggan;

Empty set (0.001 sec)

MariaDB [natanaelb]> insert into pelanggan values('jhoncena','komik','1945','9');

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'jhoncena','komik','1945','9' at line 1

MariaDB [natanaelb]> insert into pelanggan values('jhoncena','komik','1945','9');

Query OK, 1 row affected, 1 warning (0.084 sec)

MariaDB [natanaelb]> insert into pelanggan values('penno','novel','1140','3');

Query OK, 1 row affected, 1 warning (0.084 sec)

MariaDB [natanaelb]> selectl \* from pelanggan;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'selectl \* from pelanggan' at line 1

MariaDB [natanaelb]> select \* from pelanggan;

```
+---+-----+-----+-----+-----+
```

id	nama	jenis_buku	kode_buku	jumlah
----	------	------------	-----------	--------

```
+---+-----+-----+-----+-----+
```

1	jhoncena	komik	1945	9
---	----------	-------	------	---

2	penno	novel	1140	3
---	-------	-------	------	---

```
+---+-----+-----+-----+-----+
```

2 rows in set (0.001 sec)

MariaDB [natanaelb]> insert into distribtor values ('',1,'wahyu');

ERROR 1146 (42S02): Table 'natanaelb.distribtor' doesn't exist

MariaDB [natanaelb]> insert into distribtor values ('',88,'wahyu');

ERROR 1146 (42S02): Table 'natanaelb.distribtor' doesn't exist

MariaDB [natanaelb]> insert into distributor values ('',88,'wahyu');

ERROR 1136 (21S01): Column count doesn't match value count at row 1

MariaDB [natanaelb]> insert into distributor values ('1',88,'wahyu');

ERROR 1136 (21S01): Column count doesn't match value count at row 1

MariaDB [natanaelb]> insert into distributor values('',88,'wahyu');

ERROR 1136 (21S01): Column count doesn't match value count at row 1

MariaDB [natanaelb]> insert into distributor values('','wahyu');

Query OK, 1 row affected (0.086 sec)

MariaDB [natanaelb]> select \* from distributor;

kode_distributor	distributor

	wahyu

--	--

1 row in set (0.001 sec)

MariaDB [natanaelb]> insert into buku  
values('','B001','Geografis','87213894','Gramedia','2002','penno','90');

ERROR 1136 (21S01): Column count doesn't match value count at row 1

MariaDB [natanaelb]> insert into buku  
values('','B001','Geografis','87213894','Gramedia','2002','penno','90');

ERROR 1136 (21S01): Column count doesn't match value count at row 1

MariaDB [natanaelb]>

MariaDB [natanaelb]>

MariaDB [natanaelb]>

MariaDB [natanaelb]> insert into buku values('','B001','Geografis','87213894');



Query OK, 1 row affected (0.142 sec)

MariaDB [natanaelb]> select \* from buku:

➔ ;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near ':' at line 1

MariaDB [natanaelb]> select \* from buku;

```
+-----+-----+-----+-----+
| kode_buku | nama_buku | nomor_isbn | tahun_terbit |
+-----+-----+-----+-----+
|          | B001      | Geografis  | 87213894     |
+-----+-----+-----+-----+
```

1 row in set (0.001 sec)

MariaDB [natanaelb]> select \* from distributor;

```
+-----+-----+
| kode_distributor | distributor |
+-----+-----+
|                  | wahyu      |
+-----+-----+
```

1 row in set (0.001 sec)

MariaDB [natanaelb]> select \* from pembelian;

```
+----+-----+-----+-----+-----+
| id | nama_pembeli | judul_buku | jumlah | harga |
+----+-----+-----+-----+-----+
| 1  | natan        | ulum si pencuri | 1      | 5.000 |
| 2  | bagas        | cara menjadi dewa | 2      | 150.000 |
| 3  | penno        | novel          | 124    | 2      |
| 4  | udin         | komik          | 187    | 1      |
+----+-----+-----+-----+-----+
```

4 rows in set (0.001 sec)

```
MariaDB [natanaelb]> select * from pelanggan;
```

```
+----+-----+-----+-----+-----+
| id | nama   | jenis_buku | kode_buku | jumlah |
+----+-----+-----+-----+-----+
| 1  | jhoncena | komik      | 1945      | 9      |
| 2  | penno    | novel      | 1140      | 3      |
+----+-----+-----+-----+-----+
```

```
2 rows in set (0.001 sec)
```

```
MariaDB [natanaelb]> select * from penjualan;
```

```
+-----+-----+-----+-----+-----+
| kode_buku | judul_buku | nama   | jumlah | harga |
+-----+-----+-----+-----+-----+
| 1         | luufy      | sumanto | 600    | 9.000 |
+-----+-----+-----+-----+-----+
```

```
1 row in set (0.001 sec)
```

```
MariaDB [natanaelb]>
```