

Skill ██████████

> █████analysis
> █████audit

█████

- █████`/Users/lijieli/org-claude-skills/shared/reference/Skill████.md` █████“████ ski
- █████ first-party Skill █ L2/L3 █████
- █████ skill █████`description` █████workflow████
- █████“████”████“skill █████”████[R2][L8][L9]
- █████ JSON schema/validator████README █████

█████

█/█	█████	█████	████	█████
███ skill	Anthropic█OpenAI Codex█GitHub Copilot█Agent Skills open standard ███ skill █████ `S			
skill █████	█████ `description`████workflowvalidation loop████			
█████	█████ D1-D8████			
█████	█████ `skill-harness`█`scan`████			

█████

- █████Anthropic █████Claude.ai ███ skill ███Agent Skills open standard█OpenA
- █████ Anthropic/OpenAI/GitHub █████“████ ↔ █████
- █████“skill ███”█“████ skill █████”████

█████

1. █████ skill

Skill █████ prompt████ `SKILL.md` █████ `na

2. █████

████ `description` █████ `SKILL.md`███

3. █████

████/artifact████

4. █████

████ `/Users/lijieli/org-claude-skills` █ first-party Skill █████ L2/L3

█████

- █████ / █████ / █████
- █████ `Skill████.md` █████ first-party Skill █████ D1-D8 █████artifact
- █████
 1. ███“skill”████
 2. ███ GitHub █████
 3. █████“████”████
 4. █████

☐ ☐ ☐ ☐ ☐ ☐

■■■ Skill

####

- [illegible]

####

- [illegible]

####

- ```
- ██████████Anthropic █████ Agent Skills █████“modular capabilities”██ instructions█metadata█options
- ████████████████████“██ agent █████”██ skill████ `AGENTS.md`█custom instructions█MCP plugins
- ███//██████`AGENTS.md` █████ instruction ███████ skill ████████/██████MCP/plugin ████████
```

####

- ```
- skill "agent" "description" word
- "agent" "description" "word"
- Anthropic OpenAI open standard "word"
```

####

- ```
- ████████████████████ `shared/skills/` █ `community/*/skills/` █ Codex adapters █ contracts █ skill █████
- ████████████████████ runtime catalog █ adapter █ install ████████████████████ "skill" ████████████████████
- ████████████████████ ████████████████████ `SKILL.md` █████ [L4]
- ████████████████████ skill ████████████████████ `skill-harness` █ `scan` █ community mirror █ install/runtime █████
```

### ☐ ☐ ☐ ☐

- [illegible]

## Skill ☐☐☐☐☐

####

- [illegible]

####

- [illegible]

- best practices “” “[A2][C1][C2]

###

- Anthropic concise `description` workflow validation lo  
- skill “ + ” manifest schema lifecycle with  
- / references `description` `allowed-tools` validation

###

- “” + ” [A2][A5]  
- token  
- tool permissions compatibility “ `SKILL.md`

###

- Claude Code Codex contracts hooks scan community mirrors  
- skill [A5][R1]  
- D1/D2/D4/D5/D6/D8 runner schema fixture  
- “ `SKILL.md` ” [L1][L1]

###

-  
- “/” [A2][A5][O1][G1]  
- skill “” [L1][L1]  
- `allowed-tools` adapter metadata [A5][O1][G1]

##

###

- “skill agent ” [L1][L6]  
-  
- first-party portable minimum

###

- A Anthropic/OpenAI/GitHub/open standard workflow permissions testing  
- B / lifecycle schema validator benchmark  
- “/” “ machine consumer

###

- D1-D8 finding shape L1/L2/L3  
- D1-D8 skill “ JSON adapter/cat  
- / “ ” D1-D8 `Skill`

###

- D1-D8 /  
- D3 JSON artifact D7 adapter/runtime consistency  
- D1-D8 consumer validator eval exception path

###

- first-party community mirror runtime catalog Codex adapter lifecycle
- D1-D8 skill [A5][G1][C1]
- eval [L8][L9][L10]
- `skill-harness` `scan` review [L5][L6][L7][L10]

###

- 
- D3/D7 hardening [L1][O1][G1]
- artifact/schema/adaptor/catalog D3/D7
- 
- finding JSON schema validator
- D1-D8 “ ” exception/proposal
- token cost latency D2/D6 [L1][L8][R3]

##

###

- “ ” first-party Skill “ ”
- 
- first-party “ ” “ ” [L1][L2][L3]

###

- A
- Anthropic/OpenAI/GitHub/open standard definition routing loading scripts testing
- `skill-harness` `Skill.md` `scan` D1-D8
- B `check\_skill\_body\_quality.py` D1/D2/D5/D6/D8 pros
- “ ” “skill ”

###

- static audit /
- 
- 1. D1/D2/D5/D6/D8
- 2.
- 3.
- 4. `lifecycle-review.json`
- 5. README Skill [L2][L4][L8][L9][L10][R1][R2][R3]
- / release/retain/retire `Skill.md` `Skill`

###

- “ ” “ / ” D1-D8 “ ”
- first-party hardening JSON runtime catalog adaptor
- schema/validator behavior eval with/without baseline

###

- 
- `shared/` first-party community mirror
- Claude Code Codex CLI



- [illegible]

### 

| ■■■ | challenger ■■ | ■■■■■ | ■■■■ |

A horizontal number line with four vertical tick marks. The segments between the tick marks are represented by dashed lines.

[illegible]

■■■■■ | ■■■■■■■■■■■ D1/D2/D5/D6/D8 ■■■■■■■■■ D3/D4/D7 ■■■■■ | ■■■“■■■■”■■■■

[illegible]

| ■■■■ | 250/500 ■■■■■■■■■■■■ | ■■■■■■■■■■■■■■■■■■■ warning-level health signal■

■■■■■ | ■■ skill ■■■■■■■■■■■■ | ■■■■■■■■ first-party L2/L3 ■■■■■■■■■■■■

###

- [illegible]

### ■■■■■

- ```
- Claude Code █ Codex CLI █ `skills / rules / reference / hooks / agents` █ first-party
- █
- `shared/skills/skill-harness/SKILL.md` █ `Skill█.md` █ read-first█[L5]
- `shared/skills/skill-harness/references/audit-method.md` █ findings █ D1-D8 █
- `shared/skills/scan/references/skills-scan-rules.md` █ D1-D8 █[L7]
- `shared/skills/skill-harness/scripts/check_skill_body_quality.py` █ D1/D2/D5/D6/D8 █
- `tests/test-skill-body-quality-static-audit.sh` █ `tests/test-skill-quality-standard.sh` █ finding shape█
- █
- █ read-first█ mock █
- █ Claude █ Codex █
- █
- █ first-party █ runtime noise █[L1][L2][L3][L4][L5]
```

###

- [A1] Anthropic Claude Platform: Agent Skills overview — <https://platform.claude.com/docs/en/agents>
- [A2] Anthropic Claude Platform: Skill authoring best practices — <https://platform.claude.com/docs/en>
- [A3] Anthropic Engineering: Equipping agents for the real world with Agent Skills — <https://www.anthropic.com/research/agent-skills>
- [A4] Claude.ai Documentation: Creating custom skills — <https://claude.com/docs/skills/how-to>

