



Yi's SOULTIONS: AUTOPILOT PROFILE

When customizing an Autopilot profile, you should learn to set up controls to resolve issues with your profile.

Summary

Chapter 1 Autopilot profile

Table of contents

Chapter 1	Autopilot profile	Page 1
A.	Understanding existing configuration files	Page 1
1.	View	Page 1
2.	Custom Modifications	Page 1
B.	Comparison of autonomous driving configuration files	Page 1
1.	View the Autopilot Configuration File	Page 1
2.	Detailed comparison of configuration files	Page 25

Chapter 1 Autopilot profile

A. Understanding existing configuration files

1. View

Open the directory: {drive letter}:\YiSolutions_Encapsulation_Autopilot\Microsoft Windows 11\24H2, for example, view: 1.zh-CN.json, 2.zh-TW.json, 3.zh-CN.zh-TW.json, 5.zh-CN.zh-TW.ja-JP.Ko-KR.json, All.json

2. Custom Modifications

Custom modifications use the packaged script update function. After the update is completed, the old autonomous driving configuration file will be overwritten. It is recommended that you copy it before operation.

Open the directory: {compressed package}:\YiSolutions_Encapsulation_Autopilot\Microsoft Windows 11, select copy 24H2, and rename the directory to 24H2_Beta or rename it to another name.

B. Comparison of autonomous driving configuration files

1. View the Autopilot Configuration File

Open: {compressed package}:\YiSolutions_Encapsulation_Autopilot\Microsoft Windows 11\24H2\1.zh-CN.json, configuration file content:

```
{

  "Config": {

    "Author": "Yi",

    "Url": "https://fengyi.tel",

    "Version": "1.0.0.8"

  },

  "Deploy": {

    "Prerequisite": {

      "IsAutoSelect": [

        "Prerequisite_Extract_Language_Add"

      ],

      "ExtractLanguage": {

        "Add": {

          "Guid": "bb60fdc0-944f-4bc8-b6c7-6174d34956a5",

          "IsEjectISO": false,

          "CleanDuplicate": false,

          "NoExtractEnglish": true,

          "Missing": {

            "IsMissing": false,

            "OnlySelectRegion": true

          }

        }

      }

    }

  },
```

```
"SaveTo": {

  "Schome": "Custom",

  "Custom": {

    "Path": "{Image_source}_Custom"

  },

  "Multi": {

    "Path": "{MainMasterFolder}\\{ImageType}\\_Custom",

    "Name": "1_11_zh-CN"

  }

},

"Scope": [

  "Install;Install;wim;",

  "Install;WinRE;wim;",

  "Boot;Boot;wim;"

],

"Region": [

  "zh-CN"

],

"RegionAssoc": []

},

"Del": {

  "Guid": "bb60fdc0-944f-4bc8-b6c7-6174d34956a5",

  "CleanDuplicate": false,

  "NoExtractEnglish": true,

  "SaveTo": {

    "Schome": "Custom",

    "Custom": {

      "Path": "{Image_source}_Custom"

    },

    "Multi": {

      "Name": "1_11_zh-CN"

    }

  },

  "Scope": [
```

```
        "Install;Install;wim;",

        "Install;WinRE;wim;",

        "Boot;Boot;wim;"

    ],

    "Region": [

        "en-US"

    ]

}

}

},

"ImageSource": {

    "Tasks": {

        "IsAutoSelect": [

            "Convert"

        ],

        "Solutions": {

            "SaveTo": {

                "FolderName": "",

                "Path": "ISO"

            },

            "Account": {

                "Schome": "Designated",

                "Custom": {},

                "Designated": {

                    "UserName": "Administrator",

                    "SyncMainFolder": false,

                    "AutoLogin": true

                }

            },

            "Schome": {

                "Engine": {

                    "Enable": true,

                    "Version": "Multilingual",

                    "OptAdv": {
```

```

    "AutoFix": true

  },

  "FirstExperience": {

    "Prerequisite": {

      "FirstExpSyncMark":  true,

      "FirstExpUpdate":  false,

      "FirstExpDefender":  false,

      "NetworkLocationWizard": true,

      "FirstExpSyncLabel":  false,

      "IsMulti": {

        "PreAppxCleanup":  true,

        "LanguageComponents": true,

        "PreventCleaningUnusedLP": true

      },

      "DesktopMenu": {

        "Enable": false,

        "Right": false

      },

      "Time": {

        "Enable": false,

        "UTF8":  false,

        "Region": "zh-CN"

      },

      "Restart": true

    },

    "Finish": {

      "FirstExpFinishPopup":  false,

      "FirstExpFinishOnDemand": false,

      "ResetExecutionPolicy": true,

      "ClearFull":  true,

      "OnlyClearEngine":  true,

      "Restart":  false

    }

  }

}

```

```
},

"Unattend": {

    "Enable": true,

    "Version": "11",

    "Command": {

        "WindowsSetup": [

            "a94cc882-a451-494d-8d94-523e06470f68",

            "f6ba749e-3a36-4a2e-bc28-674073cb973b"

        ],

        "WindowsPE": []

    },

    "IsMulti": "Auto",

    "InstallMethod": "Auto",

    "Schome": {

        "Version": "Auto",

        "Semi": {},

        "UEFI": {

            "ImageIndex": "1"

        },

        "Legacy": {

            "ProductKey": "TX9XD-98N7V-6WMQ6-BX7FG-H8Q99"

        }

    },

    "AddTo": {

        "ISOAutounattend": true,

        "ISOSourcesUnattend": true,

        "ISOPantherUnattendOEM": true,

        "ISOPantherUnattendOS": true

    },

    "InstallInterface": {

        "OOBEPProductKey": false,

        "OOBEOSImage": false,

        "OOBEEula": true

    },

    },
```

```
"Server": {

  "ServerManager": false,

  "InternetExplorer": {

    "Administrator": false,

    "User": false

  }

},

"Time": {

  "Enable": false,

  "Region": "zh-CN"

}

},

"Collection": {

  "Enable": true,

  "OptAdv": {

    "GenerateReport": true

  },

  "Language": {

    "IsMulti": "Auto",

    "Multi": [

      "en-US",

      "zh-CN"

    ],

    "Single": "zh-CN"

  },

  "Architecture": "Auto",

  "Office": {

    "IsDeploy": false,

    "Version": "",

    "Language": [

      "Auto"

    ],

    "DeployTo": "PublicDektop"

  },

},
```

```
"Custom": {

  "IsDeploy": false,

  "DeployTo": "SystemDisk",

  "Version": "Template"

},

"Software": {

  "IsDeploy": false,

  "App": []

},

"Fonts": {

  "IsDeploy": false,

  "Package": []

}

}

}

},

"Convert": {

  "IsBackup":      true,

  "Schome":        "SplitWim",

  "Config": {

    "SplitWim": {

      "Compression": "Max",

      "Rebuild":     false,

      "Split": {

        "Enabled": true,

        "Size":    "4096"

      }

    }

  },

  "WimToEsd": {

    "Compression": "Max",

    "Rebuild":     false

  },

  "EsdToWim": {

    "Compression": "Fast",
```



```
        "Split": {

            "Enabled": true,

            "Size":  "4096"

        }

    },

    "MergedSWM": {

        "Compression": "Fast"

    }

}

},

"ISO": {

    "Association": [

        "ISO.Multilingual",

        "ISO.Multilingual.With.Office.2024",

        "ISO.Multilingual.With.Office.365",

        "ISO.Yi.Suite",

        "ISO.Yi.Suite.With.Office.2024",

        "ISO.Yi.Suite.With.Office.365"

    ]

}

}

},

"Mount": {

    "IsAutoSelect": [

        "Install;Install;wim;",

        "Install;WinRE;wim;",

        "Boot;Boot;wim;"

    ],

    "Tasks": [

        {

            "Group": "Install;Install;",

            "Uid":  "Install;Install;wim;",

            "IsAutoSelect": [

                "Image_source_selection",
```

```

"Language_Add_UI",

"LXPs_Region_Add",

"InBox_Apps_Add_UI",

"Cumulative_updates_Add_UI",

"Drive_Add_UI",

"Feature_More_UI"

],

"IsAutoSelectIndex": [

    "Auto"

],

"Tasks": {

    "Solutions": {

        "SaveTo": {

            "FolderName": "",

            "Path":    "ISO"

        },

        "Account": {

            "Schome": "Designated",

            "Custom": {},

            "Designated": {

                "UserName":    "Administrator",

                "SyncMainFolder": false,

                "AutoLogin":    true

            }

        },

        "Schome": {

            "Engine": {

                "Enable": true,

                "Version": "Multilingual",

                "OptAdv": {

                    "AutoFix": true

                },

                "FirstExperience": {

                    "Prerequisite": {

```

```
"FirstExpSyncMark": true,

"FirstExpUpdate": false,

"FirstExpDefender": false,

"NetworkLocationWizard": true,

"FirstExpSyncLabel": false,

"IsMulti": {

    "PreAppxCleanup": true,

    "LanguageComponents": true,

    "PreventCleaningUnusedLP": true

},

"DesktopMenu": {

    "Enable": false,

    "Right": false

},

"Time": {

    "Enable": false,

    "UTF8": false,

    "Region": "zh-CN"

},

"Restart": true

},

"Finish": {

    "FirstExpFinishPopup": false,

    "FirstExpFinishOnDemand": false,

    "ResetExecutionPolicy": true,

    "ClearFull": true,

    "OnlyClearEngine": true,

    "Restart": false

}

},

"Unattend": {

    "Enable": true,

    "Version": "11",
```

```
"Command": {

  "WindowsSetup": [

    "a94cc882-a451-494d-8d94-523e06470f68",

    "f6ba749e-3a36-4a2e-bc28-674073cb973b"

  ],

  "WindowsPE": []

},

"IsMulti":  "Auto",

"InstallMethod": "Auto",

"Schome": {

  "Version": "Auto",

  "Semi": {},

  "UEFI": {

    "ImageIndex": "1"

  },

  "Legacy": {

    "ProductKey": "TX9XD-98N7V-6WMQ6-BX7FG-H8Q99"

  }

},

"AddTo": {

  "ISOAutounattend": true,

  "ISOSourcesUnattend": true,

  "ISOPantherUnattendOEM": true,

  "ISOPantherUnattendOS": true

},

"InstallInterface": {

  "OOBEProductKey": false,

  "OOBEOSImage": false,

  "OOBEEula": true

},

"Server": {

  "ServerManager": false,

  "InternetExplorer": {

    "Administrator": false,
```

```
      "User": false
    }
  },
  "Time": {
    "Enable": false,
    "Region": "zh-CN"
  }
},
"Collection": {
  "Enable": true,
  "OptAdv": {
    "GenerateReport": true
  },
  "Language": {
    "IsMulti": "Auto",
    "Multi": [
      "en-US",
      "zh-CN"
    ],
    "Single": "zh-CN"
  },
  "Architecture": "Auto",
  "Office": {
    "IsDeploy": true,
    "Version": "365",
    "Language": [
      "Auto"
    ],
    "DeployTo": "PublicDektop"
  },
  "Custom": {
    "IsDeploy": false,
    "DeployTo": "SystemDisk",
    "Version": "Template"
```

```

    },

    "Software": {

        "IsDeploy": false,

        "App": []

    },

    "Fonts": {

        "IsDeploy": false,

        "Package": []

    }

}

}

},

"Language": {

    "Add": {

        "Source": "{Image_source}_Custom\\{Master}\\{Image}\\Language\\Add",

        "Adv": {

            "PreRuleOrder": true,

            "WildcardList": true,

            "NoCheckFileType": false,

            "AutoSuggestions": true,

            "SetupFixMissing": false,

            "LangSyncToSources": false,

            "LangIniRebuild": false

        }

    },

    "Del": {

        "Source": "{Image_source}_Custom\\{Master}\\{Image}\\Language\\Del",

        "Adv": {

            "DescendingRuleLang": true,

            "NoCheckFileType": false,

            "AutoSuggestions": true,

            "BootSyncToISO": false,

            "LangIniRebuild": false

        }

    }

```

```
    },

    "Change": "zh-CN",

    "Cleanup": [

        "en-US"

    ]

},

"InBoxApps": {

    "Mark": {

        "Schome": "Skip",

        "Skip": {

            "RemoveAll": {

                "IsDel": true,

                "IsExclude": true

            }

        },

        "Custom": {

            "SkipenUS": true,

            "RemoveAll": {

                "IsDel": true,

                "IsExclude": true

            },

            "Version": "26100",

            "Region": [

                "zh-CN"

            ]

        }

    },

    "Add": {

        "Schome": "Custom",

        "Custom": {

            "AutoSearch": true,

            "DependencyPackage": true,

            "OptimizeHardLink": true,

            "Source": "auto",
```

```
"Guid": "bb60fdc0-944f-4bc8-b6c7-6174d34956a5",

"Apps": "auto"

},

"Assign": {}

},

"Update": {

  "Sources": "Auto",

  "Region": [

    "zh-CN"

  ]

},

"Remove": {

  "Region": [

    "zh-CN"

  ]

},

"MatchRemove": {

  "Guid": "bb60fdc0-944f-4bc8-b6c7-6174d34956a5",

  "Apps": ""

}

},

"CumulativeUpdate": {

  "Add": {

    "Schome": "Auto",

    "Custom": [

      "{MainMasterFolder}\\{ImageType}\\_Custom\\{Master}\\{Image}\\Update\\{ArchC}\\Add",

      "{Mount_To_Route}\\{Master}\\{Image}\\Update\\Add",

      "{Image_source}_Custom\\{Master}\\{Image}\\Update\\Add"

    ],

    "IsEvent": {

      "CuringUpdate": true,

      "Superseded": {

        "IsSuperseded": false,

        "ExcludeRules": true
```



```

    }

}

},

"Del": {

    "Schome": "Auto",

    "Custom": [

        "{MainMasterFolder}\\{ImageType}\\_Custom\\{Master}\\{Image}\\Update\\{ArchC}\\Add",

        "{Mount_To_Route}\\{Master}\\{Image}\\Update\\Add",

        "{Image_source}_Custom\\{Master}\\{Image}\\Update\\Add"

    ],

    "IsEvent": {

        "CuringUpdate": true,

        "Superseded": {

            "IsSuperseded": false,

            "ExcludeRules": true

        }

    }

}

},

"Drive": {

    "Add": {

        "Schome": "Auto",

        "Custom": [

            "{MainMasterFolder}\\{ImageType}\\_Custom\\{Master}\\{Image}\\Drive\\{ArchC}\\Add",

            "{Mount_To_Route}\\{Master}\\{Image}\\Drive\\Add",

            "{Image_source}_Custom\\{Master}\\{Image}\\Drive\\Add"

        ]

    },

    "Del": {

        "Schome": "Auto",

        "Custom": [

            "{MainMasterFolder}\\{ImageType}\\_Custom\\{Master}\\{Image}\\Drive\\{ArchC}\\Add",

            "{Mount_To_Route}\\{Master}\\{Image}\\Drive\\Add",

            "{Image_source}_Custom\\{Master}\\{Image}\\Drive\\Add"

```

```

    ]
  }
},
"WindowsFeatures": {
  "Enable": [
    "NetFx3",
    "TelnetClient"
  ],
  "Disable": [
    "TelnetClient"
  ]
},
"PSFunctions": {
  "Before": [],
  "After": []
},
"More": {
  "CuringUpdate": false,
  "Superseded": {
    "IsSuperseded": false,
    "ExcludeRules": true
  },
  "Healthy": true,
  "Report": {
    "InboxApps": true,
    "Components": true,
    "Drive": true,
    "ImageLangue": true
  },
  "SaveTo": "{Image_source}_Custom\\{Master}\\{Image}\\Report"
},
"Expand": {
  "Rebuild": true
},

```

```

    "Eject": {

        "Schome": "Save",

        "ForectEject": true

    }

},

{

    "Group": "Install;WinRE;",

    "Uid": "Install;WinRE;wim;",

    "IsAutoSelect": [

        "Image_source_selection",

        "Language_Add_UI",

        "Cumulative_updates_Add_UI",

        "Drive_Add_UI",

        "Feature_More_UI"

    ],

    "IsAutoSelectIndex": [

        "Auto"

    ],

    "Tasks": {

        "Language": {

            "Add": {

                "Haveto": true,

                "Source": "{Image_source}_Custom\\{Master}\\{Image}\\Language\\Add",

                "Adv": {

                    "PreRuleOrder": true,

                    "WildcardList": true,

                    "NoCheckFileType": false,

                    "AutoSuggestions": true,

                    "SetupFixMissing": false,

                    "LangSyncToSources": false,

                    "LangIniRebuild": false

                }

            },

```

```

"Del": {

    "Haveto": false,

    "Source": "{Image_source}_Custom\\{Master}\\{Image}\\Language\\Del",

    "Adv": {

        "DescendingRuleLang": true,

        "NoCheckFileType": false,

        "AutoSuggestions": true,

        "BootSyncToISO": false,

        "LangIniRebuild": false

    }

},

"Change": "zh-CN",

"Cleanup": [

    "en-US"

]

},

"CumulativeUpdate": {

    "Add": {

        "Schome": "Auto",

        "Custom": [

            "{MainMasterFolder}\\{ImageType}\\_Custom\\{Master}\\{Image}\\Update\\{ArchC}\\Add",

            "{Mount_To_Route}\\{Master}\\{Image}\\Update\\Add",

            "{Image_source}_Custom\\{Master}\\{Image}\\Update\\Add"

        ],

        "IsEvent": {

            "CuringUpdate": true,

            "Superseded": {

                "IsSuperseded": false,

                "ExcludeRules": true

            }

        }

    },

    "Del": {

        "Schome": "Auto",

```

```

"Custom": [

    "{MainMasterFolder}\\{ImageType}\\_Custom\\{Master}\\{Image}\\Update\\{ArchC}\\Add",

    "{Mount_To_Route}\\{Master}\\{Image}\\Update\\Add",

    "{Image_source}_Custom\\{Master}\\{Image}\\Update\\Add"

],

"IsEvent": {

    "CuringUpdate": true,

    "Superseded": {

        "IsSuperseded": false,

        "ExcludeRules": true

    }

}

},

"Drive": {

    "Add": {

        "Schome": "Auto",

        "Custom": [

            "{MainMasterFolder}\\{ImageType}\\_Custom\\{Master}\\{Image}\\Drive\\{ArchC}\\Add",

            "{Mount_To_Route}\\{Master}\\{Image}\\Drive\\Add",

            "{Image_source}_Custom\\{Master}\\{Image}\\Drive\\Add"

        ]

    },

    "Del": {

        "Schome": "Auto",

        "Custom": [

            "{MainMasterFolder}\\{ImageType}\\_Custom\\{Master}\\{Image}\\Drive\\{ArchC}\\Add",

            "{Mount_To_Route}\\{Master}\\{Image}\\Drive\\Add",

            "{Image_source}_Custom\\{Master}\\{Image}\\Drive\\Add"

        ]

    }

},

"More": {

    "CuringUpdate": false,

```

```

"Superseded": {

    "IsSuperseded": false,

    "ExcludeRules": true

},

"Healthy": false,

"Report": {

    "InboxApps": false,

    "Components": true,

    "Drive": true,

    "ImageLangue": true

},

"SaveTo": "{Image_source}_Custom\\{Master}\\{Image}\\Report"

},

"Expand": {

    "Rebuild": true,

    "Rules": {

        "isUpdate": true,

        "UpdateToAll": true

    }

},

"Eject": {

    "Schome": "Save",

    "ForectEject": true

}

},

{

    "Group": "Boot;Boot;",

    "Uid": "Boot;Boot;wim;",

    "IsAutoSelect": [

        "Image_source_selection",

        "Language_Add_UI",

        "Cumulative_updates_Add_UI",

        "Drive_Add_UI",

```

```
"Functions_Rear_UI",

"Feature_More_UI"

],

"IsAutoSelectIndex": [

    "2"

],

"Tasks": {

    "Language": {

        "Add": {

            "Source": "{Image_source}_Custom\\{Master}\\{Image}\\Language\\Add",

            "Adv": {

                "PreRuleOrder": true,

                "WildcardList": true,

                "NoCheckFileType": false,

                "AutoSuggestions": true,

                "SetupFixMissing": false,

                "LangSyncToSources": false,

                "LangIniRebuild": false

            }

        },

        "Del": {

            "Source": "{Image_source}_Custom\\{Master}\\{Image}\\Language\\Del",

            "Adv": {

                "DescendingRuleLang": true,

                "NoCheckFileType": false,

                "AutoSuggestions": true,

                "BootSyncToISO": false,

                "LangIniRebuild": false

            }

        },

        "Change": "zh-CN",

        "Cleanup": [

            "en-US"

        ]

    }

}
```

```

},

"CumulativeUpdate": {

  "Add": {

    "Schome": "Auto",

    "Custom": [

      "{MainMasterFolder}\\{ImageType}\\_Custom\\{Master}\\{Image}\\Update\\{ArchC}\\Add",

      "{Mount_To_Route}\\{Master}\\{Image}\\Update\\Add",

      "{Image_source}_Custom\\{Master}\\{Image}\\Update\\Add"

    ],

    "IsEvent": {

      "CuringUpdate": true,

      "Superseded": {

        "IsSuperseded": false,

        "ExcludeRules": true

      }

    }

  },

  "Del": {

    "Schome": "Auto",

    "Custom": [

      "{MainMasterFolder}\\{ImageType}\\_Custom\\{Master}\\{Image}\\Update\\{ArchC}\\Add",

      "{Mount_To_Route}\\{Master}\\{Image}\\Update\\Add",

      "{Image_source}_Custom\\{Master}\\{Image}\\Update\\Add"

    ],

    "IsEvent": {

      "CuringUpdate": true,

      "Superseded": {

        "IsSuperseded": false,

        "ExcludeRules": true

      }

    }

  },

  "Drive": {

```



```

"Add": {

    "Schome": "Auto",

    "Custom": [

        "{MainMasterFolder}\\{ImageType}\\_Custom\\{Master}\\{Image}\\Drive\\{ArchC}\\Add",

        "{Mount_To_Route}\\{Master}\\{Image}\\Drive\\Add",

        "{Image_source}_Custom\\{Master}\\{Image}\\Drive\\Add"

    ]

},

"Del": {

    "Schome": "Auto",

    "Custom": [

        "{MainMasterFolder}\\{ImageType}\\_Custom\\{Master}\\{Image}\\Drive\\{ArchC}\\Add",

        "{Mount_To_Route}\\{Master}\\{Image}\\Drive\\Add",

        "{Image_source}_Custom\\{Master}\\{Image}\\Drive\\Add"

    ]

}

},

"PSFunctions": {

    "Before": [],

    "After": [

        "Other_Tasks_TPM"

    ]

},

"More": {

    "CuringUpdate": false,

    "Superseded": {

        "IsSuperseded": false,

        "ExcludeRules": true

    },

    "Healthy": false,

    "Report": {

        "InboxApps": false,

        "Components": true,

        "Drive": true,

```

```

        "ImageLangue": true

    },

    "SaveTo": "{Image_source}_Custom\\{Master}\\{Image}\\Report"

},

"Expand": {

    "Rebuild": true

},

"Eject": {

    "Schome": "Save",

    "ForectEject": true

}

}

}

]

},

"IsEvent": {

    "Scheduled": {

        "Schome": "Instantly",

        "Instantly": {},

        "Custom": {

            "Sky": "0",

            "Hour": "0",

            "Minute": "1"

        }

    },

    "AfterCompletion": {

        "IsCleanupTemp": true,

        "Finish": "Pause"

    }

}

}

}

}

```

2. Detailed comparison of configuration files

"Config": {	Profile Description
-------------	---------------------

"Author": "Yi",	Creator
"Url": "https://fengyi.tel",	Author Website
"Version": "1.0.0.8"	Version
},	
"Deploy": {	Custom deployment
"Prerequisite": {	Group: Prerequisites
"IsAutoSelect": [Autoselect
"Prerequisite_Extract_Language_Add"	Autoselect: Prerequisite Extract Language, Add
"Prerequisite_Extract_Language_del"	Autoselect: Prerequisite Extract Language, Delete (Autoselect is not set, add autoselect to delete, you must add a , after "Prerequisite_Extract_Language_Add", example: "Prerequisite_Extract_Language_Add",
],	
"ExtractLanguage": {	Extract Language
"Add": {	Extract Language: Add
"Guid": "bb60fdc0-944f-4bc8-b6c7-6174d34956a5",	Select GUID, encapsulate script custom rule path: {drive letter};\YiSolutions_Encapsulation\Modules\1.0.0.*\Functions\Custom, search from the file: Solutions.Custom.Only.Language.psm1, Solutions.Custom.With.InBox.Apps.psm1, Solutions.Custom.Extension.psm1
"IsEjectISO": true,	After extraction, the mounted ISO will pop up. Rules: Language packs, feature packs. Acceptable values: True = Allow, False = Do not process.
"CleanDuplicate": false,	Clean up duplicate files
"NoExtractEnglish": true,	Skip en-US addition during installation, recommended
"Missing": {	Missing items
"IsMissing": false,	Allow extraction of installer missing items
"OnlySelectRegion": true	Extract only selected languages
},	
"SaveTo": {	Extract language and save it to
"Schome": "Custom",	Solution: Select the following nodes, acceptable values: "Custom": {}, "Multi": {}
"Custom": {	Node, custom path
"Path": "{Image_source}_Custom"	Path
},	
"Multi": {	Node, multi-level directory
"Path": "{MainMasterFolder}\\{ImageType}_Custom",	Path
"Name": "1_11_zh-CN"	Directory Name
}	
},	
"Scope": [Select the applicable scope of extraction
"Install;Install;wim;",	

"Install;WinRE;wim;"	
"Boot;Boot;wim;"	
],	
"Region": [Automatically select the area, please refer to add others: 3.zh-CN.zh-TW.json
"zh-CN"	Simplified Chinese - China
],	
"RegionAssoc": []	Region association: When adding zh-TW , it is necessary to associate it with zh-HK
},	
"Del": {	Extract Language: Delete
"Guid": "bb60fdc0-944f-4bc8-b6c7-6174d34956a5",	Select GUID, encapsulate script custom rule path: {drive letter};\YiSolutions_Encapsulation\Modules\1.0.0.*\Functions\Custom , search from the file: Solutions.Custom.Only.Language.psm1 , Solutions.Custom.With.InBox.Apps.psm1 , Solutions.Custom.Extension.psm1
"IsEjectISO": true,	After extraction, the mounted ISO will pop up. Rules: Language packs, feature packs. Acceptable values: True = Allow, False = Do not process.
"CleanDuplicate": false,	Clean up duplicate files
"NoExtractEnglish": true,	Skip en-US addition during installation, recommended
"SaveTo": {	Extract language and save to
"Schome": "Custom",	Select the following node, acceptable values: "Custom": {} , "Multi": {}
"Custom": {	Node, custom path
"Path": "{Image_source}_Custom"	Path
},	
"Multi": {	Node, multi-level directory
"Name": "1_11_zh-CN"	Path
}	
},	
"Scope": [Select the applicable scope of extraction
"Install;Install;wim;"	
"Install;WinRE;wim;"	
"Boot;Boot;wim;"	
],	
"Region": [Automatically select the area, please refer to add others: 3.zh-CN.zh-TW.json
"en-US"	English - United States
]	
}	
}	
},	

"ImageSource": {	Processing Image Source
"Tasks": {	Autonomous driving tasks
"IsAutoSelect": [Automatic selection
"Convert"	Automatic selection: Transform image
],	
"Solutions": {	Solution
"SaveTo": {	Build solution and save it to
"FolderName": "",	Customize the main directory name. When it is empty by default, it automatically obtains the initial directory name or the custom main directory name.
"Path": "ISO"	ISO = Save to image source, Mounted = Save to mounted item, acceptable values: ISO , Mounted
},	
"Account": {	Initial user experience during unboxing
"Schome": "Designated",	Select the following nodes to set the available settings: "Custom": {} , "Designated": {}
"Custom": {},	Customize user creation
"Designated": {	Specify user
"UserName": "Administrator",	Customize username
"SyncMainFolder": false,	Set directory name as primary username
"AutoLogin": true	Automatically log in
}	
},	
"Schome": {	Solution: Deployment Engine, Pre-Answer, Collection
"Engine": {	Solution: Deployment Engine
"Enable": true,	Allow adding deployment engines
"Version": "Multilingual",	Select deployment engine version
"OptAdv": {	Optional Features
"AutoFix": true	Automatically fix when prerequisites are not selected
},	
"FirstExperience": {	First time experience, after completing the prerequisites
"Prerequisite": {	First experience, prerequisites
"FirstExpSyncMark": true,	Allows full disk search and synchronization of deployment tags
"FirstExpUpdate": false,	Allow automatic updates
"FirstExpDefender": false,	Add home directory to Defend exclusion directory
"NetworkLocationWizard": true,	Network Location Wizard
"FirstExpSyncLabel": false,	System disk label: Same as the main directory name
"IsMulti": {	When encountering multiple languages:

```

        "PreAppxCleanup": true,          Block Appx cleanup maintenance tasks

        "LanguageComponents": true,      Prevent cleanup of unused Feature on Demand language packs

        "PreventCleaningUnusedLP": true  Prevent cleaning of unused language packs

    },

    "DesktopMenu": {                    Personalized Menu

        "Enable": false,                Allows adding personalized "context menus"

        "Right": false                  Hold down the Shift key while right-clicking

    },

    "Time": {                           Hold down the Shift key while right-clicking

        "Enable": false,                Allow changing system locale

        "UTF8": false,                  Beta: Global language support using Unicode UTF-8

        "Region": "zh-CN"               Specifying time zone markers

    },

    "Restart": true                     Restart your computer

},

"Finish": {                            First experience, after completion

    "FirstExpFinishPopup": false,       The deployment engine main interface pops up

    "FirstExpFinishOnDemand": false,     Allow first preview, as planned

    "ResetExecutionPolicy": true,        Restore Powershell Execution Policy: Restricted

    "ClearFull": true,                  Delete the entire solution

    "OnlyClearEngine": true,            Delete the deployment engine and keep the others

    "Restart": false                    Restart your computer

}

}

},

"Unattend": {                          Solution: Should be answered in advance

    "Enable": true,                     Allow to add expected response

    "Version": "11",                    Pre-answer version, acceptable values: 10, 10.Only.arm64, 10.Only.x64, 10.Only.x86, 11,
11.Only.arm64, 11.Only.x64

    "Command": {                        Commands to run on first deployment

        "WindowsSetup": [               Windows Installation

            "a94cc882-a451-494d-8d94-523e06470f68",      Select: Powershell Execution Policy: No restrictions

            "f6ba749e-3a36-4a2e-bc28-674073cb973b"        Allows running deployment engine scripts

        ],


```

"WindowsPE": []	Windows PE, optional addition: 9709d822-2ffc-45a9-86c4-0cf48a66f499 = Bypass TPM check
during installation)	
},	
"IsMulti": "Auto",	Multilingual
"InstallMethod": "Auto",	Installation method, acceptable values: Auto = Automatically identify the image source type, Business = Business version, Consumer = Consumer version
"Schome": {	Select the Autounattend.xml solution
"Version": "Auto",	Select the following nodes. Acceptable values: Auto = Automatic selection, Semi = Semi-automatic for all installation methods, UEFI = UEFI automatic installation, you need to specify the index number, Legacy = Legacy automatic installation, you need to specify the serial number
"Semi": {},	Semi-automatic is effective for all installation methods
"UEFI": {	UEFI automatic installation, you need to specify the index number
"ImageIndex": "1"	Specify the index number
},	
"Legacy": {	Legacy automatic installation, you need to specify the serial number
"ProductKey": "TX9XD-98N7V-6WMQ6-BX7FG-H8Q99"	Legacy automatic installation, you need to specify the serial number
}	
},	
"AddTo": {	Add expected answer to
"ISOAutounattend": true,	[ISO]:\Autounattend.xml
"ISOSourcesUnattend": true,	[ISO]:\sources\Unattend.xml
"ISOPantherUnattendOEM": true,	[ISO]:\sources\\$\OEM\$\\$\\$Panther\unattend.xml
"ISOPantherUnattendOS": true	[Mount to]:\Windows\Panther\unattend.xml
},	
"InstallInterface": {	Installation screen
"OOBEPProductKey": false,	Hide Product key
"OOBEOSImage": false,	Hide Select the operating system to install
"OOBEEula": true	Hide Accept the license terms
},	
"Server": {	Server
"ServerManager": false,	Do not automatically start Server Manager when logging on
"InternetExplorer": {	Internet Explorer Enhanced Security Configuration
"Administrator": false,	Turn off "Administrator"
"User": false	Turn off "User"
}	
},	

"Time": {	Time Zone
"Enable": false,	Allow changing time zone
"Region": "zh-CN"	Specifying time zone markers
}	
},	
"Collection": {	Collection
"Enable": true,	Allow adding collections
"OptAdv": {	Optional Features
"GenerateReport": true	Generate a pre-deployment report
},	
"Language": {	Custom collection language
"IsMulti": "Auto",	Automatically select a language. Acceptable values: Auto = automatic selection, Multi = select multiple locales, Single = specify a single language
"Multi": [Select multiple locales
"en-US",	
"zh-CN"	
],	
"Single": "zh-CN"	Specify single language
},	
"Architecture": "Auto",	Automatically select architecture, acceptable values: Auto = automatic selection, specify: arm64 , x64 , x86
"Office": {	Deploy Office installation packages
"IsDeploy": false,	Allows deployment of Office installation packages. It is recommended that you use the associated ISO feature to create
"Version": "",	Office version
"Language": [Language Packs
"Auto"	Acceptable values: Auto = Automatic, or custom locale
],	
"DeployTo": "PublicDesktop"	Add Office installation package to, acceptable values: PublicDesktop = public desktop, MainDirectory = main directory
},	
"Custom": {	Deploy a custom collection
"IsDeploy": false,	Allow adding custom collections
"DeployTo": "SystemDisk",	Deploy to, acceptable values: SystemDisk = system disk:\Package, Solution = solution home directory, PublicDesktop = public desktop
"Version": "Template"	Select Collection

},	
"Software": {	Software
"IsDeploy": false,	Allows adding deployment software
"App": []	Select the package name
},	
"Fonts": {	Font
"IsDeploy": false,	Allow adding fonts
"Package": []	Select font name
}	
}	
}	
},	
"Convert": {	Split, convert, merge
"IsBackup": true,	Create a backup before converting
"Scheme": "SplitWim",	Scheme, acceptable values: WIMtoESD = WIM to ESD, ESDtoWIM = ESD to WIM, MergedSWM = Merge, SplitWim = Split
"Config": {	Scheme Configuration Rules
"SplitWim": {	Split Wim
"Compression": "Max",	Compression type, acceptable values: Max = highest, Fast = fast, None = no compression
"Rebuild": false,	Allow Rebuild
"Split": {	Split
"Enabled": true,	Allow Split
"Size": "4096"	Custom size
}	
},	
"WimToEsd": {	
"Compression": "Max",	Compression type, acceptable values: Max = highest, Fast = fast, None = no compression
"Rebuild": false	Allow Rebuild
},	
"EsdToWim": {	ESD to Wim
"Compression": "Fast",	Compression type, acceptable values: Max = highest, Fast = fast, None = no compression
"Split": {	Split
"Enabled": true,	Allow Split
"Size": "4096"	Custom size
}	

},	
"MergedSWM": {	
"Compression": "Fast"	Compression type, acceptable values: Max = highest, Fast = fast, None = no compression
}	
}	
},	
"ISO": {	ISO
"Association": [Associated ISO Profile
"ISO.Multilingual",	
"ISO.Multilingual.With.Office.2024",	
"ISO.Multilingual.With.Office.365",	
"ISO.Yi.Suite",	
"ISO.Yi.Suite.With.Office.2024",	
"ISO.Yi.Suite.With.Office.365"	
]	
}	
}	
},	
"Mount": {	When there is a new mount image
"IsAutoSelect": [Automatic selection
"Install;Install;wim;",	
"Install;WinRE;wim;",	
"Boot;Boot;wim;"	
],	
"Tasks": [Tasks, only explain Install;Install;wim; , all complete configurations can be applied to all groups, streamlined configuration according to different groups
{	
"Group": "Install;Install;",	Group, acceptable values: Install;Install; , Install;WinRE; , Boot;Boot;
"Uid": "Install;Install;wim;",	Unique identifier, acceptable values: Install;Install;wim; , Install;WinRE;wim; , Boot;Boot;wim;
"IsAutoSelect": [Auto Select
"Image_source_selection",	Auto Select: Auto Select Image Source
"Language_Add_UI",	Auto Select: Language: Add
"LXPs_Region_Add",	Auto Select: Local Language Experience Packs (LXPs): Added
"InBox_Apps_Add_UI",	Auto Select: InBox Apps: Add
"Cumulative_updates_Add_UI",	Auto Select: Cumulative Updates: Add

"Drive_Add_UI",	Auto Select: Drivers: Add
"Feature_More_UI"	Auto Select: More
],	
"IsAutoSelectIndex": [Automatically select index numbers, acceptable values: Auto = automatically select all index numbers, Custom setting: 2 = select only index number 2, "5" , "6" = Select multiple index numbers, select index numbers 5 and 6.
"Auto"	= Auto = Automatically select all index numbers
],	
"Tasks": {	Task
"Solutions": {},	See same comparison
"Language": {	Language Packs
"Add": {	Language Pack: Added
"Source": "{Image_source}_Custom\\{Master}\\{Image}\\Language\\Add",	Add Source
"Adv": {	Optional Features
"PreRuleOrder": true,	Install language packs in the order specified by the rules
"WildcardList": true,	When installing a language pack, wildcard from the installed list
"NoCheckFileType": false,	No longer check if the file exists in the directory
"AutoSuggestions": true,	Automatically select suggested items when there is an event
"SetupFixMissing": false,	Automatically repair the installer missing items
"LangSyncToSources": false,	Synchronize language packs to the installer
"LangIniRebuild": false	Rebuilding Lang.ini
}	
},	
"Del": {	Language Pack: Delete
"Source": "{Image_source}_Custom\\{Master}\\{Image}\\Language\\Del",	Delete source
"Adv": {	Optional Features
"DescendingRuleLang": true,	Remove language packs in reverse order
"NoCheckFileType": false,	No longer check if the file exists in the directory
"AutoSuggestions": true,	Automatically select suggested items when there is an event
"BootSyncToISO": false,	Sync language packs to ISO
"LangIniRebuild": false	Rebuilding Lang.ini
}	
},	
"Change": "zh-CN",	Changing the offline image default language
"Cleanup": [Clean up language packs
"en-US"	

]	
},	
"InBoxApps": {	InBox Apps
"Mark": {	InBox Apps: Tags
"Schome": "Skip",	Solution: Select the following node, acceptable values: Skip = Skip, Custom = Custom
"Skip": {	Solution Node: Skip
"RemoveAll": {	Forcefully remove all pre-installed applications (InBox Apps)
"IsDel": true,	Allows forced removal of all pre-installed applications (InBox Apps)
"IsExclude": true	Exclude by rule
}	
},	
"Custom": {	Solution Node: Custom
"SkipenUS": true,	Skip en-US addition during installation, recommended
"RemoveAll": {	Forcefully remove all pre-installed applications (InBox Apps)
"IsDel": true,	Allows forced removal of all pre-installed applications (InBox Apps)
"IsExclude": true	Exclude by rule
},	
"Version": "26100",	Select version
"Region": [Select language
"zh-CN"	
]	
}	
},	
"Add": {	InBox Apps: Added
"Schome": "Custom",	Solution: Select the following node, acceptable values: Custom = Custom
"Custom": {	Solution Node: Custom
"AutoSearch": true,	Automatically search all disks for missing packages
"DependencyPackage": true,	Allow automatic assembly of dependent packages when installing InBox Apps
"OptimizeHardLink": true,	Optimize provisioning Appx packages by replacing identical files with hard links
"Source": "auto",	Add source, Auto = automatically search from all disks, G:\Package = specify the installation package source
"Guid": "bb60fdc0-944f-4bc8-b6c7-6174d34956a5",	Select GUID, encapsulate script custom rule path: {drive letter}\YiSolutions_Encapsulation\Modules\1.0.0.*\Functions\Custom, search from the file: Solutions.Custom.Only.Language.psm1 , Solutions.Custom.With.InBox.Apps.psm1 , Solutions.Custom.Extension.psm1
"Apps": "auto"	InBox Apps: Add apps, Auto = automatically select all, custom select software name: Clipchamp.Clipchamp , Microsoft.BingNews , etc.

	},	
	"Assign": {}	
	},	
	"Update": {	InBox Apps: Updates
	"Sources": "Auto",	Add source, Auto = automatic selection
	"Region": [Select language
	"zh-CN"	
]	
	},	
	"Remove": {	InBox Apps: Delete
	"Region": [Select language
	"zh-CN"	
]	
	},	
	"MatchRemove": {	InBox Apps: Match Delete
	"Guid": "bb60fdc0-944f-4bc8-b6c7-6174d34956a5",	Select GUID, encapsulate script custom rule path: {drive letter}\YiSolutions_Encapsulation\Modules\1.0.0.*\Functions\Custom , search from the file: Solutions.Custom.Only.Language.psm1 , Solutions.Custom.With.InBox.Apps.psm1 , Solutions.Custom.Extension.psm1
	"Apps": ""	Specify the software to be deleted: Clipchamp.Clipchamp , Microsoft.BingNews 等
	}	
	},	
	"CumulativeUpdate": {	Cumulative updates
	"Add": {	Cumulative Update: Added
source	"Schome": "Auto",	Scheme, acceptable values: Auto = automatically import from public libraries, Custom = custom
	"Custom": [
	"{MainMasterFolder}\\{ImageType}_Custom\\{Master}\\{Image}\\Update\\{ArchC}\\Add",	
	"{Mount_To_Route}\\{Master}\\{Image}\\Update\\Add",	
	"{Image_source}_Custom\\{Master}\\{Image}\\Update\\Add"	
],	
	"IsEvent": {	When there is a task
	"CuringUpdate": true,	Solidification Update
	"Superseded": {	Clean up and replace
	"IsSuperseded": false,	Allows cleanup of replaced
	"ExcludeRules": true	Includes outdated updates, components, etc.

```

    }

}

},

"Del": {
    Cumulative Update: Remove

    "Schome": "Auto",
    Scheme, acceptable values: Auto = automatically import from public libraries, Custom = custom
source

    "Custom": [

        "{MainMasterFolder}\\{ImageType}\\_Custom\\{Master}\\{Image}\\Update\\{ArchC}\\Add",

        "{Mount_To_Route}\\{Master}\\{Image}\\Update\\Add",

        "{Image_source}_Custom\\{Master}\\{Image}\\Update\\Add"

    ],

    "IsEvent": {
        When there is a task

        "CuringUpdate": true,
        Solidification Update

        "Superseded": {
            Clean up and replace

            "IsSuperseded": false,
            Allows cleanup of replaced

            "ExcludeRules": true
            Includes outdated updates, components, etc.

        }

    }

}

},

"Drive": {
    Drive

    "Add": {
        Driver: Add

        "Schome": "Auto",
        Scheme, acceptable values: Auto = automatically import from public libraries, Custom = custom
source

        "Custom": [

            "{MainMasterFolder}\\{ImageType}\\_Custom\\{Master}\\{Image}\\Drive\\{ArchC}\\Add",

            "{Mount_To_Route}\\{Master}\\{Image}\\Drive\\Add",

            "{Image_source}_Custom\\{Master}\\{Image}\\Drive\\Add"

        ]

    },

    "Del": {
        Driver: Delete

        "Schome": "Auto",
        Scheme, acceptable values: Auto = automatically import from public libraries, Custom = custom
source

        "Custom": [

            "{MainMasterFolder}\\{ImageType}\\_Custom\\{Master}\\{Image}\\Drive\\{ArchC}\\Add",

            "{Mount_To_Route}\\{Master}\\{Image}\\Drive\\Add",
```

```
        "{Image_source}_Custom\\{Master}\\{Image}\\Drive\\Add"

    ]

}

},

"WindowsFeatures": {                                Windows Features

    "Enable": [                                       Windows Features: Enable

        "NetFx3",

        "TelnetClient"

    ],

    "Disable": [                                     Windows Features: Disable

        "TelnetClient"

    ]

},

"PSFunctions": {                                    PowerShell Functions

    "Before": [],                                    PowerShell Function: Before Run

    "After": []                                       PowerShell Function: After Completion

},

"More": {                                            More Features

    "CuringUpdate": false,                          Solidification Update

    "Superseded": {                                  Clean up and replace

        "IsSuperseded": false,                     Allows cleanup of replaced

        "ExcludeRules": true                        Includes outdated updates, components, etc.

    },

    "Healthy": true,                                healthy

    "Report": {                                       healthy

        "InboxApps": true,                          Inbox Apps: Print reports to the log

        "Components": true,                         Component: Print report to log

        "Drive": true,                              Driver: Print report to log

        "ImageLanque": true                         Language: Print report to log

    },

    "SaveTo": "{Image_source}_Custom\\{Master}\\{Image}\\Report"    Generate report and save it to

},

"Expand": {                                          Extensions

    "Rebuild": true                                  Allow Rebuild

}
```

},	
"Eject": {	Pop up
"Schome": "Save",	Popup solution, acceptable values: Save = Save, DoNotSave = Do not save
"ForectEject": true	Force eject
}	
}	
}	
]	
},	
"IsEvent": {	When there is a task
"Scheduled": {	When does it begin
"Schome": "Instantly",	Solution, select the following nodes, acceptable values: Custom = Custom, Instantly = Immediate
execution	
"Instantly": {},	Solution node: Execute immediately
"Custom": {	Solution Node: Custom
"Sky": "0",	Day
"Hour": "0",	Hour
"Minute": "1"	Minute
}	
},	
"AfterCompletion": {	
"IsCleanupTemp": true,	Allow cleaning up temporary files (Temp). Acceptable values: True = allow, False = do not clean up.
"Finish": "Pause"	When finished, acceptable values: NoProcess = Do not process, Pause = Pause, Reboot = Restart
the computer, Shutdown = Shut down the computer	
}	
}	
}	
}	



This copy of the autonomous driving configuration solution belongs to Yi's Solutions content, learn more:

- Yi's official website | <https://fengyi.tel/solutions>
- Github | <https://github.com/ilikeyi/solutions>

Author: Yi

Email: 775159955@qq.com, ilikeyi@outlook.com

Document Version: 1.1

Translation: Chinese to English version

Json configuration included in the document, last test time: 11 / 2025

Document last updated: 11 / 2025

Suggestions or feedback: <https://github.com/ilikeyi/solutions/issues>