
Measurement Report


Passed

Job:	200892_Moon124390.1A.CMYK.TIF
Device:	EPSON 3-9900
Time Stamp:	1/30/2024
Print Target:	IDEAlliance GRACoL coated1 2009
Substrate:	CGS_PEARL_SMW
Ink:	
Location:	Bertco Industries - Bertco Industries - U13528
Customer:	
Information:	
Delta E Formula:	dE




Summary Δ

	Actual	Threshold
Average Δ E	2.10	3.00
Maximum Δ E	5.56	6.00
Primary Δ E	2.28	5.00
Primary Δ H	1.93	2.70
Gray Average Δ E	0.31	1.50
95% Quartile Δ E		
Δ E Outer Gamut		



Δ E Values


Patch Type	Actual	Threshold
Cyan	2.28	5.00
Magenta	2.25	5.00
Yellow	1.00	5.00
Red	2.54	6.00
Green	3.02	6.00
Blue	0.96	6.00
Paper	1.96	3.00
Gray 25	1.63	6.00
Gray 50	1.07	6.00
Gray 75	1.34	6.00




© CGS 2024

Measurement Report


Gray L* Deviation Graph



Gray a* Deviation Graph




Gray b* Deviation Graph



Gray Patch Values


Patch	0.00	10.00	25.00	50.00	75.00	100.00
L Actual	1.56	-0.27	-0.18	-0.23	-0.48	1.54
A Actual	0.50	0.10	0.13	0.10	-0.24	-0.48
B Actual	1.08	-0.73	-1.61	-1.04	-1.23	-1.45

Gray NPD



	0	10	25	50	75	100
Act	0.04	0.16	0.31	0.60	0.98	1.37

Black NPD




	0	3	10	25	50	75	90	100
Act	0.04	0.07	0.15	0.28	0.56	0.96	1.31	1.65

© CGS 2024

Measurement Report

Dotgain Actual



Patch DG Data

Patch	0	3	10	25	30	50	70	75	90	100
C DG	0.00				17.96		16.00			0.00
M DG	0.00				17.81		17.64			0.00
Y DG	0.00				14.81		13.49			0.00
K DG	0.00	3.84	12.94	18.52		21.56		15.19	7.01	0.00

© CGS 2024

Measurement Report

Color T | A	Δ E	PatchID #	C	M	Y	K	Target L	Target a	Target b	Actual L	Actual a	Actual b
	1.99	A1	100.00	0.00	0.00	60.00	30.05	-22.65	-28.82	29.83	-20.67	-28.76
	2.28	A2	100.00	0.00	0.00	0.00	54.96	-37.12	-50.00	53.99	-35.12	-50.52
	1.40	A3	70.00	0.00	0.00	0.00	66.60	-25.13	-37.01	66.07	-25.18	-38.30
	0.63	A4	30.00	0.00	0.00	0.00	82.64	-9.99	-17.85	82.47	-10.11	-18.44
	3.47	A5	0.00	100.00	0.00	60.00	26.45	41.59	-1.73	28.65	39.10	-2.73
	2.25	A6	0.00	100.00	0.00	0.00	47.93	74.11	-3.01	49.30	72.33	-3.11
	1.09	A7	0.00	70.00	0.00	0.00	60.35	51.93	-5.67	60.26	52.73	-6.40
	0.88	A8	0.00	30.00	0.00	0.00	80.03	20.38	-5.35	80.02	20.96	-6.01
	2.78	A9	0.00	0.00	100.00	60.00	48.53	-5.30	49.19	48.58	-6.11	46.53
	1.00	A10	0.00	0.00	100.00	0.00	88.94	-5.02	93.17	89.12	-5.17	92.20
	3.10	A11	0.00	0.00	70.00	0.00	90.56	-4.57	63.58	90.71	-4.99	60.51
	2.00	A12	0.00	0.00	30.00	0.00	92.84	-2.51	24.77	92.82	-1.97	22.84
	4.60	A13	100.00	0.00	40.00	0.00	52.53	-53.19	-19.34	52.02	-49.77	-22.38
	2.86	A14	40.00	100.00	0.00	0.00	37.89	52.56	-22.07	38.28	50.42	-23.92
	3.04	A15	0.00	40.00	100.00	0.00	70.88	22.91	72.40	70.60	23.24	69.39
	2.49	A16	0.00	40.00	70.00	40.00	50.86	15.13	33.06	49.82	15.02	30.80
	1.68	A17	0.00	70.00	40.00	40.00	42.17	33.42	13.25	41.64	32.28	12.13
	1.94	A18	40.00	70.00	0.00	40.00	34.60	23.09	-17.15	33.69	21.46	-17.67
	1.87	A19	40.00	0.00	70.00	40.00	52.45	-18.04	26.12	51.90	-18.19	24.34
	0.88	A20	70.00	40.00	0.00	40.00	36.56	-1.43	-26.62	35.73	-1.36	-26.89
	0.93	A21	0.00	0.00	0.00	3.00	92.88	-0.08	-1.96	93.60	0.14	-1.41
	0.58	A22	0.00	0.00	0.00	10.00	87.93	-0.20	-1.98	87.85	-0.35	-2.53
	0.83	A23	0.00	0.00	0.00	25.00	77.43	-0.40	-1.93	77.57	-0.60	-2.72
	0.36	A24	0.00	0.00	0.00	50.00	59.77	-0.53	-1.61	59.59	-0.70	-1.87
	1.34	A25	0.00	0.00	0.00	75.00	39.75	-0.57	-1.02	39.71	-0.79	-2.34
	1.53	A26	0.00	0.00	0.00	90.00	25.57	-0.21	-0.53	26.48	-0.73	-1.64
	1.86	A27	0.00	0.00	0.00	100.00	14.95	0.19	-0.14	16.63	0.92	-0.46
	1.21	B1	100.00	100.00	0.00	60.00	15.18	8.84	-24.61	15.94	8.61	-23.70
	0.96	B2	100.00	100.00	0.00	0.00	24.13	17.20	-46.14	24.95	17.51	-46.53
	2.44	B3	70.00	70.00	0.00	0.00	40.84	17.09	-35.77	39.88	17.68	-37.93
	1.97	B4	30.00	30.00	0.00	0.00	69.57	8.37	-19.26	69.03	9.34	-20.89
	5.56	B5	0.00	100.00	100.00	60.00	26.22	35.38	24.54	29.76	31.32	23.15
	2.54	B6	0.00	100.00	100.00	0.00	47.37	68.25	48.79	49.37	66.77	48.30
	2.32	B7	0.00	70.00	70.00	0.00	59.09	47.55	39.25	59.01	47.70	36.94
	2.14	B8	0.00	30.00	30.00	0.00	78.62	17.92	18.20	78.44	18.22	16.09
	4.50	B9	100.00	0.00	100.00	60.00	28.47	-39.38	12.04	28.30	-35.62	9.57
	3.02	B10	100.00	0.00	100.00	0.00	50.12	-68.43	25.00	49.43	-66.93	22.47
	3.33	B11	70.00	0.00	70.00	0.00	62.69	-41.44	20.96	61.89	-41.70	17.74
	2.14	B12	30.00	0.00	30.00	0.00	80.64	-14.75	8.25	80.64	-14.93	6.12
	4.23	B13	100.00	40.00	0.00	0.00	42.57	-16.27	-48.19	41.20	-12.52	-49.58
	2.77	B14	0.00	100.00	40.00	0.00	48.28	70.95	17.76	49.93	69.06	16.59
	4.25	B15	40.00	0.00	100.00	0.00	72.70	-25.21	65.09	72.44	-25.74	60.88

© CGS 2024

Measurement Report

Color T | A	Δ E	PatchID #	C	M	Y	K	Target L	Target a	Target b	Actual L	Actual a	Actual b
	1.64	B16	10.00	40.00	40.00	0.00	70.23	19.71	18.63	70.12	19.99	17.02
	2.67	B17	20.00	70.00	70.00	0.00	53.40	36.61	28.63	52.72	36.51	26.05
	2.77	B18	0.00	70.00	70.00	40.00	41.61	32.01	26.83	40.84	30.26	24.83
	1.60	B19	70.00	0.00	40.00	40.00	45.40	-26.20	-3.82	44.58	-26.02	-5.18
	1.96	B20	0.00	0.00	0.00	0.00	95.00	-0.02	-1.96	96.56	0.48	-0.88
	1.20	B21	3.10	2.20	2.20	0.00	92.43	0.19	-2.06	93.17	1.00	-1.57
	0.78	B22	10.20	7.40	7.40	0.00	86.74	0.31	-2.04	86.47	0.41	-2.77
	1.63	B23	25.00	19.00	19.00	0.00	75.52	0.07	-1.50	75.34	0.20	-3.11
	1.07	B24	50.00	40.00	40.00	0.00	57.54	-0.12	-1.44	57.31	-0.02	-2.48
	1.34	B25	75.00	66.00	66.00	0.00	39.39	-0.30	-0.55	38.91	-0.54	-1.78
	2.17	B26	100.00	100.00	100.00	0.00	23.00	0.17	-0.25	24.54	-0.31	-1.70
	1.32	B27	80.00	70.00	70.00	100.00	8.46	0.34	0.44	9.76	0.26	0.25

© CGS 2024