
Measurement Report

powered by


Failed

Job:	10/2/2008
Device:	FP 5600 B2
Time Stamp:	3/1/2011
Print Target:	2 level ORIS colorbar test
Substrate:	
Ink:	
Location:	FujiFilm Graphic Systems - Hanover Park - Chirag's Dongle
Customer:	amcolor
Information:	
Delta E Formula:	dE




Summary Δ

	Actual	Threshold
Average Δ E	3.16	4.00
Maximum Δ E	8.59	5.00
Primary Δ E	7.84	5.00
Primary Δ H		
Gray Average Δ E		
95% Quartile Δ E		
Δ E Outer Gamut		




Δ E Values

Patch Type	Actual	Threshold
Cyan	7.10	5.00
Magenta	4.27	5.00
Yellow	3.62	5.00
Red	7.01	5.00
Green	3.47	5.00
Blue	8.59	5.00
Paper	2.21	2.00



© Fujifilm 2011


Gray L* Deviation Graph



Gray a* Deviation Graph




Gray b* Deviation Graph



Gray Patch Values


Patch	0.00	20.00
L Actual	-1.94	-4.23
A Actual	-0.25	-0.51
B Actual	-1.03	0.28

Gray NPD



	0	20
Act	0.09	0.30


Black NPD



	0	5	10	30	50	60	70	80	100
Act	0.09	0.13	0.19	0.36	0.61	0.72	0.90	1.03	1.47

© Fujifilm 2011

Dotgain Actual



Patch DG Data

Patch	0	5	10	30	50	60	70	80	100
C DG	0.00	4.91	11.08	19.30	23.58	22.32	17.42	13.06	0.00
M DG	0.00	4.32	7.83	14.99	19.22	18.09	14.82	10.99	0.00
Y DG	0.00	2.61	6.97	12.08	15.39	14.49	12.62	9.65	0.00
K DG	0.00	4.18	11.46	18.31	22.84	19.89	18.19	12.37	0.00

© Fujifilm 2011

Measurement Report

powered by

Color T | A	Δ E	Patch ID #	C	M	Y	K	Target L	Target a	Target b	Actual L	Actual a	Actual b
	7.10	A1	100.00	0.00	0.00	0.00	56.24	-33.00	-49.62	59.53	-28.86	-44.88
	5.01	A2	80.00	0.00	0.00	0.00	61.21	-27.65	-43.76	63.32	-24.70	-40.31
	3.46	A3	70.00	0.00	0.00	0.00	64.57	-24.20	-39.52	66.02	-22.22	-37.08
	2.37	A4	60.00	0.00	0.00	0.00	67.78	-21.33	-35.87	68.37	-19.95	-34.04
	2.05	A5	50.00	0.00	0.00	0.00	71.32	-18.12	-31.48	71.72	-17.02	-29.80
	1.13	A6	30.00	0.00	0.00	0.00	80.69	-10.53	-19.58	79.89	-10.15	-18.88
	3.36	A7	10.00	0.00	0.00	0.00	90.46	-2.99	-6.96	87.85	-4.01	-8.81
	3.20	A8	5.00	0.00	0.00	0.00	92.91	-1.21	-3.81	90.30	-2.17	-5.39
	3.62	A9	0.00	0.00	100.00	0.00	89.52	-5.44	94.36	88.17	-6.24	91.10
	2.71	A10	0.00	0.00	80.00	0.00	90.29	-5.40	74.56	88.75	-6.19	72.48
	1.82	A11	0.00	0.00	70.00	0.00	90.63	-5.14	62.87	89.14	-5.98	62.26
	2.02	A12	0.00	0.00	60.00	0.00	91.19	-4.95	53.63	89.52	-5.67	52.75
	1.92	A13	0.00	0.00	50.00	0.00	91.63	-4.50	44.04	89.94	-5.18	43.42
	2.63	A14	0.00	0.00	30.00	0.00	92.87	-2.97	23.31	91.06	-3.83	25.02
	3.08	A15	0.00	0.00	10.00	0.00	94.00	-1.04	6.33	91.80	-1.85	8.33
	2.93	A16	0.00	0.00	5.00	0.00	94.14	-0.46	1.95	92.14	-1.23	3.95
	7.01	A17	0.00	100.00	100.00	0.00	45.88	69.40	51.16	47.15	64.20	46.63
	3.47	A18	100.00	0.00	100.00	0.00	49.70	-64.07	31.32	50.82	-60.79	31.41
	8.59	A19	100.00	100.00	0.00	0.00	19.54	29.30	-45.24	26.20	24.82	-42.19
	2.58	A20	0.00	86.00	86.00	0.00	51.45	58.23	42.53	50.85	57.19	40.25
	2.21	A21	0.00	0.00	0.00	0.00	94.42	0.18	-1.56	92.48	-0.07	-2.59
	3.60	A22	15.00	40.00	56.00	6.00	65.10	15.95	26.53	62.33	14.28	24.94
	3.29	A23	25.00	95.00	95.00	39.00	30.81	35.72	22.49	30.63	33.47	20.09
	4.63	A24	100.00	6.00	68.00	0.00	51.08	-56.00	0.98	52.10	-52.86	4.22
	3.32	A25	100.00	100.00	100.00	100.00	8.58	0.40	-0.37	11.65	0.12	-1.60
	4.27	B1	0.00	100.00	0.00	0.00	47.34	75.03	-3.44	47.49	71.22	-5.37
	2.18	B2	0.00	80.00	0.00	0.00	56.11	57.78	-5.06	54.41	57.50	-6.40
	2.06	B3	0.00	70.00	0.00	0.00	60.53	50.40	-5.74	58.65	50.01	-6.48
	2.52	B4	0.00	60.00	0.00	0.00	64.74	43.04	-5.59	62.51	43.51	-6.66
	2.28	B5	0.00	50.00	0.00	0.00	69.24	35.95	-5.64	67.11	35.52	-6.33
	3.08	B6	0.00	30.00	0.00	0.00	80.16	19.64	-4.43	77.25	20.11	-5.31
	3.02	B7	0.00	10.00	0.00	0.00	89.75	6.86	-2.86	86.83	6.91	-3.61
	3.41	B8	0.00	5.00	0.00	0.00	92.72	2.95	-2.27	89.52	3.78	-3.11
	7.84	B9	0.00	0.00	0.00	100.00	14.03	2.46	4.87	21.31	1.37	2.18
	2.97	B10	0.00	0.00	0.00	80.00	33.49	0.68	0.15	36.43	0.55	-0.22
	0.51	B11	0.00	0.00	0.00	70.00	42.72	0.32	-0.82	42.24	0.27	-0.97
	0.75	B12	0.00	0.00	0.00	60.00	51.24	0.17	-1.24	50.54	0.16	-1.51
	1.65	B13	0.00	0.00	0.00	50.00	58.20	0.08	-1.54	56.58	0.06	-1.83
	0.97	B14	0.00	0.00	0.00	30.00	72.80	0.03	-1.85	71.95	-0.19	-2.26
	1.92	B15	0.00	0.00	0.00	10.00	86.33	0.07	-1.89	84.50	-0.17	-2.43
	1.63	B16	0.00	0.00	0.00	5.00	90.77	0.09	-1.85	89.27	-0.08	-2.46
	4.42	B17	100.00	95.00	95.00	0.00	27.21	-5.12	-2.60	27.01	-1.00	-1.01

© Fujifilm 2011

Measurement Report

powered by

Color T | A	Δ E	PatchID #	C	M	Y	K	Target L	Target a	Target b	Actual L	Actual a	Actual b
	1.49	B18	79.00	70.00	68.00	0.00	38.74	-1.63	-2.05	37.68	-0.91	-1.29
	1.55	B19	70.00	60.00	58.00	0.00	44.31	-1.69	-2.55	43.27	-1.39	-1.44
	2.45	B20	48.00	38.00	38.00	0.00	59.18	-1.96	-3.04	57.01	-2.37	-1.98
	2.81	B21	41.00	29.00	28.00	0.00	65.48	-2.85	-4.87	62.78	-2.99	-4.10
	3.45	B22	28.00	21.00	20.00	0.00	73.60	-0.34	-3.97	70.31	-1.04	-3.22
	4.27	B23	20.00	14.00	14.00	0.00	80.25	-0.60	-3.50	76.02	-1.11	-3.22
	5.25	B24	10.00	7.00	6.00	0.00	88.51	0.07	-3.31	83.30	-0.56	-3.16
	4.20	B25	3.00	2.00	3.00	0.00	93.50	0.14	-1.74	89.38	-0.41	-1.14

© Fujifilm 2011